


# **2017 ARIZONA HIV/AIDS EPIDEMIOLOGY ANNUAL REPORT**

---



ARIZONA DEPARTMENT  
OF HEALTH SERVICES



## Table of Contents

Executive Summary .....	2
Arizona's HIV/AIDS Epidemic Overview .....	6
Trends in HIV/AIDS Diagnoses .....	7
Continuum of Care.....	16
State of Arizona .....	18
Arizona Northern Region.....	22
Apache County.....	26
Coconino County .....	31
Gila County .....	36
Mohave County.....	41
Navajo County .....	46
Yavapai County .....	51
Arizona Central Region .....	56
Maricopa County .....	60
Pinal County .....	66
Arizona Southern Region.....	72
Cochise County .....	76
Graham County .....	81
Greenlee County .....	85
La Paz County.....	89
Pima County .....	93
Santa Cruz County .....	100
Yuma County .....	105
Arizona Southern Border Region.....	110

[Back to Index](#)

# Executive Summary

## Background

The purpose of the Arizona Department of Health Services' HIV Epidemiology Program is to monitor HIV/AIDS trends through case reports and surveillance. There are two methods of surveillance employed by the HIV Epidemiology Program in monitoring HIV/AIDS infections in Arizona: passive and active surveillance. Passive surveillance occurs when health care providers and testing laboratories report notifiable HIV tests/diagnoses to the HIV Epidemiology Program. The majority of HIV/AIDS cases reported in Arizona are through passive surveillance. Active surveillance requires the local health departments to contact health care providers and laboratories requesting information on patients receiving care for HIV. The surveillance data collected is provided to agencies such as the Centers for Disease Control and Prevention (CDC), local health departments, healthcare providers and community organizations to assist in targeting prevention, care and other services.

For 2016, the number of people living with HIV in Arizona was 17,464. This trend that has been slowly increasing over the last two decades partially due to enhanced treatments that lead to improved survival rates for people living with HIV.

For 2016, 780 new infections were reported to the health department. As well, 201 people were reported as deceased, a trend that has been decreasing since the advent of multi-drug antiretroviral therapy in the mid 1990's.

The Continuum of Care analysis shows improvement over the last 5 years. This illustrates that if HIV positive individuals can be retained in care and remain on antiretroviral therapy, their viral loads can be driven down to suppressed levels. This has been shown to improve their health outcomes as well as decrease their likelihood of transmitting the HIV virus.

## Definitions and Terms Used

**HIV/AIDS Case Definition:** See Figure 1. In 2008, the CDC revised the case definition for HIV and AIDS, designating a confirmed case for HIV infection into one of four HIV infection stages (stage 1, stage 2, stage 3 or stage unknown). An AIDS case was designated as stage 3 HIV infection. In 2014, the CDC revised the case definition again in response to changes in diagnostic criteria. An HIV case can be designated stage 0 if there is a negative HIV test within 6 months of the first HIV infection diagnosis. A case can be classified as stage 3 HIV

## Fast Facts

17,464 Arizonans have HIV/AIDS

780 were newly infected in 2016

201 people with HIV/AIDS died in 2016

infection if a stage 3 defining opportunistic illness has been diagnosed or immunologic criteria based on a CD4 T-lymphocyte test has been met. For anyone age 6 years through adult, a CD4 T-lymphocyte count less than 200 cells/ $\mu$ L, or if the absolute count is missing, a CD4 percentage less than 14% is classified as stage 3 HIV infection.<sup>1</sup> This surveillance report continues to use the term AIDS for stage 3 HIV infections.

2008 CDC Case Definition for HIV Infection: Summary Table		
Stage	Laboratory Evidence*	Clinical Evidence
Stage 1	Laboratory Confirmation of HIV <i>and</i> CD4 count >500 cells/mm <sup>3</sup> <i>or</i> CD4% ≥29	None required (but no AIDS-defining condition)
Stage 2	Laboratory Confirmation of HIV <i>and</i> CD4 count 200—499 cells/mm <sup>3</sup> <i>or</i> CD4% 14–28	None required (but No AIDS-defining condition)
Stage 3 (AIDS)	Laboratory Confirmation of HIV <i>and</i> CD4 count <200 cells/mm <sup>3</sup> <i>or</i> CD4% <14†	<i>or</i> Documentation of AIDS-defining condition (with laboratory confirmation of HIV infection)†
Stage unknown§	Laboratory Confirmation of HIV <i>and</i> No information on CD4 cell count or percentage	<i>and</i> No information on presence of AIDS-defining conditions

\* The CD4+ T-lymphocyte percentage is the percentage of total lymphocytes. If the CD4+ T-lymphocyte count and percentage do not correspond to the same HIV infection stage, select the more severe stage.

† Documentation of an AIDS-defining condition supersedes a CD4+ T-lymphocyte count of >200 cells/mm<sup>3</sup> and CD4+ T-lymphocyte percentage of total lymphocytes of >14.

§ Every effort should be made to report CD4+ T-lymphocyte counts or percentages and the presence of AIDS-defining conditions at the time of diagnosis. Additional CD4+ T-lymphocyte counts or percentages and any identified AIDS-defining conditions can be reported as recommended.

**Incidence:** HIV/AIDS incidence is the probability of occurrence of HIV/AIDS in a population within a specified period of time, or the number of new cases of HIV/AIDS. The estimates of HIV/AIDS incidence in Arizona are based upon the sum of new HIV cases and new AIDS cases not diagnosed as HIV infections in any prior calendar year. Cases of HIV/AIDS can only be counted as incident in the year they were first diagnosed with HIV infection. Persons who were newly diagnosed as HIV and diagnosed as AIDS in the same calendar year are counted as incident HIV to avoid double counting. This method is the most straightforward method available for estimating incidence.

**Prevalence:** HIV/AIDS prevalence refers to the total summation of living HIV/AIDS infected cases present in the state at a given time, regardless of the time of infection. A surveillance file is created by the HIV Epidemiology Program for every individual residing in Arizona who is diagnosed with HIV/AIDS. Surveillance files are routinely updated based on additional information obtained from routine healthcare, inter-and intra-state deduplication efforts, and death ascertainment. These updates play a large role in estimating prevalence of HIV/AIDS infections in Arizona. Prevalence estimates may be used for planning efforts or

<sup>1</sup> CDC. Revised Surveillance Case Definition for HIV Infection—United States, 2014. MMWR 2014; 63 (No.RR03; 1-10)

resource allocation, as they reflect the number of individuals residing within an area that need HIV/AIDS care and treatment services.

**Incarcerated:** Cases designated as incarcerated are individuals whose diagnoses were reported as HIV/AIDS while being housed within the jail/prison system in Arizona. The location of the jail/prison would then be given as the residence of diagnosis. In Pinal County, where the Arizona State Prison Complex – Florence is located, incarcerated individuals infected with HIV make up a significant proportion of cases for that county (Figure 12).

This report includes estimated prevalence and incidence of HIV/AIDS and the 2016 population estimates for each county/region in Arizona.

**Table 1 : Arizona Counties' 2015-2016 Population Numbers**

<b>County</b>	<b>2015</b>		<b>2016</b>		<b>2015-2016 Growth</b>	
	<b>Count</b>	<b>%</b>	<b>Count</b>	<b>%</b>	<b>Count</b>	<b>%</b>
Apache	71,474	1.05%	73,112	1.05%	1,638	2.29%
Cochise	126,427	1.85%	125,770	1.81%	-657	-0.52%
Coconino	139,097	2.04%	140,908	2.03%	1,811	1.30%
Gila	53,159	0.78%	53,556	0.77%	397	0.75%
Graham	37,666	0.55%	37,599	0.54%	-67	-0.18%
Greenlee	9,529	0.14%	9,613	0.14%	84	0.88%
La Paz	20,152	0.30%	20,317	0.29%	165	0.82%
Maricopa	4,167,947	61.04%	4,242,997	61.22%	75,050	1.80%
Mohave	204,737	3.00%	205,249	2.96%	512	0.25%
Navajo	108,277	1.59%	110,026	1.59%	1,749	1.62%
Pima	1,010,025	14.79%	1,016,206	14.66%	6,181	0.61%
Pinal	406,584	5.95%	418,540	6.04%	11,956	2.94%
Santa Cruz	46,461	0.68%	45,985	0.66%	-476	-1.02%
Yavapai	222,255	3.26%	225,562	3.25%	3,307	1.49%
Yuma	204,275	2.99%	205,631	2.97%	1,356	0.66%
<b>Arizona Total</b>	<b>6,828,065</b>	<b>100.00%</b>	<b>6,931,071</b>	<b>100.00%</b>	<b>103,006</b>	<b>1.51%</b>


Source : U.S. Census Bureau

Arizona's population has continued to grow as in previous years. Generally, the most populous counties grew at higher rates. The state's population grew by 103,006 from 2015 to 2016 according to the U.S. Census Bureau's estimates (Table 1). This represents an Arizona annual growth rate of 1.51%. The three most populous counties in Arizona, Maricopa (+75,050), Pinal (+11,956), and Pima (+6,181) have the largest increases in terms of absolute numbers. Pinal (2016: 418,540) has the highest rate of increase (2.94%) while Apache (2016: 73,112), has the second highest rate of increase (2.29%). Three out of the twelve counties in Arizona (Cochise, Graham and Santa Cruz) had decreases in population from 2015 to 2016.

[Back to Index](#)

## Arizona's HIV/AIDS Epidemic Overview

**Figure 1: Arizona HIV/AIDS incidence rate per 100,000, 1980-2016**



HIV/AIDS incidence rates declined through the 1990s. By 1999, the rate was 51% lower than in 1990. The rate for 2016 (11.4 per 100,000) is higher than 2015 (10.7 per 100,000).

**Figure 2: Arizona HIV/AIDS prevalence counts, 2004-2016**





Figure 2 shows the number of HIV/AIDS cases in Arizona from 2004 through 2016. Arizona is currently considered a moderate morbidity state, with CDC-estimated prevalence in the middle rate category among states with well-established confidential name-based HIV/AIDS

reporting. Prevalence numbers have continued to rise in Arizona, but this is expected given that people living with HIV/AIDS and taking recommended medications are living longer. At the end of 2016, prevalence of reported HIV infection was 252 cases per 100,000 persons. Currently, in Arizona, which was a population of 6,931,071, there are 17,464 persons living with HIV/AIDS in Arizona.

**Figure 3: Arizona HIV/AIDS death counts, 1980-2016**



Number of deaths for people living with HIV/AIDS has been decreasing overall since the introduction of “Highly Active Anti-Retroviral Therapy” (HAART) in 1995, now commonly referred to simply as “ART” (Figure 3). In 2016, 201 deaths were reported for people who are in the Arizona HIV/AIDS registry.

[Back to Index](#)

## Trends in HIV/AIDS Diagnoses

### Sex


**Figure 4: New HIV/AIDS diagnoses rates per 100,000 by sex, 2016**



In 2016, men had an HIV/AIDS diagnoses rate of 19.7 per 100,000 while women were diagnosed at a rate of 3.3 per 100,000 (Figure 4).

### Age


**Figure 5: New HIV/AIDS diagnoses rates per 100,000 by age, 2016**




People aged 25-29 had the highest HIV/AIDS diagnosis rate in Arizona of 31.7 per 100,000. People aged 20-24 and 30-34 had the second (28.1 per 100,000) and third (23.5 per 100,000) highest HIV/AIDS diagnosis rate, respectively.

## Race/Ethnicity


**Figure 6: Rate of Arizona Emergent HIV/AIDS by Race/Ethnicity, 1990-2016**



**Figure 7: Proportion of Arizona Emergent HIV/AIDS by Race/Ethnicity, 1990-2016**




\*Non-Hispanic, A/PI/H=Asian/Pacific Islander/Native Hawaiian, AI/AN=American Indian/Alaska Native, MUL/UNK = Multi-race/Unknown. MUL/UNK rate not calculated due to Census data limitations.

**Figure 8: Arizona HIV/AIDS incidence rates per 100,000 by Race/Ethnicity, 2016**

\*NH=Non-Hispanic, A/PI/H=Asian/Pacific Islander/Native Hawaiian, AI/AN=American Indian/Alaska Native

HIV/AIDS incidence rates differ sharply between Non-Hispanic Blacks and the rest of the racial/ethnic groups in Arizona. Rates among Non-Hispanic Blacks have almost doubled from 22 per 100,000 in 2010 to 45 per 100,000 in 2016 (Figure 6). Non-Hispanic American Indians and Alaska Natives (AI/AN) have the second highest rate of infection of 18.5 per 100,000.


**Figure 9: Arizona HIV/AIDS incidence rates per 100,000 by Race/Ethnicity and Sex, 2016**

\*NH=Non-Hispanic, A/PI/H=Asian/Pacific Islander/Native Hawaiian, AI/AN=American Indian/Alaska Native

Non-Hispanic Blacks are disproportionately affected by HIV/AIDS in Arizona. Non-Hispanic Black males have a diagnosis rate of 60.6 per 100,000 and Non-Hispanic Black females have an incidence rate of 28.1 per 100,000 (Figure 7). American Indians and Alaska Natives are the second most affected group with males having an incidence rate of 30.8 per 100,000 and females 6.8 per 100,000.


## Transmission Categories

**Figure 10: Estimated Yearly Emergent HIV/AIDS Proportion by Risk, 1990-2016**




\*MSM=Men who have sex with men, NRR=Not reported, HRH= High-risk heterosexual sex, IDU=Intravenous drug use

**Figure 11: Estimated Yearly Emergent HIV/AIDS Cases by Risk, 1990-2016**




\*MSM=Men who have sex with men, NRR=Not reported, HRH= High-risk heterosexual sex, IDU=Intravenous drug use

**Figure 12: Reported risk categories among new HIV/AIDS diagnoses in Arizona, 2016**

\*MSM=Men who have sex with men, NR=Not reported, HRH= High-risk heterosexual sex, IDU=Intravenous drug use


Among all the risk groups in Figure 8, men who have sex with men (MSM) account for the largest proportion of incident HIV/AIDS cases in Arizona (60.9%) in 2015. MSM accounts for 71% of all new HIV infections for males, while 51% of females had no risk reported (Figure 9).

**Figure 13: Reported risk categories among new HIV/AIDS diagnoses by sex, 2016**

\*MSM=Men who have sex with men, NR=Not reported, HRH= High-risk heterosexual sex, IDU=Intravenous drug use

## Pediatric HIV Infection


**Figure 14: Incident HIV/AIDS cases in Arizona by country of birth in children under age 13, 2002 – 2016**




In 2016, there was one case of incident HIV/AIDS infection among children under age 13 in Arizona (Figure 10). This child was born in the US. Since 2002, 33 out of 70 (47.1%) cases under the age of 13 were foreign-born.

## County-Specific HIV Infection

**Figure 15: Arizona county-specific HIV/AIDS incidence rates, 2016**



In 2016, Maricopa had the highest incidence rate of 13.8 per 100,000 (Figure 11).


**Figure 16: Arizona county-specific HIV/AIDS prevalence rates, 2016**

The majority of the HIV/AIDS prevalence is in the urban counties of Arizona. In 2016, Maricopa and Pima had the highest prevalence rates, 292 and 276 per 100,000, respectively (Figure 12).


[Back to Index](#)

## HIV/AIDS Continuum of Care


**Figure 17: Arizona, 2012-2016**



**Figure 18: Arizona by Race, 2016**



\*NH=Non-Hispanic, AI/AN=American Indian/Alaska Native, A/PI/H=Asian/Pacific Islander/Native Hawaiian

**Figure 19: Arizona by Transmission Category, 2016**

\*MSM=Men who have sex with men, NR=Not reported, HRH= High-risk heterosexual sex, IDU=Intravenous drug use

Figures 13-15 display the Spectrum of Care Engagement for Arizona's prevalent cases<sup>2</sup> by year (2012-2016), race, and transmission category, respectively.

## <sup>2</sup> Spectrum of Care Definitions

**HIV-Diagnosed :** Prevalent cases.

**Linked to HIV Care:** Prevalent cases with a documented lab test, doctor visit or medication use in the calendar year.

**Retained in HIV Care:** Prevalent cases with a documented lab test, doctor visit or anti-retroviral (ARV) use in the first 6 months of the calendar year and the second 6 months of the calendar year or one documented lab test, doctor visit or ARV use in the calendar year with a lab result indicating viral suppression status.

**On ARV Therapy:** Prevalent cases with documented ARV use or whose last viral load of the calendar year was undetectable. All "Adherent/Suppressed" are in this category.

**Adherent/Undetectable:** Prevalent cases whose last viral load of the calendar year was suppressed (<200 C/mL).

[Back to Index](#)

## State of Arizona

2016 Population	% of State Population	% State HIV/AIDS Prevalence
6,931,071	100	100

### Arizona 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% State Total	<sup>#</sup> Rate Per 100,000	Cases	% State Total	<sup>#</sup> Rate Per 100,000	Cases	% State Total	<sup>#</sup> Rate Per 100,000
<b>By Gender</b>									
Male	7604	43.5	224.21	7365	42.2	217.16	14969	85.7	441.37
Female	1388	7.9	40.39	1105	6.3	32.15	2493	14.3	72.54
<b>TOTAL</b>	<b>8992</b>	<b>51.5</b>	<b>131.70</b>	<b>8470</b>	<b>48.5</b>	<b>124.05</b>	<b>17462</b>	<b>100.0</b>	<b>255.74</b>
<b>By Age (Years)</b>									
Under 2	1	0.0	0.58	0	0.0	0.0	1	0.0	0.58
2-12	46	0.3	4.64	2	0.0	0.20	48	0.3	4.84
13-19	73	0.4	11.34	9	0.1	1.40	82	0.5	12.74
20-24	415	2.4	85.17	67	0.4	13.75	482	2.8	98.92
25-29	819	4.7	175.55	228	1.3	48.87	1047	6.0	224.43
30-34	920	5.3	205.76	427	2.4	95.50	1347	7.7	301.26
35-39	997	5.7	235.57	656	3.8	155.00	1653	9.5	390.57
40-44	938	5.4	224.20	886	5.1	211.77	1824	10.4	435.97
45-49	1205	6.9	292.11	1410	8.1	341.81	2615	15.0	633.93
50-54	1295	7.4	300.28	1828	10.5	423.88	3123	17.9	724.16
55-59	1073	6.1	252.74	1358	7.8	319.88	2431	13.9	572.62
60-64	609	3.5	156.49	888	5.1	228.18	1497	8.6	384.67
<b>65 and Above</b>	<b>584</b>	<b>3.3</b>	<b>52.14</b>	<b>711</b>	<b>4.1</b>	<b>63.48</b>	<b>1295</b>	<b>7.4</b>	<b>115.62</b>
Age Unknown	17	0.1	N/A	0	0.0	0.0	17	0.1	N/A
<b>TOTAL</b>	<b>8992</b>	<b>51.5</b>	<b>131.70</b>	<b>8470</b>	<b>48.5</b>	<b>124.05</b>	<b>17462</b>	<b>100.0</b>	<b>255.74</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	4532	26.0	116.86	4475	25.6	115.39	9007	51.6	232.26
Black Non-Hispanic	1289	7.4	403.00	1079	6.2	337.34	2368	13.6	740.34
Hispanic	2519	14.4	120.04	2356	13.5	112.28	4875	27.9	232.32
*A/PI/H Non-Hispanic	154	0.9	63.00	104	0.6	42.54	258	1.5	105.54
**AI/AN Non-Hispanic	332	1.9	115.57	350	2.0	121.83	682	3.9	237.40
***MR/O Non-Hispanic	166	1.0	N/A	106	0.6	N/A	272	1.6	N/A
<b>TOTAL</b>	<b>8992</b>	<b>51.5</b>	<b>131.70</b>	<b>8470</b>	<b>48.5</b>	<b>124.05</b>	<b>17462</b>	<b>100.0</b>	<b>255.74</b>
<b>By Mode of Transmission</b>									
+MSM	5526	31.6	N/A	5133	29.4	N/A	10659	61.0	N/A
+IDU	795	4.6	N/A	876	5.0	N/A	1671	9.6	N/A
MSM / IDU	595	3.4	N/A	846	4.8	N/A	1441	8.3	N/A
Heterosexual	983	5.6	N/A	953	5.5	N/A	1936	11.1	N/A
++O/H/TF/TPR	146	0.8	N/A	77	0.4	N/A	223	1.3	N/A
++++NRR/UR	947	5.4	N/A	585	3.4	N/A	1532	8.8	N/A
<b>TOTAL</b>	<b>8992</b>	<b>51.5</b>	<b>131.70</b>	<b>8470</b>	<b>48.5</b>	<b>124.05</b>	<b>17462</b>	<b>100.0</b>	<b>255.74</b>

\* Asian/ Pacific Islander/Hawaiian  
 \*\* American Indian/Alaska Native  
 \*\*\* Multiple Race/Other Race

+ Men having Sex with Men  
 ++ Injection Drug Use  
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient  
 +++++ No Reported Risk/Unknown Risk

Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Arizona 2016 Reported HIV/AIDS Incidence

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% State Total	Rate Per 100,000	Cases	% State Total	Rate Per 100,000	Cases	% State Total	Rate Per 100,000
<b>By Gender</b>									
Male	532	85.1	15.69	136	87.7	4.01	668	85.6	19.70
Female	93	14.9	2.71	19	12.3	0.55	112	14.4	3.26
<b>TOTAL</b>	<b>625</b>	<b>100.0</b>	<b>9.15</b>	<b>155</b>	<b>100.0</b>	<b>2.27</b>	<b>780</b>	<b>100.0</b>	<b>11.42</b>
<b>By Age (Years)</b>									
Under 2	1	0.2	0.58	0	0.0	0.00	1	0.1	0.58
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	19	3.0	2.95	2	1.3	0.31	21	2.7	3.26
20-24	128	20.5	26.27	9	5.8	1.85	137	17.6	28.12
25-29	134	21.4	28.72	14	9.0	3.00	148	19.0	31.72
30-34	91	14.6	20.35	14	9.0	3.13	105	13.5	23.48
35-39	63	10.1	14.89	22	14.2	5.20	85	10.9	20.08
40-44	60	9.6	14.34	23	14.8	5.50	83	10.6	19.84
45-49	43	6.9	10.42	26	16.8	6.30	69	8.8	16.73
50-54	40	6.4	9.28	12	7.7	2.78	52	6.7	12.06
55-59	26	4.2	6.12	18	11.6	4.24	44	5.6	10.36
60-64	11	1.8	2.83	8	5.2	2.06	19	2.4	4.88
65 and Above	9	1.4	0.80	7	4.5	0.62	16	2.1	1.43
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>625</b>	<b>100.0</b>	<b>9.15</b>	<b>155</b>	<b>100.0</b>	<b>2.27</b>	<b>780</b>	<b>100.0</b>	<b>11.42</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	224	35.8	5.78	52	33.5	1.34	276	35.4	7.12
Black Non-Hispanic	116	18.6	36.27	28	18.1	8.75	144	18.5	45.02
Hispanic	222	35.5	10.58	60	38.7	2.86	282	36.2	13.44
*A/PI/H Non-Hispanic	16	2.6	6.55	4	2.6	1.64	20	2.6	8.18
**AI/AN Non-Hispanic	42	6.7	14.62	11	7.1	3.83	53	6.8	18.45
***MR/O Non-Hispanic	5	0.8	N/A	0	0.0	N/A	5	0.6	N/A
<b>TOTAL</b>	<b>625</b>	<b>100.0</b>	<b>9.15</b>	<b>155</b>	<b>100.0</b>	<b>2.27</b>	<b>780</b>	<b>100.0</b>	<b>11.42</b>
<b>By Mode of Transmission</b>									
+MSM	400	64.0	N/A	75	48.4	N/A	475	60.9	N/A
++IDU	38	6.1	N/A	16	10.3	N/A	54	6.9	N/A
MSM / IDU	24	3.8	N/A	6	3.9	N/A	30	3.8	N/A
Heterosexual	42	6.7	N/A	16	10.3	N/A	58	7.4	N/A
++O/H/TF/TPR	2	0.3	N/A	0	0.0	N/A	2	0.3	N/A
++++NRR/UR	119	19.0	N/A	42	27.1	N/A	161	20.6	N/A
<b>TOTAL</b>	<b>625</b>	<b>100.0</b>	<b>9.15</b>	<b>155</b>	<b>100.0</b>	<b>2.27</b>	<b>780</b>	<b>100.0</b>	<b>11.42</b>

\* Asian/Pacific Islander/Hawaiian  
 \*\* American Indian/Alaska Native  
 \*\*\* Multiple Race/Other Race

+ Men having Sex with Men  
 ++ Injection Drug Use  
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient  
 +++++ No Reported Risk/Unknown Risk

## Arizona HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% State Total	Rate Per 100,000	Cases	% State Total	Rate Per 100,000	Cases	% State Total	Rate Per 100,000
<b>By Gender</b>									
Male	1960	58.9	12.24	936	28.1	5.84	2896	86.9	18.08
Female	305	9.2	1.91	130	3.9	0.81	435	13.1	2.72
<b>TOTAL</b>	<b>2265</b>	<b>68.0</b>	<b>7.07</b>	<b>1066</b>	<b>32.0</b>	<b>3.33</b>	<b>3331</b>	<b>100.0</b>	<b>10.40</b>
<b>By Age (Years)</b>									
Under 2	10	0.3	1.00	0	0.0	0.00	10	0.3	1.00
2-12	6	0.2	0.12	0	0.0	0.00	6	0.2	0.12
13-19	93	2.8	3.00	12	0.4	0.39	105	3.2	3.37
20-24	366	11.0	16.93	58	1.7	2.68	424	12.7	19.58
25-29	424	12.7	17.91	133	4.0	5.62	557	16.7	23.44
30-34	355	10.7	16.25	128	3.8	5.86	483	14.5	22.01
35-39	319	9.6	14.71	162	4.9	7.47	481	14.4	22.11
40-44	261	7.8	12.34	190	5.7	8.98	450	13.5	21.28
45-49	206	6.2	9.50	133	4.0	6.13	339	10.2	15.60
50-54	116	3.5	5.79	129	3.9	6.43	245	7.4	12.14
55-59	68	2.0	3.73	59	1.8	3.24	127	3.8	6.95
60-64	21	0.6	1.34	36	1.1	2.30	57	1.7	3.60
<b>65 and Above</b>	<b>21</b>	<b>0.6</b>	<b>0.50</b>	<b>26</b>	<b>0.8</b>	<b>0.61</b>	<b>47</b>	<b>1.4</b>	<b>1.10</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>2265</b>	<b>68.0</b>	<b>7.07</b>	<b>1066</b>	<b>32.0</b>	<b>3.33</b>	<b>3331</b>	<b>100.0</b>	<b>10.40</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	1049	31.5	5.53	478	14.3	2.52	1527	45.9	8.04
Black Non-Hispanic	254	7.6	20.32	101	3.0	8.08	355	10.7	28.13
Hispanic	778	23.3	8.15	386	11.6	4.04	1164	34.9	12.09
*A/PI/H Non-Hispanic	52	1.6	5.95	19	0.6	2.17	71	2.1	8.05
**AI/AN Non-Hispanic	105	3.2	7.61	69	2.1	5.00	174	5.2	12.58
***MR/O Non-Hispanic	27	0.8	N/A	13	0.4	N/A	40	1.2	N/A
<b>TOTAL</b>	<b>2265</b>	<b>68.0</b>	<b>7.07</b>	<b>1066</b>	<b>32.0</b>	<b>3.33</b>	<b>3331</b>	<b>100.0</b>	<b>10.40</b>
<b>By Mode of Transmission</b>									
+MSM	1401	42.1	N/A	545	16.4	N/A	1946	58.4	N/A
++IDU	174	5.2	N/A	93	2.8	N/A	267	8.0	N/A
MSM / IDU	141	4.2	N/A	57	1.7	N/A	198	5.9	N/A
Heterosexual	213	6.4	N/A	134	4.0	N/A	347	10.4	N/A
+++O/H/TF/TPR	16	0.5	N/A	0	0.0	N/A	16	0.5	N/A
++++NRR/UR	320	9.6	N/A	237	7.1	N/A	557	16.7	N/A
<b>TOTAL</b>	<b>2265</b>	<b>68.0</b>	<b>7.07</b>	<b>1066</b>	<b>32.0</b>	<b>3.33</b>	<b>3331</b>	<b>100.0</b>	<b>10.40</b>

\* Asian/Pacific Islander/Hawaiian  
 \*\* American Indian/Alaska Native  
 \*\*\* Multiple Race/Other Race

+ Men having Sex with Men  
 ++ Injection Drug Use  
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient  
 +++++ No Reported Risk/Unknown Risk

## Arizona HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% State Total	Rate Per 100,000	Cases	% State Total	Rate Per 100,000	Cases	% State Total	Rate Per 100,000
<b>By Gender</b>									
Male	2350	65.7	14.23	715	20.0	4.33	3065	85.7	18.56
Female	405	11.3	2.42	104	2.9	0.62	509	14.2	3.05
<b>TOTAL</b>	<b>2755</b>	<b>77.1</b>	<b>8.29</b>	<b>819</b>	<b>22.9</b>	<b>2.47</b>	<b>3574</b>	<b>100.0</b>	<b>10.76</b>
<b>By Age (Years)</b>									
Under 2	2	0.1	0.23	0	0.0	0.00	2	0.1	0.23
2-12	17	0.5	0.34	2	0.1	0.04	19	0.5	0.38
13-19	122	3.4	3.84	8	0.2	0.25	130	3.6	4.11
20-24	562	15.7	23.63	52	1.5	2.19	614	17.2	25.60
25-29	559	15.6	24.87	89	2.5	3.97	648	18.1	28.83
30-34	389	10.9	17.81	110	3.1	5.04	499	14.0	22.74
35-39	301	8.5	14.62	113	3.2	5.46	414	11.6	20.11
40-44	259	7.2	12.35	110	3.1	5.27	369	10.3	17.60
45-49	207	5.8	10.02	124	3.5	6.00	331	9.3	16.09
50-54	159	4.4	7.42	79	2.2	3.70	238	6.7	11.10
55-59	92	2.6	4.56	60	1.7	2.97	152	4.3	7.50
60-64	52	1.5	2.80	42	1.2	2.26	94	2.6	5.01
65 and Above	34	1.0	0.67	30	0.8	0.59	64	1.8	1.25
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>2755</b>	<b>77.1</b>	<b>8.29</b>	<b>819</b>	<b>22.9</b>	<b>2.47</b>	<b>3574</b>	<b>100.0</b>	<b>10.76</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	1010	28.3	5.28	316	8.8	1.65	1326	37.1	6.93
Black Non-Hispanic	514	14.4	34.75	113	3.2	7.64	627	17.5	42.39
Hispanic	958	26.8	9.55	297	8.3	2.96	1255	35.1	12.51
*A/PI/H Non-Hispanic	63	1.8	5.61	23	0.6	2.06	86	2.4	7.66
**AI/AN Non-Hispanic	183	5.1	13.10	68	1.9	4.87	251	7.0	17.96
***MR/O Non-Hispanic	27	0.8	N/A	2	0.1	N/A	29	0.8	N/A
<b>TOTAL</b>	<b>2755</b>	<b>77.1</b>	<b>8.29</b>	<b>819</b>	<b>22.9</b>	<b>2.47</b>	<b>3574</b>	<b>100.0</b>	<b>10.76</b>
<b>By Mode of Transmission</b>									
+MSM	1747	48.9	N/A	416	11.6	N/A	2163	60.5	N/A
++IDU	184	5.1	N/A	86	2.4	N/A	270	7.6	N/A
MSM / IDU	137	3.8	N/A	39	1.1	N/A	176	4.9	N/A
Heterosexual	276	7.7	N/A	103	2.9	N/A	379	10.6	N/A
+++O/H/TF/TPR	21	0.6	N/A	2	0.1	N/A	23	0.6	N/A
++++NRR/UR	390	10.9	N/A	173	4.8	N/A	563	15.8	N/A
<b>TOTAL</b>	<b>2755</b>	<b>77.1</b>	<b>8.29</b>	<b>819</b>	<b>22.9</b>	<b>2.47</b>	<b>3574</b>	<b>100.0</b>	<b>10.76</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

[Back to Index](#)

## Arizona Northern Region - (Apache, Coconino, Gila, Mohave, Navajo, and Yavapai Counties)

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
808,413	11.66	5.87	6.02

### Arizona Northern Region 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV & AIDS		
	Cases	% Region Total	<sup>#</sup> Rate Per 100,000	Cases	% Region Total	<sup>#</sup> Rate Per 100,000	Cases	% Region Total	<sup>#</sup> Rate Per 100,000
<b>By Gender</b>									
Male	396	37.7	99.95	465	44.3	117.37	861	82.0	217.32
Female	93	8.9	23.09	96	9.1	23.83	189	18.0	46.92
<b>TOTAL</b>	<b>489</b>	<b>46.6</b>	<b>61.20</b>	<b>561</b>	<b>53.4</b>	<b>70.21</b>	<b>1050</b>	<b>100.0</b>	<b>131.41</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	2	0.2	1.97	0	0.0	0.00	2	0.2	1.97
13-19	5	0.5	7.04	1	0.1	1.41	6	0.6	8.45
20-24	22	2.1	40.33	4	0.4	7.33	26	2.5	47.67
25-29	29	2.8	64.62	18	1.7	40.11	47	4.5	104.73
30-34	51	4.9	125.36	23	2.2	56.54	74	7.0	181.90
35-39	45	4.3	117.12	32	3.0	83.29	77	7.3	200.41
40-44	50	4.8	129.33	47	4.5	121.57	97	9.2	250.90
45-49	61	5.8	145.39	96	9.1	228.82	157	15.0	374.21
50-54	80	7.6	154.33	114	10.9	219.92	194	18.5	374.24
55-59	60	5.7	102.67	92	8.8	157.42	152	14.5	260.09
60-64	43	4.1	71.03	77	7.3	127.19	120	11.4	198.22
<b>65 and Above</b>	<b>41</b>	<b>3.9</b>	<b>22.82</b>	<b>57</b>	<b>5.4</b>	<b>31.72</b>	<b>98</b>	<b>9.3</b>	<b>54.54</b>
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>489</b>	<b>46.6</b>	<b>61.20</b>	<b>561</b>	<b>53.4</b>	<b>70.21</b>	<b>1050</b>	<b>100.0</b>	<b>131.41</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	283	27.0	55.12	317	30.2	61.74	600	57.1	116.86
Black Non-Hispanic	18	1.7	162.41	18	1.7	162.41	36	3.4	324.82
Hispanic	57	5.4	51.24	56	5.3	50.34	113	10.8	101.59
*A/PI/H Non-Hispanic	7	0.7	68.33	7	0.7	68.33	14	1.3	136.67
**AI/AN Non-Hispanic	113	10.8	73.85	157	15.0	102.60	270	25.7	176.45
***MR/O Non-Hispanic	11	1.0	N/A	6	0.6	N/A	17	1.6	N/A
<b>TOTAL</b>	<b>489</b>	<b>46.6</b>	<b>61.20</b>	<b>561</b>	<b>53.4</b>	<b>70.21</b>	<b>1050</b>	<b>100.0</b>	<b>131.41</b>
<b>By Mode of Transmission</b>									
+MSM	250	23.8	N/A	286	27.2	N/A	536	51.0	N/A
++IDU	81	7.7	N/A	86	8.2	N/A	167	15.9	N/A
MSM / IDU	47	4.5	N/A	91	8.7	N/A	138	13.1	N/A
Heterosexual	58	5.5	N/A	68	6.5	N/A	126	12.0	N/A
+++O/H/TF/TPR	11	1.0	N/A	5	0.5	N/A	16	1.5	N/A
++++NRR/UR	42	4.0	N/A	25	2.4	N/A	67	6.4	N/A
<b>TOTAL</b>	<b>489</b>	<b>46.6</b>	<b>61.20</b>	<b>561</b>	<b>53.4</b>	<b>70.21</b>	<b>1050</b>	<b>100.0</b>	<b>131.41</b>

\* Asian/Pacific Islander/Hawaiian  
 \*\* American Indian/Alaska Native  
 \*\*\* Multiple Race/Other Race

+ Men having Sex with Men  
 ++ Injection Drug Use  
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient  
 +++, No Reported Risk/Unknown Risk

‡Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Arizona Northern Region HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000
<b>By Gender</b>									
Male	91	44.2	11.84	81	39.3	10.54	172	83.5	22.39
Female	26	12.6	3.31	8	3.9	1.02	34	16.5	4.33
<b>TOTAL</b>	<b>117</b>	<b>56.8</b>	<b>7.53</b>	<b>89</b>	<b>43.2</b>	<b>5.73</b>	<b>206</b>	<b>100.0</b>	<b>13.25</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	3	1.5	1.96	1	0.5	0.65	4	1.9	2.61
20-24	11	5.3	10.69	8	3.9	7.78	19	9.2	18.47
25-29	25	12.1	30.85	9	4.4	11.11	34	16.5	41.96
30-34	15	7.3	20.71	10	4.9	13.81	25	12.1	34.52
35-39	20	9.7	25.50	13	6.3	16.58	33	16.0	42.08
40-44	10	4.9	11.78	11	5.3	12.96	21	10.2	24.74
45-49	17	8.3	16.30	13	6.3	12.46	30	14.6	28.76
50-54	8	3.9	7.10	10	4.9	8.87	18	8.7	15.97
55-59	5	2.4	4.46	8	3.9	7.13	13	6.3	11.59
60-64	1	0.5	0.92	1	0.5	0.92	2	1.0	1.83
<b>65 and Above</b>	<b>2</b>	<b>1.0</b>	<b>0.71</b>	<b>5</b>	<b>2.4</b>	<b>1.77</b>	<b>7</b>	<b>3.4</b>	<b>2.47</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>117</b>	<b>56.8</b>	<b>7.53</b>	<b>89</b>	<b>43.2</b>	<b>5.73</b>	<b>206</b>	<b>100.0</b>	<b>13.25</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	47	22.8	4.63	36	17.5	3.54	83	40.3	8.17
Black Non-Hispanic	4	1.9	23.45	2	1.0	11.72	6	2.9	35.17
Hispanic	17	8.3	8.53	11	5.3	5.52	28	13.6	14.06
*A/PI/H Non-Hispanic	3	1.5	18.32	2	1.0	12.21	5	2.4	30.53
**AI/AN Non-Hispanic	41	19.9	13.41	36	17.5	11.77	77	37.4	25.18
***MR/O Non-Hispanic	5	2.4	N/A	2	1.0	N/A	7	3.4	N/A
<b>TOTAL</b>	<b>117</b>	<b>56.8</b>	<b>7.53</b>	<b>89</b>	<b>43.2</b>	<b>5.73</b>	<b>206</b>	<b>100.0</b>	<b>13.25</b>
<b>By Mode of Transmission</b>									
+MSM	47	22.8	N/A	47	22.8	N/A	94	45.6	N/A
++IDU	21	10.2	N/A	6	2.9	N/A	27	13.1	N/A
MSM / IDU	16	7.8	N/A	15	7.3	N/A	31	15.0	N/A
Heterosexual	17	8.3	N/A	7	3.4	N/A	24	11.7	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	16	7.8	N/A	14	6.8	N/A	30	14.6	N/A
<b>TOTAL</b>	<b>117</b>	<b>56.8</b>	<b>7.53</b>	<b>89</b>	<b>43.2</b>	<b>5.73</b>	<b>206</b>	<b>100.0</b>	<b>13.25</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

Arizona Northern Region includes Apache, Coconino, Gila, Mojave, Navajo, and Yavapai Counties

## Arizona Northern Region HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV & AIDS		
	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000
<b>By Gender</b>									
Male	111	53.9	28.02	64	31.1	16.15	175	85.0	44.17
Female	18	8.7	4.47	13	6.3	3.23	31	15.0	7.70
<b>TOTAL</b>	<b>129</b>	<b>62.6</b>	<b>16.15</b>	<b>77</b>	<b>37.4</b>	<b>9.64</b>	<b>206</b>	<b>100.0</b>	<b>25.78</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	1	0.5	0.99	1	0.5	0.99	2	1.0	1.97
13-19	3	1.5	4.22	1	0.5	1.41	4	1.9	5.63
20-24	21	10.2	38.50	8	3.9	14.67	29	14.1	53.17
25-29	24	11.7	53.48	7	3.4	15.60	31	15.0	69.08
30-34	15	7.3	36.87	7	3.4	17.21	22	10.7	54.08
35-39	17	8.3	44.25	6	2.9	15.62	23	11.2	59.86
40-44	14	6.8	36.21	11	5.3	28.45	25	12.1	64.66
45-49	13	6.3	30.99	10	4.9	23.84	23	11.2	54.82
50-54	8	3.9	15.43	7	3.4	13.50	15	7.3	28.94
55-59	4	1.9	6.84	8	3.9	13.69	12	5.8	20.53
60-64	4	1.9	6.61	8	3.9	13.21	12	5.8	19.82
<b>65 and Above</b>	<b>5</b>	<b>2.4</b>	<b>2.78</b>	<b>3</b>	<b>1.5</b>	<b>1.67</b>	<b>8</b>	<b>3.9</b>	<b>4.45</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>129</b>	<b>62.6</b>	<b>16.15</b>	<b>77</b>	<b>37.4</b>	<b>9.64</b>	<b>206</b>	<b>100.0</b>	<b>25.78</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	50	24.3	9.74	25	12.1	4.87	75	36.4	14.61
Black Non-Hispanic	5	2.4	45.11	4	1.9	36.09	9	4.4	81.21
Hispanic	7	3.4	6.29	3	1.5	2.70	10	4.9	8.99
*A/PI/H Non-Hispanic	1	0.5	9.76	1	0.5	9.76	2	1.0	19.52
**AI/AN Non-Hispanic	63	30.6	41.17	44	21.4	28.76	107	51.9	69.93
***MR/O Non-Hispanic	3	1.5	N/A	0	0.0	N/A	3	1.5	N/A
<b>TOTAL</b>	<b>129</b>	<b>62.6</b>	<b>16.15</b>	<b>77</b>	<b>37.4</b>	<b>9.64</b>	<b>206</b>	<b>100.0</b>	<b>25.78</b>
<b>By Mode of Transmission</b>									
+MSM	67	32.5	N/A	31	15.0	N/A	98	47.6	N/A
++IDU	25	12.1	N/A	18	8.7	N/A	43	20.9	N/A
MSM / IDU	16	7.8	N/A	10	4.9	N/A	26	12.6	N/A
Heterosexual	10	4.9	N/A	3	1.5	N/A	13	6.3	N/A
+++O/H/TF/TPR	1	0.5	N/A	1	0.5	N/A	2	1.0	N/A
++++NRR/UR	10	4.9	N/A	14	6.8	N/A	24	11.7	N/A
<b>TOTAL</b>	<b>129</b>	<b>62.6</b>	<b>16.15</b>	<b>77</b>	<b>37.4</b>	<b>9.64</b>	<b>206</b>	<b>100.0</b>	<b>25.78</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use


\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

Arizona Northern Region includes Apache, Coconino, Gila, Mojave, Navajo, and Yavapai Counties

## Arizona Northern Region HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### Arizona Northern Region Counts

Year	Prevalence HIV/AIDS	Incidence HIV/AIDS
2007	652	42
2008	706	39
2009	740	40
2010	747	45
2011	795	38
2012	896	33
2013	939	57
2014	975	40
2015	1036	38
2016	1050	44

Arizona Northern Region includes Apache, Coconino, Gila, Mojave, Navajo, and Yavapai Counties

[Back to Index](#)

## Apache County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
73,112	1.05	1.02	0.67

### Apache County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	<sup>#</sup> Rate Per 100,000	Cases	% County Total	<sup>#</sup> Rate Per 100,000	Cases	% County Total	<sup>#</sup> Rate Per 100,000
<b>By Gender</b>									
Male	43	35.8	121.74	56	46.7	158.55	99	82.5	280.29
Female	8	6.7	22.13	13	10.8	35.96	21	17.5	58.09
<b>TOTAL</b>	<b>51</b>	<b>42.5</b>	<b>71.35</b>	<b>69</b>	<b>57.5</b>	<b>96.54</b>	<b>120</b>	<b>100.0</b>	<b>167.89</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	1	0.8	7.91	0	0.0	0.00	1	0.8	7.91
13-19	1	0.8	12.61	0	0.0	0.00	1	0.8	12.61
20-24	6	5.0	117.10	0	0.0	0.00	6	5.0	117.10
25-29	5	4.2	111.63	5	4.2	111.63	10	8.3	223.26
30-34	6	5.0	147.67	5	4.2	123.06	11	9.2	270.74
35-39	9	7.5	234.01	8	6.7	208.01	17	14.2	442.02
40-44	5	4.2	129.33	10	8.3	258.67	15	12.5	388.00
45-49	2	1.7	49.73	14	11.7	348.09	16	13.3	397.81
50-54	10	8.3	210.22	10	8.3	210.22	20	16.7	420.43
55-59	3	2.5	63.73	5	4.2	106.22	8	6.7	169.96
60-64	3	2.5	75.32	5	4.2	125.53	8	6.7	200.85
65 and Above	0	0.0	0.00	7	5.8	70.16	7	5.8	70.16
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>51</b>	<b>42.5</b>	<b>71.35</b>	<b>69</b>	<b>57.5</b>	<b>96.54</b>	<b>120</b>	<b>100.0</b>	<b>167.89</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	3	2.5	21.79	2	1.7	14.53	5	4.2	36.31
Black Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Hispanic	4	3.3	86.49	3	2.5	64.86	7	5.8	151.35
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	44	36.7	84.92	63	52.5	121.59	107	89.2	206.52
***MR/O Non-Hispanic	0	0.0	N/A	1	0.8	N/A	1	0.8	N/A
<b>TOTAL</b>	<b>51</b>	<b>42.5</b>	<b>71.35</b>	<b>69</b>	<b>57.5</b>	<b>96.54</b>	<b>120</b>	<b>100.0</b>	<b>167.89</b>
<b>By Mode of Transmission</b>									
+MSM	19	15.8	N/A	29	24.2	N/A	48	40.0	N/A
+IDU	12	10.0	N/A	9	7.5	N/A	21	17.5	N/A
MSM / IDU	6	5.0	N/A	13	10.8	N/A	19	15.8	N/A
Heterosexual	6	5.0	N/A	14	11.7	N/A	20	16.7	N/A
++O/H/TF/TPR	3	2.5	N/A	0	0.0	N/A	3	2.5	N/A
++++NRR/UR	5	4.2	N/A	4	3.3	N/A	9	7.5	N/A
<b>TOTAL</b>	<b>51</b>	<b>42.5</b>	<b>71.35</b>	<b>69</b>	<b>57.5</b>	<b>96.54</b>	<b>120</b>	<b>100.0</b>	<b>167.89</b>

\* Asian Pacific/Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Apache County 2016 Reported HIV/AIDS Incidence

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	4	80.0	11.3	1	50.0	2.8	5	71.4	14.2
Female	1	20.0	2.8	1	50.0	2.8	2	28.6	5.5
<b>TOTAL</b>	<b>5</b>	<b>100.0</b>	<b>7.0</b>	<b>2</b>	<b>100.0</b>	<b>2.8</b>	<b>7</b>	<b>100.0</b>	<b>9.8</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
2-12	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13-19	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
20-24	1	20.0	19.5	0	0.0	0.0	1	14.3	19.5
25-29	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
30-34	1	20.0	24.6	1	50.0	24.6	2	28.6	49.2
35-39	2	40.0	52.0	0	0.0	0.0	2	28.6	52.0
40-44	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
45-49	0	0.0	0.0	1	50.0	24.9	1	14.3	24.9
50-54	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
55-59	1	20.0	21.2	0	0.0	0.0	1	14.3	21.2
60-64	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
65 and Above	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>5</b>	<b>100.0</b>	<b>7.0</b>	<b>2</b>	<b>100.0</b>	<b>2.8</b>	<b>7</b>	<b>100.0</b>	<b>9.8</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Black Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
*A/PI/H Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
**AI/AN Non-Hispanic	5	100.0	9.7	2	100.0	3.9	7	100.0	13.5
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>5</b>	<b>100.0</b>	<b>7.0</b>	<b>2</b>	<b>100.0</b>	<b>2.8</b>	<b>7</b>	<b>100.0</b>	<b>9.8</b>
<b>By Mode of Transmission</b>									
+MSM	1	20.0	N/A	0	0.0	N/A	1	14.3	N/A
++IDU	2	40.0	N/A	2	100.0	N/A	4	57.1	N/A
MSM / IDU	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
Heterosexual	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	2	40.0	N/A	0	0.0	N/A	2	28.6	N/A
<b>TOTAL</b>	<b>5</b>	<b>100.0</b>	<b>N/A</b>	<b>2</b>	<b>100.0</b>	<b>N/A</b>	<b>7</b>	<b>100.0</b>	<b>N/A</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Apache County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	11	39.3	6.43	13	46.4	7.60	24	85.7	14.03
Female	3	10.7	1.70	1	3.6	0.57	4	14.3	2.26
<b>TOTAL</b>	<b>14</b>	<b>50.0</b>	<b>4.02</b>	<b>14</b>	<b>50.0</b>	<b>4.02</b>	<b>28</b>	<b>100.0</b>	<b>8.05</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	3.6	3.43	2	7.1	6.86	3	10.7	10.28
25-29	3	10.7	15.63	2	7.1	10.42	5	17.9	26.05
30-34	1	3.6	6.19	2	7.1	12.38	3	10.7	18.57
35-39	2	7.1	11.04	3	10.7	16.57	5	17.9	27.61
40-44	2	7.1	9.06	1	3.6	4.53	3	10.7	13.60
45-49	1	3.6	4.27	1	3.6	4.27	2	7.1	8.53
50-54	4	14.3	18.01	0	0.0	0.00	4	14.3	18.01
55-59	0	0.0	0.00	2	7.1	9.99	2	7.1	9.99
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>65 and Above</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>1</b>	<b>3.6</b>	<b>2.68</b>	<b>1</b>	<b>3.6</b>	<b>2.68</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>14</b>	<b>50.0</b>	<b>4.02</b>	<b>14</b>	<b>50.0</b>	<b>4.02</b>	<b>28</b>	<b>100.0</b>	<b>8.05</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	1	3.6	1.44	0	0.0	0.00	1	3.6	1.44
Black Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Hispanic	1	3.6	4.86	0	0.0	0.00	1	3.6	4.86
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	12	42.9	4.76	14	50.0	5.55	26	92.9	10.32
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>14</b>	<b>50.0</b>	<b>4.02</b>	<b>14</b>	<b>50.0</b>	<b>4.02</b>	<b>28</b>	<b>100.0</b>	<b>8.05</b>
<b>By Mode of Transmission</b>									
+MSM	1	3.6	N/A	7	25.0	N/A	8	28.6	N/A
++IDU	4	14.3	N/A	1	3.6	N/A	5	17.9	N/A
MSM / IDU	2	7.1	N/A	5	17.9	N/A	7	25.0	N/A
Heterosexual	3	10.7	N/A	1	3.6	N/A	4	14.3	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	4	14.3	N/A	0	0.0	N/A	4	14.3	N/A
<b>TOTAL</b>	<b>14</b>	<b>50.0</b>	<b>4.02</b>	<b>14</b>	<b>50.0</b>	<b>4.02</b>	<b>28</b>	<b>100.0</b>	<b>8.05</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Apache County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	21	47.7	11.74	18	40.9	10.07	39	88.6	21.81
Female	5	11.4	2.75	0	0.0	0.00	5	11.4	2.75
<b>TOTAL</b>	<b>26</b>	<b>59.1</b>	<b>7.21</b>	<b>18</b>	<b>40.9</b>	<b>4.99</b>	<b>44</b>	<b>100.0</b>	<b>12.19</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	1	2.3	1.51	0	0.0	0.00	1	2.3	1.51
13-19	1	2.3	2.34	0	0.0	0.00	1	2.3	2.34
20-24	8	18.2	31.01	2	4.5	7.75	10	22.7	38.76
25-29	2	4.5	9.32	2	4.5	9.32	4	9.1	18.64
30-34	3	6.8	14.98	3	6.8	14.98	6	13.6	29.96
35-39	4	9.1	20.75	2	4.5	10.38	6	13.6	31.13
40-44	4	9.1	19.93	2	4.5	9.96	6	13.6	29.89
45-49	3	6.8	13.76	3	6.8	13.76	6	13.6	27.52
50-54	0	0.0	0.00	1	2.3	4.16	1	2.3	4.16
55-59	0	0.0	0.00	2	4.5	8.89	2	4.5	8.89
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65 and Above	0	0.0	0.00	1	2.3	2.15	1	2.3	2.15
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>26</b>	<b>59.1</b>	<b>7.21</b>	<b>18</b>	<b>40.9</b>	<b>4.99</b>	<b>44</b>	<b>100.0</b>	<b>12.19</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Black Non-Hispanic	0	0.0	0.00	1	2.3	24.83	1	2.3	24.83
Hispanic	1	2.3	4.33	0	0.0	0.00	1	2.3	4.33
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	25	56.8	9.60	17	38.6	6.53	42	95.5	16.12
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>26</b>	<b>59.1</b>	<b>7.21</b>	<b>18</b>	<b>40.9</b>	<b>4.99</b>	<b>44</b>	<b>100.0</b>	<b>12.19</b>
<b>By Mode of Transmission</b>									
+MSM	7	15.9	N/A	8	18.2	N/A	15	34.1	N/A
++IDU	10	22.7	N/A	5	11.4	N/A	15	34.1	N/A
MSM / IDU	4	9.1	N/A	4	9.1	N/A	8	18.2	N/A
Heterosexual	2	4.5	N/A	0	0.0	N/A	2	4.5	N/A
+++O/H/TF/TPR	1	2.3	N/A	0	0.0	N/A	1	2.3	N/A
++++NRR/UR	2	4.5	N/A	1	2.3	N/A	3	6.8	N/A
<b>TOTAL</b>	<b>26</b>	<b>59.1</b>	<b>7.21</b>	<b>18</b>	<b>40.9</b>	<b>4.99</b>	<b>44</b>	<b>100.0</b>	<b>12.19</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Apache County HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### Apache County Counts

Year	Prevalence	Incidence
2007	30	3
2008	40	5
2009	54	9
2010	56	3
2011	63	8
2012	90	10
2013	99	7
2014	108	9
2015	117	10
2016	120	7

[Back to Index](#)

## Coconino County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
140,908	2.03	1.40	0.86

### Coconino County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000
<b>By Gender</b>									
Male	60	41.7	87.30	57	39.6	82.93	117	81.3	170.23
Female	15	10.4	21.32	12	8.3	17.05	27	18.8	38.37
<b>TOTAL</b>	<b>75</b>	<b>52.1</b>	<b>53.92</b>	<b>69</b>	<b>47.9</b>	<b>49.61</b>	<b>144</b>	<b>100.0</b>	<b>103.52</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	1	0.7	6.03	0	0.0	0.00	1	0.7	6.03
20-24	7	4.9	35.90	1	0.7	5.13	8	5.6	41.03
25-29	9	6.3	88.69	2	1.4	19.71	11	7.6	108.40
30-34	8	5.6	91.73	4	2.8	45.87	12	8.3	137.60
35-39	7	4.9	90.51	10	6.9	129.30	17	11.8	219.81
40-44	11	7.6	153.37	6	4.2	83.66	17	11.8	237.03
45-49	8	5.6	111.61	12	8.3	167.41	20	13.9	279.02
50-54	4	2.8	49.54	9	6.3	111.47	13	9.0	161.01
55-59	7	4.9	81.79	12	8.3	140.22	19	13.2	222.01
60-64	5	3.5	63.31	12	8.3	151.94	17	11.8	215.24
<b>65 and Above</b>	<b>8</b>	<b>5.6</b>	<b>50.22</b>	<b>1</b>	<b>0.7</b>	<b>6.28</b>	<b>9</b>	<b>6.3</b>	<b>56.50</b>
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>75</b>	<b>52.1</b>	<b>53.92</b>	<b>69</b>	<b>47.9</b>	<b>49.61</b>	<b>144</b>	<b>100.0</b>	<b>103.52</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	41	28.5	52.68	27	18.8	34.69	68	47.2	87.37
Black Non-Hispanic	3	2.1	115.92	2	1.4	77.28	5	3.5	193.20
Hispanic	11	7.6	56.79	9	6.3	46.46	20	13.9	103.25
*A/PI/H Non-Hispanic	1	0.7	35.25	1	0.7	35.25	2	1.4	70.50
**AI/AN Non-Hispanic	17	11.8	46.61	29	20.1	79.51	46	31.9	126.11
***MR/O Non-Hispanic	2	1.4	N/A	1	0.7	N/A	3	2.1	N/A
<b>TOTAL</b>	<b>75</b>	<b>52.1</b>	<b>53.92</b>	<b>69</b>	<b>47.9</b>	<b>49.61</b>	<b>144</b>	<b>100.0</b>	<b>103.52</b>
<b>By Mode of Transmission</b>									
+MSM	42	29.2	N/A	39	27.1	N/A	81	56.3	N/A
++IDU	13	9.0	N/A	11	7.6	N/A	24	16.7	N/A
MSM / IDU	0	0.0	N/A	9	6.3	N/A	9	6.3	N/A
Heterosexual	8	5.6	N/A	6	4.2	N/A	14	9.7	N/A
+++O/H/TF/TPR	2	1.4	N/A	0	0.0	N/A	2	1.4	N/A
++++NRR/UR	10	6.9	N/A	4	2.8	N/A	14	9.7	N/A
<b>TOTAL</b>	<b>75</b>	<b>52.1</b>	<b>53.92</b>	<b>69</b>	<b>47.9</b>	<b>49.61</b>	<b>144</b>	<b>100.0</b>	<b>103.52</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Coconino County 2016 Reported HIV/AIDS Incidence

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	7	77.8	10.2	2	100.0	2.9	9	81.8	13.1
Female	2	22.2	2.8	0	0.0	0.0	2	18.2	2.8
<b>TOTAL</b>	<b>9</b>	<b>100.0</b>	<b>6.5</b>	<b>2</b>	<b>100.0</b>	<b>1.4</b>	<b>11</b>	<b>100.0</b>	<b>7.9</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
2-12	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13-19	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
20-24	4	44.4	20.5	1	50.0	5.1	5	45.5	25.6
25-29	1	11.1	9.9	0	0.0	0.0	1	9.1	9.9
30-34	4	44.4	45.9	1	50.0	11.5	5	45.5	57.3
35-39	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
40-44	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
45-49	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
50-54	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
55-59	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
60-64	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
65 and Above	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>9</b>	<b>100.0</b>	<b>6.5</b>	<b>2</b>	<b>100.0</b>	<b>1.4</b>	<b>11</b>	<b>100.0</b>	<b>7.9</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	3	33.3	3.9	0	0.0	0.0	3	27.3	3.9
Black Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
*A/PI/H Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
**AI/AN Non-Hispanic	6	66.7	16.4	2	100.0	5.5	8	72.7	21.9
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>9</b>	<b>100.0</b>	<b>6.5</b>	<b>2</b>	<b>100.0</b>	<b>1.4</b>	<b>11</b>	<b>100.0</b>	<b>7.9</b>
<b>By Mode of Transmission</b>									
+MSM	4	44.4	N/A	0	0.0	N/A	4	36.4	N/A
+IDU	2	22.2	N/A	0	0.0	N/A	2	18.2	N/A
MSM / IDU	0	0.0	N/A	1	50.0	N/A	1	9.1	N/A
Heterosexual	1	11.1	N/A	1	50.0	N/A	2	18.2	N/A
++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	2	22.2	N/A	0	0.0	N/A	2	18.2	N/A
<b>TOTAL</b>	<b>9</b>	<b>100.0</b>	<b>N/A</b>	<b>2</b>	<b>100.0</b>	<b>N/A</b>	<b>11</b>	<b>100.0</b>	<b>N/A</b>

\* Asian/Pacific Islander/Hawaiian  
 \*\* American Indian/Alaska Native  
 \*\*\* Multiple Race/Other Race

+ Men having Sex with Men  
 ++ Injection Drug Use  
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

## Coconino County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	14	45.2	4.35	12	38.7	3.73	26	83.9	8.07
Female	5	16.1	1.54	0	0.0	0.00	5	16.1	1.54
<b>TOTAL</b>	<b>19</b>	<b>61.3</b>	<b>2.94</b>	<b>12</b>	<b>38.7</b>	<b>1.86</b>	<b>31</b>	<b>100.0</b>	<b>4.80</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	4	12.9	5.21	1	3.2	1.30	5	16.1	6.52
25-29	6	19.4	12.87	1	3.2	2.14	7	22.6	15.01
30-34	3	9.7	8.17	3	9.7	8.17	6	19.4	16.34
35-39	2	6.5	5.28	1	3.2	2.64	3	9.7	7.92
40-44	0	0.0	0.00	2	6.5	5.09	2	6.5	5.09
45-49	3	9.7	6.51	2	6.5	4.34	5	16.1	10.84
50-54	1	3.2	2.14	1	3.2	2.14	2	6.5	4.29
55-59	0	0.0	0.00	1	3.2	2.42	1	3.2	2.42
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65 and Above	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>19</b>	<b>61.3</b>	<b>2.94</b>	<b>12</b>	<b>38.7</b>	<b>1.86</b>	<b>31</b>	<b>100.0</b>	<b>4.80</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	2	6.5	0.55	3	9.7	0.83	5	16.1	1.38
Black Non-Hispanic	0	0.0	0.00	1	3.2	10.53	1	3.2	10.53
Hispanic	3	9.7	3.69	2	6.5	2.46	5	16.1	6.15
*A/PI/H Non-Hispanic	2	6.5	23.32	0	0.0	0.00	2	6.5	23.32
**AI/AN Non-Hispanic	12	38.7	6.49	5	16.1	2.70	17	54.8	9.20
***MR/O Non-Hispanic	0	0.0	N/A	1	3.2	N/A	1	3.2	N/A
<b>TOTAL</b>	<b>19</b>	<b>61.3</b>	<b>2.94</b>	<b>12</b>	<b>38.7</b>	<b>1.86</b>	<b>31</b>	<b>100.0</b>	<b>4.80</b>
<b>By Mode of Transmission</b>									
+MSM	8	25.8	N/A	8	25.8	N/A	16	51.6	N/A
++IDU	2	6.5	N/A	0	0.0	N/A	2	6.5	N/A
MSM / IDU	2	6.5	N/A	1	3.2	N/A	3	9.7	N/A
Heterosexual	4	12.9	N/A	2	6.5	N/A	6	19.4	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	3	9.7	N/A	1	3.2	N/A	4	12.9	N/A
<b>TOTAL</b>	<b>19</b>	<b>61.3</b>	<b>2.94</b>	<b>12</b>	<b>38.7</b>	<b>1.86</b>	<b>31</b>	<b>100.0</b>	<b>4.80</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Coconino County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	19	51.4	5.62	13	35.1	3.85	32	86.5	9.47
Female	2	5.4	0.58	3	8.1	0.87	5	13.5	1.44
<b>TOTAL</b>	<b>21</b>	<b>56.8</b>	<b>3.07</b>	<b>16</b>	<b>43.2</b>	<b>2.34</b>	<b>37</b>	<b>100.0</b>	<b>5.41</b>
<b>By Age (Years)</b>									
<b>Under 2</b>	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>2-12</b>	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>13-19</b>	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>20-24</b>	6	16.2	6.46	0	0.0	0.00	6	16.2	6.46
<b>25-29</b>	8	21.6	16.38	1	2.7	2.05	9	24.3	18.43
<b>30-34</b>	0	0.0	0.00	2	5.4	4.71	2	5.4	4.71
<b>35-39</b>	2	5.4	5.30	0	0.0	0.00	2	5.4	5.30
<b>40-44</b>	1	2.7	2.70	5	13.5	13.49	6	16.2	16.19
<b>45-49</b>	0	0.0	0.00	4	10.8	10.56	4	10.8	10.56
<b>50-54</b>	3	8.1	6.99	3	8.1	6.99	6	16.2	13.98
<b>55-59</b>	0	0.0	0.00	1	2.7	2.31	1	2.7	2.31
<b>60-64</b>	1	2.7	2.70	0	0.0	0.00	1	2.7	2.70
<b>65 and Above</b>	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>Age Unknown</b>	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>21</b>	<b>56.8</b>	<b>3.07</b>	<b>16</b>	<b>43.2</b>	<b>2.34</b>	<b>37</b>	<b>100.0</b>	<b>5.41</b>
<b>By Race / Ethnicity</b>									
<b>White Non-Hispanic</b>	9	24.3	2.35	4	10.8	1.04	13	35.1	3.39
<b>Black Non-Hispanic</b>	3	8.1	25.16	0	0.0	0.00	3	8.1	25.16
<b>Hispanic</b>	1	2.7	1.06	0	0.0	0.00	1	2.7	1.06
<b>*A/PI/H Non-Hispanic</b>	0	0.0	0.00	1	2.7	7.73	1	2.7	7.73
<b>**AI/AN Non-Hispanic</b>	7	18.9	3.86	11	29.7	6.07	18	48.6	9.93
<b>***MR/O Non-Hispanic</b>	1	2.7	N/A	0	0.0	N/A	1	2.7	N/A
<b>TOTAL</b>	<b>21</b>	<b>56.8</b>	<b>3.07</b>	<b>16</b>	<b>43.2</b>	<b>2.34</b>	<b>37</b>	<b>100.0</b>	<b>5.41</b>
<b>By Mode of Transmission</b>									
<b>+MSM</b>	13	35.1	N/A	6	16.2	N/A	19	51.4	N/A
<b>++IDU</b>	3	8.1	N/A	2	5.4	N/A	5	13.5	N/A
<b>MSM / IDU</b>	2	5.4	N/A	2	5.4	N/A	4	10.8	N/A
<b>Heterosexual</b>	2	5.4	N/A	1	2.7	N/A	3	8.1	N/A
<b>+++O/H/TF/TPR</b>	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>++++NRR/UR</b>	1	2.7	N/A	5	13.5	N/A	6	16.2	N/A
<b>TOTAL</b>	<b>21</b>	<b>56.8</b>	<b>3.07</b>	<b>16</b>	<b>43.2</b>	<b>2.34</b>	<b>37</b>	<b>100.0</b>	<b>5.41</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Coconino County HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### Coconino County Counts

Year	Prevalence	Incidence
2007	157	8
2008	172	6
2009	173	4
2010	165	11
2011	163	2
2012	159	5
2013	160	13
2014	168	12
2015	144	5
2016	144	11

[Back to Index](#)

## Gila County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
53,556	0.77	0.13	0.29

### Gila County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000
<b>By Gender</b>									
Male	20	37.0	75.90	22	40.7	83.49	42	77.8	159.39
Female	4	7.4	14.92	8	14.8	29.84	12	22.2	44.76
<b>TOTAL</b>	<b>24</b>	<b>44.4</b>	<b>45.15</b>	<b>30</b>	<b>55.6</b>	<b>56.43</b>	<b>54</b>	<b>100.0</b>	<b>101.58</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	1	1.9	25.21	1	1.9	25.21
20-24	1	1.9	37.33	0	0.0	0.00	1	1.9	37.33
25-29	2	3.7	75.64	0	0.0	0.00	2	3.7	75.64
30-34	5	9.3	209.03	3	5.6	125.42	8	14.8	334.45
35-39	1	1.9	45.41	3	5.6	136.24	4	7.4	181.65
40-44	2	3.7	90.25	1	1.9	45.13	3	5.6	135.38
45-49	4	7.4	143.78	7	13.0	251.62	11	20.4	395.40
50-54	1	1.9	29.69	4	7.4	118.76	5	9.3	148.46
55-59	3	5.6	72.52	3	5.6	72.52	6	11.1	145.03
60-64	2	3.7	46.62	3	5.6	69.93	5	9.3	116.55
<b>65 and Above</b>	<b>3</b>	<b>5.6</b>	<b>20.54</b>	<b>5</b>	<b>9.3</b>	<b>34.23</b>	<b>8</b>	<b>14.8</b>	<b>54.76</b>
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>24</b>	<b>44.4</b>	<b>45.15</b>	<b>30</b>	<b>55.6</b>	<b>56.43</b>	<b>54</b>	<b>100.0</b>	<b>101.58</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	16	29.6	47.41	20	37.0	59.26	36	66.7	106.67
Black Non-Hispanic	1	1.9	194.55	1	1.9	194.55	2	3.7	389.11
Hispanic	1	1.9	10.05	3	5.6	30.14	4	7.4	40.19
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	6	11.1	70.37	6	11.1	70.37	12	22.2	140.75
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>24</b>	<b>44.4</b>	<b>45.15</b>	<b>30</b>	<b>55.6</b>	<b>56.43</b>	<b>54</b>	<b>100.0</b>	<b>101.58</b>
<b>By Mode of Transmission</b>									
+MSM	13	24.1	N/A	13	24.1	N/A	26	48.1	N/A
++IDU	2	3.7	N/A	5	9.3	N/A	7	13.0	N/A
MSM / IDU	5	9.3	N/A	5	9.3	N/A	10	18.5	N/A
Heterosexual	2	3.7	N/A	3	5.6	N/A	5	9.3	N/A
+++O/H/TF/TPR	1	1.9	N/A	1	1.9	N/A	2	3.7	N/A
++++NRR/UR	1	1.9	N/A	3	5.6	N/A	4	7.4	N/A
<b>TOTAL</b>	<b>24</b>	<b>44.4</b>	<b>45.15</b>	<b>30</b>	<b>55.6</b>	<b>56.43</b>	<b>54</b>	<b>100.0</b>	<b>101.58</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Gila County 2016 Reported HIV/AIDS Incidence

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	0	0.0	0.0	1	100.0	3.8	1	100.0	3.8
Female	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
<b>TOTAL</b>	<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>1</b>	<b>100.0</b>	<b>1.9</b>	<b>1</b>	<b>100.0</b>	<b>1.9</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
2-12	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13-19	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
20-24	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
25-29	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
30-34	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
35-39	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
40-44	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
45-49	0	0.0	0.0	1	100.0	35.9	1	100.0	35.9
50-54	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
55-59	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
60-64	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
65 and Above	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>1</b>	<b>100.0</b>	<b>1.9</b>	<b>1</b>	<b>100.0</b>	<b>1.9</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	0	0.0	0.0	1	100.0	3.0	1	100.0	3.0
Black Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
*A/PI/H Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
**AI/AN Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>1</b>	<b>100.0</b>	<b>1.9</b>	<b>1</b>	<b>100.0</b>	<b>1.9</b>
<b>By Mode of Transmission</b>									
+MSM	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++IDU	0	0.0	N/A	1	100.0	N/A	1	100.0	N/A
MSM / IDU	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
Heterosexual	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>1</b>	<b>100.0</b>	<b>N/A</b>	<b>1</b>	<b>100.0</b>	<b>N/A</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

## Gila County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	2	15.4	1.56	6	46.2	4.69	8	61.5	6.25
Female	3	23.1	2.25	2	15.4	1.50	5	38.5	3.75
<b>TOTAL</b>	<b>5</b>	<b>38.5</b>	<b>1.91</b>	<b>8</b>	<b>61.5</b>	<b>3.06</b>	<b>13</b>	<b>100.0</b>	<b>4.97</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	7.7	6.94	1	7.7	6.94	2	15.4	13.88
25-29	3	23.1	22.62	1	7.7	7.54	4	30.8	30.16
30-34	1	7.7	9.97	3	23.1	29.90	4	30.8	39.87
35-39	0	0.0	0.00	1	7.7	8.32	1	7.7	8.32
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	1	7.7	5.40	1	7.7	5.40
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65 and Above	0	0.0	0.00	1	7.7	1.73	1	7.7	1.73
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>5</b>	<b>38.5</b>	<b>1.91</b>	<b>8</b>	<b>61.5</b>	<b>3.06</b>	<b>13</b>	<b>100.0</b>	<b>4.97</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	1	7.7	0.57	5	38.5	2.85	6	46.2	3.41
Black Non-Hispanic	2	15.4	118.13	0	0.0	0.00	2	15.4	118.13
Hispanic	0	0.0	0.00	2	15.4	4.43	2	15.4	4.43
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	2	15.4	5.40	1	7.7	2.70	3	23.1	8.10
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>5</b>	<b>38.5</b>	<b>1.91</b>	<b>8</b>	<b>61.5</b>	<b>3.06</b>	<b>13</b>	<b>100.0</b>	<b>4.97</b>
<b>By Mode of Transmission</b>									
+MSM	1	7.7	N/A	2	15.4	N/A	3	23.1	N/A
++IDU	2	15.4	N/A	1	7.7	N/A	3	23.1	N/A
MSM / IDU	0	0.0	N/A	1	7.7	N/A	1	7.7	N/A
Heterosexual	1	7.7	N/A	1	7.7	N/A	2	15.4	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	1	7.7	N/A	3	23.1	N/A	4	30.8	N/A
<b>TOTAL</b>	<b>5</b>	<b>38.5</b>	<b>1.91</b>	<b>8</b>	<b>61.5</b>	<b>3.06</b>	<b>13</b>	<b>100.0</b>	<b>4.97</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Gila County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	5	45.5	3.79	1	9.1	0.76	6	54.5	4.55
Female	4	36.4	2.99	1	9.1	0.75	5	45.5	3.74
<b>TOTAL</b>	<b>9</b>	<b>81.8</b>	<b>3.39</b>	<b>2</b>	<b>18.2</b>	<b>0.75</b>	<b>11</b>	<b>100.0</b>	<b>4.14</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	1	9.1	2.98	1	9.1	2.98
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	3	27.3	23.97	0	0.0	0.00	3	27.3	23.97
30-34	1	9.1	8.67	0	0.0	0.00	1	9.1	8.67
35-39	2	18.2	18.70	1	9.1	9.35	3	27.3	28.05
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	9.1	6.68	0	0.0	0.00	1	9.1	6.68
50-54	1	9.1	5.48	0	0.0	0.00	1	9.1	5.48
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65 and Above	1	9.1	1.47	0	0.0	0.00	1	9.1	1.47
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>9</b>	<b>81.8</b>	<b>3.39</b>	<b>2</b>	<b>18.2</b>	<b>0.75</b>	<b>11</b>	<b>100.0</b>	<b>4.14</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	1	9.1	0.58	0	0.0	0.00	1	9.1	0.58
Black Non-Hispanic	1	9.1	45.96	0	0.0	0.00	1	9.1	45.96
Hispanic	2	18.2	4.06	1	9.1	2.03	3	27.3	6.09
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	5	45.5	12.15	1	9.1	2.43	6	54.5	14.58
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>9</b>	<b>81.8</b>	<b>3.39</b>	<b>2</b>	<b>18.2</b>	<b>0.75</b>	<b>11</b>	<b>100.0</b>	<b>4.14</b>
<b>By Mode of Transmission</b>									
+MSM	2	18.2	N/A	0	0.0	N/A	2	18.2	N/A
++IDU	3	27.3	N/A	0	0.0	N/A	3	27.3	N/A
MSM / IDU	1	9.1	N/A	0	0.0	N/A	1	9.1	N/A
Heterosexual	2	18.2	N/A	1	9.1	N/A	3	27.3	N/A
+++O/H/TF/TPR	0	0.0	N/A	1	9.1	N/A	1	9.1	N/A
++++NRR/UR	1	9.1	N/A	0	0.0	N/A	1	9.1	N/A
<b>TOTAL</b>	<b>9</b>	<b>81.8</b>	<b>3.39</b>	<b>2</b>	<b>18.2</b>	<b>0.75</b>	<b>11</b>	<b>100.0</b>	<b>4.14</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Gila County HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### Gila County Counts

Year	Prevalence	Incidence
2007	30	2
2008	33	2
2009	29	3
2010	32	4
2011	39	2
2012	43	0
2013	44	3
2014	44	2
2015	54	4
2016	54	1

[Back to Index](#)

## Mohave County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
205,249	2.96	1.28	1.71

### Mohave County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000
<b>By Gender</b>									
Male	115	38.3	111.63	140	46.7	135.90	255	85.0	247.53
Female	26	8.7	25.56	19	6.3	18.68	45	15.0	44.24
<b>TOTAL</b>	<b>141</b>	<b>47.0</b>	<b>68.87</b>	<b>159</b>	<b>53.0</b>	<b>77.66</b>	<b>300</b>	<b>100.0</b>	<b>146.53</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	1	0.3	6.60	0	0.0	0.00	1	0.3	6.60
20-24	2	0.7	20.12	1	0.3	10.06	3	1.0	30.18
25-29	5	1.7	46.99	4	1.3	37.59	9	3.0	84.58
30-34	12	4.0	123.47	5	1.7	51.45	17	5.7	174.92
35-39	9	3.0	96.70	3	1.0	32.23	12	4.0	128.94
40-44	16	5.3	166.98	10	3.3	104.36	26	8.7	271.34
45-49	21	7.0	192.01	25	8.3	228.58	46	15.3	420.59
50-54	30	10.0	216.01	41	13.7	295.22	71	23.7	511.23
55-59	21	7.0	131.76	27	9.0	169.41	48	16.0	301.17
60-64	15	5.0	89.34	27	9.0	160.82	42	14.0	250.16
65 and Above	9	3.0	15.87	16	5.3	28.21	25	8.3	44.08
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>141</b>	<b>47.0</b>	<b>68.87</b>	<b>159</b>	<b>53.0</b>	<b>77.66</b>	<b>300</b>	<b>100.0</b>	<b>146.53</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	100	33.3	62.19	127	42.3	78.98	227	75.7	141.17
Black Non-Hispanic	10	3.3	328.08	6	2.0	196.85	16	5.3	524.93
Hispanic	20	6.7	60.40	17	5.7	51.34	37	12.3	111.75
*A/PI/H Non-Hispanic	2	0.7	64.79	0	0.0	0.00	2	0.7	64.79
**AI/AN Non-Hispanic	5	1.7	106.66	8	2.7	170.65	13	4.3	277.30
***MR/O Non-Hispanic	4	1.3	N/A	1	0.3	N/A	5	1.7	N/A
<b>TOTAL</b>	<b>141</b>	<b>47.0</b>	<b>68.87</b>	<b>159</b>	<b>53.0</b>	<b>77.66</b>	<b>300</b>	<b>100.0</b>	<b>146.53</b>
<b>By Mode of Transmission</b>									
+MSM	68	22.7	N/A	80	26.7	N/A	148	49.3	N/A
++IDU	25	8.3	N/A	25	8.3	N/A	50	16.7	N/A
<b>MSM / IDU</b>	<b>18</b>	<b>6.0</b>	<b>N/A</b>	<b>30</b>	<b>10.0</b>	<b>N/A</b>	<b>48</b>	<b>16.0</b>	<b>N/A</b>
Heterosexual	15	5.0	N/A	18	6.0	N/A	33	11.0	N/A
+++O/H/TF/TPR	2	0.7	N/A	2	0.7	N/A	4	1.3	N/A
++++NRR/UR	13	4.3	N/A	4	1.3	N/A	17	5.7	N/A
<b>TOTAL</b>	<b>141</b>	<b>47.0</b>	<b>68.87</b>	<b>159</b>	<b>53.0</b>	<b>77.66</b>	<b>300</b>	<b>100.0</b>	<b>146.53</b>

\* Asian/Pacific Islander/Hawaiian  
 \*\* American Indian/Alaska Native  
 \*\*\* Multiple Race/Other Race

+ Men having Sex with Men  
 ++ Injection Drug Use  
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient  
 +++++ No Reported Risk/Unknown Risk

Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Mohave County 2016 Reported HIV/AIDS Incidence

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	4	80.0	3.9	3	75.0	2.9	7	77.8	6.8
Female	1	20.0	1.0	1	25.0	1.0	2	22.2	2.0
<b>TOTAL</b>	<b>5</b>	<b>100.0</b>	<b>2.4</b>	<b>4</b>	<b>100.0</b>	<b>2.0</b>	<b>9</b>	<b>100.0</b>	<b>4.4</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
2-12	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13-19	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
20-24	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
25-29	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
30-34	0	0.0	0.0	1	25.0	10.3	1	11.1	10.3
35-39	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
40-44	3	60.0	31.3	1	25.0	10.4	4	44.4	41.7
45-49	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
50-54	2	40.0	14.4	0	0.0	0.0	2	22.2	14.4
55-59	0	0.0	0.0	1	25.0	6.3	1	11.1	6.3
60-64	0	0.0	0.0	1	25.0	6.0	1	11.1	6.0
65 and Above	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>5</b>	<b>100.0</b>	<b>2.4</b>	<b>4</b>	<b>100.0</b>	<b>2.0</b>	<b>9</b>	<b>100.0</b>	<b>4.4</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	4	80.0	2.5	3	75.0	1.9	7	77.8	4.4
Black Non-Hispanic	1	20.0	32.8	0	0.0	0.0	1	11.1	32.8
Hispanic	0	0.0	0.0	1	25.0	3.0	1	11.1	3.0
*A/PI/H Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
**AI/AN Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>5</b>	<b>100.0</b>	<b>2.4</b>	<b>4</b>	<b>100.0</b>	<b>2.0</b>	<b>9</b>	<b>100.0</b>	<b>4.4</b>
<b>By Mode of Transmission</b>									
+MSM	2	40.0	N/A	1	25.0	N/A	3	33.3	N/A
++IDU	2	40.0	N/A	1	25.0	N/A	3	33.3	N/A
MSM / IDU	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
Heterosexual	1	20.0	N/A	2	50.0	N/A	3	33.3	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>5</b>	<b>100.0</b>	<b>N/A</b>	<b>4</b>	<b>100.0</b>	<b>N/A</b>	<b>9</b>	<b>100.0</b>	<b>N/A</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Mohave County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	30	46.9	6.18	26	40.6	5.36	56	87.5	11.54
Female	8	12.5	1.62	0	0.0	0.00	8	12.5	1.62
<b>TOTAL</b>	<b>38</b>	<b>59.4</b>	<b>3.88</b>	<b>26</b>	<b>40.6</b>	<b>2.65</b>	<b>64</b>	<b>100.0</b>	<b>6.53</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	1	1.6	1.23	0	0.0	0.00	1	1.6	1.23
20-24	3	4.7	6.34	0	0.0	0.00	3	4.7	6.34
25-29	5	7.8	8.29	3	4.7	4.97	8	12.5	13.26
30-34	7	10.9	13.99	1	1.6	2.00	8	12.5	15.99
35-39	7	10.9	13.87	5	7.8	9.91	12	18.8	23.78
40-44	4	6.3	7.06	2	3.1	3.53	6	9.4	10.59
45-49	4	6.3	6.20	4	6.3	6.20	8	12.5	12.41
50-54	2	3.1	2.97	6	9.4	8.91	8	12.5	11.88
55-59	4	6.3	5.91	3	4.7	4.43	7	10.9	10.34
60-64	0	0.0	0.00	1	1.6	1.46	1	1.6	1.46
65 and Above	1	1.6	0.47	1	1.6	0.47	2	3.1	0.93
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>38</b>	<b>59.4</b>	<b>3.88</b>	<b>26</b>	<b>40.6</b>	<b>2.65</b>	<b>64</b>	<b>100.0</b>	<b>6.53</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	24	37.5	3.02	19	29.7	2.39	43	67.2	5.41
Black Non-Hispanic	2	3.1	17.60	1	1.6	8.80	3	4.7	26.41
Hispanic	6	9.4	4.31	6	9.4	4.31	12	18.8	8.61
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	3	4.7	14.07	0	0.0	0.00	3	4.7	14.07
***MR/O Non-Hispanic	3	4.7	N/A	0	0.0	N/A	3	4.7	N/A
<b>TOTAL</b>	<b>38</b>	<b>59.4</b>	<b>3.88</b>	<b>26</b>	<b>40.6</b>	<b>2.65</b>	<b>64</b>	<b>100.0</b>	<b>6.53</b>
<b>By Mode of Transmission</b>									
+MSM	14	21.9	N/A	15	23.4	N/A	29	45.3	N/A
++IDU	5	7.8	N/A	3	4.7	N/A	8	12.5	N/A
MSM / IDU	8	12.5	N/A	4	6.3	N/A	12	18.8	N/A
Heterosexual	5	7.8	N/A	0	0.0	N/A	5	7.8	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	6	9.4	N/A	4	6.3	N/A	10	15.6	N/A
<b>TOTAL</b>	<b>38</b>	<b>59.4</b>	<b>3.88</b>	<b>26</b>	<b>40.6</b>	<b>2.65</b>	<b>64</b>	<b>100.0</b>	<b>6.53</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Mohave County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	22	57.9	4.30	11	28.9	2.15	33	86.8	6.46
Female	1	2.6	0.20	4	10.5	0.79	5	13.2	0.99
<b>TOTAL</b>	<b>23</b>	<b>60.5</b>	<b>2.26</b>	<b>15</b>	<b>39.5</b>	<b>1.48</b>	<b>38</b>	<b>100.0</b>	<b>3.74</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	5.3	3.98	1	2.6	1.99	3	7.9	5.96
25-29	3	7.9	5.98	2	5.3	3.99	5	13.2	9.97
30-34	5	13.2	10.42	2	5.3	4.17	7	18.4	14.59
35-39	2	5.3	4.37	1	2.6	2.18	3	7.9	6.55
40-44	3	7.9	5.89	2	5.3	3.93	5	13.2	9.82
45-49	3	7.9	5.08	0	0.0	0.00	3	7.9	5.08
50-54	2	5.3	2.75	2	5.3	2.75	4	10.5	5.51
55-59	2	5.3	2.55	2	5.3	2.55	4	10.5	5.10
60-64	0	0.0	0.00	3	7.9	3.60	3	7.9	3.60
65 and Above	1	2.6	0.38	0	0.0	0.00	1	2.6	0.38
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>23</b>	<b>60.5</b>	<b>2.26</b>	<b>15</b>	<b>39.5</b>	<b>1.48</b>	<b>38</b>	<b>100.0</b>	<b>3.74</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	17	44.7	2.11	11	28.9	1.36	28	73.7	3.47
Black Non-Hispanic	1	2.6	7.14	1	2.6	7.14	2	5.3	14.28
Hispanic	1	2.6	0.63	1	2.6	0.63	2	5.3	1.26
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	3	7.9	13.22	2	5.3	8.81	5	13.2	22.03
***MR/O Non-Hispanic	1	2.6	N/A	0	0.0	N/A	1	2.6	N/A
<b>TOTAL</b>	<b>23</b>	<b>60.5</b>	<b>2.26</b>	<b>15</b>	<b>39.5</b>	<b>1.48</b>	<b>38</b>	<b>100.0</b>	<b>3.74</b>
<b>By Mode of Transmission</b>									
+MSM	12	31.6	N/A	7	18.4	N/A	19	50.0	N/A
++IDU	3	7.9	N/A	7	18.4	N/A	10	26.3	N/A
MSM / IDU	4	10.5	N/A	0	0.0	N/A	4	10.5	N/A
Heterosexual	1	2.6	N/A	0	0.0	N/A	1	2.6	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	3	7.9	N/A	1	2.6	N/A	4	10.5	N/A
<b>TOTAL</b>	<b>23</b>	<b>60.5</b>	<b>2.26</b>	<b>15</b>	<b>39.5</b>	<b>1.48</b>	<b>38</b>	<b>100.0</b>	<b>3.74</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Mohave County HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### Mohave County Counts

Year	Prevalence	Incidence
2007	203	12
2008	215	11
2009	229	10
2010	225	19
2011	240	11
2012	255	5
2013	264	12
2014	273	4
2015	297	6
2016	300	9

[Back to Index](#)

## Navajo County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
110,026	1.59	1.40	0.82

### Navajo County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	<sup>#</sup> Rate Per 100,000	Cases	% County Total	<sup>#</sup> Rate Per 100,000	Cases	% County Total	<sup>#</sup> Rate Per 100,000
<b>By Gender</b>									
Male	50	36.0	92.13	59	42.4	108.71	109	78.4	200.84
Female	14	10.1	25.92	16	11.5	29.63	30	21.6	55.55
<b>TOTAL</b>	<b>64</b>	<b>46.0</b>	<b>59.11</b>	<b>75</b>	<b>54.0</b>	<b>69.27</b>	<b>139</b>	<b>100.0</b>	<b>128.37</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	2	1.4	17.79	0	0.0	0.00	2	1.4	17.79
20-24	3	2.2	42.92	1	0.7	14.31	4	2.9	57.23
25-29	4	2.9	59.91	5	3.6	74.88	9	6.5	134.79
30-34	15	10.8	250.92	4	2.9	66.91	19	13.7	317.83
35-39	7	5.0	123.15	1	0.7	17.59	8	5.8	140.75
40-44	7	5.0	122.06	10	7.2	174.37	17	12.2	296.43
45-49	6	4.2	102.77	12	8.4	222.68	10	12.7	225.45
50-54	12	8.6	172.59	13	9.4	186.97	25	18.0	359.56
55-59	5	3.6	70.41	11	7.9	154.91	16	11.5	225.32
60-64	2	1.4	29.61	8	5.8	118.43	10	7.2	148.04
65 and Above	1	0.7	5.61	9	6.5	50.49	10	7.2	56.10
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>64</b>	<b>46.0</b>	<b>59.11</b>	<b>75</b>	<b>54.0</b>	<b>69.27</b>	<b>139</b>	<b>100.0</b>	<b>128.37</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	17	12.2	37.05	20	14.4	43.58	37	26.6	80.63
Black Non-Hispanic	1	0.7	62.50	3	2.2	187.50	4	2.9	250.00
Hispanic	5	3.6	41.14	2	1.4	16.46	7	5.0	57.60
*A/PI/H Non-Hispanic	1	0.7	114.68	2	1.4	229.36	3	2.2	344.04
**AI/AN Non-Hispanic	38	27.3	79.56	47	33.8	98.40	85	61.2	177.96
***MR/O Non-Hispanic	2	1.4	N/A	1	0.7	N/A	3	2.2	N/A
<b>TOTAL</b>	<b>64</b>	<b>46.0</b>	<b>59.11</b>	<b>75</b>	<b>54.0</b>	<b>69.27</b>	<b>139</b>	<b>100.0</b>	<b>128.37</b>
<b>By Mode of Transmission</b>									
+MSM	36	25.9	N/A	29	20.9	N/A	65	46.8	N/A
+IDU	11	7.9	N/A	15	10.8	N/A	26	18.7	N/A
MSM / IDU	7	5.0	N/A	16	11.5	N/A	23	16.5	N/A
Heterosexual	6	4.3	N/A	10	7.2	N/A	16	11.5	N/A
++O/H/TF/TPR	1	0.7	N/A	0	0.0	N/A	1	0.7	N/A
+++NRR/UR	3	2.2	N/A	5	3.6	N/A	8	5.8	N/A
<b>TOTAL</b>	<b>64</b>	<b>46.0</b>	<b>59.11</b>	<b>75</b>	<b>54.0</b>	<b>69.27</b>	<b>139</b>	<b>100.0</b>	<b>128.37</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Navajo County 2016 Reported HIV/AIDS Incidence

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	6	66.7	11.1	2	100.0	3.7	8	72.7	14.7
Female	3	33.3	5.6	0	0.0	0.0	3	27.3	5.6
<b>TOTAL</b>	<b>9</b>	<b>100.0</b>	<b>8.3</b>	<b>2</b>	<b>100.0</b>	<b>1.8</b>	<b>11</b>	<b>100.0</b>	<b>10.2</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
2-12	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13-19	1	11.1	8.9	0	0.0	0.0	1	9.1	8.9
20-24	1	11.1	14.3	0	0.0	0.0	1	9.1	14.3
25-29	1	11.1	15.0	0	0.0	0.0	1	9.1	15.0
30-34	2	22.2	33.5	0	0.0	0.0	2	18.2	33.5
35-39	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
40-44	1	11.1	17.4	0	0.0	0.0	1	9.1	17.4
45-49	1	11.1	17.1	1	50.0	17.1	2	18.2	34.3
50-54	2	22.2	28.8	0	0.0	0.0	2	18.2	28.8
55-59	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
60-64	0	0.0	0.0	1	50.0	14.8	1	9.1	14.8
<b>65 and Above</b>	<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0.0</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>9</b>	<b>100.0</b>	<b>8.3</b>	<b>2</b>	<b>100.0</b>	<b>1.8</b>	<b>11</b>	<b>100.0</b>	<b>10.2</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	2	22.2	4.4	0	0.0	0.0	2	18.2	4.4
Black Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Hispanic	1	11.1	8.2	0	0.0	0.0	1	9.1	8.2
*A/PI/H Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
**AI/AN Non-Hispanic	6	66.7	12.6	2	100.0	4.2	8	72.7	16.7
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>9</b>	<b>100.0</b>	<b>8.3</b>	<b>2</b>	<b>100.0</b>	<b>1.8</b>	<b>11</b>	<b>100.0</b>	<b>10.2</b>
<b>By Mode of Transmission</b>									
+MSM	4	44.4	N/A	1	50.0	N/A	5	45.5	N/A
++IDU	2	22.2	N/A	0	0.0	N/A	2	18.2	N/A
MSM / IDU	1	11.1	N/A	0	0.0	N/A	1	9.1	N/A
Heterosexual	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	2	22.2	N/A	1	50.0	N/A	3	27.3	N/A
<b>TOTAL</b>	<b>9</b>	<b>100.0</b>	<b>N/A</b>	<b>2</b>	<b>100.0</b>	<b>N/A</b>	<b>11</b>	<b>100.0</b>	<b>N/A</b>

\* Asian/Pacific Islander/Hawaiian  
 \*\* American Indian/Alaska Native  
 \*\*\* Multiple Race/Other Race

+ Men having Sex with Men  
 ++ Injection Drug Use  
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient  
 +++, No Reported Risk/Unknown Risk

## Navajo County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	15	44.1	5.47	12	35.3	4.38	27	79.4	9.85
Female	3	8.8	1.08	4	11.8	1.43	7	20.6	2.51
<b>TOTAL</b>	<b>18</b>	<b>52.9</b>	<b>3.25</b>	<b>16</b>	<b>47.1</b>	<b>2.89</b>	<b>34</b>	<b>100.0</b>	<b>6.15</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	1	2.9	1.44	1	2.9	1.44	2	5.9	2.89
20-24	1	2.9	2.45	4	11.8	9.80	5	14.7	12.25
25-29	6	17.6	16.34	1	2.9	2.72	7	20.6	19.06
30-34	1	2.9	3.41	0	0.0	0.00	1	2.9	3.41
35-39	4	11.8	13.59	2	5.9	6.79	6	17.6	20.38
40-44	2	5.9	6.10	2	5.9	6.10	4	11.8	12.20
45-49	1	2.9	2.74	3	8.8	8.21	4	11.8	10.94
50-54	1	2.9	2.86	1	2.9	2.86	2	5.9	5.72
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65 and Above	1	2.9	1.47	2	5.9	2.95	3	8.8	4.42
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>18</b>	<b>52.9</b>	<b>3.25</b>	<b>16</b>	<b>47.1</b>	<b>2.89</b>	<b>34</b>	<b>100.0</b>	<b>6.15</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	3	8.8	1.27	0	0.0	0.00	3	8.8	1.27
Black Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Hispanic	2	5.9	3.61	0	0.0	0.00	2	5.9	3.61
*A/PI/H Non-Hispanic	0	0.0	0.00	1	2.9	33.89	1	2.9	33.89
**AI/AN Non-Hispanic	12	35.3	4.78	15	44.1	5.98	27	79.4	10.76
***MR/O Non-Hispanic	1	2.9	N/A	0	0.0	N/A	1	2.9	N/A
<b>TOTAL</b>	<b>18</b>	<b>52.9</b>	<b>3.25</b>	<b>16</b>	<b>47.1</b>	<b>2.89</b>	<b>34</b>	<b>100.0</b>	<b>6.15</b>
<b>By Mode of Transmission</b>									
+MSM	8	23.5	N/A	6	17.6	N/A	14	41.2	N/A
++IDU	5	14.7	N/A	1	2.9	N/A	6	17.6	N/A
MSM / IDU	4	11.8	N/A	3	8.8	N/A	7	20.6	N/A
Heterosexual	1	2.9	N/A	2	5.9	N/A	3	8.8	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	0	0.0	N/A	4	11.8	N/A	4	11.8	N/A
<b>TOTAL</b>	<b>18</b>	<b>52.9</b>	<b>3.25</b>	<b>16</b>	<b>47.1</b>	<b>2.89</b>	<b>34</b>	<b>100.0</b>	<b>6.15</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Navajo County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	26	57.8	9.64	11	24.4	4.08	37	82.2	13.72
Female	4	8.9	1.49	4	8.9	1.49	8	17.8	2.98
<b>TOTAL</b>	<b>30</b>	<b>66.7</b>	<b>5.57</b>	<b>15</b>	<b>33.3</b>	<b>2.79</b>	<b>45</b>	<b>100.0</b>	<b>8.36</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	1	2.2	1.71	1	2.2	1.71	2	4.4	3.42
20-24	2	4.4	5.56	5	11.1	13.90	7	15.6	19.45
25-29	6	13.3	19.15	0	0.0	0.00	6	13.3	19.15
30-34	4	8.9	13.50	0	0.0	0.00	4	8.9	13.50
35-39	4	8.9	14.21	1	2.2	3.55	5	11.1	17.76
40-44	5	11.1	17.20	1	2.2	3.44	6	13.3	20.64
45-49	4	8.9	12.74	2	4.4	6.37	6	13.3	19.12
50-54	1	2.2	2.83	0	0.0	0.00	1	2.2	2.83
55-59	0	0.0	0.00	1	2.2	2.87	1	2.2	2.87
60-64	2	4.4	6.04	3	6.7	9.07	5	11.1	15.11
65 and Above	1	2.2	1.23	1	2.2	1.23	2	4.4	2.45
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>30</b>	<b>66.7</b>	<b>5.57</b>	<b>15</b>	<b>33.3</b>	<b>2.79</b>	<b>45</b>	<b>100.0</b>	<b>8.36</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	5	11.1	2.15	2	4.4	0.86	7	15.6	3.01
Black Non-Hispanic	0	0.0	0.00	1	2.2	13.15	1	2.2	13.15
Hispanic	1	2.2	1.68	0	0.0	0.00	1	2.2	1.68
*A/PI/H Non-Hispanic	1	2.2	25.27	0	0.0	0.00	1	2.2	25.27
**AI/AN Non-Hispanic	23	51.1	9.81	12	26.7	5.12	35	77.8	14.93
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>30</b>	<b>66.7</b>	<b>5.57</b>	<b>15</b>	<b>33.3</b>	<b>2.79</b>	<b>45</b>	<b>100.0</b>	<b>8.36</b>
<b>By Mode of Transmission</b>									
+MSM	19	42.2	N/A	5	11.1	N/A	24	53.3	N/A
++IDU	5	11.1	N/A	4	8.9	N/A	9	20.0	N/A
MSM / IDU	3	6.7	N/A	2	4.4	N/A	5	11.1	N/A
Heterosexual	2	4.4	N/A	1	2.2	N/A	3	6.7	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	1	2.2	N/A	3	6.7	N/A	4	8.9	N/A
<b>TOTAL</b>	<b>30</b>	<b>66.7</b>	<b>5.57</b>	<b>15</b>	<b>33.3</b>	<b>2.79</b>	<b>45</b>	<b>100.0</b>	<b>8.36</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Navajo County HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### Navajo County Counts

Year	Prevalence	Incidence
2007	54	7
2008	54	6
2009	60	7
2010	64	4
2011	77	9
2012	94	6
2013	109	13
2014	120	11
2015	132	6
2016	139	11

[Back to Index](#)

## Yavapai County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
225,562	3.25	0.64	1.67

### Yavapai County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000
<b>By Gender</b>									
Male	108	36.9	99.53	131	44.7	120.73	239	81.6	220.26
Female	26	8.9	22.86	28	9.6	24.62	54	18.4	47.47
<b>TOTAL</b>	<b>134</b>	<b>45.7</b>	<b>60.29</b>	<b>159</b>	<b>54.3</b>	<b>71.54</b>	<b>293</b>	<b>100.0</b>	<b>131.83</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	1	0.3	4.39	0	0.0	0.00	1	0.3	4.39
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	1.0	29.08	1	0.3	9.69	4	1.4	38.78
25-29	4	1.4	38.88	2	0.7	19.44	6	2.0	58.31
30-34	5	1.7	50.97	2	0.7	20.39	7	2.4	71.36
35-39	12	4.1	124.38	7	2.4	72.55	19	6.5	196.93
40-44	9	3.1	89.20	10	3.4	99.11	19	6.5	188.31
45-49	20	6.8	178.44	25	8.5	223.05	45	15.4	401.50
50-54	23	7.8	155.43	37	12.6	250.03	60	20.5	405.46
55-59	21	7.2	116.66	34	11.6	188.88	55	18.8	305.54
60-64	16	5.5	76.83	22	7.5	105.65	38	13.0	182.48
<b>65 and Above</b>	<b>20</b>	<b>6.8</b>	<b>30.94</b>	<b>19</b>	<b>6.5</b>	<b>29.40</b>	<b>39</b>	<b>13.3</b>	<b>60.34</b>
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>134</b>	<b>45.7</b>	<b>60.29</b>	<b>159</b>	<b>54.3</b>	<b>71.54</b>	<b>293</b>	<b>100.0</b>	<b>131.83</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	106	36.2	58.44	121	41.3	66.71	227	77.5	125.15
Black Non-Hispanic	3	1.0	125.84	6	2.0	251.68	9	3.1	377.52
Hispanic	16	5.5	49.96	22	7.5	68.70	38	13.0	118.66
*A/PI/H Non-Hispanic	3	1.0	110.66	4	1.4	147.55	7	2.4	258.21
**AI/AN Non-Hispanic	3	1.0	80.02	4	1.4	106.70	7	2.4	186.72
***MR/O Non-Hispanic	3	1.0	N/A	2	0.7	N/A	5	1.7	N/A
<b>TOTAL</b>	<b>134</b>	<b>45.7</b>	<b>60.29</b>	<b>159</b>	<b>54.3</b>	<b>71.54</b>	<b>293</b>	<b>100.0</b>	<b>131.83</b>
<b>By Mode of Transmission</b>									
+MSM	72	24.6	N/A	96	32.8	N/A	168	57.3	N/A
++IDU	18	6.1	N/A	21	7.2	N/A	39	13.3	N/A
<b>MSM / IDU</b>	<b>11</b>	<b>3.8</b>	<b>N/A</b>	<b>18</b>	<b>6.1</b>	<b>N/A</b>	<b>29</b>	<b>9.9</b>	<b>N/A</b>
Heterosexual	21	7.2	N/A	17	5.8	N/A	38	13.0	N/A
+++O/H/TF/TPR	2	0.7	N/A	2	0.7	N/A	4	1.4	N/A
++++NRR/UR	10	3.4	N/A	5	1.7	N/A	15	5.1	N/A
<b>TOTAL</b>	<b>134</b>	<b>45.7</b>	<b>60.29</b>	<b>159</b>	<b>54.3</b>	<b>71.54</b>	<b>293</b>	<b>100.0</b>	<b>131.83</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Yavapai County 2015 Reported HIV/AIDS Incidence

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	3	100.0	2.8	2	100.0	1.8	5	100.0	4.6
Female	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
<b>TOTAL</b>	<b>3</b>	<b>100.0</b>	<b>1.3</b>	<b>2</b>	<b>100.0</b>	<b>0.9</b>	<b>5</b>	<b>100.0</b>	<b>2.2</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
2-12	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13-19	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
20-24	1	33.3	9.7	0	0.0	0.0	1	20.0	9.7
25-29	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
30-34	0	0.0	0.0	1	50.0	10.2	1	20.0	10.2
35-39	2	66.7	20.7	0	0.0	0.0	2	40.0	20.7
40-44	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
45-49	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
50-54	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
55-59	0	0.0	0.0	1	50.0	5.6	1	20.0	5.6
60-64	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
65 and Above	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>3</b>	<b>100.0</b>	<b>1.3</b>	<b>2</b>	<b>100.0</b>	<b>0.9</b>	<b>5</b>	<b>100.0</b>	<b>2.2</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	3	100.0	1.7	2	100.0	1.1	5	100.0	2.8
Black Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
*A/PI/H Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
**AI/AN Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>3</b>	<b>100.0</b>	<b>1.3</b>	<b>2</b>	<b>100.0</b>	<b>0.9</b>	<b>5</b>	<b>100.0</b>	<b>2.2</b>
<b>By Mode of Transmission</b>									
+MSM	2	66.7	N/A	2	100.0	N/A	4	80.0	N/A
++IDU	1	33.3	N/A	0	0.0	N/A	1	20.0	N/A
MSM / IDU	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
Heterosexual	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>3</b>	<b>100.0</b>	<b>N/A</b>	<b>2</b>	<b>100.0</b>	<b>N/A</b>	<b>5</b>	<b>100.0</b>	<b>N/A</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Yavapai County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	19	52.8	3.65	12	33.3	2.31	31	86.1	5.95
Female	4	11.1	0.74	1	2.8	0.19	5	13.9	0.93
<b>TOTAL</b>	<b>23</b>	<b>63.9</b>	<b>2.17</b>	<b>13</b>	<b>36.1</b>	<b>1.23</b>	<b>36</b>	<b>100.0</b>	<b>3.39</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	1	2.8	1.18	0	0.0	0.00	1	2.8	1.18
20-24	1	2.8	1.74	0	0.0	0.00	1	2.8	1.74
25-29	2	5.6	3.13	1	2.8	1.56	3	8.3	4.69
30-34	2	5.6	3.87	1	2.8	1.94	3	8.3	5.81
35-39	5	13.9	9.65	1	2.8	1.93	6	16.7	11.58
40-44	2	5.6	3.49	4	11.1	6.99	6	16.7	10.48
45-49	8	22.2	11.46	3	8.3	4.30	11	30.6	15.76
50-54	0	0.0	0.00	1	2.8	1.31	1	2.8	1.31
55-59	1	2.8	1.26	2	5.6	2.52	3	8.3	3.79
60-64	1	2.8	1.31	0	0.0	0.00	1	2.8	1.31
65 and Above	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>23</b>	<b>63.9</b>	<b>2.17</b>	<b>13</b>	<b>36.1</b>	<b>1.23</b>	<b>36</b>	<b>100.0</b>	<b>3.39</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	16	44.4	1.81	9	25.0	1.02	25	69.4	2.83
Black Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Hispanic	5	13.9	3.58	1	2.8	0.72	6	16.7	4.29
*A/PI/H Non-Hispanic	1	2.8	9.61	1	2.8	9.61	2	5.6	19.23
**AI/AN Non-Hispanic	0	0.0	0.00	1	2.8	5.77	1	2.8	5.77
***MR/O Non-Hispanic	1	2.8	N/A	1	2.8	N/A	2	5.6	N/A
<b>TOTAL</b>	<b>23</b>	<b>63.9</b>	<b>2.17</b>	<b>13</b>	<b>36.1</b>	<b>1.23</b>	<b>36</b>	<b>100.0</b>	<b>3.39</b>
<b>By Mode of Transmission</b>									
+MSM	15	41.7	N/A	9	25.0	N/A	24	66.7	N/A
++IDU	3	8.3	N/A	0	0.0	N/A	3	8.3	N/A
MSM / IDU	0	0.0	N/A	1	2.8	N/A	1	2.8	N/A
Heterosexual	3	8.3	N/A	1	2.8	N/A	4	11.1	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	2	5.6	N/A	2	5.6	N/A	4	11.1	N/A
<b>TOTAL</b>	<b>23</b>	<b>63.9</b>	<b>2.17</b>	<b>13</b>	<b>36.1</b>	<b>1.23</b>	<b>36</b>	<b>100.0</b>	<b>3.39</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Yavapai County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	18	58.1	3.41	10	32.3	1.89	28	90.3	5.30
Female	2	6.5	0.36	1	3.2	0.18	3	9.7	0.54
<b>TOTAL</b>	<b>20</b>	<b>64.5</b>	<b>1.85</b>	<b>11</b>	<b>35.5</b>	<b>1.02</b>	<b>31</b>	<b>100.0</b>	<b>2.87</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	1	3.2	1.23	0	0.0	0.00	1	3.2	1.23
20-24	3	9.7	5.78	0	0.0	0.00	3	9.7	5.78
25-29	2	6.5	4.12	2	6.5	4.12	4	12.9	8.25
30-34	2	6.5	4.21	0	0.0	0.00	2	6.5	4.21
35-39	3	9.7	6.47	1	3.2	2.16	4	12.9	8.62
40-44	1	3.2	1.94	1	3.2	1.94	2	6.5	3.87
45-49	2	6.5	3.38	1	3.2	1.69	3	9.7	5.07
50-54	1	3.2	1.31	1	3.2	1.31	2	6.5	2.61
55-59	2	6.5	2.23	2	6.5	2.23	4	12.9	4.46
60-64	1	3.2	1.00	2	6.5	2.00	3	9.7	3.00
65 and Above	2	6.5	0.68	1	3.2	0.34	3	9.7	1.02
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>20</b>	<b>64.5</b>	<b>1.85</b>	<b>11</b>	<b>35.5</b>	<b>1.02</b>	<b>31</b>	<b>100.0</b>	<b>2.87</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	18	58.1	2.03	8	25.8	0.90	26	83.9	2.93
Black Non-Hispanic	0	0.0	0.00	1	3.2	9.75	1	3.2	9.75
Hispanic	1	3.2	0.66	1	3.2	0.66	2	6.5	1.31
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	0	0.0	0.00	1	3.2	5.58	1	3.2	5.58
***MR/O Non-Hispanic	1	3.2	N/A	0	0.0	N/A	1	3.2	N/A
<b>TOTAL</b>	<b>20</b>	<b>64.5</b>	<b>1.85</b>	<b>11</b>	<b>35.5</b>	<b>1.02</b>	<b>31</b>	<b>100.0</b>	<b>2.87</b>
<b>By Mode of Transmission</b>									
+MSM	14	45.2	N/A	5	16.1	N/A	19	61.3	N/A
++IDU	1	3.2	N/A	0	0.0	N/A	1	3.2	N/A
MSM / IDU	2	6.5	N/A	2	6.5	N/A	4	12.9	N/A
Heterosexual	1	3.2	N/A	0	0.0	N/A	1	3.2	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	2	6.5	N/A	4	12.9	N/A	6	19.4	N/A
<b>TOTAL</b>	<b>20</b>	<b>64.5</b>	<b>1.85</b>	<b>11</b>	<b>35.5</b>	<b>1.02</b>	<b>31</b>	<b>100.0</b>	<b>2.87</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Yavapai County HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### Yavapai County Counts

Year	Prevalence	Incidence
2007	178	10
2008	192	9
2009	195	7
2010	205	4
2011	213	6
2012	255	7
2013	263	9
2014	291	2
2015	292	7
2016	293	5

[Back to Index](#)

## Arizona Central Region - (Maricopa and Pinal Counties)

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
4,661,537	67.26	78.69	74.63

### Arizona Central Region 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% Region Total	#Rate Per 100,000	Cases	% Region Total	#Rate Per 100,000	Cases	% Region Total	#Rate Per 100,000
<b>By Gender</b>									
Male	5811	44.7	255.78	5391	41.4	237.30	11202	86.1	493.08
Female	1026	7.9	44.56	780	6.0	33.87	1806	13.9	78.43
<b>TOTAL</b>	<b>6837</b>	<b>52.6</b>	<b>149.46</b>	<b>6171</b>	<b>47.4</b>	<b>134.90</b>	<b>13008</b>	<b>100.0</b>	<b>284.36</b>
<b>By Age (Years)</b>									
Under 2	1	0.0	0.84	0	0.0	0.00	1	0.0	0.84
2-12	32	0.2	4.63	0	0.0	0.00	32	0.2	4.63
13-19	58	0.4	13.26	7	0.1	1.60	65	0.5	14.86
20-24	319	2.5	103.55	51	0.4	16.55	370	2.8	120.10
25-29	677	5.2	204.48	185	1.4	55.88	862	6.6	260.36
30-34	707	5.4	223.07	339	2.6	106.96	1046	8.0	330.03
35-39	811	6.2	268.15	521	4.0	172.26	1332	10.2	440.41
40-44	732	5.6	244.11	684	5.3	228.10	1416	10.9	472.21
45-49	955	7.3	328.39	1044	8.0	358.99	1999	15.4	687.38
50-54	955	7.3	327.14	1366	10.5	467.93	2321	17.8	795.06
55-59	776	6.0	282.62	939	7.2	341.98	1715	13.2	624.60
60-64	431	3.3	178.27	554	4.3	229.14	985	7.6	407.41
<b>65 and Above</b>	<b>372</b>	<b>2.9</b>	<b>55.48</b>	<b>481</b>	<b>3.7</b>	<b>71.74</b>	<b>853</b>	<b>6.6</b>	<b>127.22</b>
Age Unknown	11	0.1	N/A	0	0.0	N/A	11	0.1	N/A
<b>TOTAL</b>	<b>6837</b>	<b>52.6</b>	<b>149.46</b>	<b>6171</b>	<b>47.4</b>	<b>134.90</b>	<b>13008</b>	<b>100.0</b>	<b>284.36</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	3427	26.3	129.93	3224	24.8	122.24	6651	51.1	252.17
Black Non-Hispanic	1048	8.1	406.62	887	6.8	344.15	1935	14.9	750.77
Hispanic	1928	14.8	138.82	1746	13.4	125.71	3674	28.2	264.53
*A/PI/H Non-Hispanic	129	1.0	66.44	79	0.6	40.69	208	1.6	107.13
**AI/AN Non-Hispanic	181	1.4	188.11	157	1.2	163.17	338	2.6	351.29
***MR/O Non-Hispanic	124	1.0	N/A	78	0.6	N/A	202	1.6	N/A
<b>TOTAL</b>	<b>6837</b>	<b>52.6</b>	<b>149.46</b>	<b>6171</b>	<b>47.4</b>	<b>134.90</b>	<b>13008</b>	<b>100.0</b>	<b>284.36</b>
<b>By Mode of Transmission</b>									
+MSM	4319	33.2	N/A	3805	29.3	N/A	8124	62.5	N/A
++IDU	538	4.1	N/A	604	4.6	N/A	1142	8.8	N/A
MSM / IDU	432	3.3	N/A	577	4.4	N/A	1009	7.8	N/A
Heterosexual	696	5.4	N/A	662	5.1	N/A	1358	10.4	N/A
+++O/H/TF/TPR	98	0.8	N/A	48	0.4	N/A	146	1.1	N/A
++++NRR/UR	754	5.8	N/A	475	3.7	N/A	1229	9.4	N/A
<b>TOTAL</b>	<b>6837</b>	<b>52.6</b>	<b>149.46</b>	<b>6171</b>	<b>47.4</b>	<b>134.90</b>	<b>13008</b>	<b>100.0</b>	<b>284.36</b>

\* Asian Pacific/Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Arizona Central Region HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000
<b>By Gender</b>									
Male	1596	61.8	15.06	666	25.8	6.28	2262	87.5	21.34
Female	226	8.7	2.16	96	3.7	0.92	322	12.5	3.08
<b>TOTAL</b>	<b>1822</b>	<b>70.5</b>	<b>8.66</b>	<b>762</b>	<b>29.5</b>	<b>3.62</b>	<b>2584</b>	<b>100.0</b>	<b>12.28</b>
<b>By Age (Years)</b>									
Under 2	5	0.2	0.72	0	0.0	0.00	5	0.2	0.72
2-12	6	0.2	0.17	0	0.0	0.00	6	0.2	0.17
13-19	77	3.0	3.82	9	0.3	0.45	86	3.3	4.27
20-24	313	12.1	22.64	40	1.5	2.89	353	13.7	25.54
25-29	345	13.4	20.94	98	3.8	5.95	443	17.1	26.88
30-34	286	11.1	18.33	100	3.9	6.41	386	14.9	24.74
35-39	266	10.3	17.29	114	4.4	7.41	380	14.7	24.70
40-44	216	8.4	14.85	139	5.4	9.55	355	13.7	24.40
45-49	154	6.0	10.74	89	3.4	6.21	243	9.4	16.95
50-54	78	3.0	6.13	92	3.6	7.23	170	6.6	13.36
55-59	50	1.9	4.43	37	1.4	3.28	87	3.4	7.71
60-64	13	0.5	1.36	29	1.1	3.03	42	1.6	4.38
<b>65 and Above</b>	<b>13</b>	<b>0.5</b>	<b>0.53</b>	<b>15</b>	<b>0.6</b>	<b>0.62</b>	<b>28</b>	<b>1.1</b>	<b>1.15</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>1822</b>	<b>70.5</b>	<b>8.66</b>	<b>762</b>	<b>29.5</b>	<b>3.62</b>	<b>2584</b>	<b>100.0</b>	<b>12.28</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	859	33.2	6.83	349	13.5	2.77	1208	46.7	9.60
Black Non-Hispanic	217	8.4	22.29	79	3.1	8.11	296	11.5	30.40
Hispanic	633	24.5	9.90	290	11.2	4.54	923	35.7	14.43
*A/PI/H Non-Hispanic	42	1.6	6.27	12	0.5	1.79	54	2.1	8.06
**AI/AN Non-Hispanic	53	2.1	12.53	25	1.0	5.91	78	3.0	18.44
***MR/O Non-Hispanic	18	0.7	N/A	7	0.3	N/A	25	1.0	N/A
<b>TOTAL</b>	<b>1822</b>	<b>70.5</b>	<b>8.66</b>	<b>762</b>	<b>29.5</b>	<b>3.62</b>	<b>2584</b>	<b>100.0</b>	<b>12.28</b>
<b>By Mode of Transmission</b>									
+MSM	1172	45.4	N/A	399	15.4	N/A	1571	60.8	N/A
++IDU	124	4.8	N/A	70	2.7	N/A	194	7.5	N/A
<b>MSM / IDU</b>	<b>112</b>	<b>4.3</b>	<b>N/A</b>	<b>34</b>	<b>1.3</b>	<b>N/A</b>	<b>146</b>	<b>5.7</b>	<b>N/A</b>
Heterosexual	146	5.7	N/A	76	2.9	N/A	222	8.6	N/A
+++O/H/TF/TPR	11	0.4	N/A	0	0.0	N/A	11	0.4	N/A
++++NRR/UR	257	9.9	N/A	183	7.1	N/A	440	17.0	N/A
<b>TOTAL</b>	<b>1822</b>	<b>70.5</b>	<b>8.66</b>	<b>762</b>	<b>29.5</b>	<b>3.62</b>	<b>2584</b>	<b>100.0</b>	<b>12.28</b>

\* Asian Pacific/Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

Arizona Central Region includes Maricopa and Pinal Counties

## Arizona Central Region HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000
<b>By Gender</b>									
Male	1725	65.9	15.73	529	20.2	4.82	2254	86.1	20.55
Female	290	11.1	2.61	74	2.8	0.67	364	13.9	3.28
<b>TOTAL</b>	<b>2015</b>	<b>77.0</b>	<b>9.13</b>	<b>603</b>	<b>23.0</b>	<b>2.73</b>	<b>2618</b>	<b>100.0</b>	<b>11.88</b>
<b>By Age (Years)</b>									
<b>Under 2</b>	2	0.1	0.34	0	0.0	N/A	2	0.1	0.34
<b>12-Feb</b>	14	0.5	0.41	0	0.0	N/A	14	0.5	0.41
<b>13-19</b>	93	3.6	4.38	5	0.2	0.24	98	3.7	4.62
<b>20-24</b>	424	16.2	27.67	38	1.5	2.48	462	17.6	30.15
<b>25-29</b>	414	15.8	26.30	81	3.1	5.15	495	18.9	31.44
<b>30-34</b>	292	11.2	18.87	94	3.6	6.07	386	14.7	24.94
<b>35-39</b>	233	8.9	15.92	72	2.8	4.92	305	11.7	20.83
<b>40-44</b>	194	7.4	13.06	80	3.1	5.39	274	10.5	18.43
<b>45-49</b>	148	5.7	10.45	79	3.0	5.58	227	8.7	16.03
<b>50-54</b>	93	3.6	6.56	72	2.8	5.09	165	6.3	11.64
<b>55-59</b>	60	2.3	4.69	37	1.4	2.88	97	3.7	7.57
<b>60-64</b>	30	1.1	2.60	32	1.2	2.77	62	2.4	5.38
<b>65 and Above</b>	18	0.7	0.60	13	0.5	0.43	31	1.2	1.03
<b>Age Unknown</b>	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>2015</b>	<b>77.0</b>	<b>9.13</b>	<b>603</b>	<b>23.0</b>	<b>2.73</b>	<b>2618</b>	<b>100.0</b>	<b>11.88</b>
<b>By Race / Ethnicity</b>									
<b>White Non-Hispanic</b>	732	28.0	5.68	265	10.1	2.06	997	38.1	7.73
<b>Black Non-Hispanic</b>	384	14.7	32.25	80	3.1	6.72	464	17.7	38.97
<b>Hispanic</b>	733	28.0	11.06	215	8.2	3.24	948	36.2	14.31
<b>*A/PI/H Non-Hispanic</b>	55	2.1	6.20	18	0.7	2.04	73	2.8	8.24
<b>**AI/AN Non-Hispanic</b>	91	3.5	20.03	22	0.8	4.84	113	4.3	24.88
<b>***MR/O Non-Hispanic</b>	20	0.8	N/A	3	0.1	N/A	23	0.9	N/A
<b>TOTAL</b>	<b>2015</b>	<b>77.0</b>	<b>9.13</b>	<b>603</b>	<b>23.0</b>	<b>2.73</b>	<b>2618</b>	<b>100.0</b>	<b>11.88</b>
<b>By Mode of Transmission</b>									
<b>+MSM</b>	1313	50.2	N/A	323	12.3	N/A	1636	62.5	N/A
<b>++IDU</b>	128	4.9	N/A	56	2.1	N/A	184	7.0	N/A
<b>MSM / IDU</b>	100	3.8	N/A	24	0.9	N/A	124	4.7	N/A
<b>Heterosexual</b>	192	7.3	N/A	76	2.9	N/A	268	10.2	N/A
<b>+++O/H/TF/TPR</b>	17	0.6	N/A	0	0.0	N/A	17	0.6	N/A
<b>++++NRR/UR</b>	265	10.1	N/A	124	4.7	N/A	389	14.9	N/A
<b>TOTAL</b>	<b>2015</b>	<b>77.0</b>	<b>9.13</b>	<b>603</b>	<b>23.0</b>	<b>2.73</b>	<b>2618</b>	<b>100.0</b>	<b>11.88</b>

\* Asian Pacific/Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men


++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

Arizona Central Region includes Maricopa and Pinal Counties

## Arizona Central Region HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### Arizona Central Region Counts

Year	Prevalence	Incidence
2007	9119	609
2008	9769	567
2009	10275	504
2010	10477	466
2011	10997	445
2012	11428	507
2013	12277	519
2014	12469	594
2015	12920	553
2016	13008	609

Arizona Central Region includes Maricopa and Pinal Counties

[Back to Index](#)

## Maricopa County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
4,242,997	61.22	73.72	68.74

### Maricopa County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000
<b>By Gender</b>									
Male	5397	45.0	262.01	4894	40.8	237.59	10291	85.8	499.60
Female	964	8.0	45.73	735	6.1	34.87	1699	14.2	80.59
<b>TOTAL</b>	<b>6361</b>	<b>53.1</b>	<b>152.62</b>	<b>5629</b>	<b>46.9</b>	<b>135.05</b>	<b>11990</b>	<b>100.0</b>	<b>287.67</b>
<b>By Age (Years)</b>									
Under 2	1	0.0	0.16	0	0.0	0.00	1	0.0	0.16
2-12	29	0.2	4.60	0	0.0	0.00	29	0.2	4.60
13-19	55	0.5	13.72	6	0.1	1.50	61	0.5	15.21
20-24	304	2.5	106.57	47	0.4	16.48	351	2.9	123.05
25-29	637	5.3	208.57	170	1.4	55.66	807	6.7	264.23
30-34	649	5.4	224.67	306	2.6	105.93	955	8.0	330.60
35-39	745	6.2	270.91	454	3.8	165.09	1199	10.0	436.00
40-44	650	5.4	237.21	598	5.0	218.23	1248	10.4	455.45
45-49	870	7.3	324.36	946	7.9	352.69	1816	15.1	677.05
50-54	900	7.5	334.64	1252	10.4	465.52	2152	17.9	800.16
55-59	740	6.2	294.86	872	7.3	347.46	1612	13.4	642.33
60-64	414	3.5	190.08	516	4.3	236.91	930	7.8	426.99
<b>65 and Above</b>	<b>356</b>	<b>3.0</b>	<b>60.04</b>	<b>462</b>	<b>3.9</b>	<b>77.91</b>	<b>818</b>	<b>6.8</b>	<b>137.95</b>
Age Unknown	11	0.1	N/A	0	0.0	N/A	11	0.1	N/A
<b>TOTAL</b>	<b>6361</b>	<b>53.1</b>	<b>152.62</b>	<b>5629</b>	<b>46.9</b>	<b>135.05</b>	<b>11990</b>	<b>100.0</b>	<b>287.67</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	3291	27.4	137.17	3055	25.5	127.33	6346	52.9	264.50
Black Non-Hispanic	1009	8.4	424.07	830	6.9	348.84	1839	15.3	772.91
Hispanic	1663	13.9	130.96	1460	12.2	114.97	3123	26.0	245.93
*A/PI/H Non-Hispanic	118	1.0	63.81	69	0.6	37.31	187	1.6	101.12
**AI/AN Non-Hispanic	163	1.4	214.57	145	1.2	190.87	308	2.6	405.44
***MR/O Non-Hispanic	117	1.0	N/A	70	0.6	N/A	187	1.6	N/A
<b>TOTAL</b>	<b>6361</b>	<b>53.1</b>	<b>152.62</b>	<b>5629</b>	<b>46.9</b>	<b>135.05</b>	<b>11990</b>	<b>100.0</b>	<b>287.67</b>
<b>By Mode of Transmission</b>									
+MSM	4116	34.3	N/A	3568	29.8	N/A	7684	64.1	N/A
++IDU	429	3.6	N/A	494	4.1	N/A	923	7.7	N/A
MSM / IDU	393	3.3	N/A	499	4.2	N/A	892	7.4	N/A
Heterosexual	644	5.4	N/A	593	4.9	N/A	1237	10.3	N/A
+++O/H/TF/TPR	92	0.8	N/A	45	0.4	N/A	137	1.1	N/A
++++NRR/UR	687	5.7	N/A	430	3.6	N/A	1117	9.3	N/A
<b>TOTAL</b>	<b>6361</b>	<b>53.1</b>	<b>152.62</b>	<b>5629</b>	<b>46.9</b>	<b>135.05</b>	<b>11990</b>	<b>100.0</b>	<b>287.67</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Maricopa County 2016 Reported HIV/AIDS Incidence

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	395	85.1	19.2	97	86.6	4.7	492	85.4	23.9
Female	69	14.9	3.3	15	13.4	0.7	84	14.6	4.0
<b>TOTAL</b>	<b>464</b>	<b>100.0</b>	<b>11.1</b>	<b>112</b>	<b>100.0</b>	<b>2.7</b>	<b>576</b>	<b>100.0</b>	<b>13.8</b>
<b>By Age (Years)</b>									
Under 2	1	0.2	0.9	0	0.0	0.0	1	0.2	0.9
2-12	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13-19	15	3.2	3.7	1	0.9	0.2	16	2.8	4.0
20-24	104	22.4	36.5	6	5.4	2.1	110	19.1	38.6
25-29	94	20.3	30.8	10	8.9	3.3	104	18.1	34.1
30-34	61	13.1	21.1	9	8.0	3.1	70	12.2	24.2
35-39	46	9.9	16.7	19	17.0	6.9	65	11.3	23.6
40-44	42	9.1	15.3	18	16.1	6.6	60	10.4	21.9
45-49	35	7.5	13.0	16	14.3	6.0	51	8.9	19.0
50-54	29	6.3	10.8	11	9.8	4.1	40	6.9	14.9
55-59	19	4.1	7.6	13	11.6	5.2	32	5.6	12.8
60-64	9	1.9	4.1	4	3.6	1.8	13	2.3	6.0
65 and Above	9	1.9	1.5	5	4.5	0.8	14	2.4	2.4
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>464</b>	<b>100.0</b>	<b>11.1</b>	<b>112</b>	<b>100.0</b>	<b>2.7</b>	<b>576</b>	<b>100.0</b>	<b>13.8</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	172	37.1	7.2	37	33.0	1.5	209	36.3	8.7
Black Non-Hispanic	98	21.1	41.2	27	24.1	11.3	125	21.7	52.5
Hispanic	161	34.7	12.7	39	34.8	3.1	200	34.7	15.7
*A/PI/H Non-Hispanic	12	2.6	6.5	4	3.6	2.2	16	2.8	8.7
**AI/AN Non-Hispanic	17	3.7	22.4	5	4.5	6.6	22	3.8	29.0
***MR/O Non-Hispanic	4	0.9	N/A	0	0.0	N/A	4	0.7	N/A
<b>TOTAL</b>	<b>464</b>	<b>100.0</b>	<b>11.1</b>	<b>112</b>	<b>100.0</b>	<b>2.7</b>	<b>576</b>	<b>100.0</b>	<b>13.8</b>
<b>By Mode of Transmission</b>									
+MSM	302	65.1	N/A	60	53.6	N/A	362	62.8	N/A
++IDU	16	3.4	N/A	7	6.3	N/A	23	4.0	N/A
MSM / IDU	15	3.2	N/A	4	3.6	N/A	19	3.3	N/A
Heterosexual	28	6.0	N/A	8	7.1	N/A	36	6.3	N/A
+++O/H/TF/TPR	2	0.4	N/A	0	0.0	N/A	2	0.3	N/A
++++NRR/UR	101	21.8	N/A	33	29.5	N/A	134	23.3	N/A
<b>TOTAL</b>	<b>464</b>	<b>100.0</b>	<b>N/A</b>	<b>112</b>	<b>100.0</b>	<b>N/A</b>	<b>576</b>	<b>100.0</b>	<b>N/A</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Maricopa County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	1474	62.6	15.11	576	24.5	5.91	2050	87.0	21.02
Female	214	9.1	2.21	91	3.9	0.94	305	13.0	3.15
<b>TOTAL</b>	<b>1688</b>	<b>71.7</b>	<b>8.69</b>	<b>667</b>	<b>28.3</b>	<b>3.43</b>	<b>2355</b>	<b>100.0</b>	<b>12.12</b>
<b>By Age (Years)</b>									
Under 2	5	0.2	0.78	0	0.0	0.00	5	0.2	0.78
2-12	5	0.2	0.15	0	0.0	0.00	5	0.2	0.15
13-19	74	3.1	3.95	9	0.4	0.48	83	3.5	4.44
20-24	295	12.5	23.18	35	1.5	2.75	330	14.0	25.93
25-29	323	13.7	21.42	83	3.5	5.51	406	17.2	26.93
30-34	252	10.7	17.52	88	3.7	6.12	340	14.4	23.64
35-39	241	10.2	16.89	99	4.2	6.94	340	14.4	23.82
40-44	206	8.7	15.19	122	5.2	9.00	328	13.9	24.19
45-49	145	6.2	10.84	78	3.3	5.83	223	9.5	16.68
50-54	71	3.0	6.00	78	3.3	6.59	149	6.3	12.60
55-59	47	2.0	4.51	35	1.5	3.36	82	3.5	7.87
60-64	13	0.6	1.49	27	1.1	3.09	40	1.7	4.57
<b>65 and Above</b>	<b>11</b>	<b>0.5</b>	<b>0.50</b>	<b>13</b>	<b>0.6</b>	<b>0.59</b>	<b>24</b>	<b>1.0</b>	<b>1.08</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>1688</b>	<b>71.7</b>	<b>8.69</b>	<b>667</b>	<b>28.3</b>	<b>3.43</b>	<b>2355</b>	<b>100.0</b>	<b>12.12</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	829	35.2	7.13	323	13.7	2.78	1152	48.9	9.91
Black Non-Hispanic	209	8.9	23.01	72	3.1	7.93	281	11.9	30.94
Hispanic	544	23.1	9.19	228	9.7	3.85	772	32.8	13.04
*A/PI/H Non-Hispanic	41	1.7	6.40	12	0.5	1.87	53	2.3	8.28
**AI/AN Non-Hispanic	47	2.0	13.96	25	1.1	7.42	72	3.1	21.38
***MR/O Non-Hispanic	18	0.8	N/A	7	0.3	N/A	25	1.1	N/A
<b>TOTAL</b>	<b>1688</b>	<b>71.7</b>	<b>8.69</b>	<b>667</b>	<b>28.3</b>	<b>3.43</b>	<b>2355</b>	<b>100.0</b>	<b>12.12</b>
<b>By Mode of Transmission</b>									
+MSM	1124	47.7	N/A	373	15.8	N/A	1497	63.6	N/A
++IDU	96	4.1	N/A	45	1.9	N/A	141	6.0	N/A
MSM / IDU	103	4.4	N/A	25	1.1	N/A	128	5.4	N/A
Heterosexual	127	5.4	N/A	62	2.6	N/A	189	8.0	N/A
+++O/H/TF/TPR	10	0.4	N/A	0	0.0	N/A	10	0.4	N/A
++++NRR/UR	228	9.7	N/A	162	6.9	N/A	390	16.6	N/A
<b>TOTAL</b>	<b>1688</b>	<b>71.7</b>	<b>8.69</b>	<b>667</b>	<b>28.3</b>	<b>3.43</b>	<b>2355</b>	<b>100.0</b>	<b>12.12</b>

\* Asian/Pacific Islander/Hawaiian  
 \*\* American Indian/Alaska Native  
 \*\*\* Multiple Race/Other Race

+ Men having Sex with Men  
 ++ Injection Drug Use  
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient  
 +++, No Reported Risk/Unknown Risk

## Maricopa County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	1633	66.5	16.44	475	19.4	4.78	2108	85.9	21.22
Female	277	11.3	2.73	69	2.8	0.68	346	14.1	3.41
<b>TOTAL</b>	<b>1910</b>	<b>77.8</b>	<b>9.51</b>	<b>544</b>	<b>22.2</b>	<b>2.71</b>	<b>2454</b>	<b>100.0</b>	<b>12.22</b>
<b>By Age (Years)</b>									
Under 2	2	0.1	0.37	0	0.0	0.00	2	0.1	0.37
2-12	14	0.6	0.45	0	0.0	0.00	14	0.6	0.45
13-19	88	3.6	4.51	5	0.2	0.26	93	3.8	4.77
20-24	407	16.6	28.64	35	1.4	2.46	442	18.0	31.10
25-29	386	15.7	26.69	77	3.1	5.32	463	18.9	32.02
30-34	276	11.2	19.65	81	3.3	5.77	357	14.5	25.41
35-39	221	9.0	16.64	64	2.6	4.82	285	11.6	21.46
40-44	183	7.5	13.45	70	2.9	5.14	253	10.3	18.59
45-49	142	5.8	10.89	73	3.0	5.60	215	8.8	16.48
50-54	90	3.7	6.91	63	2.6	4.83	153	6.2	11.74
55-59	55	2.2	4.71	33	1.3	2.82	88	3.6	7.53
60-64	29	1.2	2.80	31	1.3	2.99	60	2.4	5.79
65 and Above	17	0.7	0.63	12	0.5	0.45	29	1.2	1.08
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>1910</b>	<b>77.8</b>	<b>9.51</b>	<b>544</b>	<b>22.2</b>	<b>2.71</b>	<b>2454</b>	<b>100.0</b>	<b>12.22</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	711	29.0	6.06	245	10.0	2.09	956	39.0	8.15
Black Non-Hispanic	371	15.1	33.81	75	3.1	6.84	446	18.2	40.65
Hispanic	672	27.4	11.10	183	7.5	3.02	855	34.8	14.12
*A/PI/H Non-Hispanic	52	2.1	6.17	17	0.7	2.02	69	2.8	8.19
**AI/AN Non-Hispanic	84	3.4	23.64	21	0.9	5.91	105	4.3	29.54
***MR/O Non-Hispanic	20	0.8	N/A	3	0.1	N/A	23	0.9	N/A
<b>TOTAL</b>	<b>1910</b>	<b>77.8</b>	<b>9.51</b>	<b>544</b>	<b>22.2</b>	<b>2.71</b>	<b>2454</b>	<b>100.0</b>	<b>12.22</b>
<b>By Mode of Transmission</b>									
+MSM	1265	51.5	N/A	304	12.4	N/A	1569	63.9	N/A
++IDU	101	4.1	N/A	38	1.5	N/A	139	5.7	N/A
MSM / IDU	92	3.7	N/A	19	0.8	N/A	111	4.5	N/A
Heterosexual	181	7.4	N/A	65	2.6	N/A	246	10.0	N/A
+++O/H/TF/TPR	17	0.7	N/A	0	0.0	N/A	17	0.7	N/A
++++NRR/UR	254	10.4	N/A	118	4.8	N/A	372	15.2	N/A
<b>TOTAL</b>	<b>1910</b>	<b>77.8</b>	<b>9.51</b>	<b>544</b>	<b>22.2</b>	<b>2.71</b>	<b>2454</b>	<b>100.0</b>	<b>12.22</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk


## Maricopa County HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016




### Maricopa County Counts

Year	Prevalence	Incidence
2007	8601	547
2008	9174	518
2009	9609	456
2010	9761	429
2011	10244	410
2012	10545	487
2013	10879	476
2014	11557	561
2015	11906	520
2016	11990	576

### Rate of Maricopa County Emergent HIV/AIDS by Race/Ethnicity, 1990-2016



### Proportion of Maricopa County Emergent HIV/AIDS by Race/Ethnicity, 1990-2016



\*Non-Hispanic, A/PI/H=Asian/Pacific Islander/Native Hawaiian, AI/AN=American Indian/Alaska Native, MUL/UNK = Multi-race/Unknown. MUL/UNK rate not calculated due to Census data limitations.

[Back to Index](#)

## Pinal County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
418,540	6.04	4.97	5.89

### Pinal County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	‡Rate Per 100,000	Cases	% County Total	‡Rate Per 100,000	Cases	% County Total	‡Rate Per 100,000
<b>By Gender</b>									
Male	414	40.7	195.30	497	48.8	234.45	911	89.5	429.75
Female	62	6.1	31.86	45	4.4	23.12	107	10.5	54.98
<b>TOTAL</b>	<b>476</b>	<b>46.8</b>	<b>117.07</b>	<b>542</b>	<b>53.2</b>	<b>133.31</b>	<b>1018</b>	<b>100.0</b>	<b>250.38</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	3	0.3	4.96	0	0.0	0.00	3	0.3	4.96
13-19	3	0.3	8.26	1	0.1	2.75	4	0.4	11.01
20-24	15	1.5	65.73	4	0.4	17.53	19	1.9	83.26
25-29	40	3.9	155.84	15	1.5	58.44	55	5.4	214.27
30-34	58	5.7	206.65	33	3.2	117.58	91	8.9	324.22
35-39	66	6.5	240.46	67	6.6	244.11	133	13.1	484.57
40-44	82	8.1	317.25	86	8.4	332.73	168	16.5	649.98
45-49	85	8.3	376.26	98	9.6	433.80	183	18.0	810.06
50-54	55	5.4	239.34	114	11.2	496.08	169	16.6	735.42
55-59	36	3.5	152.45	67	6.6	283.73	103	10.1	436.18
60-64	17	1.7	70.93	38	3.7	158.54	55	5.4	229.47
65 and Above	16	1.6	20.64	19	1.9	24.51	35	3.4	45.15
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>476</b>	<b>46.8</b>	<b>117.07</b>	<b>542</b>	<b>53.2</b>	<b>133.31</b>	<b>1018</b>	<b>100.0</b>	<b>250.38</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	136	13.4	57.07	169	16.6	70.92	305	30.0	127.99
Black Non-Hispanic	39	3.8	196.92	57	5.6	287.81	96	9.4	484.73
Hispanic	265	26.0	222.69	286	28.1	240.33	551	54.1	463.02
*A/PI/H Non-Hispanic	11	1.1	119.24	10	1.0	108.40	21	2.1	227.64
**AI/AN Non-Hispanic	18	1.8	88.88	12	1.2	59.25	30	2.9	148.13
***MR/O Non-Hispanic	7	0.7	N/A	8	0.8	N/A	15	1.5	N/A
<b>TOTAL</b>	<b>476</b>	<b>46.8</b>	<b>117.07</b>	<b>542</b>	<b>53.2</b>	<b>133.31</b>	<b>1018</b>	<b>100.0</b>	<b>250.38</b>
<b>By Mode of Transmission</b>									
+MSM	203	19.9	N/A	237	23.3	N/A	440	43.2	N/A
++IDU	109	10.7	N/A	110	10.8	N/A	219	21.5	N/A
<b>MSM / IDU</b>	<b>39</b>	<b>3.8</b>	<b>N/A</b>	<b>78</b>	<b>7.7</b>	<b>N/A</b>	<b>117</b>	<b>11.5</b>	<b>N/A</b>
Heterosexual	52	5.1	N/A	69	6.8	N/A	121	11.9	N/A
+++O/H/TF/TPR	6	0.6	N/A	3	0.3	N/A	9	0.9	N/A
++++NRR/UR	67	6.6	N/A	45	4.4	N/A	112	11.0	N/A
<b>TOTAL</b>	<b>476</b>	<b>46.8</b>	<b>117.07</b>	<b>542</b>	<b>53.2</b>	<b>133.31</b>	<b>1018</b>	<b>100.0</b>	<b>250.38</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

+ Men having Sex with Men

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Pinal County 2016 Reported HIV/AIDS Incidence

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	27	87.1	12.7	8	100.0	3.8	35	89.7	16.5
Female	4	12.9	2.1	0	0.0	0.0	4	10.3	2.1
<b>TOTAL</b>	<b>31</b>	<b>100.0</b>	<b>7.6</b>	<b>8</b>	<b>100.0</b>	<b>2.0</b>	<b>39</b>	<b>100.0</b>	<b>9.6</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
2-12	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13-19	1	3.2	2.8	1	12.5	2.8	2	5.1	5.5
20-24	2	6.5	8.8	0	0.0	0.0	2	5.1	8.8
25-29	8	25.8	31.2	2	25.0	7.8	10	25.6	39.0
30-34	2	6.5	7.1	0	0.0	0.0	2	5.1	7.1
35-39	7	22.6	25.5	0	0.0	0.0	7	17.9	25.5
40-44	6	19.4	23.2	1	12.5	3.9	7	17.9	27.1
45-49	2	6.5	8.9	2	25.0	8.9	4	10.3	17.7
50-54	3	9.7	13.1	0	0.0	0.0	3	7.7	13.1
55-59	0	0.0	0.0	1	12.5	4.2	1	2.6	4.2
60-64	0	0.0	0.0	1	12.5	4.2	1	2.6	4.2
65 and Above	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>31</b>	<b>100.0</b>	<b>7.6</b>	<b>8</b>	<b>100.0</b>	<b>2.0</b>	<b>39</b>	<b>100.0</b>	<b>9.6</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	11	35.5	4.6	1	12.5	0.4	12	30.8	5.0
Black Non-Hispanic	2	6.5	10.1	0	0.0	0.0	2	5.1	10.1
Hispanic	12	38.7	10.1	7	87.5	5.9	19	48.7	16.0
*A/PI/H Non-Hispanic	1	3.2	10.8	0	0.0	0.0	1	2.6	10.8
**AI/AN Non-Hispanic	4	12.9	19.8	0	0.0	0.0	4	10.3	19.8
***MR/O Non-Hispanic	1	3.2	N/A	0	0.0	N/A	1	2.6	N/A
<b>TOTAL</b>	<b>31</b>	<b>100.0</b>	<b>7.6</b>	<b>8</b>	<b>100.0</b>	<b>2.0</b>	<b>39</b>	<b>100.0</b>	<b>9.6</b>
<b>By Mode of Transmission</b>									
+MSM	16	51.6	N/A	3	37.5	N/A	19	48.7	N/A
++IDU	8	25.8	N/A	3	37.5	N/A	11	28.2	N/A
MSM / IDU	2	6.5	N/A	1	12.5	N/A	3	7.7	N/A
Heterosexual	2	6.5	N/A	0	0.0	N/A	2	5.1	N/A
++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	3	9.7	N/A	1	12.5	N/A	4	10.3	N/A
<b>TOTAL</b>	<b>31</b>	<b>100.0</b>	<b>N/A</b>	<b>8</b>	<b>100.0</b>	<b>N/A</b>	<b>39</b>	<b>100.0</b>	<b>N/A</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

Note: Approximately 5% of Pinal County's population consists of incarcerated persons.

## Pinal County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	122	53.3	14.44	90	39.3	10.65	212	92.6	25.10
Female	12	5.2	1.56	5	2.2	0.65	17	7.4	2.21
<b>TOTAL</b>	<b>134</b>	<b>58.5</b>	<b>8.30</b>	<b>95</b>	<b>41.5</b>	<b>5.89</b>	<b>229</b>	<b>100.0</b>	<b>14.19</b>
<b>By Age (Years)</b>									
<b>Under 2</b>	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>2-12</b>	1	0.4	0.38	0	0.0	0.00	1	0.4	0.38
<b>13-19</b>	3	1.3	2.09	0	0.0	0.00	3	1.3	2.09
<b>20-24</b>	18	7.9	16.38	5	2.2	4.55	23	10.0	20.93
<b>25-29</b>	22	9.6	15.68	15	6.6	10.69	37	16.2	26.37
<b>30-34</b>	34	14.8	27.96	12	5.2	9.87	46	20.1	37.83
<b>35-39</b>	25	10.9	22.44	15	6.6	13.46	40	17.5	35.90
<b>40-44</b>	10	4.4	10.11	17	7.4	17.18	27	11.8	27.29
<b>45-49</b>	9	3.9	9.31	11	4.8	11.38	20	8.7	20.69
<b>50-54</b>	7	3.1	7.82	14	6.1	15.65	21	9.2	23.47
<b>55-59</b>	3	1.3	3.51	2	0.9	2.34	5	2.2	5.85
<b>60-64</b>	0	0.0	0.00	2	0.9	2.42	2	0.9	2.42
<b>65 and Above</b>	2	0.9	0.91	2	0.9	0.91	4	1.7	1.82
<b>Age Unknown</b>	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>134</b>	<b>58.5</b>	<b>8.30</b>	<b>95</b>	<b>41.5</b>	<b>5.89</b>	<b>229</b>	<b>100.0</b>	<b>14.19</b>
<b>By Race / Ethnicity</b>									
<b>White Non-Hispanic</b>	30	13.1	3.14	26	11.4	2.72	56	24.5	5.86
<b>Black Non-Hispanic</b>	8	3.5	12.21	7	3.1	10.69	15	6.6	22.90
<b>Hispanic</b>	89	38.9	18.71	62	27.1	13.03	151	65.9	31.74
<b>*A/PI/H Non-Hispanic</b>	1	0.4	3.33	0	0.0	0.00	1	0.4	3.33
<b>**AI/AN Non-Hispanic</b>	6	2.6	6.95	0	0.0	0.00	6	2.6	6.95
<b>***MR/O Non-Hispanic</b>	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>134</b>	<b>58.5</b>	<b>8.30</b>	<b>95</b>	<b>41.5</b>	<b>5.89</b>	<b>229</b>	<b>100.0</b>	<b>14.19</b>
<b>By Mode of Transmission</b>									
<b>+MSM</b>	48	21.0	N/A	26	11.4	N/A	74	32.3	N/A
<b>++IDU</b>	28	12.2	N/A	25	10.9	N/A	53	23.1	N/A
<b>MSM / IDU</b>	9	3.9	N/A	9	3.9	N/A	18	7.9	N/A
<b>Heterosexual</b>	19	8.3	N/A	14	6.1	N/A	33	14.4	N/A
<b>+++O/H/TF/TPR</b>	1	0.4	N/A	0	0.0	N/A	1	0.4	N/A
<b>++++NRR/UR</b>	29	12.7	N/A	21	9.2	N/A	50	21.8	N/A
<b>TOTAL</b>	<b>134</b>	<b>58.5</b>	<b>8.30</b>	<b>95</b>	<b>41.5</b>	<b>5.89</b>	<b>229</b>	<b>100.0</b>	<b>14.19</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Pinal County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	92	56.1	8.94	54	32.9	5.25	146	89.0	14.19
Female	13	7.9	1.38	5	3.0	0.53	18	11.0	1.92
<b>TOTAL</b>	<b>105</b>	<b>64.0</b>	<b>5.33</b>	<b>59</b>	<b>36.0</b>	<b>3.00</b>	<b>164</b>	<b>100.0</b>	<b>8.33</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	5	3.0	2.86	0	0.0	0.00	5	3.0	2.86
20-24	17	10.4	15.25	3	1.8	2.69	20	12.2	17.95
25-29	28	17.1	21.83	4	2.4	3.12	32	19.5	24.95
30-34	16	9.8	11.23	13	7.9	9.13	29	17.7	20.36
35-39	12	7.3	8.85	8	4.9	5.90	20	12.2	14.75
40-44	11	6.7	8.78	10	6.1	7.98	21	12.8	16.76
45-49	6	3.7	5.37	6	3.7	5.37	12	7.3	10.75
50-54	3	1.8	2.63	9	5.5	7.89	12	7.3	10.51
55-59	5	3.0	4.42	4	2.4	3.53	9	5.5	7.95
60-64	1	0.6	0.85	1	0.6	0.85	2	1.2	1.70
<b>65 and Above</b>	<b>1</b>	<b>0.6</b>	<b>0.30</b>	<b>1</b>	<b>0.6</b>	<b>0.30</b>	<b>2</b>	<b>1.2</b>	<b>0.60</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>105</b>	<b>64.0</b>	<b>5.33</b>	<b>59</b>	<b>36.0</b>	<b>3.00</b>	<b>164</b>	<b>100.0</b>	<b>8.33</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	21	12.8	1.81	20	12.2	1.72	41	25.0	3.53
Black Non-Hispanic	13	7.9	13.91	5	3.0	5.35	18	11.0	19.26
Hispanic	61	37.2	10.67	32	19.5	5.60	93	56.7	16.27
*A/PI/H Non-Hispanic	3	1.8	6.82	1	0.6	2.27	4	2.4	9.09
**AI/AN Non-Hispanic	7	4.3	7.08	1	0.6	1.01	8	4.9	8.09
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>105</b>	<b>64.0</b>	<b>5.33</b>	<b>59</b>	<b>36.0</b>	<b>3.00</b>	<b>164</b>	<b>100.0</b>	<b>8.33</b>
<b>By Mode of Transmission</b>									
<sup>†</sup> MSM	48	29.3	N/A	19	11.6	N/A	67	40.9	N/A
<sup>++</sup> IDU	27	16.5	N/A	18	11.0	N/A	45	27.4	N/A
MSM / IDU	8	4.9	N/A	5	3.0	N/A	13	7.9	N/A
Heterosexual	11	6.7	N/A	11	6.7	N/A	22	13.4	N/A
<sup>+++</sup> O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<sup>++++</sup> NRR/UR	11	6.7	N/A	6	3.7	N/A	17	10.4	N/A
<b>TOTAL</b>	<b>105</b>	<b>64.0</b>	<b>5.33</b>	<b>59</b>	<b>36.0</b>	<b>3.00</b>	<b>164</b>	<b>100.0</b>	<b>8.33</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk


## Pinal County HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016




### Pinal County Counts

Year	Prevalence	Incidence
2007	518	62
2008	595	49
2009	666	48
2010	716	37
2011	753	35
2012	883	20
2013	905	43
2014	912	33
2015	1014	33
2016	1018	39

### Pinal County Emergent HIV/AIDS Rate by Race/Ethnicity, 1990-2016



### Pinal County Emergent HIV/AIDS Proportion by Race/Ethnicity, 1990-2016



\*Non-Hispanic, A/PI/H=Asian/Pacific Islander/Native Hawaiian, AI/AN=American Indian/Alaska Native, MUL/UNK = Multi-race/Unknown. MUL/UNK rate not calculated due to Census data limitations.

[Back to Index](#)

## Arizona Southern Region - (Cochise, Graham, Greenlee, La Paz, Pima, Santa Cruz, and Yuma Counties)

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
1,461,121	21.08	15.44	19.36

### Arizona Southern Region 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% Region Total	<sup>#</sup> Rate Per 100,000	Cases	% Region Total	<sup>#</sup> Rate Per 100,000	Cases	% Region Total	<sup>#</sup> Rate Per 100,000
<b>By Gender</b>									
Male	1397	41.0	193.10	1509	44.3	208.58	2906	85.4	401.69
Female	269	7.9	36.79	229	6.7	31.32	498	14.6	68.12
<b>TOTAL</b>	<b>1666</b>	<b>48.9</b>	<b>114.54</b>	<b>1738</b>	<b>51.1</b>	<b>119.49</b>	<b>3404</b>	<b>100.0</b>	<b>234.03</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	12	0.4	5.98	2	0.1	1.00	14	0.4	6.98
13-19	10	0.3	7.38	1	0.0	0.74	11	0.3	8.12
20-24	74	2.2	59.37	12	0.4	9.63	86	2.5	68.99
25-29	113	3.3	124.77	25	0.7	27.60	138	4.1	152.37
30-34	162	4.8	181.00	65	1.9	72.62	227	6.7	253.63
35-39	141	4.1	171.19	103	3.0	125.06	244	7.2	296.25
40-44	156	4.6	195.35	155	4.6	194.10	311	9.1	389.45
45-49	189	5.6	237.02	270	7.9	338.60	459	13.5	575.62
50-54	260	7.6	297.16	348	10.2	397.74	608	17.9	694.90
55-59	237	7.0	258.97	327	9.6	357.31	564	16.6	616.28
60-64	135	4.0	155.43	257	7.5	295.89	392	11.5	451.32
65 and Above	171	5.0	63.36	173	5.1	64.10	344	10.1	127.47
Age Unknown	6	0.2	N/A	0	0.0	N/A	6	0.2	N/A
<b>TOTAL</b>	<b>1666</b>	<b>48.9</b>	<b>114.54</b>	<b>1738</b>	<b>51.1</b>	<b>119.49</b>	<b>3404</b>	<b>100.0</b>	<b>234.03</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	822	24.1	113.05	934	27.4	128.45	1756	51.6	241.50
Black Non-Hispanic	223	6.6	436.97	174	5.1	340.96	397	11.7	777.93
Hispanic	534	15.7	89.26	554	16.3	92.60	1088	32.0	181.85
*A/PI/H Non-Hispanic	18	0.5	44.94	18	0.5	44.94	36	1.1	89.88
**AI/AN Non-Hispanic	38	1.1	99.86	36	1.1	94.61	74	2.2	194.47
***MR/O Non-Hispanic	31	0.9	N/A	22	0.6	N/A	53	1.6	N/A
<b>TOTAL</b>	<b>1666</b>	<b>48.9</b>	<b>114.54</b>	<b>1738</b>	<b>51.1</b>	<b>119.49</b>	<b>3404</b>	<b>100.0</b>	<b>234.03</b>
<b>By Mode of Transmission</b>									
+MSM	957	28.1	N/A	1042	30.6	N/A	1999	58.7	N/A
++IDU	176	5.2	N/A	186	5.5	N/A	362	10.6	N/A
MSM / IDU	116	3.4	N/A	178	5.2	N/A	294	8.6	N/A
Heterosexual	229	6.7	N/A	223	6.6	N/A	452	13.3	N/A
+++O/H/TF/TPR	37	1.1	N/A	24	0.7	N/A	61	1.8	N/A
++++NRR/UR	151	4.4	N/A	85	2.5	N/A	236	6.9	N/A
<b>TOTAL</b>	<b>1666</b>	<b>48.9</b>	<b>114.54</b>	<b>1738</b>	<b>51.1</b>	<b>119.49</b>	<b>3404</b>	<b>100.0</b>	<b>234.03</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Arizona Southern Region HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000
<b>By Gender</b>									
Male	273	50.5	0.00	189	34.9	5.38	462	85.4	5.38
Female	53	9.8	0.00	26	4.8	0.72	79	14.6	0.72
<b>TOTAL</b>	<b>326</b>	<b>60.3</b>	<b>4.57</b>	<b>215</b>	<b>39.7</b>	<b>3.02</b>	<b>541</b>	<b>100.0</b>	<b>7.59</b>
<b>By Age (Years)</b>									
Under 2	5	0.9	0.00	0	0.0	0.00	5	0.9	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	13	2.4	0.00	2	0.4	0.28	15	2.8	0.28
20-24	42	7.8	0.00	10	1.8	1.95	52	9.6	1.95
25-29	54	10.0	0.00	26	4.8	5.42	80	14.8	5.42
30-34	54	10.0	0.00	18	3.3	4.18	72	13.3	4.18
35-39	33	6.1	0.00	35	6.5	8.14	68	12.6	8.14
40-44	34	6.3	0.00	40	7.4	9.12	74	13.7	9.12
45-49	35	6.5	0.00	31	5.7	6.51	66	12.2	6.51
50-54	30	5.5	0.00	27	5.0	5.79	57	10.5	5.79
55-59	13	2.4	0.00	14	2.6	3.24	27	5.0	3.24
60-64	7	1.3	0.00	6	1.1	1.61	13	2.4	1.61
<b>65 and Above</b>	<b>6</b>	<b>1.1</b>	<b>0.00</b>	<b>6</b>	<b>1.1</b>	<b>0.54</b>	<b>12</b>	<b>2.2</b>	<b>0.54</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>326</b>	<b>60.3</b>	<b>4.57</b>	<b>215</b>	<b>39.7</b>	<b>3.02</b>	<b>541</b>	<b>100.0</b>	<b>7.59</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	143	26.4	0.00	93	17.2	2.41	236	43.6	2.41
Black Non-Hispanic	33	6.1	0.00	20	3.7	8.57	53	9.8	8.57
Hispanic	128	23.7	0.00	85	15.7	3.18	213	39.4	3.18
*A/PI/H Non-Hispanic	7	1.3	0.00	5	0.9	3.04	12	2.2	3.04
**AI/AN Non-Hispanic	11	2.0	0.00	8	1.5	4.19	19	3.5	4.19
***MR/O Non-Hispanic	4	0.7	N/A	4	0.7	N/A	8	1.5	N/A
<b>TOTAL</b>	<b>326</b>	<b>60.3</b>	<b>4.57</b>	<b>215</b>	<b>39.7</b>	<b>3.02</b>	<b>541</b>	<b>100.0</b>	<b>7.59</b>
<b>By Mode of Transmission</b>									
<sup>†</sup> MSM	182	33.6	N/A	99	18.3	N/A	281	51.9	N/A
<sup>‡</sup> IDU	29	5.4	N/A	17	3.1	N/A	46	8.5	N/A
MSM / IDU	13	2.4	N/A	8	1.5	N/A	21	3.9	N/A
Heterosexual	50	9.2	N/A	51	9.4	N/A	101	18.7	N/A
<sup>+++</sup> O/H/TF/TPR	5	0.9	N/A	0	0.0	N/A	5	0.9	N/A
<sup>++++</sup> NRR/UR	47	8.7	N/A	40	7.4	N/A	87	16.1	N/A
<b>TOTAL</b>	<b>326</b>	<b>60.3</b>	<b>4.57</b>	<b>215</b>	<b>39.7</b>	<b>3.02</b>	<b>541</b>	<b>100.0</b>	<b>7.59</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

Arizona Southern Region includes Cochise, Graham, Greenlee, La Paz, Pima, Santa Cruz, and Yuma Counties

## Arizona Southern Region HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000
<b>By Gender</b>									
Male	320	59.4	8.91	139	25.8	3.87	459	85.2	12.78
Female	63	11.7	1.74	17	3.2	0.47	80	14.8	2.20
<b>TOTAL</b>	<b>383</b>	<b>71.1</b>	<b>5.30</b>	<b>156</b>	<b>28.9</b>	<b>2.16</b>	<b>539</b>	<b>100.0</b>	<b>7.46</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	2	0.4	0.20	1	0.2	0.10	3	0.6	0.29
13-19	25	4.6	3.64	4	0.7	0.58	29	5.4	4.22
20-24	52	9.6	8.73	6	1.1	1.01	58	10.8	9.73
25-29	67	12.4	14.55	18	3.3	3.91	85	15.8	18.46
30-34	49	9.1	10.95	17	3.2	3.80	66	12.2	14.74
35-39	49	9.1	12.05	28	5.2	6.88	77	14.3	18.93
40-44	33	6.1	8.05	21	3.9	5.12	54	10.0	13.17
45-49	34	6.3	8.15	25	4.6	5.99	59	10.9	14.14
50-54	40	7.4	8.76	12	2.2	2.63	52	9.6	11.39
55-59	17	3.2	3.73	11	2.0	2.41	28	5.2	6.14
60-64	9	1.7	2.10	3	0.6	0.70	12	2.2	2.79
<b>65 and Above</b>	<b>6</b>	<b>1.1</b>	<b>0.48</b>	<b>10</b>	<b>1.9</b>	<b>0.80</b>	<b>16</b>	<b>3.0</b>	<b>1.28</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>383</b>	<b>71.1</b>	<b>5.30</b>	<b>156</b>	<b>28.9</b>	<b>2.16</b>	<b>539</b>	<b>100.0</b>	<b>7.46</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	158	29.3	4.30	49	9.1	0.12	207	38.4	4.42
Black Non-Hispanic	64	11.9	25.76	21	3.9	0.72	85	15.8	26.48
Hispanic	144	26.7	4.93	74	13.7	0.14	218	40.4	5.07
*A/PI/H Non-Hispanic	3	0.6	1.59	4	0.7	0.04	7	1.3	1.63
**AI/AN Non-Hispanic	12	2.2	6.42	7	1.3	0.18	19	3.5	6.60
***MR/O Non-Hispanic	2	0.4	N/A	1	0.2	N/A	3	0.6	N/A
<b>TOTAL</b>	<b>383</b>	<b>71.1</b>	<b>5.30</b>	<b>156</b>	<b>28.9</b>	<b>2.16</b>	<b>539</b>	<b>100.0</b>	<b>7.46</b>
<b>By Mode of Transmission</b>									
+MSM	215	39.9	N/A	76	14.1	N/A	291	54.0	N/A
++IDU	29	5.4	N/A	15	2.8	N/A	44	8.2	N/A
MSM / IDU	20	3.7	N/A	10	1.9	N/A	30	5.6	N/A
Heterosexual	78	14.5	N/A	39	7.2	N/A	117	21.7	N/A
+++O/H/TF/TPR	2	0.4	N/A	1	0.2	N/A	3	0.6	N/A
++++NRR/UR	39	7.2	N/A	15	2.8	N/A	54	10.0	N/A
<b>TOTAL</b>	<b>383</b>	<b>71.1</b>	<b>5.30</b>	<b>156</b>	<b>28.9</b>	<b>2.16</b>	<b>539</b>	<b>100.0</b>	<b>7.46</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men


++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

Arizona Southern Region includes Cochise, Graham, Greenlee, La Paz, Pima, Santa Cruz, and Yuma Counties

## Arizona Southern Region HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### Arizona Southern Region Counts

Year	Prevalence	Incidence
2007	2558	156
2008	2681	125
2009	2758	142
2010	2785	151
2011	2879	84
2012	2964	93
2013	3075	126
2014	3217	115
2015	3395	121
2016	3404	126

Arizona Southern Region includes Cochise, Graham, Greenlee, La Paz, Pima, Santa Cruz, and Yuma Counties

[Back to Index](#)

## Cochise County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
125,770	1.81	1.02	1.27

### Cochise County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	<sup>‡</sup> Rate Per 100,000	Cases	% County Total	<sup>‡</sup> Rate Per 100,000	Cases	% County Total	<sup>‡</sup> Rate Per 100,000
<b>By Gender</b>									
Male	96	41.0	149.18	93	39.7	144.52	189	80.8	293.71
Female	30	12.8	48.33	15	6.4	24.16	45	19.2	72.49
<b>TOTAL</b>	<b>126</b>	<b>53.8</b>	<b>99.66</b>	<b>108</b>	<b>46.2</b>	<b>85.42</b>	<b>234</b>	<b>100.0</b>	<b>185.09</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	1	0.4	5.77	0	0.0	0.00	1	0.4	5.77
13-19	2	0.9	18.58	1	0.4	9.29	3	1.3	27.87
20-24	4	1.7	51.31	1	0.4	12.83	5	2.1	64.14
25-29	11	4.7	139.91	0	0.0	0.00	11	4.7	139.91
30-34	16	6.8	194.36	3	1.3	36.44	19	8.1	230.81
35-39	15	6.4	213.49	6	2.6	85.40	21	9.0	298.89
40-44	14	6.0	216.75	9	3.8	139.34	23	9.8	356.09
45-49	13	5.6	192.71	12	5.1	177.88	25	10.7	370.59
50-54	19	8.1	240.72	17	7.3	215.38	36	15.4	456.10
55-59	11	4.7	127.70	22	9.4	255.40	33	14.1	383.10
60-64	7	3.0	83.27	22	9.4	261.72	29	12.4	344.99
<b>65 and Above</b>	<b>12</b>	<b>5.1</b>	<b>45.93</b>	<b>15</b>	<b>6.4</b>	<b>57.42</b>	<b>27</b>	<b>11.5</b>	<b>103.35</b>
Age Unknown	1	0.4	N/A	0	0.0	N/A	1	0.4	N/A
<b>TOTAL</b>	<b>126</b>	<b>53.8</b>	<b>99.66</b>	<b>108</b>	<b>46.2</b>	<b>85.42</b>	<b>234</b>	<b>100.0</b>	<b>185.09</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	59	25.2	81.48	66	28.2	91.15	125	53.4	172.64
Black Non-Hispanic	26	11.1	448.51	12	5.1	207.00	38	16.2	655.51
Hispanic	31	13.2	70.73	26	11.1	59.32	57	24.4	130.04
*A/PI/H Non-Hispanic	1	0.4	31.95	0	0.0	0.00	1	0.4	31.95
**AI/AN Non-Hispanic	5	2.1	396.20	4	1.7	316.96	9	3.8	713.15
***MR/O Non-Hispanic	4	1.7	N/A	0	0.0	N/A	4	1.7	N/A
<b>TOTAL</b>	<b>126</b>	<b>53.8</b>	<b>99.66</b>	<b>108</b>	<b>46.2</b>	<b>85.42</b>	<b>234</b>	<b>100.0</b>	<b>185.09</b>
<b>By Mode of Transmission</b>									
+MSM	61	26.1	N/A	55	23.5	N/A	116	49.6	N/A
+IDU	14	6.0	N/A	19	8.1	N/A	33	14.1	N/A
MSM / IDU	7	3.0	N/A	13	5.6	N/A	20	8.5	N/A
Heterosexual	24	10.3	N/A	13	5.6	N/A	37	15.8	N/A
++O/H/TF/TPR	2	0.9	N/A	2	0.9	N/A	4	1.7	N/A
+++NRR/UR	18	7.7	N/A	6	2.6	N/A	24	10.3	N/A
<b>TOTAL</b>	<b>126</b>	<b>53.8</b>	<b>99.66</b>	<b>108</b>	<b>46.2</b>	<b>85.42</b>	<b>234</b>	<b>100.0</b>	<b>185.09</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Cochise County 2016 Reported HIV/AIDS Incidence

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	5	83.3	7.8	2	100.0	3.1	7	87.5	10.9
Female	1	16.7	1.6	0	0.0	0.0	1	12.5	1.6
<b>TOTAL</b>	<b>6</b>	<b>100.0</b>	<b>4.7</b>	<b>2</b>	<b>100.0</b>	<b>1.6</b>	<b>8</b>	<b>100.0</b>	<b>6.3</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
2-12	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13-19	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
20-24	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
25-29	4	66.7	50.9	0	0.0	0.0	4	50.0	50.9
30-34	1	16.7	12.1	0	0.0	0.0	1	12.5	12.1
35-39	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
40-44	0	0.0	0.0	1	50.0	15.5	1	12.5	15.5
45-49	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
50-54	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
55-59	0	0.0	0.0	1	50.0	11.6	1	12.5	11.6
60-64	1	16.7	11.9	0	0.0	0.0	1	12.5	11.9
65 and Above	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>6</b>	<b>100.0</b>	<b>4.7</b>	<b>2</b>	<b>100.0</b>	<b>1.6</b>	<b>8</b>	<b>100.0</b>	<b>6.3</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	2	33.3	2.8	2	100.0	2.8	4	50.0	5.5
Black Non-Hispanic	1	16.7	17.3	0	0.0	0.0	1	12.5	17.3
Hispanic	2	33.3	4.6	0	0.0	0.0	2	25.0	4.6
*A/PI/H Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
**AI/AN Non-Hispanic	1	16.7	79.2	0	0.0	0.0	1	12.5	79.2
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>6</b>	<b>100.0</b>	<b>4.7</b>	<b>2</b>	<b>100.0</b>	<b>1.6</b>	<b>8</b>	<b>100.0</b>	<b>6.3</b>
<b>By Mode of Transmission</b>									
+MSM	3	50.0	N/A	0	0.0	N/A	3	37.5	N/A
++IDU	2	33.3	N/A	0	0.0	N/A	2	25.0	N/A
MSM / IDU	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
Heterosexual	1	16.7	N/A	0	0.0	N/A	1	12.5	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	0	0.0	N/A	2	100.0	N/A	2	25.0	N/A
<b>TOTAL</b>	<b>6</b>	<b>100.0</b>	<b>N/A</b>	<b>2</b>	<b>100.0</b>	<b>N/A</b>	<b>8</b>	<b>100.0</b>	<b>N/A</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Cochise County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	29	69.0	9.02	9	21.4	2.80	38	90.5	11.82
Female	2	4.8	0.62	2	4.8	0.62	4	9.5	1.24
<b>TOTAL</b>	<b>31</b>	<b>73.8</b>	<b>4.81</b>	<b>11</b>	<b>26.2</b>	<b>1.71</b>	<b>42</b>	<b>100.0</b>	<b>6.52</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	1	2.4	1.53	0	0.0	0.00	1	2.4	1.53
20-24	6	14.3	13.74	1	2.4	2.29	7	16.7	16.03
25-29	6	14.3	16.19	0	0.0	0.00	6	14.3	16.19
30-34	10	23.8	31.05	1	2.4	3.10	11	26.2	34.15
35-39	1	2.4	2.88	3	7.1	8.63	4	9.5	11.51
40-44	1	2.4	2.61	3	7.1	7.84	4	9.5	10.46
45-49	1	2.4	2.30	0	0.0	0.00	1	2.4	2.30
50-54	5	11.9	11.23	1	2.4	2.25	6	14.3	13.47
55-59	0	0.0	0.00	1	2.4	2.26	1	2.4	2.26
60-64	0	0.0	0.00	1	2.4	2.53	1	2.4	2.53
65 and Above	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>31</b>	<b>73.8</b>	<b>4.81</b>	<b>11</b>	<b>26.2</b>	<b>1.71</b>	<b>42</b>	<b>100.0</b>	<b>6.52</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	12	28.6	3.09	4	9.5	1.03	16	38.1	4.13
Black Non-Hispanic	8	19.0	25.81	1	2.4	3.23	9	21.4	29.04
Hispanic	10	23.8	4.89	4	9.5	1.95	14	33.3	6.84
*A/PI/H Non-Hispanic	0	0.0	0.00	1	2.4	6.83	1	2.4	6.83
**AI/AN Non-Hispanic	1	2.4	15.31	1	2.4	15.31	2	4.8	30.63
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>31</b>	<b>73.8</b>	<b>4.81</b>	<b>11</b>	<b>26.2</b>	<b>1.71</b>	<b>42</b>	<b>100.0</b>	<b>6.52</b>
<b>By Mode of Transmission</b>									
+MSM	15	35.7	N/A	5	11.9	N/A	20	47.6	N/A
++IDU	4	9.5	N/A	1	2.4	N/A	5	11.9	N/A
MSM / IDU	1	2.4	N/A	0	0.0	N/A	1	2.4	N/A
Heterosexual	6	14.3	N/A	2	4.8	N/A	8	19.0	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	5	11.9	N/A	3	7.1	N/A	8	19.0	N/A
<b>TOTAL</b>	<b>31</b>	<b>73.8</b>	<b>4.81</b>	<b>11</b>	<b>26.2</b>	<b>1.71</b>	<b>42</b>	<b>100.0</b>	<b>6.52</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Cochise County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	24	66.7	7.25	4	11.1	1.21	28	77.8	8.46
Female	5	13.9	1.57	3	8.3	0.94	8	22.2	2.52
<b>TOTAL</b>	<b>29</b>	<b>80.6</b>	<b>4.47</b>	<b>7</b>	<b>19.4</b>	<b>1.08</b>	<b>36</b>	<b>100.0</b>	<b>5.55</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	6	16.7	14.18	0	0.0	0.00	6	16.7	14.18
25-29	7	19.4	16.56	0	0.0	0.00	7	19.4	16.56
30-34	5	13.9	12.32	1	2.8	2.46	6	16.7	14.78
35-39	3	8.3	8.52	0	0.0	0.00	3	8.3	8.52
40-44	3	8.3	8.80	0	0.0	0.00	3	8.3	8.80
45-49	1	2.8	2.70	1	2.8	2.70	2	5.6	5.39
50-54	3	8.3	7.10	1	2.8	2.37	4	11.1	9.47
55-59	1	2.8	2.27	1	2.8	2.27	2	5.6	4.53
60-64	0	0.0	0.00	1	2.8	2.33	1	2.8	2.33
65 and Above	0	0.0	0.00	2	5.6	1.62	2	5.6	1.62
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>29</b>	<b>80.6</b>	<b>4.47</b>	<b>7</b>	<b>19.4</b>	<b>1.08</b>	<b>36</b>	<b>100.0</b>	<b>5.55</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	15	41.7	3.98	1	2.8	0.27	16	44.4	4.24
Black Non-Hispanic	2	5.6	6.65	1	2.8	3.32	3	8.3	9.97
Hispanic	7	19.4	3.20	2	5.6	0.91	9	25.0	4.11
*A/PI/H Non-Hispanic	1	2.8	6.23	1	2.8	6.23	2	5.6	12.46
**AI/AN Non-Hispanic	4	11.1	63.00	2	5.6	31.50	6	16.7	94.50
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>29</b>	<b>80.6</b>	<b>4.47</b>	<b>7</b>	<b>19.4</b>	<b>1.08</b>	<b>36</b>	<b>100.0</b>	<b>5.55</b>
<b>By Mode of Transmission</b>									
+MSM	15	41.7	N/A	4	11.1	N/A	19	52.8	N/A
++IDU	7	19.4	N/A	1	2.8	N/A	8	22.2	N/A
MSM / IDU	2	5.6	N/A	0	0.0	N/A	2	5.6	N/A
Heterosexual	4	11.1	N/A	1	2.8	N/A	5	13.9	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	1	2.8	N/A	1	2.8	N/A	2	5.6	N/A
<b>TOTAL</b>	<b>29</b>	<b>80.6</b>	<b>4.47</b>	<b>7</b>	<b>19.4</b>	<b>1.08</b>	<b>36</b>	<b>100.0</b>	<b>5.55</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Cochise County HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### Cochise County Counts

Year	Prevalence	Incidence
2007	146	17
2008	170	4
2009	179	6
2010	189	5
2011	197	10
2012	209	6
2013	217	7
2014	228	5
2015	230	8
2016	234	8

[Back to Index](#)

## Graham County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
37,599	0.54	0.00	0.18

### Graham County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000
<b>By Gender</b>									
Male	15	44.1	74.47	16	47.1	79.43	31	91.2	153.90
Female	1	2.9	5.71	2	5.9	11.41	3	8.8	17.12
<b>TOTAL</b>	<b>16</b>	<b>47.1</b>	<b>42.48</b>	<b>18</b>	<b>52.9</b>	<b>47.79</b>	<b>34</b>	<b>100.0</b>	<b>90.27</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.9	34.03	1	2.9	34.03	2	5.9	68.05
30-34	3	8.8	112.57	1	2.9	37.52	4	11.8	150.09
35-39	2	5.9	80.10	0	0.0	0.00	2	5.9	80.10
40-44	2	5.9	88.61	3	8.8	132.92	5	14.7	221.53
45-49	6	17.6	285.58	3	8.8	142.79	9	26.5	428.37
50-54	0	0.0	0.00	4	11.8	201.92	4	11.8	201.92
55-59	1	2.9	47.87	1	2.9	47.87	2	5.9	95.74
60-64	0	0.0	0.00	2	5.9	110.31	2	5.9	110.31
<b>65 and Above</b>	<b>1</b>	<b>2.9</b>	<b>20.89</b>	<b>3</b>	<b>8.8</b>	<b>62.66</b>	<b>4</b>	<b>11.8</b>	<b>83.54</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>16</b>	<b>47.1</b>	<b>42.48</b>	<b>18</b>	<b>52.9</b>	<b>47.79</b>	<b>34</b>	<b>100.0</b>	<b>90.27</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	5	14.7	25.75	11	32.4	56.65	16	47.1	82.41
Black Non-Hispanic	1	2.9	125.47	0	0.0	0.00	1	2.9	125.47
Hispanic	8	23.5	64.79	6	17.6	48.59	14	41.2	113.38
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	0	0.0	0.00	1	2.9	20.71	1	2.9	20.71
***MR/O Non-Hispanic	2	5.9	N/A	0	0.0	N/A	2	5.9	N/A
<b>TOTAL</b>	<b>16</b>	<b>47.1</b>	<b>42.48</b>	<b>18</b>	<b>52.9</b>	<b>47.79</b>	<b>34</b>	<b>100.0</b>	<b>90.27</b>
<b>By Mode of Transmission</b>									
+MSM	6	17.6	N/A	7	20.6	N/A	13	38.2	N/A
++IDU	5	14.7	N/A	4	11.8	N/A	9	26.5	N/A
MSM / IDU	2	5.9	N/A	3	8.8	N/A	5	14.7	N/A
Heterosexual	1	2.9	N/A	4	11.8	N/A	5	14.7	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	2	5.9	N/A	0	0.0	N/A	2	5.9	N/A
<b>TOTAL</b>	<b>16</b>	<b>47.1</b>	<b>42.48</b>	<b>18</b>	<b>52.9</b>	<b>47.79</b>	<b>34</b>	<b>100.0</b>	<b>90.27</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Graham County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	4	44.4	4.18	4	44.4	4.18	8	88.9	8.36
Female	1	11.1	1.19	0	0.0	0.00	1	11.1	1.19
<b>TOTAL</b>	<b>5</b>	<b>55.6</b>	<b>2.78</b>	<b>4</b>	<b>44.4</b>	<b>2.22</b>	<b>9</b>	<b>100.0</b>	<b>5.00</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	1	11.1	4.77	0	0.0	0.00	1	11.1	4.77
20-24	2	22.2	13.08	1	11.1	6.54	3	33.3	19.62
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	11.1	8.41	0	0.0	0.00	1	11.1	8.41
35-39	1	11.1	8.82	2	22.2	17.64	3	33.3	26.47
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	1	11.1	9.26	1	11.1	9.26
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65 and Above	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>5</b>	<b>55.6</b>	<b>2.78</b>	<b>4</b>	<b>44.4</b>	<b>2.22</b>	<b>9</b>	<b>100.0</b>	<b>5.00</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	0	0.0	0.00	3	33.3	3.10	3	33.3	3.10
Black Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Hispanic	5	55.6	9.61	1	11.1	1.92	6	66.7	11.53
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>5</b>	<b>55.6</b>	<b>2.78</b>	<b>4</b>	<b>44.4</b>	<b>2.22</b>	<b>9</b>	<b>100.0</b>	<b>5.00</b>
<b>By Mode of Transmission</b>									
+MSM	2	22.2	N/A	3	33.3	N/A	5	55.6	N/A
++IDU	2	22.2	N/A	1	11.1	N/A	3	33.3	N/A
MSM / IDU	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
Heterosexual	1	11.1	N/A	0	0.0	N/A	1	11.1	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>5</b>	<b>55.6</b>	<b>2.78</b>	<b>4</b>	<b>44.4</b>	<b>2.22</b>	<b>9</b>	<b>100.0</b>	<b>5.00</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Graham County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	1	50.0	0.99	1	50.0	0.99	2	100.0	1.99
Female	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>TOTAL</b>	<b>1</b>	<b>50.0</b>	<b>0.53</b>	<b>1</b>	<b>50.0</b>	<b>0.53</b>	<b>2</b>	<b>100.0</b>	<b>1.06</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	50.0	7.08	0	0.0	0.00	1	50.0	7.08
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	1	50.0	8.32	1	50.0	8.32
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65 and Above	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>1</b>	<b>50.0</b>	<b>0.53</b>	<b>1</b>	<b>50.0</b>	<b>0.53</b>	<b>2</b>	<b>100.0</b>	<b>1.06</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	0	0.0	0.00	1	50.0	1.02	1	50.0	1.02
Black Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Hispanic	1	50.0	1.67	0	0.0	0.00	1	50.0	1.67
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>1</b>	<b>50.0</b>	<b>0.53</b>	<b>1</b>	<b>50.0</b>	<b>0.53</b>	<b>2</b>	<b>100.0</b>	<b>1.06</b>
<b>By Mode of Transmission</b>									
+MSM	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++IDU	1	50.0	N/A	1	50.0	N/A	2	100.0	N/A
MSM / IDU	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
Heterosexual	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>1</b>	<b>50.0</b>	<b>0.53</b>	<b>1</b>	<b>50.0</b>	<b>0.53</b>	<b>2</b>	<b>100.0</b>	<b>1.06</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Graham County HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### Graham County Counts

Year	Prevalence	Incidence
2007	32	5
2008	32	0
2009	30	2
2010	32	1
2011	32	1
2012	30	0
2013	31	0
2014	32	1
2015	36	0
2016	34	0

[Back to Index](#)

## Greenlee County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
9,613	0.14	0.00	0.03

### Greenlee County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000
<b>By Gender</b>									
Male	1	16.7	20.24	4	66.7	80.97	5	83.3	101.21
Female	1	16.7	21.79	0	0.0	0.00	1	16.7	21.79
<b>TOTAL</b>	<b>2</b>	<b>33.3</b>	<b>20.99</b>	<b>4</b>	<b>66.7</b>	<b>41.98</b>	<b>6</b>	<b>100.0</b>	<b>62.97</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	1	16.7	139.47	1	16.7	139.47
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	16.7	175.44	0	0.0	0.00	1	16.7	175.44
50-54	1	16.7	169.49	0	0.0	0.00	1	16.7	169.49
55-59	0	0.0	0.00	1	16.7	165.29	1	16.7	165.29
60-64	0	0.0	0.00	1	16.7	198.41	1	16.7	198.41
<b>65 and Above</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>1</b>	<b>16.7</b>	<b>88.89</b>	<b>1</b>	<b>16.7</b>	<b>88.89</b>
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>2</b>	<b>33.3</b>	<b>20.99</b>	<b>4</b>	<b>66.7</b>	<b>41.98</b>	<b>6</b>	<b>100.0</b>	<b>62.97</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	1	16.7	21.82	1	16.7	21.82	2	33.3	43.63
Black Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Hispanic	1	16.7	22.46	3	50.0	67.39	4	66.7	89.85
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>2</b>	<b>33.3</b>	<b>20.99</b>	<b>4</b>	<b>66.7</b>	<b>41.98</b>	<b>6</b>	<b>100.0</b>	<b>62.97</b>
<b>By Mode of Transmission</b>									
+MSM	1	16.7	N/A	4	66.7	N/A	5	83.3	N/A
++IDU	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>MSM / IDU</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
Heterosexual	1	16.7	N/A	0	0.0	N/A	1	16.7	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>2</b>	<b>33.3</b>	<b>20.99</b>	<b>4</b>	<b>66.7</b>	<b>41.98</b>	<b>6</b>	<b>100.0</b>	<b>62.97</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Greenlee County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	0	0	0	3	100.0	14.87	3	100.0	14.87
Female	0	0	0	0	0.0	0.00	0	0.0	0.00
<b>TOTAL</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>100.0</b>	<b>7.79</b>	<b>3</b>	<b>100.0</b>	<b>7.79</b>
<b>By Age (Years)</b>									
Under 2	0	0	0	0	0.0	0.00	0	0.0	0.00
2-12	0	0	0	0	0.0	0.00	0	0.0	0.00
13-19	0	0	0	0	0.0	0.00	0	0.0	0.00
20-24	0	0	0	0	0.0	0.00	0	0.0	0.00
25-29	0	0	0	0	0.0	0.00	0	0.0	0.00
30-34	0	0	0	0	0.0	0.00	0	0.0	0.00
35-39	0	0	0	0	0.0	0.00	0	0.0	0.00
40-44	0	0	0	1	33.3	34.61	1	33.3	34.61
45-49	0	0	0	1	33.3	31.04	1	33.3	31.04
50-54	0	0	0	0	0.0	0.00	0	0.0	0.00
55-59	0	0	0	1	33.3	35.54	1	33.3	35.54
60-64	0	0	0	0	0.0	0.00	0	0.0	0.00
65 and Above	0	0	0	0	0.0	0.00	0	0.0	0.00
Age Unknown	0	0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>100.0</b>	<b>7.79</b>	<b>3</b>	<b>100.0</b>	<b>7.79</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	0	0	0	2	66.7	10.07	2	66.7	10.07
Black Non-Hispanic	0	0	0	0	0.0	0.00	0	0.0	0.00
Hispanic	0	0	0	1	33.3	5.73	1	33.3	5.73
*A/PI/H Non-Hispanic	0	0	0	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	0	0	0	0	0.0	0.00	0	0.0	0.00
***MR/O Non-Hispanic	0	0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>100.0</b>	<b>7.79</b>	<b>3</b>	<b>100.0</b>	<b>7.79</b>
<b>By Mode of Transmission</b>									
+MSM	0	0	N/A	2	66.7	N/A	2	66.7	N/A
++IDU	0	0	N/A	1	33.3	N/A	1	33.3	N/A
MSM / IDU	0	0	N/A	0	0.0	N/A	0	0.0	N/A
Heterosexual	0	0	N/A	0	0.0	N/A	0	0.0	N/A
+++O/H/TF/TPR	0	0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	0	0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>100.0</b>	<b>7.79</b>	<b>3</b>	<b>100.0</b>	<b>7.79</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Greenlee County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Female	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>TOTAL</b>	<b>0</b>	<b>0.0</b>	<b>2.26</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65 and Above	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Age Unknown	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>TOTAL</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Black Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
***MR/O Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>TOTAL</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>
<b>By Mode of Transmission</b>									
+MSM	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
++IDU	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
MSM / IDU	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Heterosexual	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
+++O/H/TF/TPR	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
++++NRR/UR	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>TOTAL</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Greenlee County HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### Greenlee County Counts

Year	Prevalence	Incidence
2007	3	0
2008	3	0
2009	2	0
2010	4	3
2011	6	0
2012	8	0
2013	8	0
2014	7	0
2015	6	1
2016	6	0

[Back to Index](#)

## La Paz County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
20,317	0.29	0.00	0.14

### La Paz County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	<sup>‡</sup> Rate Per 100,000	Cases	% County Total	<sup>‡</sup> Rate Per 100,000	Cases	% County Total	<sup>‡</sup> Rate Per 100,000
<b>By Gender</b>									
Male	12	46.2	116.25	6	23.1	58.12	18	69.2	174.37
Female	4	15.4	40.70	4	15.4	40.70	8	30.8	81.39
<b>TOTAL</b>	<b>16</b>	<b>61.5</b>	<b>79.40</b>	<b>10</b>	<b>38.5</b>	<b>49.62</b>	<b>26</b>	<b>100.0</b>	<b>129.02</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	7.7	252.53	1	3.8	126.26	3	11.5	378.79
35-39	3	11.5	365.85	0	0.0	0.00	3	11.5	365.85
40-44	2	7.7	265.60	1	3.8	132.80	3	11.5	398.41
45-49	2	7.7	220.26	0	0.0	0.00	2	7.7	220.26
50-54	1	3.8	91.83	1	3.8	91.83	2	7.7	183.65
55-59	2	7.7	149.14	3	11.5	223.71	5	19.2	372.86
60-64	1	3.8	73.64	2	7.7	147.28	3	11.5	220.91
65 and Above	3	11.5	40.05	2	7.7	26.70	5	19.2	66.75
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>16</b>	<b>61.5</b>	<b>79.40</b>	<b>10</b>	<b>38.5</b>	<b>49.62</b>	<b>26</b>	<b>100.0</b>	<b>129.02</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	9	34.6	75.16	10	38.5	83.51	19	73.1	158.68
Black Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Hispanic	5	19.2	94.84	0	0.0	0.00	5	19.2	94.84
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	2	7.7	81.17	0	0.0	0.00	2	7.7	81.17
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>16</b>	<b>61.5</b>	<b>79.40</b>	<b>10</b>	<b>38.5</b>	<b>49.62</b>	<b>26</b>	<b>100.0</b>	<b>129.02</b>
<b>By Mode of Transmission</b>									
+MSM	9	34.6	N/A	4	15.4	N/A	13	50.0	N/A
+IDU	2	7.7	N/A	4	15.4	N/A	6	23.1	N/A
MSM / IDU	2	7.7	N/A	1	3.8	N/A	3	11.5	N/A
Heterosexual	2	7.7	N/A	1	3.8	N/A	3	11.5	N/A
++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	1	3.8	N/A	0	0.0	N/A	1	3.8	N/A
<b>TOTAL</b>	<b>16</b>	<b>61.5</b>	<b>79.40</b>	<b>10</b>	<b>38.5</b>	<b>49.62</b>	<b>26</b>	<b>100.0</b>	<b>129.02</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

†Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## La Paz County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	1	33.3	1.99	1	33.3	1.99	2	66.7	3.97
Female	1	33.3	2.01	0	0.0	0.00	1	33.3	2.01
<b>TOTAL</b>	<b>2</b>	<b>66.7</b>	<b>2.00</b>	<b>1</b>	<b>33.3</b>	<b>1.00</b>	<b>3</b>	<b>100.0</b>	<b>3.00</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	66.7	33.27	0	0.0	0.00	2	66.7	33.27
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	1	33.3	15.07	1	33.3	15.07
65 and Above	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>2</b>	<b>66.7</b>	<b>2.00</b>	<b>1</b>	<b>33.3</b>	<b>1.00</b>	<b>3</b>	<b>100.0</b>	<b>3.00</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	1	33.3	1.56	0	0.0	0.00	1	33.3	1.56
Black Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Hispanic	1	33.3	4.35	1	33.3	4.35	2	66.7	8.69
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>2</b>	<b>66.7</b>	<b>2.00</b>	<b>1</b>	<b>33.3</b>	<b>1.00</b>	<b>3</b>	<b>100.0</b>	<b>3.00</b>
<b>By Mode of Transmission</b>									
+MSM	1	33.3	N/A	0	0.0	N/A	1	33.3	N/A
++IDU	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
MSM / IDU	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
Heterosexual	1	33.3	N/A	0	0.0	N/A	1	33.3	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	0	0.0	N/A	1	33.3	N/A	1	33.3	N/A
<b>TOTAL</b>	<b>2</b>	<b>66.7</b>	<b>2.00</b>	<b>1</b>	<b>33.3</b>	<b>1.00</b>	<b>3</b>	<b>100.0</b>	<b>3.00</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## La Paz County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	2	50.0	3.86	2	50.0	3.86	4	100.0	7.72
Female	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>TOTAL</b>	<b>2</b>	<b>50.0</b>	<b>1.97</b>	<b>2</b>	<b>50.0</b>	<b>1.97</b>	<b>4</b>	<b>100.0</b>	<b>3.94</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	50.0	48.85	1	25.0	24.43	3	75.0	73.28
35-39	0	0.0	0.00	1	25.0	27.45	1	25.0	27.45
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>65 and Above</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>2</b>	<b>50.0</b>	<b>1.97</b>	<b>2</b>	<b>50.0</b>	<b>1.97</b>	<b>4</b>	<b>100.0</b>	<b>3.94</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	2	50.0	3.23	2	50.0	3.23	4	100.0	6.47
Black Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>2</b>	<b>50.0</b>	<b>1.97</b>	<b>2</b>	<b>50.0</b>	<b>1.97</b>	<b>4</b>	<b>100.0</b>	<b>3.94</b>
<b>By Mode of Transmission</b>									
+MSM	2	50.0	N/A	1	25.0	N/A	3	75.0	N/A
++IDU	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
MSM / IDU	0	0.0	N/A	1	25.0	N/A	1	25.0	N/A
Heterosexual	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>2</b>	<b>50.0</b>	<b>1.97</b>	<b>2</b>	<b>50.0</b>	<b>1.97</b>	<b>4</b>	<b>100.0</b>	<b>3.94</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## La Paz County HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### La Paz County Counts

Year	Prevalence	Incidence
2007	26	0
2008	31	0
2009	32	2
2010	29	1
2011	32	1
2012	25	0
2013	30	2
2014	26	1
2015	24	0
2016	26	0

[Back to Index](#)

## Pima County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
1,016,206	14.66	11.61	15.67

### Pima County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000
<b>By Gender</b>									
Male	1128	41.2	227.22	1220	44.5	245.75	2348	85.7	472.97
Female	209	7.6	40.69	182	6.6	35.44	391	14.3	76.13
<b>TOTAL</b>	<b>1337</b>	<b>48.8</b>	<b>132.37</b>	<b>1402</b>	<b>51.2</b>	<b>138.81</b>	<b>2739</b>	<b>100.0</b>	<b>271.18</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	9	0.3	6.77	2	0.1	1.50	11	0.4	8.27
13-19	6	0.2	6.48	0	0.0	0.00	6	0.2	6.48
20-24	61	2.2	66.52	9	0.3	9.81	70	2.6	76.33
25-29	86	3.1	139.31	18	0.7	29.16	104	3.8	168.46
30-34	116	4.2	187.64	49	1.8	79.26	165	6.0	266.90
35-39	106	3.9	183.49	87	3.2	150.60	193	7.0	334.08
40-44	125	4.6	221.77	117	4.3	207.58	242	8.8	429.34
45-49	149	5.4	268.14	230	8.4	413.91	379	13.8	682.05
50-54	212	7.7	342.11	288	10.5	464.76	500	18.3	806.87
55-59	205	7.5	314.58	262	9.6	402.05	467	17.1	716.63
60-64	117	4.3	186.87	209	7.6	333.81	326	11.9	520.68
<b>65 and Above</b>	<b>140</b>	<b>5.1</b>	<b>75.32</b>	<b>131</b>	<b>4.8</b>	<b>70.48</b>	<b>271</b>	<b>9.9</b>	<b>145.80</b>
Age Unknown	5	0.2	N/A	0	0.0	N/A	5	0.2	N/A
<b>TOTAL</b>	<b>1337</b>	<b>48.8</b>	<b>132.37</b>	<b>1402</b>	<b>51.2</b>	<b>138.81</b>	<b>2739</b>	<b>100.0</b>	<b>271.18</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	686	25.0	126.22	767	28.0	141.12	1453	53.0	267.34
Black Non-Hispanic	182	6.6	464.74	150	5.5	383.02	332	12.1	847.76
Hispanic	399	14.6	108.61	419	15.3	114.05	818	29.9	222.66
*A/PI/H Non-Hispanic	17	0.6	51.35	17	0.6	51.35	34	1.2	102.69
**AI/AN Non-Hispanic	30	1.1	111.62	29	1.1	107.90	59	2.2	219.53
***MR/O Non-Hispanic	23	0.8	N/A	20	0.7	N/A	43	1.6	N/A
<b>TOTAL</b>	<b>1337</b>	<b>48.8</b>	<b>132.37</b>	<b>1402</b>	<b>51.2</b>	<b>138.81</b>	<b>2739</b>	<b>100.0</b>	<b>271.18</b>
<b>By Mode of Transmission</b>									
+MSM	793	29.0	N/A	866	31.6	N/A	1659	60.6	N/A
++IDU	132	4.8	N/A	139	5.1	N/A	271	9.9	N/A
<b>MSM / IDU</b>	<b>94</b>	<b>3.4</b>	<b>N/A</b>	<b>137</b>	<b>5.0</b>	<b>N/A</b>	<b>231</b>	<b>8.4</b>	<b>N/A</b>
Heterosexual	178	6.5	N/A	173	6.3	N/A	351	12.8	N/A
+++O/H/TF/TPR	31	1.1	N/A	20	0.7	N/A	51	1.9	N/A
++++NRR/UR	109	4.0	N/A	67	2.4	N/A	176	6.4	N/A
<b>TOTAL</b>	<b>1337</b>	<b>48.8</b>	<b>132.37</b>	<b>1402</b>	<b>51.2</b>	<b>138.81</b>	<b>2739</b>	<b>100.0</b>	<b>271.18</b>

\* Asian/Pacific Islander/Hawaiian  
 \*\* American Indian/Alaska Native  
 \*\*\* Multiple Race/Other Race

+ Men having Sex with Men  
 ++ Injection Drug Use  
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient  
 +++++ No Reported Risk/Unknown Risk

Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Pima County 2016 Reported HIV/AIDS Incidence

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	68	87.2	13.7	13	100.0	2.6	81	89.0	16.3
Female	10	12.8	1.9	0	0.0	0.0	10	11.0	1.9
<b>TOTAL</b>	<b>78</b>	<b>100.0</b>	<b>7.7</b>	<b>13</b>	<b>100.0</b>	<b>1.3</b>	<b>91</b>	<b>100.0</b>	<b>9.0</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
2-12	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13-19	1	1.3	1.1	0	0.0	0.0	1	1.1	1.1
20-24	14	17.9	15.3	2	15.4	2.2	16	17.6	17.4
25-29	21	26.9	34.0	0	0.0	0.0	21	23.1	34.0
30-34	15	19.2	24.3	0	0.0	0.0	15	16.5	24.3
35-39	6	7.7	10.4	2	15.4	3.5	8	8.8	13.8
40-44	7	9.0	12.4	2	15.4	3.5	9	9.9	16.0
45-49	5	6.4	9.0	4	30.8	7.2	9	9.9	16.2
50-54	3	3.8	4.8	1	7.7	1.6	4	4.4	6.5
55-59	5	6.4	7.7	1	7.7	1.5	6	6.6	9.2
60-64	1	1.3	1.6	0	0.0	0.0	1	1.1	1.6
65 and Above	0	0.0	0.0	1	7.7	0.5	1	1.1	0.5
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>78</b>	<b>100.0</b>	<b>7.7</b>	<b>13</b>	<b>100.0</b>	<b>1.3</b>	<b>91</b>	<b>100.0</b>	<b>9.0</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	24	30.8	4.4	4	30.8	0.7	28	30.8	5.2
Black Non-Hispanic	12	15.4	30.6	1	7.7	2.6	13	14.3	33.2
Hispanic	36	46.2	9.8	8	61.5	2.2	44	48.4	12.0
*A/PI/H Non-Hispanic	3	3.8	9.1	0	0.0	0.0	3	3.3	9.1
**AI/AN Non-Hispanic	3	3.8	11.2	0	0.0	0.0	3	3.3	11.2
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>78</b>	<b>100.0</b>	<b>7.7</b>	<b>13</b>	<b>100.0</b>	<b>1.3</b>	<b>91</b>	<b>100.0</b>	<b>9.0</b>
<b>By Mode of Transmission</b>									
+MSM	56	71.8	N/A	5	38.5	N/A	61	67.0	N/A
++IDU	2	2.6	N/A	2	15.4	N/A	4	4.4	N/A
MSM / IDU	4	5.1	N/A	0	0.0	N/A	4	4.4	N/A
Heterosexual	9	11.5	N/A	2	15.4	N/A	11	12.1	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	7	9.0	N/A	4	30.8	N/A	11	12.1	N/A
<b>TOTAL</b>	<b>78</b>	<b>100.0</b>	<b>N/A</b>	<b>13</b>	<b>100.0</b>	<b>N/A</b>	<b>91</b>	<b>100.0</b>	<b>N/A</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Pima County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	226	49.7	9.32	152	33.4	6.27	378	83.1	15.59
Female	50	11.0	1.98	27	5.9	1.07	77	16.9	3.05
<b>TOTAL</b>	<b>276</b>	<b>60.7</b>	<b>5.58</b>	<b>179</b>	<b>39.3</b>	<b>3.62</b>	<b>455</b>	<b>100.0</b>	<b>9.19</b>
<b>By Age (Years)</b>									
Under 2	6	1.3	4.34	0	0.0	0.00	6	1.3	4.34
2-12	1	0.2	0.14	0	0.0	0.00	1	0.2	0.14
13-19	12	2.6	2.53	1	0.2	0.21	13	2.9	2.74
20-24	33	7.3	9.19	7	1.5	1.95	40	8.8	11.14
25-29	39	8.6	11.08	18	4.0	5.11	57	12.5	16.19
30-34	35	7.7	10.98	15	3.3	4.71	50	11.0	15.69
35-39	34	7.5	10.93	27	5.9	8.68	61	13.4	19.60
40-44	35	7.7	10.94	36	7.9	11.25	71	15.6	22.18
45-49	32	7.0	9.29	28	6.2	8.13	60	13.2	17.42
50-54	25	5.5	7.53	23	5.1	6.93	48	10.5	14.46
55-59	13	2.9	4.27	13	2.9	4.27	26	5.7	8.53
60-64	6	1.3	2.40	5	1.1	2.00	11	2.4	4.40
65 and Above	5	1.1	0.68	6	1.3	0.82	11	2.4	1.50
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>276</b>	<b>60.7</b>	<b>5.58</b>	<b>179</b>	<b>39.3</b>	<b>3.62</b>	<b>455</b>	<b>100.0</b>	<b>9.19</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	128	28.1	4.43	80	17.6	2.77	208	45.7	7.19
Black Non-Hispanic	28	6.2	16.31	20	4.4	11.65	48	10.5	27.96
Hispanic	96	21.1	5.92	64	14.1	3.95	160	35.2	9.87
*A/PI/H Non-Hispanic	9	2.0	6.87	4	0.9	3.05	13	2.9	9.93
**AI/AN Non-Hispanic	10	2.2	7.35	7	1.5	5.14	17	3.7	12.49
***MR/O Non-Hispanic	5	1.1	N/A	4	0.9	N/A	9	2.0	N/A
<b>TOTAL</b>	<b>276</b>	<b>60.7</b>	<b>5.58</b>	<b>179</b>	<b>39.3</b>	<b>3.62</b>	<b>455</b>	<b>100.0</b>	<b>9.19</b>
<b>By Mode of Transmission</b>									
+MSM	166	36.5	N/A	89	19.6	N/A	255	56.0	N/A
++IDU	22	4.8	N/A	14	3.1	N/A	36	7.9	N/A
MSM / IDU	11	2.4	N/A	5	1.1	N/A	16	3.5	N/A
Heterosexual	35	7.7	N/A	38	8.4	N/A	73	16.0	N/A
+++O/H/TF/TPR	7	1.5	N/A	0	0.0	N/A	7	1.5	N/A
++++NRR/UR	35	7.7	N/A	33	7.3	N/A	68	14.9	N/A
<b>TOTAL</b>	<b>276</b>	<b>60.7</b>	<b>5.58</b>	<b>179</b>	<b>39.3</b>	<b>3.62</b>	<b>455</b>	<b>100.0</b>	<b>9.19</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Pima County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	262	60.1	10.67	106	24.3	4.31	368	84.4	14.98
Female	56	12.8	2.21	12	2.8	0.47	68	15.6	2.68
<b>TOTAL</b>	<b>318</b>	<b>72.9</b>	<b>6.37</b>	<b>118</b>	<b>27.1</b>	<b>2.36</b>	<b>436</b>	<b>100.0</b>	<b>8.73</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	2	0.5	0.30	1	0.2	0.15	3	0.7	0.44
13-19	24	5.5	5.19	3	0.7	0.65	27	6.2	5.84
20-24	39	8.9	9.07	6	1.4	1.40	45	10.3	10.47
25-29	53	12.2	16.74	14	3.2	4.42	67	15.4	21.16
30-34	38	8.7	12.17	13	3.0	4.16	51	11.7	16.34
35-39	41	9.4	14.36	21	4.8	7.35	62	14.2	21.71
40-44	27	6.2	9.38	19	4.4	6.60	46	10.6	15.99
45-49	30	6.9	10.30	21	4.8	7.21	51	11.7	17.51
50-54	34	7.8	10.50	6	1.4	1.85	40	9.2	12.35
55-59	16	3.7	4.92	8	1.8	2.46	24	5.5	7.37
60-64	8	1.8	2.60	1	0.2	0.32	9	2.1	2.92
<b>65 and Above</b>	<b>6</b>	<b>1.4</b>	<b>0.70</b>	<b>5</b>	<b>1.1</b>	<b>0.58</b>	<b>11</b>	<b>2.5</b>	<b>1.28</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>318</b>	<b>72.9</b>	<b>6.37</b>	<b>118</b>	<b>27.1</b>	<b>2.36</b>	<b>436</b>	<b>100.0</b>	<b>8.73</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	133	30.5	4.87	39	8.9	1.43	172	39.4	6.29
Black Non-Hispanic	60	13.8	31.65	18	4.1	9.50	78	17.9	41.15
Hispanic	115	26.4	6.44	52	11.9	2.91	167	38.3	9.36
*A/PI/H Non-Hispanic	0	0.0	0.00	3	0.7	1.93	3	0.7	1.93
**AI/AN Non-Hispanic	8	1.8	6.12	5	1.1	3.82	13	3.0	9.94
***MR/O Non-Hispanic	2	0.5	N/A	1	0.2	N/A	3	0.7	N/A
<b>TOTAL</b>	<b>318</b>	<b>72.9</b>	<b>6.37</b>	<b>118</b>	<b>27.1</b>	<b>2.36</b>	<b>436</b>	<b>100.0</b>	<b>8.73</b>
<b>By Mode of Transmission</b>									
<sup>†</sup> MSM	177	40.6	N/A	60	13.8	N/A	237	54.4	N/A
<sup>++</sup> IDU	17	3.9	N/A	9	2.1	N/A	26	6.0	N/A
MSM / IDU	15	3.4	N/A	6	1.4	N/A	21	4.8	N/A
Heterosexual	72	16.5	N/A	31	7.1	N/A	103	23.6	N/A
<sup>+++</sup> O/H/TF/TPR	2	0.5	N/A	1	0.2	N/A	3	0.7	N/A
<sup>++++</sup> NRR/UR	35	8.0	N/A	11	2.5	N/A	46	10.6	N/A
<b>TOTAL</b>	<b>318</b>	<b>72.9</b>	<b>6.37</b>	<b>118</b>	<b>27.1</b>	<b>2.36</b>	<b>436</b>	<b>100.0</b>	<b>8.73</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk


## Pima County HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016




### Pima County Counts

Year	Prevalence	Incidence
2007	2197	93
2008	2263	77
2009	2319	86
2010	2327	94
2011	2394	59
2012	2422	74
2013	2491	106
2014	2611	96
2015	2729	101
2016	2739	91

**Rate of Pima County Emergent HIV/AIDS by Race/Ethnicity, 1990-2016**



**Proportion of Pima County Emergent HIV/AIDS by Race/Ethnicity, 1990-2016**



\*Non-Hispanic, A/PI/H=Asian/Pacific Islander/Native Hawaiian, AI/AN=American Indian/Alaska Native, MUL/UNK = Multi-race/Unknown

[Back to Index](#)

## Santa Cruz County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
45,985	0.66	0.51	0.30

### Santa Cruz County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000
<b>By Gender</b>									
Male	24	44.4	107.79	25	46.3	112.28	49	90.7	220.07
Female	3	5.6	12.40	2	3.7	8.27	5	9.3	20.67
<b>TOTAL</b>	<b>27</b>	<b>50.0</b>	<b>58.11</b>	<b>27</b>	<b>50.0</b>	<b>58.11</b>	<b>54</b>	<b>100.0</b>	<b>116.23</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	3.7	64.00	0	0.0	0.00	2	3.7	64.00
25-29	3	5.6	125.00	0	0.0	0.00	3	5.6	125.00
30-34	1	1.9	42.12	0	0.0	0.00	1	1.9	42.12
35-39	3	5.6	125.63	1	1.9	41.88	4	7.4	167.50
40-44	3	5.6	113.12	2	3.7	75.41	5	9.3	188.54
45-49	2	3.7	72.60	2	3.7	72.60	4	7.4	145.19
50-54	5	9.3	170.18	9	16.7	306.33	14	25.9	476.51
55-59	1	1.9	32.82	3	5.6	98.46	4	7.4	131.28
60-64	3	5.6	107.18	5	9.3	178.64	8	14.8	285.82
<b>65 and Above</b>	<b>4</b>	<b>7.4</b>	<b>52.16</b>	<b>5</b>	<b>9.3</b>	<b>65.21</b>	<b>9</b>	<b>16.7</b>	<b>117.37</b>
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>27</b>	<b>50.0</b>	<b>58.11</b>	<b>27</b>	<b>50.0</b>	<b>58.11</b>	<b>54</b>	<b>100.0</b>	<b>116.23</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	3	5.6	40.87	12	22.2	163.49	15	27.8	204.36
Black Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Hispanic	24	44.4	62.44	15	27.8	39.02	39	72.2	101.46
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>27</b>	<b>50.0</b>	<b>58.11</b>	<b>27</b>	<b>50.0</b>	<b>58.11</b>	<b>54</b>	<b>100.0</b>	<b>116.23</b>
<b>By Mode of Transmission</b>									
+MSM	15	27.8	N/A	21	38.9	N/A	36	66.7	N/A
++IDU	2	3.7	N/A	1	1.9	N/A	3	5.6	N/A
<b>MSM / IDU</b>	<b>2</b>	<b>3.7</b>	<b>N/A</b>	<b>1</b>	<b>1.9</b>	<b>N/A</b>	<b>3</b>	<b>5.6</b>	<b>N/A</b>
Heterosexual	4	7.4	N/A	3	5.6	N/A	7	13.0	N/A
+++O/H/TF/TPR	1	1.9	N/A	0	0.0	N/A	1	1.9	N/A
++++NRR/UR	3	5.6	N/A	1	1.9	N/A	4	7.4	N/A
<b>TOTAL</b>	<b>27</b>	<b>50.0</b>	<b>58.11</b>	<b>27</b>	<b>50.0</b>	<b>58.11</b>	<b>54</b>	<b>100.0</b>	<b>116.23</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimate

## Santa Cruz County 2016 Reported HIV/AIDS Incidence

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	4	100.0	18.0	0	0.0	0.0	4	100.0	18.0
Female	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
<b>TOTAL</b>	<b>4</b>	<b>100.0</b>	<b>8.6</b>	<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>4</b>	<b>100.0</b>	<b>8.6</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
2-12	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13-19	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
20-24	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
25-29	3	75.0	125.0	0	0.0	0.0	3	75.0	125.0
30-34	1	25.0	42.1	0	0.0	0.0	1	25.0	42.1
35-39	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
40-44	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
45-49	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
50-54	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
55-59	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
60-64	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
65 and Above	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>4</b>	<b>100.0</b>	<b>8.6</b>	<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>4</b>	<b>100.0</b>	<b>8.6</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Black Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Hispanic	4	100.0	10.4	0	0.0	0.0	4	100.0	10.4
*A/PI/H Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
**AI/AN Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>4</b>	<b>100.0</b>	<b>8.6</b>	<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>4</b>	<b>100.0</b>	<b>8.6</b>
<b>By Mode of Transmission</b>									
+MSM	3	75.0	N/A	0	0.0	N/A	3	75.0	N/A
++IDU	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
MSM / IDU	1	25.0	N/A	0	0.0	N/A	1	25.0	N/A
Heterosexual	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>4</b>	<b>100.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>4</b>	<b>100.0</b>	<b>N/A</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Santa Cruz County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	4	66.7	3.99	1	16.7	1.00	5	83.3	4.99
Female	1	16.7	0.89	0	0.0	0.00	1	16.7	0.89
<b>TOTAL</b>	<b>5</b>	<b>83.3</b>	<b>2.36</b>	<b>1</b>	<b>16.7</b>	<b>0.47</b>	<b>6</b>	<b>100.0</b>	<b>2.83</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	16.7	10.19	0	0.0	0.00	1	16.7	10.19
30-34	1	16.7	9.89	0	0.0	0.00	1	16.7	9.89
35-39	1	16.7	8.12	1	16.7	8.12	2	33.3	16.23
40-44	1	16.7	7.12	0	0.0	0.00	1	16.7	7.12
45-49	1	16.7	6.86	0	0.0	0.00	1	16.7	6.86
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65 and Above	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>5</b>	<b>83.3</b>	<b>2.36</b>	<b>1</b>	<b>16.7</b>	<b>0.47</b>	<b>6</b>	<b>100.0</b>	<b>2.83</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	0	0.0	0.00	1	16.7	2.51	1	16.7	2.51
Black Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Hispanic	5	83.3	2.95	0	0.0	0.00	5	83.3	2.95
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>5</b>	<b>83.3</b>	<b>2.36</b>	<b>1</b>	<b>16.7</b>	<b>0.47</b>	<b>6</b>	<b>100.0</b>	<b>2.83</b>
<b>By Mode of Transmission</b>									
+MSM	1	16.7	N/A	1	16.7	N/A	2	33.3	N/A
++IDU	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
MSM / IDU	1	16.7	N/A	0	0.0	N/A	1	16.7	N/A
Heterosexual	2	33.3	N/A	0	0.0	N/A	2	33.3	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	1	16.7	N/A	0	0.0	N/A	1	16.7	N/A
<b>TOTAL</b>	<b>5</b>	<b>83.3</b>	<b>2.36</b>	<b>1</b>	<b>16.7</b>	<b>0.47</b>	<b>6</b>	<b>100.0</b>	<b>2.83</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Santa Cruz County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	6	60.0	5.33	4	40.0	3.55	10	100.0	8.88
Female	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>TOTAL</b>	<b>6</b>	<b>60.0</b>	<b>2.55</b>	<b>4</b>	<b>40.0</b>	<b>1.70</b>	<b>10</b>	<b>100.0</b>	<b>4.26</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	10.0	6.74	0	0.0	0.00	1	10.0	6.74
25-29	1	10.0	8.51	0	0.0	0.00	1	10.0	8.51
30-34	1	10.0	8.18	1	10.0	8.18	2	20.0	16.36
35-39	1	10.0	8.07	0	0.0	0.00	1	10.0	8.07
40-44	0	0.0	0.00	1	10.0	7.12	1	10.0	7.12
45-49	1	10.0	6.97	0	0.0	0.00	1	10.0	6.97
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	10.0	7.35	1	10.0	7.35	2	20.0	14.70
<b>65 and Above</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>1</b>	<b>10.0</b>	<b>2.80</b>	<b>1</b>	<b>10.0</b>	<b>2.80</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>6</b>	<b>60.0</b>	<b>2.55</b>	<b>4</b>	<b>40.0</b>	<b>1.70</b>	<b>10</b>	<b>100.0</b>	<b>4.26</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	1	10.0	2.66	0	0.0	0.00	1	10.0	2.66
Black Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Hispanic	5	50.0	2.57	4	40.0	2.06	9	90.0	4.63
*A/PI/H Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
**AI/AN Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>6</b>	<b>60.0</b>	<b>2.55</b>	<b>4</b>	<b>40.0</b>	<b>1.70</b>	<b>10</b>	<b>100.0</b>	<b>4.26</b>
<b>By Mode of Transmission</b>									
+MSM	3	30.0	N/A	3	30.0	N/A	6	60.0	N/A
++IDU	1	10.0	N/A	0	0.0	N/A	1	10.0	N/A
MSM / IDU	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
Heterosexual	1	10.0	N/A	1	10.0	N/A	2	20.0	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	1	10.0	N/A	0	0.0	N/A	1	10.0	N/A
<b>TOTAL</b>	<b>6</b>	<b>60.0</b>	<b>2.55</b>	<b>4</b>	<b>40.0</b>	<b>1.70</b>	<b>10</b>	<b>100.0</b>	<b>4.26</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Santa Cruz County HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### Santa Cruz County Counts

Year	Prevalence	Incidence
2007	36	3
2008	39	0
2009	39	1
2010	39	0
2011	39	3
2012	44	1
2013	47	0
2014	50	4
2015	56	2
2016	54	4

[Back to Index](#)

## Yuma County

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
205,631	2.97	2.30	1.77

### Yuma County 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000	Cases	% County Total	#Rate Per 100,000
<b>By Gender</b>									
Male	121	38.9	115.25	145	46.6	138.11	266	85.5	253.36
Female	21	6.8	21.15	24	7.7	24.17	45	14.5	45.32
<b>TOTAL</b>	<b>142</b>	<b>45.7</b>	<b>69.51</b>	<b>169</b>	<b>54.3</b>	<b>82.73</b>	<b>311</b>	<b>100.0</b>	<b>152.25</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	2	0.6	6.21	0	0.0	0.00	2	0.6	6.21
13-19	2	0.6	9.82	0	0.0	0.00	2	0.6	9.82
20-24	7	2.3	39.60	2	0.6	11.31	9	2.9	50.91
25-29	12	3.9	85.24	6	1.9	42.62	18	5.8	127.86
30-34	24	7.7	186.05	10	3.2	77.52	34	10.9	263.57
35-39	12	3.9	106.82	9	2.9	80.11	21	6.8	186.93
40-44	10	3.2	92.41	23	7.4	212.55	33	10.6	304.96
45-49	16	5.1	144.25	23	7.4	207.36	39	12.5	351.60
50-54	22	7.1	199.37	29	9.3	262.80	51	16.4	462.17
55-59	17	5.5	159.55	35	11.3	328.48	52	16.7	488.03
60-64	7	2.3	74.74	16	5.1	170.83	23	7.4	245.57
<b>65 and Above</b>	<b>11</b>	<b>3.5</b>	<b>29.88</b>	<b>16</b>	<b>5.1</b>	<b>43.46</b>	<b>27</b>	<b>8.7</b>	<b>73.34</b>
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>142</b>	<b>45.7</b>	<b>69.51</b>	<b>169</b>	<b>54.3</b>	<b>82.73</b>	<b>311</b>	<b>100.0</b>	<b>152.25</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	59	19.0	86.91	67	21.5	98.69	126	40.5	185.61
Black Non-Hispanic	14	4.5	308.37	12	3.9	264.32	26	8.4	572.69
Hispanic	66	21.2	52.15	85	27.3	67.16	151	48.6	119.30
*A/PI/H Non-Hispanic	0	0.0	0.00	1	0.3	32.81	1	0.3	32.81
**AI/AN Non-Hispanic	1	0.3	44.82	2	0.6	89.65	3	1.0	134.47
***MR/O Non-Hispanic	2	0.6	N/A	2	0.6	N/A	4	1.3	N/A
<b>TOTAL</b>	<b>142</b>	<b>45.7</b>	<b>69.51</b>	<b>169</b>	<b>54.3</b>	<b>82.73</b>	<b>311</b>	<b>100.0</b>	<b>152.25</b>
<b>By Mode of Transmission</b>									
+MSM	72	23.2	N/A	85	27.3	N/A	157	50.5	N/A
++IDU	21	6.8	N/A	19	6.1	N/A	40	12.9	N/A
<b>MSM / IDU</b>	<b>9</b>	<b>2.9</b>	<b>N/A</b>	<b>23</b>	<b>7.4</b>	<b>N/A</b>	<b>32</b>	<b>10.3</b>	<b>N/A</b>
Heterosexual	19	6.1	N/A	29	9.3	N/A	48	15.4	N/A
+++O/H/TF/TPR	3	1.0	N/A	2	0.6	N/A	5	1.6	N/A
++++NRR/UR	18	5.8	N/A	11	3.5	N/A	29	9.3	N/A
<b>TOTAL</b>	<b>142</b>	<b>45.7</b>	<b>69.51</b>	<b>169</b>	<b>54.3</b>	<b>82.73</b>	<b>311</b>	<b>100.0</b>	<b>152.25</b>

\* Asian/Pacific Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Yuma County 2016 Reported HIV/AIDS Incidence

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	9	81.8	8.6	5	71.4	4.8	14	77.8	13.3
Female	2	18.2	2.0	2	28.6	2.0	4	22.2	4.0
<b>TOTAL</b>	<b>11</b>	<b>100.0</b>	<b>5.4</b>	<b>7</b>	<b>100.0</b>	<b>3.4</b>	<b>18</b>	<b>100.0</b>	<b>8.8</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
2-12	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
13-19	1	9.1	4.9	0	0.0	0.0	1	5.6	4.9
20-24	1	9.1	5.7	0	0.0	0.0	1	5.6	5.7
25-29	2	18.2	14.2	2	28.6	14.2	4	22.2	28.4
30-34	4	36.4	31.0	1	14.3	7.8	5	27.8	38.8
35-39	0	0.0	0.0	1	14.3	8.9	1	5.6	8.9
40-44	1	9.1	9.2	0	0.0	0.0	1	5.6	9.2
45-49	0	0.0	0.0	1	14.3	9.0	1	5.6	9.0
50-54	1	9.1	9.1	0	0.0	0.0	1	5.6	9.1
55-59	1	9.1	9.4	0	0.0	0.0	1	5.6	9.4
60-64	0	0.0	0.0	1	14.3	10.7	1	5.6	10.7
65 and Above	0	0.0	0.0	1	14.3	2.7	1	5.6	2.7
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>11</b>	<b>100.0</b>	<b>5.4</b>	<b>7</b>	<b>100.0</b>	<b>3.4</b>	<b>18</b>	<b>100.0</b>	<b>8.8</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	3	27.3	4.4	2	28.6	2.9	5	27.8	7.4
Black Non-Hispanic	2	18.2	44.1	0	0.0	0.0	2	11.1	44.1
Hispanic	6	54.5	4.7	5	71.4	4.0	11	61.1	8.7
*A/PI/H Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
**AI/AN Non-Hispanic	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>11</b>	<b>100.0</b>	<b>5.4</b>	<b>7</b>	<b>100.0</b>	<b>3.4</b>	<b>18</b>	<b>100.0</b>	<b>8.8</b>
<b>By Mode of Transmission</b>									
+MSM	7	63.6	N/A	3	42.9	N/A	10	55.6	N/A
++IDU	1	9.1	N/A	0	0.0	N/A	1	5.6	N/A
MSM / IDU	1	9.1	N/A	0	0.0	N/A	1	5.6	N/A
Heterosexual	0	0.0	N/A	3	42.9	N/A	3	16.7	N/A
+++O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
++++NRR/UR	2	18.2	N/A	1	14.3	N/A	3	16.7	N/A
<b>TOTAL</b>	<b>11</b>	<b>100.0</b>	<b>N/A</b>	<b>7</b>	<b>100.0</b>	<b>N/A</b>	<b>18</b>	<b>100.0</b>	<b>N/A</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Yuma County HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	31	48.4	6.59	24	37.5	5.10	55	85.9	11.69
Female	8	12.5	1.68	1	1.6	0.21	9	14.1	1.89
<b>TOTAL</b>	<b>39</b>	<b>60.9</b>	<b>4.12</b>	<b>25</b>	<b>39.1</b>	<b>2.64</b>	<b>64</b>	<b>100.0</b>	<b>6.77</b>
<b>By Age (Years)</b>									
<b>Under 2</b>	1	1.6	2.95	0	0.0	0.00	1	1.6	2.95
<b>2-12</b>	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>13-19</b>	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>20-24</b>	7	10.9	10.40	1	1.6	1.49	8	12.5	11.89
<b>25-29</b>	12	18.8	21.72	5	7.8	9.05	17	26.6	30.76
<b>30-34</b>	6	9.4	11.46	3	4.7	5.73	9	14.1	17.20
<b>35-39</b>	1	1.6	1.85	5	7.8	9.25	6	9.4	11.10
<b>40-44</b>	3	4.7	5.25	1	1.6	1.75	4	6.3	7.00
<b>45-49</b>	4	6.3	7.14	5	7.8	8.93	9	14.1	16.07
<b>50-54</b>	2	3.1	4.10	4	6.3	8.20	6	9.4	12.30
<b>55-59</b>	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>60-64</b>	1	1.6	2.59	0	0.0	0.00	1	1.6	2.59
<b>65 and Above</b>	2	3.1	1.15	1	1.6	0.58	3	4.7	1.73
<b>Age Unknown</b>	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>39</b>	<b>60.9</b>	<b>4.12</b>	<b>25</b>	<b>39.1</b>	<b>2.64</b>	<b>64</b>	<b>100.0</b>	<b>6.77</b>
<b>By Race / Ethnicity</b>									
<b>White Non-Hispanic</b>	16	25.0	4.20	5	7.8	1.31	21	32.8	5.51
<b>Black Non-Hispanic</b>	2	3.1	9.83	1	1.6	4.91	3	4.7	14.74
<b>Hispanic</b>	20	31.3	3.82	19	29.7	3.63	39	60.9	7.45
<b>*A/PI/H Non-Hispanic</b>	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>**AI/AN Non-Hispanic</b>	1	1.6	9.43	0	0.0	0.00	1	1.6	9.43
<b>***MR/O Non-Hispanic</b>	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>39</b>	<b>60.9</b>	<b>4.12</b>	<b>25</b>	<b>39.1</b>	<b>2.64</b>	<b>64</b>	<b>100.0</b>	<b>6.77</b>
<b>By Mode of Transmission</b>									
<b>+MSM</b>	18	28.1	N/A	11	17.2	N/A	29	45.3	N/A
<b>++IDU</b>	7	10.9	N/A	4	6.3	N/A	11	17.2	N/A
<b>MSM / IDU</b>	1	1.6	N/A	2	3.1	N/A	3	4.7	N/A
<b>Heterosexual</b>	1	1.6	N/A	5	7.8	N/A	6	9.4	N/A
<b>+++O/H/TF/TPR</b>	1	1.6	N/A	0	0.0	N/A	1	1.6	N/A
<b>++++NRR/UR</b>	11	17.2	N/A	3	4.7	N/A	14	21.9	N/A
<b>TOTAL</b>	<b>39</b>	<b>60.9</b>	<b>4.12</b>	<b>25</b>	<b>39.1</b>	<b>2.64</b>	<b>64</b>	<b>100.0</b>	<b>6.77</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race

+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Yuma County HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000	Cases	% County Total	Rate Per 100,000
<b>By Gender</b>									
Male	25	49.0	4.85	22	43.1	4.27	47	92.2	9.12
Female	2	3.9	0.40	2	3.9	0.40	4	7.8	0.81
<b>TOTAL</b>	<b>27</b>	<b>52.9</b>	<b>2.67</b>	<b>24</b>	<b>47.1</b>	<b>2.38</b>	<b>51</b>	<b>100.0</b>	<b>5.05</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
13-19	1	2.0	0.93	1	2.0	0.93	2	3.9	1.86
20-24	6	11.8	6.95	0	0.0	0.00	6	11.8	6.95
25-29	5	9.8	7.31	4	7.8	5.85	9	17.6	13.16
30-34	3	5.9	4.85	1	2.0	1.62	4	7.8	6.47
35-39	4	7.8	7.24	5	9.8	9.05	9	17.6	16.28
40-44	3	5.9	5.36	1	2.0	1.79	4	7.8	7.14
45-49	2	3.9	3.55	3	5.9	5.32	5	9.8	8.87
50-54	3	5.9	5.38	5	9.8	8.97	8	15.7	14.36
55-59	0	0.0	0.00	2	3.9	3.89	2	3.9	3.89
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
<b>65 and Above</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>2</b>	<b>3.9</b>	<b>1.17</b>	<b>2</b>	<b>3.9</b>	<b>1.17</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>
<b>TOTAL</b>	<b>27</b>	<b>52.9</b>	<b>2.67</b>	<b>24</b>	<b>47.1</b>	<b>2.38</b>	<b>51</b>	<b>100.0</b>	<b>5.05</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	7	13.7	2.03	6	11.8	1.74	13	25.5	3.76
Black Non-Hispanic	2	3.9	9.19	2	3.9	9.19	4	7.8	18.39
Hispanic	16	31.4	2.59	16	31.4	2.59	32	62.7	5.19
*A/PI/H Non-Hispanic	2	3.9	13.91	0	0.0	0.00	2	3.9	13.91
**AI/AN Non-Hispanic	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
***MR/O Non-Hispanic	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>27</b>	<b>52.9</b>	<b>2.67</b>	<b>24</b>	<b>47.1</b>	<b>2.38</b>	<b>51</b>	<b>100.0</b>	<b>5.05</b>
<b>By Mode of Transmission</b>									
<sup>†</sup> MSM	18	35.3	N/A	8	15.7	N/A	26	51.0	N/A
<sup>++</sup> IDU	3	5.9	N/A	4	7.8	N/A	7	13.7	N/A
<b>MSM / IDU</b>	<b>3</b>	<b>5.9</b>	<b>N/A</b>	<b>3</b>	<b>5.9</b>	<b>N/A</b>	<b>6</b>	<b>11.8</b>	<b>N/A</b>
<b>Heterosexual</b>	<b>1</b>	<b>2.0</b>	<b>N/A</b>	<b>6</b>	<b>11.8</b>	<b>N/A</b>	<b>7</b>	<b>13.7</b>	<b>N/A</b>
<sup>+++</sup> O/H/TF/TPR	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<sup>++++</sup> NRR/UR	2	3.9	N/A	3	5.9	N/A	5	9.8	N/A
<b>TOTAL</b>	<b>27</b>	<b>52.9</b>	<b>2.67</b>	<b>24</b>	<b>47.1</b>	<b>2.38</b>	<b>51</b>	<b>100.0</b>	<b>5.05</b>

\* Asian/Pacific Islander/Hawaiian

\*\* American Indian/Alaska Native

\*\*\* Multiple Race/Other Race


+ Men having Sex with Men

++ Injection Drug Use

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

## Yuma County HIV/AIDS Incidence and Prevalence by Year, 2007-2016



### Yuma County Counts

Year	Prevalence	Incidence
2007	150	11
2008	175	12
2009	187	15
2010	197	16
2011	211	10
2012	226	12
2013	251	11
2014	263	8
2015	314	10
2016	311	18

[Back to Index](#)

## Arizona Southern Border Region - (Cochise, Pima, Santa Cruz, and Yuma Counties)

2016 Population	% of State Population	% of State HIV/AIDS Incidence	% State HIV/AIDS Prevalence
1,393,592	20.11	15.44	19.01

### Arizona Southern Border Region 2016 Estimated HIV/AIDS Prevalence

	Prevalent HIV			Prevalent AIDS			Prevalent HIV/AIDS		
	Cases	% Region Total	<sup>#</sup> Rate Per 100,000	Cases	% Region Total	<sup>#</sup> Rate Per 100,000	Cases	% Region Total	<sup>#</sup> Rate Per 100,000
<b>By Gender</b>									
Male	1369	41.0	198.97	1483	44.4	215.54	2852	85.4	414.51
Female	263	7.9	37.62	223	6.7	31.90	486	14.6	69.51
<b>TOTAL</b>	<b>1632</b>	<b>48.9</b>	<b>117.65</b>	<b>1706</b>	<b>51.1</b>	<b>122.98</b>	<b>3338</b>	<b>100.0</b>	<b>240.63</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	12	0.4	6.30	2	0.1	1.05	14	0.4	7.35
13-19	10	0.3	7.75	1	0.0	0.78	11	0.3	8.53
20-24	74	2.2	61.51	12	0.4	9.98	86	2.6	71.49
25-29	112	3.4	130.12	24	0.7	27.88	136	4.1	158.00
30-34	157	4.7	184.00	62	1.9	72.66	219	6.6	256.66
35-39	136	4.1	173.43	103	3.1	131.35	239	7.2	304.78
40-44	152	4.6	199.22	151	4.5	197.91	303	9.1	397.13
45-49	180	5.4	236.34	267	8.0	350.57	447	13.4	586.91
50-54	258	7.7	307.75	343	10.3	409.14	601	18.0	716.89
55-59	234	7.0	267.48	322	9.6	368.08	556	16.7	635.56
60-64	134	4.0	161.09	252	7.5	302.95	386	11.6	464.05
<b>65 and Above</b>	<b>167</b>	<b>5.0</b>	<b>65.11</b>	<b>167</b>	<b>5.0</b>	<b>65.11</b>	<b>334</b>	<b>10.0</b>	<b>130.23</b>
<b>Age Unknown</b>	<b>6</b>	<b>0.2</b>	<b>N/A</b>	<b>0</b>	<b>0.0</b>	<b>N/A</b>	<b>6</b>	<b>0.2</b>	<b>N/A</b>
<b>TOTAL</b>	<b>1632</b>	<b>48.9</b>	<b>117.65</b>	<b>1706</b>	<b>51.1</b>	<b>122.98</b>	<b>3338</b>	<b>100.0</b>	<b>240.63</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	807	24.2	116.76	912	27.3	131.96	1719	51.5	248.72
Black Non-Hispanic	222	6.7	446.11	174	5.2	349.65	396	11.9	795.76
Hispanic	520	15.6	90.24	545	16.3	94.58	1065	31.9	184.83
*A/PI/H Non-Hispanic	18	0.5	45.51	18	0.5	45.51	36	1.1	91.03
**AI/AN Non-Hispanic	36	1.1	117.93	35	1.0	114.66	71	2.1	232.59
***MR/O Non-Hispanic	29	0.9	N/A	22	0.7	N/A	51	1.5	N/A
<b>TOTAL</b>	<b>1632</b>	<b>48.9</b>	<b>117.65</b>	<b>1706</b>	<b>51.1</b>	<b>122.98</b>	<b>3338</b>	<b>100.0</b>	<b>240.63</b>
<b>By Mode of Transmission</b>									
<sup>†</sup> MSM	941	28.2	N/A	1027	30.8	N/A	1968	59.0	N/A
<sup>‡</sup> IDU	169	5.1	N/A	178	5.3	N/A	347	10.4	N/A
MSM / IDU	112	3.4	N/A	174	5.2	N/A	286	8.6	N/A
Heterosexual	225	6.7	N/A	218	6.5	N/A	443	13.3	N/A
<sup>+++</sup> O/H/TF/TPR	37	1.1	N/A	24	0.7	N/A	61	1.8	N/A
<sup>++++</sup> NRR/UR	148	4.4	N/A	85	2.5	N/A	233	7.0	N/A
<b>TOTAL</b>	<b>1632</b>	<b>48.9</b>	<b>117.65</b>	<b>1706</b>	<b>51.1</b>	<b>122.98</b>	<b>3338</b>	<b>100.0</b>	<b>240.63</b>

\* Asian Pacific/Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

±Calculated using 2016 Arizona population data (N=6,931,071), US Census Bureau Bridged-Race Intercensal Estimates

## Arizona Southern Border Region HIV/AIDS Incidence, 2006-2010

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000
<b>By Gender</b>									
Male	288	50.7	8.70	188	33.1	5.68	476	83.8	14.37
Female	63	11.1	1.83	29	5.1	0.84	92	16.2	2.68
<b>TOTAL</b>	<b>351</b>	<b>61.8</b>	<b>5.20</b>	<b>217</b>	<b>38.2</b>	<b>3.22</b>	<b>568</b>	<b>100.0</b>	<b>8.42</b>
<b>By Age (Years)</b>									
Under 2	7	1.2	3.53	0	0.0	0.00	7	1.2	3.53
2-12	1	0.2	0.10	0	0.0	0.00	1	0.2	0.10
13-19	13	2.3	1.94	1	0.2	0.15	14	2.5	2.09
20-24	47	8.3	9.70	10	1.8	2.06	57	10.0	11.76
25-29	59	10.4	13.05	24	4.2	5.31	83	14.6	18.36
30-34	50	8.8	12.12	19	3.3	4.61	69	12.1	16.73
35-39	39	6.9	9.46	37	6.5	8.98	76	13.4	18.44
40-44	40	7.0	9.29	40	7.0	9.29	80	14.1	18.59
45-49	38	6.7	8.28	33	5.8	7.19	71	12.5	15.47
50-54	30	5.3	6.84	28	4.9	6.38	58	10.2	13.22
55-59	13	2.3	3.22	13	2.3	3.22	26	4.6	6.44
60-64	7	1.2	2.08	5	0.9	1.49	12	2.1	3.56
65 and Above	7	1.2	0.67	7	1.2	0.67	14	2.5	1.34
Age Unknown	0	0.0	N/A	0	0.0	N/A	0	0.0	N/A
<b>TOTAL</b>	<b>351</b>	<b>61.8</b>	<b>5.20</b>	<b>217</b>	<b>38.2</b>	<b>3.22</b>	<b>568</b>	<b>100.0</b>	<b>8.42</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	156	27.5	4.22	91	16.0	2.46	247	43.5	6.68
Black Non-Hispanic	40	7.0	17.86	25	4.4	11.16	65	11.4	29.02
Hispanic	130	22.9	5.17	86	15.1	3.42	216	38.0	8.59
*A/PI/H Non-Hispanic	9	1.6	5.72	4	0.7	2.54	13	2.3	8.27
**AI/AN Non-Hispanic	11	1.9	7.14	7	1.2	4.55	18	3.2	11.69
***MR/O Non-Hispanic	5	0.9	N/A	4	0.7	N/A	9	1.6	N/A
<b>TOTAL</b>	<b>351</b>	<b>61.8</b>	<b>5.20</b>	<b>217</b>	<b>38.2</b>	<b>3.22</b>	<b>568</b>	<b>100.0</b>	<b>8.42</b>
<b>By Mode of Transmission</b>									
+MSM	197	34.7	N/A	107	18.8	N/A	304	53.5	N/A
++IDU	34	6.0	N/A	19	3.3	N/A	53	9.3	N/A
MSM / IDU	14	2.5	N/A	8	1.4	N/A	22	3.9	N/A
Heterosexual	44	7.7	N/A	45	7.9	N/A	89	15.7	N/A
+++O/H/TF/TPR	8	1.4	N/A	0	0.0	N/A	8	1.4	N/A
++++NRR/UR	54	9.5	N/A	38	6.7	N/A	92	16.2	N/A
<b>TOTAL</b>	<b>351</b>	<b>61.8</b>	<b>5.20</b>	<b>217</b>	<b>38.2</b>	<b>3.22</b>	<b>568</b>	<b>100.0</b>	<b>8.42</b>

\* Asian Pacific/Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use

\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

Arizona Southern Border Region includes Cochise, Pima, Santa Cruz, and Yuma Counties

## Arizona Southern Border Region HIV/AIDS Incidence, 2011-2015

	Incident HIV			Incident AIDS			Incident HIV/AIDS		
	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000	Cases	% Region Total	Rate Per 100,000
<b>By Gender</b>									
Male	317	59.5	9.33	136	25.5	4.00	453	85.0	13.35
Female	63	11.8	1.82	17	3.2	0.49	80	15.0	2.31
<b>TOTAL</b>	<b>380</b>	<b>71.3</b>	<b>5.54</b>	<b>153</b>	<b>28.7</b>	<b>2.24</b>	<b>533</b>	<b>100.0</b>	<b>7.78</b>
<b>By Age (Years)</b>									
Under 2	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
2-12	2	0.4	0.20	1	0.2	0.10	3	0.6	0.31
13-19	25	4.7	3.77	4	0.8	0.60	29	5.4	4.37
20-24	52	9.8	9.39	6	1.1	1.08	58	10.9	10.47
25-29	66	12.4	14.88	18	3.4	4.06	84	15.8	18.95
30-34	47	8.8	11.12	16	3.0	3.79	63	11.8	14.89
35-39	49	9.2	12.57	26	4.9	6.67	75	14.1	19.23
40-44	33	6.2	8.36	21	3.9	5.32	54	10.1	13.69
45-49	34	6.4	8.28	25	4.7	6.09	59	11.1	14.37
50-54	40	7.5	9.01	12	2.3	2.70	52	9.8	11.72
55-59	17	3.2	3.91	11	2.1	2.53	28	5.3	6.45
60-64	9	1.7	2.21	3	0.6	0.74	12	2.3	2.95
<b>65 and Above</b>	<b>6</b>	<b>1.1</b>	<b>0.53</b>	<b>10</b>	<b>1.9</b>	<b>0.88</b>	<b>16</b>	<b>3.0</b>	<b>1.40</b>
<b>Age Unknown</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>	<b>0</b>	<b>0.0</b>	<b>0.00</b>
<b>TOTAL</b>	<b>380</b>	<b>71.3</b>	<b>5.54</b>	<b>153</b>	<b>28.7</b>	<b>2.24</b>	<b>533</b>	<b>100.0</b>	<b>7.78</b>
<b>By Race / Ethnicity</b>									
White Non-Hispanic	156	29.3	4.44	46	8.6	1.31	202	37.9	5.75
Black Non-Hispanic	64	12.0	26.88	21	3.9	8.82	85	15.9	35.70
Hispanic	143	26.8	5.15	74	13.9	2.67	217	40.7	7.82
*A/PI/H Non-Hispanic	3	0.6	1.65	4	0.8	2.20	7	1.3	3.85
**AI/AN Non-Hispanic	12	2.3	8.15	7	1.3	4.76	19	3.6	12.91
***MR/O Non-Hispanic	2	0.4	0.20	1	0.2	0.10	3	0.6	0.30
<b>TOTAL</b>	<b>380</b>	<b>71.3</b>	<b>5.54</b>	<b>153</b>	<b>28.7</b>	<b>2.24</b>	<b>533</b>	<b>100.0</b>	<b>7.78</b>
<b>By Mode of Transmission</b>									
+MSM	213	40.0	N/A	75	14.1	N/A	288	54.0	N/A
++IDU	28	5.3	N/A	14	2.6	N/A	42	7.9	N/A
MSM / IDU	20	3.8	N/A	9	1.7	N/A	29	5.4	N/A
Heterosexual	78	14.6	N/A	39	7.3	N/A	117	22.0	N/A
+++O/H/TF/TPR	2	0.4	N/A	1	0.2	N/A	3	0.6	N/A
++++NRR/UR	39	7.3	N/A	15	2.8	N/A	54	10.1	N/A
<b>TOTAL</b>	<b>380</b>	<b>71.3</b>	<b>5.54</b>	<b>153</b>	<b>28.7</b>	<b>2.24</b>	<b>533</b>	<b>100.0</b>	<b>7.78</b>

\* Asian Pacific/Islander/Hawaiian

+ Men having Sex with Men

\*\* American Indian/Alaska Native

++ Injection Drug Use


\*\*\* Multiple Race/Other Race

+++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient

++++ No Reported Risk/Unknown Risk

Arizona Southern Border Region includes Cochise, Pima, Santa Cruz, and Yuma Counties

## Arizona Southern Border Region HIV/AIDS Incidence and Prevalence Counts by Year, 2007-2016



### Arizona Southern Border Region Counts

Year	Prevalence	Incidence
2007	2529	124
2008	2647	93
2009	2724	108
2010	2752	115
2011	2841	82
2012	2901	93
2013	3006	124
2014	3152	113
2015	3329	121
2016	3338	126

Arizona Southern Border Region includes Cochise, Pima, Santa Cruz, and Yuma Counties