



Annual RSV Summary:

For the 2008-2009 season, ADHS received 2,929 reports of laboratory-confirmed respiratory syncytial virus (RSV). Highest rates of infection were noted in those less than one year of age and in those from one year to four years of age.

Lab-Confirmed RSV Cases Reported by County - 2008-2009 Season [2,929 cases]:

Since October 2004, laboratories have been required to report positive RSV tests to ADHS.

County	Number of Laboratory-Confirmed Cases
	2008-2009 Season
Apache	84
Cochise	53
Coconino	101
Gila	28
Graham	5
Greenlee	0
La Paz	9
Maricopa	1,927
Mohave	87
Navajo	95
Pima	269
Pinal	220
Santa Cruz	11
Yavapai	17
Yuma	23
Total	2,929




2008-2009 RSV Rates, per 100,000, by County


County	08-09	County	08-09
Apache	111	Mohave	43
Cochise	39	Navajo	82
Coconino	75	Pima	27
Gila	50	Pinal	75
Graham	14	Santa Cruz	24
Greenlee	0	Yavapai	8
La Paz	41	Yuma	11
Maricopa	50	Arizona	46

Some counties experienced higher rates of RSV than others. Apache, Navajo, Cochise, and Coconino counties had the highest rates of RSV in the state followed by Maricopa and Gila. These differences may be due in part to a difference in reporting between the counties.

Laboratory Surveillance for RSV:



Graph below is based on week of diagnosis.



Laboratory-Confirmed RSV Activity by Age Group:

Laboratories report positive RSV tests to ADHS.

