


Cold Storage



- The Cold Storage option allows users to manage cold storage units and track temperatures in ASIIS. Users can create a cold chain report that lists all cold storage units for the selected site and recorded temperatures.
- By recording temperatures within ASIIS, you can replace faxing/emailing your temperature logs to the Vaccine Center.
- **You must still retain a paper copy of the temperature logs on your cold storage unit**

To access the Cold Storage module, from the **Orders/Transfers** tab, click on the **Cold Storage** option. If no cold storage units have been added you will see a screen similar to the one below. To add a cold storage unit to your organization, click on the **Add Cold Storage Unit** button.

The screenshot displays the Arizona Department of Health Services IRMS interface. At the top left is the logo for the Arizona Department of Health Services. The top right shows the user is logged in as DESIREE LONG, the organization is TEST PROVIDER MAP IRMS (63919), and the date is October 23, 2014. A red message states: "There is no cold storage unit(s) available for this Provider." In the left-hand navigation menu, the "Orders/Transfers" section is expanded, and the "Cold Storage" option is highlighted with a red arrow. The "Add Cold Storage Unit" button is circled in red in the main content area.

To add a refrigerator unit, fill out the fields highlighted in **red**. The **Effective From** date is the day the Cold Storage Unit was added to ASIIS. This date defaults to “today’s” date. If you need to inactivate the refrigerator, click the box next to **Inactivate Refrigerator**. When completed hit the **Save** button.

Arizona Department of Health Services

Logged in: DESIREE LONG

Organization (IRMS): TEST PROVIDER MAP IRMS (63919) Date: October 23, 2014

[Add Freezer](#)

Refrigerator

Refrigerator Name:	Friger	Thermometer Serial Number:	
Refrigerator Type:	TESTING	Thermometer Type:	Digital
Manufacturer:	Fridgidare	Other Device:	
Model Number:	FFTR1814LB	Temperature Scale	Fahrenheit
Effective From:	10/23/2014	Date of Last Calibration:	10/20/2014
Purchase or Issue Date:	10/13/2014	Calibration Expiration:	
Inactivate Refrigerator:	<input type="checkbox"/>		

[Cancel](#) [Save](#)

If you need to add a **Freezer** to your cold storage units, select the **Add Freezer** button located at near the top of the screen.

Health Services

Add Freezer

Refrigerator

Refrigerator Name:	FRIGER	Thermometer Serial Number:	
Refrigerator Type:	TESTING	Thermometer Type:	Digital
Manufacturer:	FRIDGIDARE	Other Device:	
Model Number:	FFTR1814LB	Temperature Scale:	Fahrenheit
Effective From:	10/23/2014	Date of Last Calibration:	10/20/2014
Purchase or Issue Date:	10/13/2014	Calibration Expiration:	
Inactivate Refrigerator:	<input type="checkbox"/>		

Cancel Save

Fill out the fields highlighted in **red**. When completed, click the **Save** button.

Health Services

Add Refrigerator

Freezer

Freezer Name:	FREEZING1	Thermometer Serial Number:	
Freezer Type:	FREEZER	Thermometer Type:	Digital
Manufacturer:	FRIDGERATOR	Other Device:	
Model Number:	2398FSCVJ	Temperature Scale:	Fahrenheit
Effective From:	10/23/2014	Date of Last Calibration:	10/01/2014
Purchase or Issue Date:	09/24/2014	Calibration Expiration:	
Inactivate Freezer:	<input type="checkbox"/>		

Cancel Save

If your cold storage unit was added successfully you will see a screen similar to the one below. This screen displays the **Day**, **Time** and **Refrigerator/Freezer** name. If your office was closed on a given day, click in the check boxes under the **Office Closed** column for the days your office was closed.

Note: You should not go more than 4 days in a row without checking temperatures.

Arizona Department of Health Services

Logged in: DESIREE LONG

Organization (IRMS): TEST PROVIDER MAP IRMS (63919) Date: October 23, 2014

• Cold Storage Unit added successfully.

Add Cold Storage Unit

Enter Recorded Temperature

This record does not replace documentation attached to refrigerator. Display inactive units

Record Date From: 10/13/2014 Through: 10/23/2014

Temperature Data

Day		Office Closed	Time	+/- FR EEZING1 ID # (°F)	+/- FRIGE R ID # (°F)
10/23/2014	A.M.	<input type="checkbox"/>	8 AM	10.0	45.0
	P.M.	<input type="checkbox"/>	5 PM	6.0	42.0
10/22/2014	A.M.	<input type="checkbox"/>	8 AM	2.0	
	P.M.	<input type="checkbox"/>	5 PM	3.0	
10/21/2014	A.M.	<input type="checkbox"/>	8 AM	5.0	
	P.M.	<input type="checkbox"/>	5 PM	8.0	
10/20/2014	A.M.	<input type="checkbox"/>	8 AM	6.0	
	P.M.	<input type="checkbox"/>	5 PM	5.0	
10/19/2014	A.M.	<input type="checkbox"/>	8 AM	5.0	
	P.M.	<input type="checkbox"/>	5 PM	4.0	
10/18/2014	A.M.	<input type="checkbox"/>	8 AM		

Export Save

To enter temperatures for cold storage unit, fill in **time** and the **temperatures** for the storage unit under the cold storage unit name and click **Save**. If your temperatures are too warm or too cold the field will highlight in yellow and a message in **red** will appear at the top of the screen. **If this happens call the Vaccine Center immediately at 602-364-3642.**



- ▶ Main
- ▶ Message
- ▶ Favorites
- ▶ Patient
- ▶ Vaccinations
- ▶ Exec. Dashboard
- ▶ Organization (IRMS)
- ▶ Facilities
- ▶ Physicians & Vaccinators
- ▶ Lot Numbers
- ▶ Orders/Transfers
- ▶ Reports
- ▶ Settings
- CASA Export
- ▶ Reminder/Recall
- ▶ Imports
- ▶ Exports
- ▶ HEDIS
- Scheduled Reports
- Job Queue
- Change Password
- Administration
- ▶ Campaigns
- Answers



iWeb

Version: 5.14.8.2



Logged in: DESIREE LONG

Organization (IRMS): TEST PROVIDER MAP IRMS (63919)

Date: October 23, 2014

Temperature entered is Too Warm

Add Cold Storage Unit

Enter Recorded Temperature

This record does not replace documentation attached to refrigerator. Display inactive units

Record Date From: 10/13/2014 Through: 10/23/2014

Temperature Data

Day		Office Closed	Time	+/- FR EEZING1 ID # (°F)	+/- FRIGE R ID # (°F)
10/23/2014	A.M.	<input type="checkbox"/>	8 AM	10.0	45.0
	P.M.	<input type="checkbox"/>	5 PM	6.0	42.0
10/22/2014	A.M.	<input type="checkbox"/>	8 AM	2.0	
	P.M.	<input type="checkbox"/>	5 PM	3.0	
10/21/2014	A.M.	<input type="checkbox"/>	8 AM	5.0	
	P.M.	<input type="checkbox"/>	5 PM	8.0	
10/20/2014	A.M.	<input type="checkbox"/>	8 AM	6.0	
	P.M.	<input type="checkbox"/>	5 PM	5.0	
10/19/2014	A.M.	<input type="checkbox"/>	8 AM	5.0	
	P.M.	<input type="checkbox"/>	5 PM	4.0	
10/18/2014	A.M.	<input type="checkbox"/>	8 AM		

To edit Freezer/Refrigerator information, click on the name of the unit.

Arizona Department of Health Services

Logged in: DESIREE LONG
Organization (IRMS): TEST PROVIDER MAP IRMS (63919)
Date: October 23, 2014

• Cold Storage Unit added successfully.

Add Cold Storage Unit

Enter Recorded Temperature

This record does not replace documentation attached to refrigerator. Display inactive units

Record Date From: 10/13/2014 Through: 10/23/2014

Temperature Data

Day	Office	Time	+/-	FR EEZING1	+/-	FRIGE R
	Closed			ID #		ID #
				(°F)		(°F)

A pop up window will appear where you can edit any information. Click Save when completed.

Cold Storage Edit - Windows Internet Explorer provided by ADHS

Freezer

Freezer Name:	FRIGER	Thermometer Serial Number:	
Freezer Type:	--select--	Thermometer Type:	Digital
Manufacturer:	FRIDGIDARE	Other Device:	
Model Number:	FFTR1814LB	Temperature Scale:	Fahrenheit
Effective From:	10/23/2014	Date of Last Calibration:	10/20/2014
Purchase or Issue Date:	10/13/2014	Calibration Expiration:	
Inactivate Freezer:	<input type="checkbox"/>		

Cancel Save

You may click anywhere in the temperature field to see who entered the daily temperature. A dialog box with the user's name, date and time of entry will appear.



- ▶ Main
- ▶ Message
- ▶ Favorites
- ▶ Patient
- ▶ Vaccinations
- ▶ Exec. Dashboard
- ▶ Organization (IRMS)
- ▶ Facilities
- ▶ Physicians & Vaccinators
- ▶ Lot Numbers
- ▶ Orders/Transfers
- ▶ Reports
- ▶ Settings
- CASA Export
- ▶ Reminder/Recall
- ▶ Imports
- ▶ Exports
- ▶ HEDIS
- Scheduled Reports
- Job Queue
- Change Password
- Administration
- ▶ Campaigns
- Answers



iWeb

Version: 5.14.8.2



Organization (IRMS): TEST PROVIDER MAP IRMS (63919)
Date: October 23, 2014

Temperature entered is Too Warm

[Add Cold Storage Unit](#)

Enter Recorded Temperature

This record does not replace documentation attached to refrigerator. Display inactive units

Record Date From: 10/13/2014 Through: 10/23/2014

Temperature Data

Day		Office Closed	Time	+/- FR EEZING1 ID # (°F)	+/- FRIGE R ID # (°F)
10/23/2014	A.M.	<input type="checkbox"/>	8 AM	10.0	
	P.M.	<input type="checkbox"/>	5 PM	6.0	
10/22/2014	A.M.	<input type="checkbox"/>	8 AM	2.0	
	P.M.	<input type="checkbox"/>	5 PM	3.0	
10/21/2014	A.M.	<input type="checkbox"/>	8 AM	5.0	
	P.M.	<input type="checkbox"/>	5 PM	8.0	
10/20/2014	A.M.	<input type="checkbox"/>	8 AM	6.0	
	P.M.	<input type="checkbox"/>	5 PM	5.0	
10/19/2014	A.M.	<input type="checkbox"/>	8 AM	5.0	
	P.M.	<input type="checkbox"/>	5 PM	4.0	
10/18/2014	A.M.	<input type="checkbox"/>	8 AM		

Entered by: DESIREE LONG
on 10/23/14 at 1:40pm

Export Save

After entering the time and temperatures and clicking save, there will be a **red** message at the top of your screen indicating your temperature readings were recorded successfully. These saved temperatures are accessible by the Vaccine Center. There is no need to fax or email temperature logs.



- ▶ Main
- ▶ Message
- ▶ Favorites
- ▶ Patient
- ▶ Vaccinations
- ▶ Exec. Dashboard
- ▶ Organization (IRMS)
- ▶ Facilities
- ▶ Physicians & Vaccinators
- ▶ Lot Numbers
- ▶ Orders/Transfers
- ▶ Reports
- ▶ Settings
- CASA Export
- ▶ Reminder/Recall
- ▶ Imports
- ▶ Exports
- ▶ HEDIS
- Scheduled Reports
- Job Queue
- Change Password
- Administration
- ▶ Campaigns
- Answers



iWeb

Version: 5.14.8.2



Logged in: DESIREE LONG

Organization (IRMS): TEST PROVIDER MAP IRMS (63919) Date: October 28, 2014

• Temperature readings recorded successfully.

Add Cold Storage Unit

Enter Recorded Temperature

This record does not replace documentation attached to refrigerator. Display inactive units

Record Date From: 10/23/2014 Through: 10/28/2014

Temperature Data

Day		Office Closed	Time	+/- FR EEZING1 ID # (*F)	+/- FRIGE R ID # (*F)
10/28/2014	A.M.	<input type="checkbox"/>	8 AM	5.0	45.0
	P.M.	<input type="checkbox"/>	5 PM	6.3	45.0
10/27/2014	A.M.	<input type="checkbox"/>	8 AM	4.5	45.0
	P.M.	<input type="checkbox"/>	5 PM	5.0	45.0
10/26/2014	A.M.	<input type="checkbox"/>	8 AM	5.2	46.2
	P.M.	<input type="checkbox"/>	5 PM	4.6	39.0
10/25/2014	A.M.	<input type="checkbox"/>	8 AM	4.0	38.0
	P.M.	<input type="checkbox"/>	5 PM	4.0	39.0
10/24/2014	A.M.	<input type="checkbox"/>	8 AM	3.8	39.0
	P.M.	<input type="checkbox"/>	5 PM	3.7	42.0
10/23/2014	A.M.	<input type="checkbox"/>	8 AM	3.2	45.0

Export Save

You may export your temperature logs for your records. Click on the **Export** button to export the temperature file.



- ▶ Main
- ▶ Message
- ▶ Favorites
- ▶ Patient
- ▶ Vaccinations
- ▶ Exec. Dashboard
- ▶ Organization (IRMS)
- ▶ Facilities
- ▶ Physicians & Vaccinators
- ▶ Lot Numbers
- ▶ Orders/Transfers
- ▶ Reports
- ▶ Settings
- CASA Export
- ▶ Reminder/Recall
- ▶ Imports
- ▶ Exports
- ▶ HEDIS
- Scheduled Reports
- Job Queue
- Change Password
- Administration
- ▶ Campaigns
- Answers



iWeb

Version: 5.14.8.2



Logged in: DESIREE LONG

Organization (IRMS): TEST PROVIDER MAP IRMS (63919) Date: October 28, 2014

- **Temperature readings recorded successfully.**

[Add Cold Storage Unit](#)

Enter Recorded Temperature

This record does not replace documentation attached to refrigerator. Display inactive units

Record Date From: 10/23/2014 Through: 10/28/2014

Temperature Data

Day		Office Closed	Time	+/- FR EEZING1 ID # (*F)	+/- FRIGE R ID # (*F)
10/28/2014	A.M.	<input type="checkbox"/>	8 AM	5.0	45.0
	P.M.	<input type="checkbox"/>	5 PM	6.3	45.0
10/27/2014	A.M.	<input type="checkbox"/>	8 AM	4.5	45.0
	P.M.	<input type="checkbox"/>	5 PM	5.0	45.0
10/26/2014	A.M.	<input type="checkbox"/>	8 AM	5.2	46.2
	P.M.	<input type="checkbox"/>	5 PM	4.6	39.0
10/25/2014	A.M.	<input type="checkbox"/>	8 AM	4.0	38.0
	P.M.	<input type="checkbox"/>	5 PM	4.0	39.0
10/24/2014	A.M.	<input type="checkbox"/>	8 AM	3.8	39.0
	P.M.	<input type="checkbox"/>	5 PM	3.7	42.0
10/23/2014	A.M.	<input type="checkbox"/>	8 AM	3.2	45.0

[Export](#) [Save](#)

This will generate an Excel file that can be printed or saved to your computer.

	A	B	C	D	E	F	G	H	I	K	M	N	O	P
1		ColdStorageTemperatures Export												
2														
3	ORGANIZATION (IRMS)	Facility	VFC Pin	Cold Storage Unit Name	Manufacturer	Model Num	Effective From	Purchase o	Thermometer	Calibration	Temperature	Inactive	Temp Date	Min Temp Te
4	TEST PROVIDER MAP IRMS		1234	FREEZING1	FRIDGERATOR	2398FSCVJ	10/23/2014	9/24/2014	DIGITAL	10/1/2014	F		10/30/2014	
5	TEST PROVIDER MAP IRMS		1234	FREEZING1	FRIDGERATOR	2398FSCVJ	10/23/2014	9/24/2014	DIGITAL	10/1/2014	F		10/29/2014	
6	TEST PROVIDER MAP IRMS		1234	FREEZING1	FRIDGERATOR	2398FSCVJ	10/23/2014	9/24/2014	DIGITAL	10/1/2014	F		10/28/2014	
7	TEST PROVIDER MAP IRMS		1234	FREEZING1	FRIDGERATOR	2398FSCVJ	10/23/2014	9/24/2014	DIGITAL	10/1/2014	F		10/27/2014	
8	TEST PROVIDER MAP IRMS		1234	FREEZING1	FRIDGERATOR	2398FSCVJ	10/23/2014	9/24/2014	DIGITAL	10/1/2014	F		10/26/2014	
9	TEST PROVIDER MAP IRMS		1234	FREEZING1	FRIDGERATOR	2398FSCVJ	10/23/2014	9/24/2014	DIGITAL	10/1/2014	F		10/25/2014	
10	TEST PROVIDER MAP IRMS		1234	FREEZING1	FRIDGERATOR	2398FSCVJ	10/23/2014	9/24/2014	DIGITAL	10/1/2014	F		10/24/2014	
11	TEST PROVIDER MAP IRMS		1234	FREEZING1	FRIDGERATOR	2398FSCVJ	10/23/2014	9/24/2014	DIGITAL	10/1/2014	F		10/23/2014	
12	TEST PROVIDER MAP IRMS		1234	FRIGER	FRIDGIDARE	FFTR1814LB	10/23/2014	10/13/2014	DIGITAL	10/20/2014	F		10/30/2014	
13	TEST PROVIDER MAP IRMS		1234	FRIGER	FRIDGIDARE	FFTR1814LB	10/23/2014	10/13/2014	DIGITAL	10/20/2014	F		10/29/2014	
14	TEST PROVIDER MAP IRMS		1234	FRIGER	FRIDGIDARE	FFTR1814LB	10/23/2014	10/13/2014	DIGITAL	10/20/2014	F		10/28/2014	
15	TEST PROVIDER MAP IRMS		1234	FRIGER	FRIDGIDARE	FFTR1814LB	10/23/2014	10/13/2014	DIGITAL	10/20/2014	F		10/27/2014	
16	TEST PROVIDER MAP IRMS		1234	FRIGER	FRIDGIDARE	FFTR1814LB	10/23/2014	10/13/2014	DIGITAL	10/20/2014	F		10/26/2014	
17	TEST PROVIDER MAP IRMS		1234	FRIGER	FRIDGIDARE	FFTR1814LB	10/23/2014	10/13/2014	DIGITAL	10/20/2014	F		10/25/2014	
18	TEST PROVIDER MAP IRMS		1234	FRIGER	FRIDGIDARE	FFTR1814LB	10/23/2014	10/13/2014	DIGITAL	10/20/2014	F		10/24/2014	
19	TEST PROVIDER MAP IRMS		1234	FRIGER	FRIDGIDARE	FFTR1814LB	10/23/2014	10/13/2014	DIGITAL	10/20/2014	F		10/23/2014	
20														
21														
22														

