


ARIZONA

2007 Module Variables Report

Behavioral Risk Factor Surveillance System

March 2, 2008



MODULE 1: RANDOM CHILD SELECTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)	
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)	
10 MALES AND FEMALES	12
11 MALES ONLY	13
12 FEMALES ONLY	14
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)	
13 MALES AND FEMALES	15
14 MALES ONLY	16
15 FEMALES ONLY	17
HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)	
16 MALES AND FEMALES	18
17 MALES ONLY	19
18 FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)									
TOTAL	1220	1,756,179	125	8.0	05.6-10.4	391	25.2	21.1-29.3	341	26.7	22.4-31.0	292	31.6	26.3-36.9	71	8.4	05.1-11.7
Male	374	790,483	36	8.5	04.4-12.6	129	27.7	20.3-35.1	101	23.5	16.4-30.6	92	31.0	21.8-40.2	16	9.3	02.8-15.8
Female	846	965,696	89	7.7	04.8-10.6	262	23.1	18.6-27.6	240	29.4	23.9-34.9	200	32.1	26.2-38.0	55	7.6	04.7-10.5
White/Non-Hisp	618	960,696	71	9.5	06.0-13.0	200	23.9	19.2-28.6	172	25.7	20.6-30.8	138	30.8	24.5-37.1	37	10.0	05.3-14.7
Oth. Race/Non-Hisp.	95	144,573													7	1.9	00.1-03.7
Hispanic	475	575,419	39	3.7	01.5-05.9	156	28.5	19.5-37.5	142	30.2	21.0-39.4				23	7.9	01.4-14.4
18-24	76	151,627				11	7.5	00.8-14.2	8	7.5	00.0-16.7						
25-34	343	675,105	4	0.3	00.0-00.7	42	8.0	03.9-12.1	120	29.2	21.2-37.2	144	49.5	39.9-59.1	33	13.0	05.4-20.6
35-44	403	585,173	42	7.3	03.8-10.8	156	37.6	29.4-45.8	117	31.7	23.7-39.7	77	18.7	12.2-25.2	11	4.7	01.4-08.0
45-54	297	267,308	57	22.8	13.6-32.0	135	45.8	36.0-55.6	71	22.5	14.9-30.1	29	7.6	03.3-11.9	5	1.4	00.0-03.6
55-64	70	52,900													2	4.4	00.0-12.6
Less Than H.S.	172	313,659	13	4.9	00.0-10.0												
H.S. or G.E.D.	339	396,049	37	10.7	05.8-15.6	107	25.4	17.4-33.4	95	27.7	19.1-36.3	81	28.8	19.6-38.0	19	7.4	02.5-12.3
Some Post-H.S.	356	516,381	35	5.4	02.1-08.7	116	26.6	18.4-34.8	95	28.0	19.8-36.2	85	32.1	23.3-40.9	25	8.0	03.3-12.7
College Graduate	351	529,774	40	10.5	05.0-16.0	106	24.8	18.3-31.3	104	28.0	20.2-35.8	82	27.4	19.2-35.6	19	9.2	02.1-16.3
Less than \$15,000	109	113,918	12	6.4	00.0-12.9				27	7.9	01.0-14.8				5	1.2	00.0-02.6
\$15,000- 24,999	206	259,644	18	5.0	00.7-09.3												
\$25,000- 34,999	124	171,467	12	11.9	02.1-21.7												
\$35,000- 49,999	191	259,725	9	3.8	00.0-08.3												
\$50,000- 74,999	209	303,378	23	6.8	01.7-11.9	64	21.0	13.6-28.4							9	4.8	00.7-08.9
\$75,000+	279	498,222	38	10.4	04.9-15.9	88	29.6	22.2-37.0	76	23.8	16.9-30.7	62	29.3	20.9-37.7	15	6.9	02.2-11.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)									
Male	374	790,483	36	8.5	04.4-12.6	129	27.7	20.1-35.3	101	23.5	16.4-30.6	92	31.0	21.6-40.4	16	9.3	02.6-16.0
White/Non-Hisp	202	411,788	22	10.8	04.5-17.1	72	27.0	18.2-35.8	58	23.8	15.6-32.0				11	11.2	02.0-20.4
Hispanic	128	251,819	8	2.9	00.0-06.2												
25-34	95	271,054				12	6.1	01.6-10.6									
35-44	110	285,560	11	8.5	02.0-15.0										3	4.0	00.0-09.3
45-54	100	140,529										13	5.4	01.7-09.1			
H.S. or G.E.D.	111	169,213	12	11.3	02.9-19.7										5	4.5	00.0-09.8
Some Post-H.S.	100	237,478	7	4.4	00.0-10.1										4	5.3	00.0-11.4
\$15,000- 24,999	54	143,211	4	4.0	00.0-09.1												
\$35,000- 49,999	70	129,663	3	6.6	00.0-15.4												
\$50,000- 74,999	73	136,664	6	7.1	00.0-16.5										3	2.9	00.0-07.0
\$75,000+	102	229,710	14	12.6	02.6-22.6										3	4.9	00.0-11.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)									
Female	846	965,696	89	7.7	04.8-10.6	262	23.1	18.8-27.4	240	29.4	23.9-34.9	200	32.1	26.2-38.0	55	7.6	04.7-10.5
White/Non-Hisp	416	548,908	49	8.6	04.7-12.5	128	21.6	16.7-26.5	114	27.2	20.7-33.7	99	33.6	26.0-41.2	26	9.0	04.3-13.7
Oth. Race/Non-Hisp.	64	69,775	6	6.5	01.0-12.0							7	4.0	00.5-07.5			
Hispanic	347	323,600	31	4.3	01.6-07.0	111	26.1	16.7-35.5				19	5.8	01.9-09.7			
18-24	53	88,490							4	0.6	00.0-01.8						
25-34	248	404,051	4	0.5	00.0-01.1	30	9.3	03.2-15.4				24	7.5	02.6-12.4			
35-44	293	299,613	31	6.2	03.3-09.1	112	33.0	25.0-41.0	84	35.3	26.7-43.9	58	20.0	12.6-27.4	8	5.4	01.5-09.3
45-54	197	126,779	42	20.3	10.7-29.9				43	17.8	10.0-25.6	16	10.0	02.2-17.8	5	2.9	00.0-07.4
Less Than H.S.	129	160,849	10	7.0	00.0-15.8							5	2.1	00.0-04.3			
H.S. or G.E.D.	228	226,836	25	10.2	04.3-16.1	71	21.1	11.7-30.5				14	9.5	02.1-16.9			
Some Post-H.S.	256	278,902	28	6.2	02.3-10.1	78	23.1	15.8-30.4	69	32.5	23.5-41.5	60	27.9	18.9-36.9	21	10.3	03.4-17.2
College Graduate	232	299,074	26	7.6	02.3-12.9	65	22.5	15.2-29.8				14	6.7	02.6-10.8			
Less than \$15,000	97	87,445	10	7.7	00.0-15.7				25	10.2	01.6-18.8				5	1.6	00.0-03.4
\$15,000- 24,999	152	116,433	14	6.2	00.0-13.1							9	8.3	00.7-15.9			
\$25,000- 34,999	86	95,351										10	9.5	00.7-18.3			
\$35,000- 49,999	121	130,061	6	1.0	00.0-02.2												
\$50,000- 74,999	136	166,714	17	6.5	01.6-11.4	42	19.6	10.8-28.4				6	6.3	00.0-13.0			
\$75,000+	177	268,512	24	8.6	02.7-14.5	51	26.6	18.4-34.8	52	25.9	17.1-34.7	12	8.6	01.9-15.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1307	1,868,134	707	56.4	51.3-61.5	600	43.6	38.5-48.7
Male	413	864,927	222	56.7	47.9-65.5	191	43.3	34.5-52.1
Female	894	1,003,206	485	56.3	50.6-62.0	409	43.7	38.0-49.4
White/Non-Hisp	655	1,014,666	366	60.7	54.8-66.6	289	39.3	33.4-45.2
25-34	367	721,696	209	54.3	45.1-63.5	158	45.7	36.5-54.9
35-44	430	629,313	225	58.2	50.4-66.0	205	41.8	34.0-49.6
45-54	311	260,923	169	54.3	45.1-63.5	142	45.7	36.5-54.9
H.S. or G.E.D.	364	450,366	182	50.2	40.4-60.0	182	49.8	40.0-59.6
Some Post-H.S.	376	547,538	214	61.0	52.4-69.6	162	39.0	30.4-47.6
College Graduate	374	548,425	201	58.7	50.5-66.9	173	41.3	33.1-49.5
\$75,000+	288	525,419	155	58.4	49.6-67.2	133	41.6	32.8-50.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION
TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	413	864,927	222	56.7	47.9-65.5	191	43.3	34.5-52.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy Male			Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	894	1,003,206	485	56.3	50.6-62.0	409	43.7	38.0-49.4
White/Non-Hisp	439	576,220	241	60.4	53.3-67.5	198	39.6	32.5-46.7
35-44	308	326,449	161	58.3	50.1-66.5	147	41.7	33.5-49.9
Some Post-H.S.	267	296,493	149	59.0	49.8-68.2	118	41.0	31.8-50.2
\$75,000+	183	277,223	100	63.2	53.2-73.2	83	36.8	26.8-46.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 7. IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1300	1,869,293	585	36.9	31.8-42.0	715	63.1	58.0-68.2
Male	412	865,687	170	38.0	29.0-47.0	242	62.0	53.0-71.0
Female	888	1,003,605	415	35.9	30.2-41.6	473	64.1	58.4-69.8
White/Non-Hisp	656	1,017,541	84	9.0	05.9-12.1	572	91.0	87.9-94.1
Oth. Race/Non-Hisp.	109	160,850	14	10.2	02.4-18.0	95	89.8	82.0-97.6
Hispanic	504	609,055	485	94.3	90.6-98.0	19	5.7	02.0-09.4
25-34	365	720,601	187	42.8	33.4-52.2	178	57.2	47.8-66.6
35-44	426	631,228	189	36.5	28.3-44.7	237	63.5	55.3-71.7
45-54	310	261,213	122	25.1	16.9-33.3	188	74.9	66.7-83.1
H.S. or G.E.D.	359	448,608	183	43.0	33.4-52.6	176	57.0	47.4-66.6
Some Post-H.S.	379	549,185	153	31.3	22.5-40.1	226	68.7	59.9-77.5
College Graduate	373	550,799	99	16.6	10.1-23.1	274	83.4	76.9-89.9
\$15,000- 24,999	222	283,651	154	75.8	66.4-85.2	68	24.2	14.8-33.6
\$50,000- 74,999	223	331,537	60	19.1	10.9-27.3	163	80.9	72.7-89.1
\$75,000+	288	525,419	73	16.2	09.9-22.5	215	83.8	77.5-90.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	412	865,687	170	38.0	29.0-47.0	242	62.0	53.0-71.0
White/Non-Hisp	215	438,389	30	11.4	05.5-17.3	185	88.6	82.7-94.5
Hispanic	141	279,781	137	98.2	95.5-0100	4	1.8	00.0-04.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	888	1,003,605	415	35.9	30.2-41.6	473	64.1	58.4-69.8
White/Non-Hisp	441	579,153	54	7.2	04.1-10.3	387	92.8	89.7-95.9
Hispanic	363	329,274	348	91.0	84.7-97.3	15	9.0	02.7-15.3
35-44	305	328,421	138	34.4	26.0-42.8	167	65.6	57.2-74.0
45-54	204	126,458	83	19.2	11.4-27.0	121	80.8	73.0-88.6
Some Post-H.S.	268	296,510	114	28.8	20.8-36.8	154	71.2	63.2-79.2
College Graduate	247	306,984	62	14.0	06.2-21.8	185	86.0	78.2-93.8
\$50,000- 74,999	145	183,157	37	12.1	03.3-20.9	108	87.9	79.1-96.7
\$75,000+	183	277,223	42	15.0	07.6-22.4	141	85.0	77.6-92.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1282	1,813,887	769	64.4	59.5-69.3	30	4.4	01.9-06.9	24	2.8	01.2-04.4	9	0.6	00.0-01.4	67	2.7	01.9-03.5	383	25.0	20.5-29.5
Male	406	832,209	243	57.7	49.3-66.1	13	5.8	00.9-10.7	12	3.3	00.8-05.8	3	0.9	00.0-02.5	22	2.7	01.3-04.1	113	29.5	21.5-37.5
Female	876	981,678	526	70.2	65.1-75.3	17	3.3	01.1-05.5	12	2.3	00.3-04.3	6	0.3	00.1-00.5	45	2.7	01.7-03.7	270	21.2	16.7-25.7
White/Non-Hisp	655	1,011,772	575	87.5	82.8-92.2	4	1.2	00.0-02.4	6	0.2	00.0-00.4	1	0.1	00.0-00.3	2	0.4	00.0-01.0	67	10.7	06.2-15.2
Oth. Race/Non-Hisp.	109	160,850				2	2.1	00.0-05.6				7	5.8	00.0-13.2	55	24.2	15.4-33.0			
Hispanic	486	559,123	176	41.2	31.4-51.0	3	0.4	00.0-01.0	2	0.5	00.0-01.3	1	0.1	00.0-00.3	8	1.1	00.1-02.1	296	56.8	47.0-66.6
18-24	79	172,855							1	0.2	00.0-00.6	2	4.0	00.0-11.1	5	2.9	00.0-05.8			
25-34	361	682,421	209	66.6	58.4-74.8	7	2.0	00.2-03.8	5	2.7	00.0-05.6	3	0.3	00.0-00.7	18	1.5	00.7-02.3	119	26.8	19.0-34.6
35-44	423	621,218	252	65.6	57.8-73.4	10	3.9	00.4-07.4	7	2.9	00.2-05.6	1	0.1	00.0-00.3	21	3.7	01.9-05.5	132	23.9	16.6-31.2
45-54	305	256,641	203	72.5	64.7-80.3	5	3.4	00.0-07.5	10	5.1	01.4-08.8	3	0.3	00.0-00.7	14	3.0	00.8-05.2	70	15.6	09.5-21.7
55-64	79	56,744				1	1.5	00.0-04.4	1	0.4	00.0-01.2				8	6.2	00.1-12.3			
Less Than H.S.	184	278,947							1	0.5	00.0-01.5				10	3.0	00.8-05.2			
H.S. or G.E.D.	356	447,470	204	59.3	49.5-69.1	7	2.7	00.2-05.2	2	0.4	00.0-01.0	7	2.0	00.0-04.7	31	5.6	03.1-08.1	105	30.0	20.0-40.0
Some Post-H.S.	370	542,240	234	69.4	61.0-77.8	6	3.5	00.0-07.4	3	0.9	00.0-02.1	2	0.3	00.0-00.7	15	2.0	00.8-03.2	110	23.9	16.1-31.7
College Graduate	370	544,914	262	75.4	68.3-82.5	12	4.1	01.0-07.2	18	7.7	03.0-12.4				11	1.0	00.2-01.8	67	11.8	06.9-16.7
Less than \$15,000	117	120,574							1	0.8	00.0-02.4	2	0.6	00.0-01.6	8	4.7	00.6-08.8			
\$15,000- 24,999	216	254,843				2	2.5	00.0-06.0	1	0.9	00.0-02.7	3	0.6	00.0-01.6	25	6.6	03.1-10.1			
\$25,000- 34,999	128	173,782				4	6.7	00.0-15.3							11	4.1	01.0-07.2			
\$35,000- 49,999	195	269,279				3	2.0	00.0-04.5	3	2.3	00.0-06.4	1	0.3	00.0-00.9	12	4.1	01.0-07.2			
\$50,000- 74,999	222	331,968	163	78.7	70.1-87.3	4	2.0	00.0-04.5	6	5.2	00.0-10.5	1	0.2	00.0-00.6	7	1.8	00.2-03.4	41	12.1	05.0-19.2
\$75,000+	288	523,764	219	77.9	69.7-86.1	10	3.6	00.7-06.5	10	3.1	00.4-05.8							49	15.4	07.8-23.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	406	832,209	243	57.7	49.3-66.1	13	5.8	00.9-10.7	12	3.3	00.8-05.8	3	0.9	00.0-02.5	22	2.7	01.5-03.9	113	29.5	21.5-37.5
White/Non-Hisp	216	437,118	192	81.9	72.1-91.7	1	1.0	00.0-03.0	2	0.2	00.0-00.4				1	0.7	00.0-02.1	20	16.3	06.7-25.9
Hispanic	134	247,808				1	0.0	00.0-00.0	1	0.4	00.0-01.2				2	0.4	00.0-01.0			
25-34	104	272,737				5	3.9	00.0-08.0	2	2.3	00.0-06.4	1	0.4	00.0-01.2	3	0.8	00.0-01.8			
35-44	122	302,864				4	4.9	00.0-11.6	3	3.9	00.0-09.0	1	0.2	00.0-00.6	11	4.5	01.6-07.4			
45-54	106	130,629				2	3.9	00.0-11.2	6	6.7	00.4-13.0				5	3.0	00.0-06.1	22	15.0	05.8-24.2
H.S. or G.E.D.	124	212,105				1	0.1	00.0-00.3	2	0.8	00.0-02.0	2	3.2	00.0-08.9	12	6.5	02.0-11.0			
Some Post-H.S.	109	252,602				2	4.9	00.0-12.5	2	1.1	00.0-02.7	1	0.4	00.0-01.2	2	1.0	00.0-02.4			
College Graduate	123	237,997				8	7.5	00.8-14.2	8	9.5	01.3-17.7				4	1.1	00.0-02.3	24	17.9	07.9-27.9
\$15,000- 24,999	60	134,274										1	0.8	00.0-02.6	8	6.2	00.9-11.5			
\$35,000- 49,999	72	142,194				1	1.9	00.0-05.6	1	4.0	00.0-11.8				4	3.3	00.0-07.6			
\$50,000- 74,999	79	148,859				2	3.0	00.0-08.5	4	6.5	00.0-13.8	1	0.4	00.0-01.2	4	2.6	00.0-05.3			
\$75,000+	105	246,542				6	5.4	00.0-11.1	4	3.4	00.0-08.5									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	876	981,678	526	70.2	65.1-75.3	17	3.3	0.1-05.5	12	2.3	0.0-04.3	6	0.3	0.0-00.5	45	2.7	0.1-03.7	270	21.2	16.7-25.7
White/Non-Hisp	439	574,655	383	91.8	88.7-94.9	3	1.3	0.0-03.1	4	0.2	0.0-00.4	1	0.1	0.0-00.3	1	0.1	0.0-00.3	47	6.4	03.9-08.9
Oth. Race/Non-Hisp.	67	70,389				1	4.1	0.0-12.1				4	2.1	0.0-04.6				9	4.8	00.5-09.1
Hispanic	352	311,315				2	0.7	0.0-01.7	1	0.6	0.0-01.8	1	0.1	0.0-00.3	6	1.6	0.0-03.4			
18-24	54	81,282				3	6.9	0.0-16.9	1	0.4	0.0-01.2	1	0.9	0.0-02.7	3	3.2	0.0-07.3			
25-34	257	409,684	151	70.4	61.2-79.6	2	0.8	0.0-02.0	3	3.0	0.0-07.1	2	0.2	0.0-00.6	15	2.0	0.0-03.2	84	23.5	14.9-32.1
35-44	301	318,355	183	72.0	64.9-79.1	6	2.8	0.1-05.5	4	1.9	0.0-03.9				10	2.9	0.0-04.9	98	20.4	13.9-26.9
45-54	199	126,012	132	73.7	64.3-83.1	3	2.9	0.0-06.2	4	3.5	0.0-07.6	3	0.6	0.0-01.4	9	3.0	0.0-06.3	48	16.3	08.5-24.1
Less Than H.S.	135	149,724				3	6.3	0.0-15.5	1	0.9	0.0-02.7				6	3.1	0.0-06.0			
H.S. or G.E.D.	232	235,364				6	5.1	0.0-10.0				5	0.9	0.0-01.9	19	4.7	0.0-07.4			
Some Post-H.S.	261	289,637	161	74.0	66.4-81.6	4	2.3	0.0-05.0	1	0.8	0.0-02.4	1	0.1	0.0-00.3	13	2.8	0.0-04.8	81	19.9	12.8-27.0
College Graduate	247	306,918	183	84.2	77.3-91.1	4	1.4	0.0-02.8	10	6.3	0.0-12.0				7	1.0	0.0-02.0	43	7.1	03.4-10.8
Less than \$15,000	100	88,558				3	5.0	0.0-12.1				2	0.8	0.0-02.0	6	3.8	0.0-07.5			
\$15,000- 24,999	156	120,570				2	5.3	0.0-12.6	1	1.8	0.0-05.3	2	0.3	0.0-00.7	17	7.1	0.0-11.4			
\$25,000- 34,999	88	99,971													7	3.5	0.0-06.6			
\$35,000- 49,999	123	127,084				2	2.0	0.0-04.9	2	0.4	0.0-01.0	1	0.6	0.0-01.8	8	5.1	0.0-09.8			
\$50,000- 74,999	143	183,109	111	88.9	80.7-97.1	2	1.1	0.0-02.7	2	4.1	0.0-11.5				3	1.2	0.0-02.8	25	4.7	01.0-08.4
\$75,000+	183	277,223	147	88.5	83.2-93.8	4	2.0	0.0-04.4	6	2.9	0.0-05.4							26	6.7	02.6-10.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1311	1,874,342	1118	87.1	83.6-90.6	96	3.9	02.5-05.3	14	0.7	00.0-01.5	35	4.5	01.8-07.2	34	2.8	01.2-04.4	14	1.1	00.3-01.9
Male	417	870,173	350	84.2	77.5-90.9	23	1.8	00.8-02.8	6	1.4	00.0-03.2	16	7.0	01.3-12.7	14	3.7	00.6-06.8	8	1.9	00.1-03.7
Female	894	1,004,169	768	89.6	86.5-92.7	73	5.7	03.3-08.1	8	0.1	00.0-00.3	19	2.3	00.5-04.1	20	1.9	00.5-03.3	6	0.4	00.0-00.8
White/Non-Hisp	659	1,017,813	574	88.3	84.0-92.6	46	3.8	02.2-05.4	6	1.2	00.0-02.6	16	4.2	00.5-07.9	10	1.7	00.1-03.3	7	0.8	00.0-01.6
Oth. Race/Non-Hisp.	109	160,851				11	3.6	00.7-06.5	1	0.1	00.0-00.3	5	6.7	00.0-14.5				3	3.9	00.0-10.2
Hispanic	508	611,960	435	91.5	87.6-95.4	37	4.3	01.6-07.0	7	0.2	00.0-00.4	13	2.1	00.0-04.3	14	1.7	00.3-03.1	2	0.2	00.0-00.6
18-24	81	174,243				1	0.3	00.0-00.9										2	0.7	00.0-01.7
25-34	368	723,642	351	96.5	94.0-99.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0	5	1.3	00.0-03.3	8	1.0	00.0-02.0	2	1.1	00.0-02.7
35-44	432	631,494	411	94.2	90.7-97.7	9	1.7	00.0-03.7	4	1.9	00.0-04.3	2	1.0	00.0-02.4	6	1.3	00.1-02.5			
45-54	313	263,128	271	86.1	78.8-93.4	24	7.1	02.6-11.6	4	0.4	00.0-00.8				7	2.9	00.0-07.8	7	3.6	00.0-07.7
55-64	81	57,579							4	0.8	00.0-01.6				3	1.0	00.0-02.4	3	3.8	00.0-08.5
Less Than H.S.	191	323,504				23	4.3	00.8-07.8	2	0.2	00.0-00.6	3	7.5	00.0-18.3	11	5.3	00.0-12.2	3	0.7	00.0-01.7
H.S. or G.E.D.	362	449,345	291	75.9	66.9-84.9	29	6.2	02.3-10.1	7	2.7	00.0-05.8	19	10.5	02.5-18.5	12	3.0	00.8-05.2	4	1.7	00.0-04.1
Some Post-H.S.	381	549,016	328	90.7	86.6-94.8	25	3.5	01.5-05.5	3	0.1	00.0-00.3	12	1.4	00.2-02.6	9	3.7	00.4-07.0	4	0.5	00.0-01.3
College Graduate	376	552,443	350	95.5	92.6-98.4	18	2.1	00.5-03.7	2	0.0	00.0-00.0	1	0.8	00.0-02.4	2	0.1	00.0-00.3	3	1.5	00.0-03.5
Less than \$15,000	116	119,793				14	2.6	00.6-04.6							8	4.7	00.0-10.4	1	0.3	00.0-00.9
\$15,000- 24,999	223	285,719	184	86.6	79.2-94.0	20	4.8	00.7-08.9	5	0.4	00.0-00.8	6	5.6	00.1-11.1	6	2.5	00.0-05.0	2	0.2	00.0-00.4
\$25,000- 34,999	132	178,409	117	91.4	83.4-99.4	7	2.4	00.0-05.1	1	0.1	00.0-00.3	3	0.4	00.0-01.0	4	5.7	00.0-13.3			
\$35,000- 49,999	201	271,977	168	88.4	82.9-93.9	15	6.6	02.3-10.9	4	1.2	00.0-03.4	3	0.7	00.0-01.7	6	1.5	00.0-03.3	5	1.6	00.0-03.2
\$50,000- 74,999	224	332,016	202	91.3	86.4-96.2	14	4.4	01.1-07.7	1	0.1	00.0-00.3	3	1.3	00.0-02.9	1	0.7	00.0-02.1	3	2.3	00.0-05.4
\$75,000+	291	529,617	271	89.4	82.1-96.7	10	2.4	00.0-04.9	2	1.6	00.0-04.1	4	4.4	00.0-10.7	2	0.8	00.0-02.4	2	1.5	00.0-03.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	417	870,173	350	84.2	77.5-90.9	23	1.8	00.8-02.8	6	1.4	00.0-03.2	16	7.0	01.3-12.7	14	3.7	00.6-06.8	8	1.9	00.1-03.7
White/Non-Hisp	218	440,113	181	84.7	76.1-93.3	15	3.0	01.0-05.0	4	2.7	00.0-06.0	9	6.2	00.0-13.8	5	2.2	00.0-05.3	4	1.2	00.0-02.6
Hispanic	142	282,209	126	94.5	89.4-99.6	7	0.8	00.0-01.6	2	0.2	00.0-00.6	3	2.7	00.0-07.0	4	1.8	00.0-04.2			
25-34	109	302,932	100	95.1	90.8-99.4	1	0.1	00.0-00.3				1	0.2	00.0-00.8	5	2.0	00.0-04.0	2	2.6	00.0-06.3
35-44	122	302,864	114	93.0	87.1-98.9	1	0.2	00.0-00.6	3	3.8	00.0-08.5	1	1.4	00.0-04.1	3	1.5	00.0-03.3			
45-54	109	136,670				2	0.7	00.0-01.7	1	0.4	00.0-01.2				2	5.1	00.0-14.3	4	5.2	00.0-12.5
Less Than H.S.	51	157,913				2	0.8	00.0-02.0	1	0.3	00.0-00.9							3	1.3	00.0-03.3
H.S. or G.E.D.	127	214,103				9	1.6	00.2-03.0	5	5.5	00.0-12.2				4	2.6	00.0-05.5	2	2.7	00.0-07.4
Some Post-H.S.	112	253,240	95	91.1	84.4-97.8	8	3.7	00.6-06.8				4	0.8	00.0-02.0	4	4.2	00.0-09.9	1	0.2	00.0-00.6
College Graduate	127	244,917	119	94.1	88.4-99.8	4	0.7	00.0-01.5				1	1.8	00.0-05.3	1	0.3	00.0-00.9	2	3.2	00.0-07.7
\$15,000- 24,999	62	162,964	52	90.3	80.9-99.7	3	1.8	00.0-04.7	2	0.4	00.0-01.0	3	5.2	00.0-13.0	2	2.2	00.0-06.1			
\$35,000- 49,999	76	144,165	64	91.9	85.6-98.2	5	2.9	00.0-06.4	1	2.1	00.0-06.2	1	0.8	00.0-02.4	3	0.9	00.0-02.1	2	1.5	00.0-03.7
\$50,000- 74,999	79	148,859	70	91.5	83.7-99.3	4	1.4	00.0-03.0				2	1.7	00.0-04.2	1	1.6	00.0-04.7	2	3.7	00.0-10.4
\$75,000+	106	248,760				3	0.7	00.0-01.7	2	3.5	00.0-08.8							2	3.1	00.0-07.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 1: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRLTN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	894	1,004,169	768	89.6	86.5-92.7	73	5.7	03.3-08.1	8	0.1	00.0-00.3	19	2.3	00.5-04.1	20	1.9	00.5-03.3	6	0.4	00.0-00.8
White/Non-Hisp	441	577,700	393	91.0	87.1-94.9	31	4.4	02.0-06.8	2	0.1	00.1-00.1	7	2.7	00.0-05.4	5	1.4	00.0-03.2	3	0.5	00.0-01.1
Oth. Race/Non-Hisp.	67	70,389				10	7.4	00.9-13.9	1	0.2	00.0-00.6	2	3.1	00.0-07.6	4	8.0	00.0-19.2	1	1.1	00.0-03.3
Hispanic	366	329,752	309	88.8	83.1-94.5	30	7.4	02.3-12.5	5	0.2	00.0-00.4	10	1.7	00.1-03.3	10	1.5	00.0-03.1	2	0.3	00.0-00.9
18-24	55	81,777				1	0.6	00.0-01.8										1	0.9	00.0-02.7
25-34	259	420,710	251	97.6	94.3-0100				1	0.1	00.0-00.3	4	2.0	00.0-05.3	3	0.4	00.0-01.0			
35-44	310	328,630	297	95.3	91.4-99.2	8	3.1	00.0-06.8	1	0.0	00.0-00.0	1	0.5	00.0-01.5	3	1.1	00.0-02.5			
45-54	204	126,458	171	83.3	74.1-92.5	22	13.9	05.1-22.7	3	0.4	00.0-00.8				5	0.5	00.0-01.1	3	1.9	00.0-04.8
Less Than H.S.	140	165,590				21	7.6	01.1-14.1	1	0.1	00.0-00.3	2	4.4	00.0-12.6	6	1.0	00.0-02.2			
H.S. or G.E.D.	235	235,243	194	81.1	72.7-89.5	20	10.4	03.3-17.5	2	0.2	00.0-00.4	9	4.2	00.3-08.1	8	3.3	00.2-06.4	2	0.8	00.0-01.8
Some Post-H.S.	269	295,776	233	90.5	85.6-95.4	17	3.4	00.9-05.9	3	0.2	00.0-00.4	8	2.0	00.0-04.0	5	3.2	00.0-06.9	3	0.8	00.0-02.2
College Graduate	249	307,526	231	96.6	94.1-99.1	14	3.2	00.7-05.7	2	0.1	00.0-00.3				1	0.0	00.0-00.0	1	0.1	00.0-00.3
Less than \$15,000	99	87,778				12	2.8	00.6-05.0							7	4.5	00.0-11.0			
\$15,000- 24,999	161	122,754				17	8.8	00.6-17.0	3	0.3	00.0-00.7	3	6.1	00.0-13.4	4	2.7	00.0-05.8	2	0.4	00.0-01.0
\$25,000- 34,999	90	100,146	80	97.4	95.0-99.8	6	2.0	00.0-04.2	1	0.2	00.0-00.6	2	0.2	00.0-00.6	1	0.2	00.0-00.6			
\$35,000- 49,999	125	127,811	104	84.4	75.4-93.4	10	10.8	02.8-18.8	3	0.2	00.0-00.6	2	0.6	00.0-01.8	3	2.2	00.0-05.5	3	1.7	00.0-03.9
\$50,000- 74,999	145	183,157	132	91.1	84.8-97.4	10	6.8	01.1-12.5	1	0.2	00.0-00.6	1	0.9	00.0-02.7				1	1.0	00.0-03.0
\$75,000+	185	280,857	175	94.3	89.0-99.6	7	4.0	00.0-08.5				1	0.3	00.0-00.9	2	1.4	00.0-04.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007

MODULE 2: CHILDHOOD ASTHMA PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 2: CHILDHOOD ASTHMA PREVALENCE**

TABLE 1: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	1333	1,904,619	166	12.9	09.6-16.2	1167	87.1	83.8-90.4
Male	426	886,528	47	11.8	06.3-17.3	379	88.2	82.7-93.7
Female	907	1,018,092	119	13.8	09.9-17.7	788	86.2	82.3-90.1
White/Non-Hisp	671	1,039,316	84	12.3	08.6-16.0	587	87.7	84.0-91.4
Oth. Race/Non-Hisp.	110	163,425	11	8.5	01.2-15.8	99	91.5	84.2-98.8
Hispanic	518	619,900	61	10.1	05.6-14.6	457	89.9	85.4-94.4
25-34	366	715,467	40	10.9	06.0-15.8	326	89.1	84.2-94.0
35-44	442	639,696	62	15.4	09.7-21.1	380	84.6	78.9-90.3
45-54	320	286,507	36	10.0	05.1-14.9	284	90.0	85.1-94.9
H.S. or G.E.D.	367	449,538	45	10.0	05.3-14.7	322	90.0	85.3-94.7
Some Post-H.S.	390	557,052	56	13.6	07.9-19.3	334	86.4	80.7-92.1
College Graduate	380	569,530	38	13.1	07.6-18.6	342	86.9	81.4-92.4
\$15,000- 24,999	226	289,104	32	11.3	04.2-18.4	194	88.7	81.6-95.8
\$25,000- 34,999	132	179,723	17	8.7	02.2-15.2	115	91.3	84.8-97.8
\$35,000- 49,999	199	269,482	21	9.0	03.3-14.7	178	91.0	85.3-96.7
\$50,000- 74,999	229	334,710	21	11.3	04.2-18.4	208	88.7	81.6-95.8
\$75,000+	299	548,558	35	11.6	06.3-16.9	264	88.4	83.1-93.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 2: CHILDHOOD ASTHMA PREVALENCE**

TABLE 2: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents without children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	426	886,528	47	11.8	06.3-17.3	379	88.2	82.7-93.7
White/Non-Hisp	222	451,563	25	10.4	04.9-15.9	197	89.6	84.1-95.1
Hispanic	147	285,015	15	6.0	01.1-10.9	132	94.0	89.1-98.9
25-34	109	302,932	9	4.3	00.4-08.2	100	95.7	91.8-99.6
45-54	111	152,443	11	6.3	01.2-11.4	100	93.7	88.6-98.8
H.S. or G.E.D.	129	210,692	17	9.2	03.1-15.3	112	90.8	84.7-96.9
College Graduate	130	260,717	9	8.3	01.4-15.2	121	91.7	84.8-98.6
\$15,000- 24,999	63	165,948	10	6.6	00.5-12.7	53	93.4	87.3-99.5
\$35,000- 49,999	76	144,165	8	10.4	01.2-19.6	68	89.6	80.4-98.8
\$75,000+	110	265,234	10	9.4	01.6-17.2	100	90.6	82.8-98.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 2: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 3: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents without children**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	907	1,018,092	119	13.8	09.9-17.7	788	86.2	82.3-90.1	
White/Non-Hisp	449	587,753	59	13.7	08.4-19.0	390	86.3	81.0-91.6	
Hispanic	371	334,885	46	13.6	06.7-20.5	325	86.4	79.5-93.3	
18-24	56	88,856	5	4.3	00.0-09.0	51	95.7	91.0-0100	
25-34	257	412,536	31	15.8	08.4-23.2	226	84.2	76.8-91.6	
35-44	315	330,488	41	11.1	06.0-16.2	274	88.9	83.8-94.0	
45-54	209	134,063	25	14.1	05.9-22.3	184	85.9	77.7-94.1	
H.S. or G.E.D.	238	238,846	28	10.7	03.8-17.6	210	89.3	82.4-96.2	
Some Post-H.S.	276	303,112	41	11.6	06.1-17.1	235	88.4	82.9-93.9	
College Graduate	250	308,814	29	17.1	09.1-25.1	221	82.9	74.9-90.9	
\$35,000- 49,999	123	125,317	13	7.4	01.7-13.1	110	92.6	86.9-98.3	
\$50,000- 74,999	148	185,234	13	9.6	00.8-18.4	135	90.4	81.6-99.2	
\$75,000+	189	283,324	25	13.8	06.5-21.1	164	86.2	78.9-93.5	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 2: CHILDHOOD ASTHMA PREVALENCE

TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 2: CHILDHOOD ASTHMA PREVALENCE

TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 2: CHILDHOOD ASTHMA PREVALENCE

TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASHNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 3: DIABETES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	30
2 MALES ONLY	31
3 FEMALES ONLY	32
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	33
5 MALES ONLY	34
6 FEMALES ONLY	35
ARE YOU TAKING DIABETES PILLS? (DIABPILL)	
7 MALES AND FEMALES	36
8 MALES ONLY	37
9 FEMALES ONLY	38
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
10 MALES AND FEMALES	39
11 MALES ONLY	40
12 FEMALES ONLY	41
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
13 MALES AND FEMALES	42
14 MALES ONLY	43
15 FEMALES ONLY	44
HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSOE)	
16 MALES AND FEMALES	45
17 MALES ONLY	46
18 FEMALES ONLY	47

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 3: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
19	MALES AND FEMALES	48
20	MALES ONLY	49
21	FEMALES ONLY	50
	A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
22	MALES AND FEMALES	51
23	MALES ONLY	52
24	FEMALES ONLY	53
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
25	MALES AND FEMALES	54
26	MALES ONLY	55
27	FEMALES ONLY	56
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
28	MALES AND FEMALES	57
29	MALES ONLY	58
30	FEMALES ONLY	59
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
31	MALES AND FEMALES	60
32	MALES ONLY	61
33	FEMALES ONLY	62
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
34	MALES AND FEMALES	63
35	MALES ONLY	64
36	FEMALES ONLY	65

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	524	376,853	12	4.9	00.2-09.6	47	14.9	07.8-22.0	119	22.8	15.9-29.7	200	31.0	23.7-38.3	146	26.4	19.5-33.3
Male	220	207,676	4	7.4	00.0-15.6												
Female	304	169,178	8	1.9	00.3-03.5	30	15.7	06.3-25.1	71	25.9	16.9-34.9	107	28.7	19.9-37.5	88	27.9	19.3-36.5
White/Non-Hisp	317	251,282	7	5.5	00.0-12.2	23	12.3	04.1-20.5	57	19.4	12.0-26.8	121	29.1	20.3-37.9	109	33.7	24.3-43.1
Hispanic	146	89,823	2	3.5	00.0-09.4										23	12.1	03.5-20.7
45-54	97	87,045	3	1.1	00.0-02.5												
55-64	139	89,139	3	0.9	00.0-02.3												
65+	235	132,734				6	1.5	00.0-03.3	17	6.0	01.3-10.7	83	30.1	20.1-40.1			
Less Than H.S.	104	67,841	2	4.9	00.0-12.9												
H.S. or G.E.D.	152	98,092	4	1.8	00.0-03.8				31	17.0	08.2-25.8						
Some Post-H.S.	145	95,542				10	5.5	00.0-11.4									
College Graduate	121	114,767	3	4.9	00.0-12.0										33	18.6	09.2-28.0
\$15,000- 24,999	121	87,029	2	0.7	00.0-01.9												
\$25,000- 34,999	57	29,460							10	8.1	01.4-14.8						
\$35,000- 49,999	60	55,056				5	4.8	00.1-09.5									
\$75,000+	56	75,542	1	5.5	00.0-15.9												

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	220	207,676	4	7.4	00.0-15.6									
White/Non-Hisp	148	141,537	2	8.3	00.0-19.7									
65+	103	73,980				2	0.8	00.0-02.4	10	7.4	00.0-14.8			
Some Post-H.S.	56	50,237				3	6.9	00.0-17.7						
College Graduate	69	73,804	2	6.6	00.0-17.4							15	13.7	03.9-23.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	304	169,178	8	1.9	00.3-03.5	30	15.7	06.3-25.1	71	25.9	16.9-34.9	107	28.7	19.9-37.5	88	27.9	19.1-36.7
White/Non-Hisp	169	109,745	5	1.9	00.0-04.1												
Hispanic	98	42,047	1	0.9	00.0-02.7												
45-54	58	23,010	3	4.1	00.0-09.6												
55-64	81	53,249	3	1.4	00.0-03.6												
65+	132	58,754				4	2.4	00.0-05.9	7	4.3	00.0-09.6						
Less Than H.S.	64	23,030	1	2.4	00.0-07.3	4	7.5	00.0-16.5									
H.S. or G.E.D.	98	59,838	4	2.9	00.0-06.2												
Some Post-H.S.	89	45,306	2	0.5	00.0-01.3	7	3.9	00.4-07.4									
College Graduate	52	40,963	1	1.8	00.0-05.3												
Less than \$15,000	65	23,952	2	2.4	00.0-05.9												
\$15,000- 24,999	76	38,763	2	1.5	00.0-04.0	7	5.7	00.0-12.4									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	539	383,209	124	23.2	16.1-30.3	415	76.8	69.7-83.9
Female	317	173,719	78	23.9	16.1-31.7	239	76.1	68.3-83.9
White/Non-Hisp	323	253,506	82	25.2	16.0-34.4	241	74.8	65.6-84.0
Hispanic	151	90,018	25	13.8	04.0-23.6	126	86.2	76.4-96.0
65+	248	137,275	55	17.5	09.3-25.7	193	82.5	74.3-90.7
\$15,000- 24,999	123	90,254	26	14.3	05.1-23.5	97	85.7	76.5-94.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	317	173,719	78	23.9	16.1-31.7	239	76.1	68.3-83.9
White/Non-Hisp	175	111,969	46	24.4	14.4-34.4	129	75.6	65.6-85.6
65+	145	63,295	32	16.7	08.3-25.1	113	83.3	74.9-91.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 7: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	537	378,024	375	58.2	49.8-66.6	162	41.8	33.4-50.2
65+	247	137,068	179	71.0	61.2-80.8	68	29.0	19.2-38.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES

TABLE 8: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES

TABLE 9: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	526	378,373	50	9.7	04.8-14.6	138	24.6	18.1-31.1	319	60.1	52.1-68.1	19	5.5	01.0-10.0
Male	215	205,427	18	8.3	01.4-15.2	71	26.5	16.5-36.5				6	5.8	00.0-13.2
Female	311	172,946	32	11.4	04.5-18.3	67	22.4	14.4-30.4	199	61.0	51.2-70.8	13	5.2	01.3-09.1
White/Non-Hisp	317	249,439	28	11.1	04.6-17.6	78	22.4	15.1-29.7	198	58.7	48.7-68.7	13	7.8	01.1-14.5
Hispanic	145	89,415	19	9.4	00.4-18.4							4	0.5	00.0-01.3
45-54	93	86,103										3	1.9	00.0-04.4
55-64	137	87,456	14	8.6	01.2-16.0							7	4.9	00.0-10.4
65+	244	135,915	19	5.2	01.3-09.1	64	29.0	19.4-38.6				4	2.4	00.0-06.1
Less Than H.S.	105	67,025	11	7.0	00.0-15.8	23	11.9	03.7-20.1				3	1.2	00.0-02.8
H.S. or G.E.D.	155	100,255	11	3.7	00.4-07.0							4	2.1	00.0-04.8
College Graduate	119	113,292										7	4.3	00.0-08.8
Less than \$15,000	91	42,250										2	1.7	00.0-04.2
\$15,000- 24,999	121	89,967	10	3.8	00.1-07.5							1	0.1	00.0-00.3
\$25,000- 34,999	56	29,252	3	1.7	00.0-03.7							2	0.5	00.0-01.3
\$35,000- 49,999	63	56,309										3	5.9	00.0-15.1
\$75,000+	54	75,246										1	2.9	00.0-08.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never %	C.I. (95%)	< 1 time per Day			> 5 times per Day		
	TOTAL	WEIGHTED				N	%	C.I. (95%)	N	%	C.I. (95%)
Male	215	205,427	18	8.3	01.2-15.4	71	26.5	16.7-36.3	6	5.8	00.0-13.4
White/Non-Hisp	143	137,754	11	9.1	00.0-18.5	44	21.7	12.1-31.3	5	8.7	00.0-19.9
55-64	57	34,319							2	4.5	00.0-11.6
65+	102	73,056	5	0.9	00.0-01.9				3	3.8	00.0-10.7
H.S. or G.E.D.	54	39,711	2	0.5	00.0-01.3				2	3.0	00.0-08.7
Some Post-H.S.	55	48,787	3	4.1	00.0-10.4						
College Graduate	67	72,329							1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	311	172,946	32	11.4	04.5-18.3	67	22.4	14.4-30.4	199	61.0	51.2-70.8	13	5.2	01.3-09.1
White/Non-Hisp	174	111,684	17	13.5	04.3-22.7							8	6.8	00.9-12.7
Hispanic	98	41,753										3	1.1	00.0-02.9
45-54	56	22,785										3	7.3	00.0-16.5
55-64	80	53,137	7	3.6	00.3-06.9							5	5.1	00.0-12.7
65+	142	62,858	14	10.1	02.1-18.1							1	0.9	00.0-02.7
Less Than H.S.	67	22,994	4	0.7	00.0-01.7							2	1.9	00.0-05.0
H.S. or G.E.D.	101	60,544	9	5.8	00.3-11.3							2	1.5	00.0-04.0
Some Post-H.S.	90	48,403										3	5.9	00.0-14.3
Less than \$15,000	68	24,293	8	6.2	00.9-11.5							1	1.4	00.0-04.1
\$15,000- 24,999	76	40,122	7	6.7	00.0-14.5							1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 13: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	529	375,361	354	59.6	51.2-68.0	87	16.3	10.0-22.6	20	5.7	01.2-10.2	13	1.8	00.6-03.0	47	16.0	08.6-23.4	8	0.6	00.0-01.2
Male	216	202,840							7	5.7	00.0-13.1	7	1.6	00.2-03.0				5	0.9	00.0-01.9
Female	313	172,521				47	11.1	06.2-16.0	13	5.6	00.9-10.3	6	2.0	00.0-04.0	25	14.7	04.9-24.5	3	0.3	00.0-00.7
White/Non-Hisp	318	249,705				55	19.2	10.6-27.8	8	1.1	00.1-02.1	6	1.0	00.0-02.0	33	18.5	09.3-27.7	5	0.6	00.0-01.4
Hispanic	146	85,969				23	6.8	00.7-12.9				4	2.7	00.0-06.2				2	0.6	00.0-01.6
45-54	95	85,072							2	2.3	00.0-06.8	4	3.0	00.0-06.7				1	0.2	00.0-00.6
55-64	137	87,148				19	11.0	03.0-19.0	2	0.4	00.0-01.2	4	2.0	00.0-04.2				1	0.2	00.0-00.6
65+	244	136,274				45	15.7	08.1-23.3	10	5.2	00.3-10.1	4	1.2	00.0-02.8	19	12.8	04.2-21.4	6	1.4	00.0-03.0
Less Than H.S.	106	64,156				16	7.2	01.9-12.5	4	4.1	00.0-11.4	6	4.1	00.4-07.8				3	1.1	00.0-02.5
H.S. or G.E.D.	154	98,396				20	9.4	02.9-15.9				3	1.1	00.0-02.7	14	13.9	04.3-23.5	3	1.1	00.0-02.9
Some Post-H.S.	147	97,564				26	13.7	06.1-21.3	6	3.9	00.0-08.2	1	0.0	00.0-00.0	10	9.5	00.1-18.9	2	0.5	00.0-01.3
College Graduate	120	114,633							5	5.3	00.0-11.6	3	2.6	00.0-05.7						
Less than \$15,000	86	37,704				9	4.9	00.4-09.4	2	1.8	00.0-05.3	3	4.7	00.0-10.4				1	0.2	00.0-00.6
\$15,000- 24,999	121	89,192				24	12.4	04.2-20.6				3	1.1	00.0-02.5				4	1.6	00.0-03.8
\$25,000- 34,999	57	29,460							2	0.3	00.0-00.7	1	0.9	00.0-02.7				2	1.5	00.0-03.7
\$35,000- 49,999	63	56,309							2	5.3	00.0-15.3				3	2.5	00.0-06.0			
\$75,000+	56	75,542							2	2.8	00.0-08.1	1	1.0	00.0-03.0				1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 14: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	216	202,840	7	5.7	00.0-13.1	7	1.6	00.2-03.0				5	0.9	00.0-01.9			
White/Non-Hisp	144	137,980	4	1.1	00.0-02.5	4	1.2	00.0-02.6				3	1.0	00.0-02.4			
55-64	57	34,230				4	5.0	00.0-10.9				1	0.5	00.0-01.5			
65+	102	73,846	5	5.2	00.0-12.1	2	1.0	00.0-02.8				3	2.1	00.0-04.8			
H.S. or G.E.D.	54	38,096	7	6.0	00.0-12.1				1	0.3	00.0-00.9				1	2.4	00.0-07.1
Some Post-H.S.	55	48,787							1	0.1	00.0-00.3	2	3.0	00.0-07.3	2	1.1	00.0-02.7
College Graduate	68	73,670				2	1.4	00.0-03.9	2	2.0	00.0-04.9	5	6.6	00.0-14.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 15: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	313	172,521				47	11.1	06.2-16.0	13	5.6	00.9-10.3	6	2.0	00.0-04.0	25	14.7	04.9-24.5	3	0.3	00.0-00.7
White/Non-Hisp	174	111,726				27	11.5	05.2-17.8	4	1.2	00.0-02.8	2	0.9	00.0-02.3				2	0.1	00.0-00.3
Hispanic	100	41,287				16	8.9	00.0-18.5				3	4.7	00.0-11.8	6	1.4	00.0-02.8	1	0.7	00.0-02.1
45-54	58	23,010													1	0.1	00.0-00.3			
55-64	80	52,918				10	7.7	00.0-15.9	2	0.6	00.0-01.8									
65+	142	62,428				24	12.5	05.4-19.6	5	5.3	00.0-12.2	2	1.5	00.0-04.0	11	10.3	01.3-19.3	3	0.7	00.0-01.7
Less Than H.S.	68	22,439				11	10.5	01.7-19.3	2	1.0	00.0-03.0	3	4.9	00.0-11.0	6	5.6	00.0-12.5	1	1.2	00.0-03.7
H.S. or G.E.D.	100	60,301				13	11.6	02.0-21.2	2	1.1	00.0-03.3	2	1.6	00.0-04.1				2	0.3	00.0-00.7
Some Post-H.S.	92	48,776				14	14.9	05.3-24.5	6	7.8	00.0-16.4									
College Graduate	52	40,963				9	6.1	00.0-13.4				1	3.5	00.0-10.4						
Less than \$15,000	67	23,963	53	88.3	79.3-97.3	6	5.4	00.0-11.1	2	2.8	00.0-08.3				5	3.1	00.0-06.6	1	0.3	00.0-00.9
\$15,000- 24,999	76	40,220							1	0.0	00.0-00.0	2	2.1	00.0-05.2				1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 16: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	539	383,209	54	10.2	05.7-14.7	485	89.8	85.3-94.3
Male	222	209,490	25	10.6	03.5-17.7	197	89.4	82.3-96.5
Female	317	173,719	29	9.7	04.4-15.0	288	90.3	85.0-95.6
White/Non-Hisp	323	253,506	40	11.8	05.5-18.1	283	88.2	81.9-94.5
Hispanic	151	90,018	9	4.8	00.0-09.7	142	95.2	90.3-0100
55-64	140	89,261	21	13.2	04.4-22.0	119	86.8	78.0-95.6
65+	248	137,275	17	6.8	01.3-12.3	231	93.2	87.7-98.7
Less Than H.S.	110	68,130	5	3.4	00.0-07.1	105	96.6	92.9-0100
H.S. or G.E.D.	157	100,613	16	10.9	03.1-18.7	141	89.1	81.3-96.9
Some Post-H.S.	149	99,088	10	7.3	00.0-14.7	139	92.7	85.3-0100
\$35,000- 49,999	63	56,309	5	2.8	00.0-06.1	58	97.2	93.9-0100
\$75,000+	56	75,542	8	8.7	00.0-19.5	48	91.3	80.5-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 17: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	222	209,490	25	10.6	03.3-17.9	197	89.4	82.1-96.7		
55-64	59	36,012	8	5.9	00.0-11.8	51	94.1	88.2-0100		
65+	103	73,980	9	8.9	00.0-18.5	94	91.1	81.5-0100		
H.S. or G.E.D.	56	40,069	6	8.4	00.0-17.8	50	91.6	82.2-0100		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 18: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	317	173,719	29	9.7	04.2-15.2	288	90.3	84.8-95.8
White/Non-Hisp	175	111,969	21	10.4	03.1-17.7	154	89.6	82.3-96.9
Hispanic	103	42,242	7	9.2	00.0-19.0	96	90.8	81.0-0100
65+	145	63,295	8	4.2	00.1-08.3	137	95.8	91.7-99.9
Less Than H.S.	70	23,319	2	3.7	00.0-10.4	68	96.3	89.6-0100
Some Post-H.S.	93	48,851	6	6.0	00.0-12.1	87	94.0	87.9-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	522	370,410	69	12.7	07.8-17.6	96	17.7	11.6-23.8	65	13.6	08.3-18.9	102	19.2	12.3-26.1	103	16.3	11.0-21.6	87	20.4	12.6-28.2
Male	219	208,151	30	12.9	06.2-19.6	41	15.8	06.4-25.2	29	13.8	05.6-22.0				37	14.8	07.2-22.4			
Female	303	162,259	39	12.4	05.3-19.5	55	20.2	12.9-27.5	36	13.4	07.3-19.5	60	15.3	09.0-21.6	66	18.3	10.9-25.7			
White/Non-Hisp	314	243,733	46	14.7	08.2-21.2	61	18.7	10.3-27.1	38	13.2	06.3-20.1	58	20.0	10.8-29.2	56	13.4	07.3-19.5	55	19.9	11.3-28.5
Hispanic	146	88,998	16	7.8	00.0-16.4	21	13.4	04.8-22.0												
45-54	95	85,817	11	7.5	00.0-15.5				12	7.9	01.4-14.4									
55-64	135	80,405	18	3.9	01.5-06.3	27	13.4	05.6-21.2												
65+	240	135,035	32	17.3	09.1-25.5	36	16.9	08.1-25.7	32	15.1	07.7-22.5	52	21.9	12.3-31.5	48	15.3	08.0-22.6	40	13.4	07.3-19.5
Less Than H.S.	106	66,972	13	10.3	00.5-20.1							18	8.4	02.3-14.5						
H.S. or G.E.D.	150	90,964	26	14.3	05.7-22.9	23	14.5	06.5-22.5				31	16.1	07.3-24.9	22	14.7	05.1-24.3			
Some Post-H.S.	144	97,111	15	12.3	02.5-22.1	27	13.9	06.3-21.5	11	7.5	02.2-12.8				32	16.1	07.1-25.1			
College Graduate	120	114,751	15	13.1	03.3-22.9				15	9.1	01.7-16.5				21	14.7	04.7-24.7			
\$15,000- 24,999	117	84,224	12	6.4	00.0-13.5	18	11.6	03.0-20.2				27	12.7	05.3-20.1						
\$25,000- 34,999	58	29,703													7	6.1	00.2-12.0			
\$35,000- 49,999	61	51,402										11	6.5	01.0-12.0						
\$75,000+	56	75,542													6	3.2	00.0-06.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	219	208,151	30	12.9	06.2-19.6	41	15.8	06.4-25.2	29	13.8	05.2-22.4	37	14.8	07.2-22.4			
White/Non-Hisp	145	140,197	23	14.6	06.0-23.2							23	12.3	03.3-21.3	27	14.5	04.7-24.3
55-64	58	35,888	7	3.3	00.0-06.8							7	6.3	00.2-12.4			
65+	102	73,752													18	8.4	02.3-14.5
H.S. or G.E.D.	53	38,730				7	5.3	00.0-11.0									
Some Post-H.S.	56	50,237				7	5.1	00.0-11.4	4	6.3	00.0-13.7				12	8.0	00.6-15.4
College Graduate	69	73,804							8	9.6	00.0-19.6						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	303	162,259	39	12.4	05.3-19.5	55	20.2	13.1-27.3	36	13.4	07.3-19.5	60	15.3	09.0-21.6	66	18.3	11.0-25.6			
White/Non-Hisp	169	103,536	23	14.8	05.2-24.4	36	18.9	10.3-27.5	22	13.1	05.7-20.5	27	11.0	04.9-17.1	33	14.9	07.3-22.5			
Hispanic	98	41,222																17	10.7	02.7-18.7
45-54	57	22,768	7	6.2	00.5-11.9													4	5.0	00.0-10.3
55-64	77	44,518	11	4.5	01.4-07.6															
65+	138	61,283				21	16.0	06.8-25.2				33	15.4	07.8-23.0	28	13.5	05.3-21.7			
Less Than H.S.	66	22,161							6	7.0	00.0-14.1							11	10.8	01.8-19.8
H.S. or G.E.D.	97	52,234												16	11.4	02.4-20.4		14	13.5	03.7-23.3
Some Post-H.S.	88	46,874							7	8.9	01.3-16.5			21	14.9	05.1-24.7				
College Graduate	51	40,948							7	8.2	00.0-18.6	9	8.3	00.0-16.7						
Less than \$15,000	64	23,832	6	4.6	00.1-09.1	6	7.5	00.0-16.1												
\$15,000- 24,999	73	35,479	8	6.0	00.0-13.3													6	3.7	00.0-07.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 22: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	496	361,873	204	40.6	32.4-48.8	152	31.4	23.8-39.0	10	2.2	00.0-04.9	13	1.4	00.2-02.6	59	15.1	07.8-22.4	58	9.4	04.9-13.9
Male	208	199,532							4	0.6	00.0-01.4	5	1.7	00.0-03.9				13	7.6	01.5-13.7
Female	288	162,341	109	35.1	25.3-44.9	91	36.8	27.0-46.6	6	4.0	00.0-09.9	8	1.0	00.2-01.8	29	11.5	02.5-20.5	45	11.6	05.1-18.1
White/Non-Hisp	298	238,481				95	32.5	22.5-42.5	5	0.5	00.0-01.1	8	1.1	00.0-02.3	19	6.4	00.5-12.3	32	10.5	04.4-16.6
Hispanic	141	87,587							2	5.4	00.0-15.6	4	1.0	00.0-02.2				22	9.4	01.6-17.2
45-54	91	81,368							1	0.4	00.0-01.2	3	2.7	00.0-06.8				3	1.3	00.0-03.3
55-64	124	83,072							7	8.3	00.0-19.3	2	0.5	00.0-01.5	19	12.6	03.6-21.6	13	6.0	01.1-10.9
65+	231	129,583							2	0.5	00.0-01.3	7	1.7	00.0-03.7	19	5.7	01.4-10.0	37	12.5	05.4-19.6
Less Than H.S.	96	61,795				14	6.4	01.7-11.1				2	2.6	00.0-06.7				19	10.5	00.5-20.5
H.S. or G.E.D.	144	96,542										5	2.8	00.0-06.3				12	5.7	00.6-10.8
Some Post-H.S.	140	95,080							4	2.4	00.0-05.5	4	0.7	00.0-01.5	12	4.3	00.4-08.2			
College Graduate	114	107,844							3	0.5	00.0-01.1	2	0.2	00.0-00.6				3	4.4	00.0-11.8
Less than \$15,000	84	41,329							4	4.8	00.0-11.7	8	8.0	00.0-16.6						
\$15,000- 24,999	111	78,997							3	7.0	00.0-18.4	2	1.7	00.0-04.8				12	6.6	01.1-12.1
\$25,000- 34,999	54	29,029							1	0.7	00.0-02.1				4	5.3	00.0-12.2			
\$35,000- 49,999	62	56,276										1	0.3	00.0-00.9						
\$75,000+	54	74,742							1	0.0	00.0-00.0							1	5.5	00.0-15.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 23: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	208	199,532	4	0.6	00.0-01.4	5	1.7	00.0-03.9				13	7.6	01.3-13.9
White/Non-Hisp	137	132,819	3	0.7	00.0-01.7	4	1.4	00.0-03.4	12	5.4	01.7-09.1	9	7.5	00.0-15.7
55-64	51	32,730	2	1.0	00.0-03.0	2	1.4	00.0-03.9				2	5.9	00.0-15.1
65+	99	73,073	1	0.8	00.0-02.4	2	1.9	00.0-05.2	11	8.3	00.7-15.9	8	7.6	00.0-17.2
H.S. or G.E.D.	52	39,392				1	4.2	00.0-12.4				3	3.5	00.0-08.4
Some Post-H.S.	54	48,754	1	1.2	00.0-03.6				7	7.0	00.0-14.8			
College Graduate	64	67,362	2	0.5	00.0-01.5	2	0.3	00.0-00.9	3	3.3	00.0-07.2	2	6.3	00.0-17.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 24: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	288	162,341	109	35.1	25.3-44.9	91	36.8	26.8-46.8	6	4.0	00.0-09.9	8	1.0	00.2-01.8	29	11.5	02.5-20.5	45	11.6	05.1-18.1
White/Non-Hisp	161	105,661							2	0.3	00.0-00.7	4	0.7	00.0-01.5	7	7.6	00.0-19.9	23	14.2	04.6-23.8
Hispanic	94	40,139										4	2.3	00.0-05.0				18	7.9	01.4-14.4
45-54	53	22,311										2	2.4	00.0-06.1	4	3.1	00.0-06.6	2	1.8	00.0-05.3
55-64	73	50,342													10	5.1	00.0-10.8	11	6.1	00.6-11.6
65+	132	56,510							1	0.0	00.0-00.0	5	1.4	00.0-02.8	8	2.3	00.1-04.5	29	18.8	08.8-28.8
H.S. or G.E.D.	92	57,150										4	1.8	00.0-03.8	7	7.1	00.0-14.9	9	7.1	00.0-14.9
Some Post-H.S.	86	46,326							3	3.6	00.0-09.5	4	1.4	00.0-03.2	5	1.4	00.0-02.8			
College Graduate	50	40,483							1	0.5	00.0-01.5							1	1.2	00.0-03.6
Less than \$15,000	62	23,507							3	7.1	00.0-18.7	5	5.1	00.0-10.4				13	8.6	02.3-14.9
\$15,000- 24,999	69	34,755										1	0.4	00.0-01.2				8	7.3	00.2-14.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 25: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	522	374,278	131	23.6	16.9-30.3	76	14.0	08.5-19.5	41	6.0	03.1-08.9	57	11.0	05.5-16.5	47	8.7	04.4-13.0	170	36.7	28.3-45.1
Male	216	207,507	60	23.6	14.2-33.0	42	16.1	07.3-24.9	15	3.8	01.1-06.5	22	11.3	02.7-19.9	19	7.6	01.7-13.5			
Female	306	166,771	71	23.7	14.1-33.3	34	11.4	05.9-16.9	26	8.8	03.5-14.1	35	10.6	04.9-16.3	28	10.0	03.3-16.7	112	35.5	25.7-45.3
White/Non-Hisp	312	247,454	79	28.3	19.1-37.5	46	15.1	07.5-22.7	28	7.5	03.4-11.6	34	10.0	03.3-16.7	27	6.4	01.7-11.1			
Hispanic	148	89,395				18	8.5	02.4-14.6	8	2.0	00.0-04.4									
45-54	96	86,879							6	1.4	00.0-03.4	13	10.1	02.5-17.7						
55-64	136	88,154	34	16.3	06.7-25.9	20	12.5	04.7-20.3	10	8.4	01.3-15.5									
65+	236	129,618				28	9.6	04.5-14.7	22	7.9	03.0-12.8	27	10.1	03.8-16.4	24	7.2	02.5-11.9			
Less Than H.S.	106	66,864	27	10.2	03.7-16.7	15	9.4	02.5-16.3	4	1.4	00.0-03.4									
H.S. or G.E.D.	152	96,360	37	18.1	09.7-26.5	18	12.2	04.9-19.5	19	10.3	03.6-17.0	16	9.4	01.8-17.0	10	6.8	00.9-12.7			
Some Post-H.S.	142	95,691				14	5.8	01.1-10.5	9	5.8	00.5-11.1				11	3.8	00.5-07.1			
College Graduate	120	114,751							9	5.3	00.0-11.0	10	4.8	01.3-08.3	12	9.0	00.0-18.0			
Less than \$15,000	90	43,536	17	8.1	02.6-13.6	7	5.0	00.0-10.1	6	2.8	00.0-06.1									
\$15,000- 24,999	118	87,308				16	10.3	02.9-17.7	8	2.2	00.0-04.7	13	5.6	01.3-09.9						
\$25,000- 34,999	56	29,259							2	6.4	00.0-17.8				4	4.0	00.0-08.7			
\$35,000- 49,999	62	53,245				12	11.0	02.0-20.0	8	6.9	00.6-13.2	9	7.4	00.0-15.0	1	1.9	00.0-05.6			
\$75,000+	55	75,188							3	4.8	00.0-11.9	4	7.8	00.0-19.0	2	0.7	00.0-01.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 26: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	216	207,507	60	23.6	13.8-33.4	42	16.1	07.5-24.7	15	3.8	01.3-06.3	22	11.3	02.7-19.9	19	7.6	01.5-13.7
White/Non-Hisp	144	139,983							11	4.6	01.1-08.1				14	7.4	00.0-15.2
55-64	57	35,721				12	11.6	02.0-21.2	3	4.3	00.0-10.8				6	5.0	00.0-10.5
65+	100	72,454				16	11.3	03.1-19.5	11	7.7	01.2-14.2	13	11.2	01.2-21.2	10	7.9	00.3-15.5
H.S. or G.E.D.	54	39,036										4	5.6	00.0-12.7	4	6.7	00.0-15.7
Some Post-H.S.	54	49,716				7	6.6	00.0-14.8	3	2.8	00.0-06.9				3	1.8	00.0-04.5
College Graduate	69	73,804							4	1.4	00.0-03.2	6	4.0	00.1-07.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 27: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	306	166,771	71	23.7	14.1-33.3	34	11.4	05.9-16.9	26	8.8	03.5-14.1	35	10.6	04.9-16.3	28	10.0	03.3-16.7	112	35.5	25.5-45.5
White/Non-Hisp	168	107,471				21	12.1	04.5-19.7	17	11.3	03.5-19.1	16	6.7	02.0-11.4	13	5.2	00.7-09.7			
Hispanic	101	41,883				8	8.2	00.8-15.6	6	1.6	00.0-03.6									
45-54	58	23,010							5	2.3	00.0-05.0									
65+	136	57,164				12	7.5	01.8-13.2	11	8.2	00.8-15.6	14	8.8	01.9-15.7	14	6.4	01.7-11.1			
Less Than H.S.	68	22,483				7	9.3	00.0-18.9	3	3.1	00.0-08.4	8	8.8	00.0-18.0						
H.S. or G.E.D.	98	57,323				9	11.9	02.5-21.3	12	8.3	00.5-16.1				6	6.9	00.0-14.7			
Some Post-H.S.	88	45,976	17	14.3	05.3-23.3	7	5.0	00.7-09.3	6	9.1	00.0-18.9				8	5.9	00.0-12.2			
College Graduate	51	40,948										4	6.1	00.0-13.2	5	7.0	00.0-15.2			
Less than \$15,000	66	24,131	10	9.2	01.6-16.8	4	2.3	00.0-05.0	6	5.0	00.0-10.9									
\$15,000- 24,999	75	38,688							5	1.7	00.0-03.7	11	9.2	01.4-17.0						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

**TABLE 28: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT.
(EYEEEXAM)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	533	373,638	126	20.3	13.8-26.8	260	51.3	43.1-59.5	65	13.3	07.4-19.2	58	8.4	03.9-12.9	24	6.6	02.7-10.5
Male	218	201,926							29	14.8	05.4-24.2	29	10.1	02.3-17.9	10	7.0	00.9-13.1
Female	315	171,712	73	16.7	09.8-23.6	163	59.1	49.5-68.7	36	11.6	05.7-17.5	29	6.4	02.7-10.1	14	6.1	01.4-10.8
White/Non-Hisp	318	244,263	83	24.7	15.7-33.7				37	12.2	04.6-19.8	37	8.2	04.3-12.1	8	3.8	00.0-08.3
Hispanic	150	89,690							17	13.3	03.9-22.7				13	11.8	02.6-21.0
45-54	97	87,045										14	10.3	02.5-18.1	8	6.1	00.4-11.8
55-64	138	82,272							16	12.5	02.9-22.1	17	9.1	02.2-16.0	5	7.7	00.0-15.7
65+	244	134,693	64	20.8	13.0-28.6				26	8.4	03.3-13.5	19	4.2	01.7-06.7	6	6.1	00.0-13.9
Less Than H.S.	108	61,287							11	7.6	00.0-16.8	14	5.1	01.2-09.0			
H.S. or G.E.D.	155	99,891													7	5.8	00.0-11.7
Some Post-H.S.	148	97,556							18	10.0	02.2-17.8	15	4.1	00.6-07.6	3	4.2	00.0-09.7
College Graduate	120	114,292										10	5.3	00.2-10.4	3	2.9	00.0-06.6
Less than \$15,000	92	43,699	19	10.7	04.0-17.4												
\$15,000- 24,999	121	83,265							14	11.5	01.5-21.5				8	9.4	01.0-17.8
\$25,000- 34,999	56	28,921										4	2.1	00.0-04.5			
\$35,000- 49,999	61	54,509										7	7.2	00.0-14.6			
\$75,000+	56	75,542							7	5.1	00.0-12.4	6	6.0	00.0-13.3	2	2.4	00.0-06.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

**TABLE 29: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT.
(EYEEEXAM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	218	201,926				29	14.8	05.2-24.4	29	10.1	02.3-17.9	10	7.0	00.9-13.1
White/Non-Hisp	145	134,300							20	8.1	02.6-13.6	4	4.8	00.0-12.4
55-64	58	29,498				5	3.3	00.0-06.6						
65+	100	72,930				11	8.0	00.4-15.6	10	4.0	01.1-06.9			
H.S. or G.E.D.	54	39,347	8	6.2	00.0-13.3							2	3.1	00.0-08.2
Some Post-H.S.	56	50,237							5	3.8	00.0-09.7	1	2.9	00.0-08.6
College Graduate	69	73,804							8	7.6	00.0-15.8	1	2.0	00.0-05.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

**TABLE 30: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT.
(EYEEEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	315	171,712	73	16.7	09.6-23.8	163	59.1	49.5-68.7	36	11.6	05.7-17.5	29	6.4	02.7-10.1	14	6.1	01.4-10.8
White/Non-Hisp	173	109,963							18	9.6	02.3-16.9	17	8.3	02.8-13.8	4	2.6	00.0-06.3
Hispanic	103	42,242	21	8.5	02.8-14.2							11	3.1	00.6-05.6			
55-64	80	52,774										9	7.3	00.0-15.5	2	2.3	00.0-06.2
65+	144	61,763	33	16.4	08.2-24.6				15	8.8	02.5-15.1	9	4.5	00.4-08.6	3	4.1	00.0-10.6
Less Than H.S.	70	23,319							6	5.5	00.0-12.8	7	5.1	00.0-11.0	4	6.5	00.0-15.5
H.S. or G.E.D.	101	60,544										10	12.1	02.7-21.5	5	7.5	00.0-16.5
Some Post-H.S.	92	47,319	25	18.8	09.2-28.4				10	4.8	00.9-08.7	10	4.3	00.6-08.0	2	5.6	00.0-15.2
College Graduate	51	40,489	8	8.4	00.0-18.4				4	5.9	00.0-15.3	2	1.1	00.0-02.9	2	4.4	00.0-11.7
Less than \$15,000	68	24,293	15	14.6	04.8-24.4				5	7.6	00.0-19.0				2	1.2	00.0-03.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 31: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	531	372,448	124	23.3	15.9-30.7	407	76.7	69.3-84.1
Female	316	173,568	67	16.1	09.8-22.4	249	83.9	77.6-90.2
White/Non-Hisp	316	245,643	70	22.9	13.5-32.3	246	77.1	67.7-86.5
65+	244	136,531	55	22.4	12.8-32.0	189	77.6	68.0-87.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES

TABLE 32: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 33: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Female	316	173,568	67	16.1	09.8-22.4	249	83.9	77.6-90.2		
White/Non-Hisp	174	111,819	30	12.9	05.8-20.0	144	87.1	80.0-94.2		
65+	144	63,145	30	17.2	08.2-26.2	114	82.8	73.8-91.8		
College Graduate	52	40,963	9	8.5	00.0-17.9	43	91.5	82.1-0100		
\$15,000- 24,999	77	40,295	17	11.5	03.1-19.9	60	88.5	80.1-96.9		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 34: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	539	383,209	293	55.2	47.0-63.4	246	44.8	36.6-53.0
White/Non-Hisp	323	253,506				149	41.1	31.1-51.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES

TABLE 35: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES

TABLE 36: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 11: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1 MALES AND FEMALES	67
2 MALES ONLY	68
3 FEMALES ONLY	69
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)	
4 MALES AND FEMALES	70
5 MALES ONLY	71
6 FEMALES ONLY	72
SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7 MALES AND FEMALES	73
8 MALES ONLY	74
9 FEMALES ONLY	75
FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAMINATION CALLED A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCOL)	
10 MALES AND FEMALES	76
11 MALES ONLY	77
12 FEMALES ONLY	78
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)	
13 MALES AND FEMALES	79
14 MALES ONLY	80
15 FEMALES ONLY	81

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2763	1,724,891	1261	46.2	42.9-49.5	1502	53.8	50.5-57.1
Male	1018	794,298	441	43.5	38.4-48.6	577	56.5	51.4-61.6
Female	1745	930,593	820	48.5	44.4-52.6	925	51.5	47.4-55.6
White/Non-Hisp	2174	1,409,689	1077	49.9	46.4-53.4	1097	50.1	46.6-53.6
Hispanic	407	182,168	103	20.7	13.3-28.1	304	79.3	71.9-86.7
45-54	450	373,444	106	22.5	16.2-28.8	344	77.5	71.2-83.8
55-64	917	588,434	393	45.6	39.9-51.3	524	54.4	48.7-60.1
65+	1396	763,013	762	58.3	54.0-62.6	634	41.7	37.4-46.0
Less Than H.S.	304	136,444	79	23.5	14.9-32.1	225	76.5	67.9-85.1
H.S. or G.E.D.	774	438,382	344	44.0	38.1-49.9	430	56.0	50.1-61.9
Some Post-H.S.	813	499,096	403	52.0	46.3-57.7	410	48.0	42.3-53.7
College Graduate	867	649,184	432	48.0	42.3-53.7	435	52.0	46.3-57.7
\$15,000- 24,999	466	244,846	196	38.3	30.7-45.9	270	61.7	54.1-69.3
\$25,000- 34,999	326	154,613	164	51.5	42.1-60.9	162	48.5	39.1-57.9
\$35,000- 49,999	423	262,358	220	50.1	41.9-58.3	203	49.9	41.7-58.1
\$50,000- 74,999	337	253,812	160	48.2	39.6-56.8	177	51.8	43.2-60.4
\$75,000+	450	425,269	226	49.5	42.1-56.9	224	50.5	43.1-57.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1018	794,298	441	43.5	38.4-48.6	577	56.5	51.4-61.6
White/Non-Hisp	817	650,484	381	47.9	42.2-53.6	436	52.1	46.4-57.8
45-54	152	174,505	25	13.7	06.4-21.0	127	86.3	79.0-93.6
55-64	371	277,997	156	47.7	38.9-56.5	215	52.3	43.5-61.1
65+	495	341,796	260	55.4	48.1-62.7	235	44.6	37.3-51.9
H.S. or G.E.D.	249	168,672	104	43.2	33.2-53.2	145	56.8	46.8-66.8
Some Post-H.S.	273	200,273	117	45.2	35.6-54.8	156	54.8	45.2-64.4
College Graduate	390	348,912	190	47.2	38.8-55.6	200	52.8	44.4-61.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1745	930,593	820	48.5	44.4-52.6	925	51.5	47.4-55.6
White/Non-Hisp	1357	759,205	696	51.7	47.2-56.2	661	48.3	43.8-52.8
Hispanic	270	91,171	68	20.9	12.5-29.3	202	79.1	70.7-87.5
45-54	298	198,939	81	30.3	21.3-39.3	217	69.7	60.7-78.7
55-64	546	310,437	237	43.7	36.4-51.0	309	56.3	49.0-63.6
65+	901	421,217	502	60.7	55.4-66.0	399	39.3	34.0-44.6
Less Than H.S.	200	60,764	49	23.6	14.0-33.2	151	76.4	66.8-86.0
H.S. or G.E.D.	525	269,710	240	44.5	37.2-51.8	285	55.5	48.2-62.8
Some Post-H.S.	540	298,824	286	56.5	49.4-63.6	254	43.5	36.4-50.6
College Graduate	477	300,273	242	48.9	41.5-56.3	235	51.1	43.7-58.5
\$15,000- 24,999	311	149,004	137	39.5	30.5-48.5	174	60.5	51.5-69.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1242	784,543	488	41.1	36.6-45.6	223	18.6	15.3-21.9	241	18.8	15.3-22.3	290	21.6	17.9-25.3
Male	436	344,677	194	42.4	35.0-49.8	66	16.0	11.1-20.9	83	18.8	12.9-24.7	93	22.8	16.5-29.1
Female	806	439,866	294	40.0	34.3-45.7	157	20.6	16.1-25.1	158	18.8	14.3-23.3	197	20.7	16.2-25.2
White/Non-Hisp	1063	692,330	410	41.2	36.3-46.1	186	17.2	13.7-20.7	215	19.8	15.9-23.7	252	21.8	17.7-25.9
Hispanic	102	37,508							16	6.7	02.0-11.4			
55-64	391	267,672	128	33.7	25.9-41.5	77	20.7	14.6-26.8	88	22.7	16.0-29.4	98	22.9	16.0-29.8
65+	748	437,561	327	47.3	41.4-53.2	127	17.2	13.1-21.3	132	16.5	12.0-21.0	162	18.9	14.4-23.4
H.S. or G.E.D.	337	188,575	131	42.7	34.3-51.1	74	22.5	15.8-29.2	68	17.3	11.2-23.4	64	17.6	11.3-23.9
Some Post-H.S.	399	254,223	164	42.9	35.1-50.7	65	20.0	13.3-26.7	62	16.2	10.1-22.3	108	20.9	15.0-26.8
College Graduate	424	308,609	158	38.2	30.6-45.8	66	15.1	10.2-20.0	94	21.3	14.8-27.8	106	25.4	18.3-32.5
Less than \$15,000	93	39,774										27	14.6	07.0-22.2
\$15,000- 24,999	193	93,488				29	10.9	05.8-16.0	32	15.1	06.9-23.3			
\$25,000- 34,999	162	79,128							33	19.0	10.4-27.6	42	19.1	10.5-27.7
\$35,000- 49,999	217	130,417				36	16.5	09.6-23.4	49	23.3	13.9-32.7	46	17.7	09.7-25.7
\$50,000- 74,999	159	119,436				34	24.6	14.6-34.6	17	8.7	03.0-14.4	43	22.8	14.0-31.6
\$75,000+	225	209,706				41	15.0	08.9-21.1	52	19.5	11.5-27.5	56	24.5	15.5-33.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	436	344,677	194	42.4	35.0-49.8	66	16.0	11.1-20.9	83	18.8	13.1-24.5	93	22.8	16.5-29.1
White/Non-Hisp	378	310,769	163	42.5	34.7-50.3	56	13.9	09.2-18.6	77	20.4	14.1-26.7	82	23.1	16.4-29.8
55-64	156	132,489				27	19.7	10.3-29.1						
65+	255	188,349	129	49.2	39.4-59.0	35	13.4	07.9-18.9	43	16.1	08.7-23.5	48	21.3	13.3-29.3
H.S. or G.E.D.	101	72,601							13	13.5	04.5-22.5			
Some Post-H.S.	116	90,084				17	14.3	05.1-23.5						
College Graduate	189	164,243				25	13.7	06.8-20.6	46	23.0	13.4-32.6			
\$15,000- 24,999	58	34,818				8	9.2	01.8-16.6						
\$35,000- 49,999	78	52,457				12	12.6	02.8-22.4				9	8.0	00.6-15.4
\$50,000- 74,999	66	55,816							5	3.7	00.0-08.4			
\$75,000+	118	124,902				15	11.9	04.8-19.0						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	806	439,866	294	40.0	34.3-45.7	157	20.6	16.1-25.1	158	18.8	14.3-23.3	197	20.7	16.2-25.2
White/Non-Hisp	685	381,561	247	40.2	33.9-46.5	130	19.9	15.0-24.8	138	19.2	14.3-24.1	170	20.7	15.8-25.6
Hispanic	67	18,936							14	12.4	03.6-21.2			
55-64	235	135,182	68	29.5	19.9-39.1	50	21.7	13.7-29.7	52	22.5	13.5-31.5	65	26.4	17.0-35.8
65+	493	249,213	198	45.9	38.6-53.2	92	20.1	14.2-26.0	89	16.8	11.5-22.1	114	17.1	12.2-22.0
H.S. or G.E.D.	236	115,974				51	20.5	12.9-28.1	55	19.6	11.6-27.6	46	16.1	09.2-23.0
Some Post-H.S.	283	164,139	115	40.9	31.7-50.1	48	23.1	14.5-31.7	45	16.4	09.3-23.5	75	19.6	13.1-26.1
College Graduate	235	144,366				41	16.7	09.6-23.8	48	19.4	11.2-27.6	66	25.5	15.9-35.1
Less than \$15,000	69	27,907										20	16.0	06.0-26.0
\$15,000- 24,999	135	58,670				21	11.9	05.2-18.6				27	18.1	08.3-27.9
\$25,000- 34,999	121	51,440										33	16.2	08.2-24.2
\$35,000- 49,999	139	77,960				24	19.1	09.7-28.5						
\$50,000- 74,999	93	63,620							12	13.0	03.6-22.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2762	1,726,060	1644	62.2	59.1-65.3	1118	37.8	34.7-40.9
Male	1019	796,549	632	65.1	60.0-70.2	387	34.9	29.8-40.0
Female	1743	929,511	1012	59.7	55.8-63.6	731	40.3	36.4-44.2
White/Non-Hisp	2173	1,410,703	1361	64.9	61.6-68.2	812	35.1	31.8-38.4
45-54	444	371,625	153	41.1	33.1-49.1	291	58.9	50.9-66.9
55-64	919	590,379	531	62.6	57.1-68.1	388	37.4	31.9-42.9
65+	1399	764,055	960	72.1	68.2-76.0	439	27.9	24.0-31.8
H.S. or G.E.D.	771	436,995	428	56.7	50.6-62.8	343	43.3	37.2-49.4
Some Post-H.S.	817	500,947	510	64.5	59.0-70.0	307	35.5	30.0-41.0
College Graduate	868	650,976	559	67.1	61.6-72.6	309	32.9	27.4-38.4
\$15,000- 24,999	462	243,998	255	58.6	50.0-67.2	207	41.4	32.8-50.0
\$25,000- 34,999	326	154,501	196	63.4	54.2-72.6	130	36.6	27.4-45.8
\$35,000- 49,999	423	263,829	281	65.7	57.5-73.9	142	34.3	26.1-42.5
\$50,000- 74,999	341	256,402	216	64.9	56.9-72.9	125	35.1	27.1-43.1
\$75,000+	451	425,405	283	65.3	58.2-72.4	168	34.7	27.6-41.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1019	796,549	632	65.1	60.0-70.2	387	34.9	29.8-40.0
White/Non-Hisp	817	651,286	540	68.5	63.0-74.0	277	31.5	26.0-37.0
55-64	372	279,561	224	65.5	57.3-73.7	148	34.5	26.3-42.7
65+	497	343,340	354	74.9	68.6-81.2	143	25.1	18.8-31.4
H.S. or G.E.D.	250	168,665	135	58.0	48.2-67.8	115	42.0	32.2-51.8
Some Post-H.S.	274	201,474	176	66.5	57.3-75.7	98	33.5	24.3-42.7
College Graduate	391	350,224	270	70.5	62.3-78.7	121	29.5	21.3-37.7
\$75,000+	229	248,014	159	70.1	60.3-79.9	70	29.9	20.1-39.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1743	929,511	1012	59.7	55.8-63.6	731	40.3	36.4-44.2
White/Non-Hisp	1356	759,417	821	61.9	57.6-66.2	535	38.1	33.8-42.4
45-54	294	197,978	99	37.8	28.4-47.2	195	62.2	52.8-71.6
55-64	547	310,818	307	60.0	52.7-67.3	240	40.0	32.7-47.3
65+	902	420,715	606	69.8	64.9-74.7	296	30.2	25.3-35.1
H.S. or G.E.D.	521	268,330	293	56.0	48.4-63.6	228	44.0	36.4-51.6
Some Post-H.S.	543	299,473	334	63.3	56.6-70.0	209	36.7	30.0-43.4
College Graduate	477	300,752	289	63.3	56.2-70.4	188	36.7	29.6-43.8
\$15,000- 24,999	308	148,290	170	55.1	45.3-64.9	138	44.9	35.1-54.7
\$25,000- 34,999	224	93,149	134	68.5	58.5-78.5	90	31.5	21.5-41.5
\$75,000+	222	177,390	124	58.5	48.5-68.5	98	41.5	31.5-51.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAMINATION CALLED A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCOL)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy			Something		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1560	1,022,193	218	12.4	09.9-14.9	1320	85.6	82.9-88.3	22	2.0	00.6-03.4
Male	607	497,455	79	10.5	07.0-14.0	517	87.2	83.1-91.3	11	2.3	00.0-04.7
Female	953	524,738	139	14.2	10.7-17.7	803	84.1	80.4-87.8	11	1.7	00.3-03.1
White/Non-Hisp	1303	868,661	186	13.2	10.5-15.9	1102	85.5	82.6-88.4	15	1.3	00.1-02.5
Hispanic	168	81,431	21	4.6	00.1-09.1				3	5.4	00.0-15.4
45-54	149	151,338	15	4.7	00.8-08.6	132	95.1	91.2-99.0	2	0.2	00.0-00.6
55-64	510	348,383	69	10.9	06.8-15.0	434	85.8	80.9-90.7	7	3.2	00.1-06.3
65+	901	522,472	134	15.5	11.6-19.4	754	82.8	78.7-86.9	13	1.7	00.1-03.3
Less Than H.S.	120	58,511							2	0.5	00.0-01.5
H.S. or G.E.D.	408	240,818	53	13.0	07.7-18.3	347	84.1	77.8-90.4	8	2.9	00.0-06.6
Some Post-H.S.	484	303,602	64	12.1	07.8-16.4	415	85.1	80.0-90.2	5	2.8	00.0-05.7
College Graduate	544	418,331	82	12.2	08.3-16.1	455	86.7	82.6-90.8	7	1.1	00.0-02.5
Less than \$15,000	119	47,662							5	2.1	00.0-04.3
\$15,000- 24,999	242	138,570	28	7.8	02.3-13.3	210	87.9	80.3-95.5	4	4.3	00.0-10.0
\$25,000- 34,999	184	80,417							2	0.1	00.0-00.3
\$35,000- 49,999	271	169,360	42	11.0	06.3-15.7	228	88.9	84.2-93.6	1	0.1	00.0-00.3
\$50,000- 74,999	213	165,886	31	12.8	06.1-19.5	178	82.0	73.6-90.4	4	5.2	00.0-11.1
\$75,000+	276	261,730	29	8.3	03.6-13.0	244	90.7	85.8-95.6	3	1.0	00.0-02.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAMINATION CALLED A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy			Something		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	607	497,455	79	10.5	07.0-14.0	517	87.2	82.9-91.5	11	2.3	00.0-04.7
White/Non-Hisp	520	426,043	71	11.3	07.2-15.4	442	87.5	83.2-91.8	7	1.2	00.0-03.0
Hispanic	56	41,006	6	6.1	00.0-14.7						
45-54	53	77,154	5	2.2	00.0-04.6	47	97.4	94.9-99.9	1	0.4	00.0-01.2
55-64	215	175,821	26	9.7	04.2-15.2	185	86.4	79.0-93.8	4	3.9	00.0-09.2
65+	339	244,479	48	13.6	07.7-19.5	285	84.6	78.1-91.1	6	1.8	00.0-04.7
H.S. or G.E.D.	128	94,431	16	7.5	01.6-13.4	109	87.7	77.7-97.7	3	4.7	00.0-13.3
Some Post-H.S.	173	132,120	23	10.3	03.6-17.0	146	84.9	76.3-93.5	4	4.8	00.0-10.9
College Graduate	262	235,054	33	10.9	05.4-16.4	225	88.8	83.3-94.3	4	0.3	00.0-00.7
\$15,000- 24,999	81	60,014	9	3.6	00.9-06.3				2	6.0	00.0-17.4
\$25,000- 34,999	57	29,239							1	0.1	00.0-00.3
\$35,000- 49,999	121	81,736	20	10.3	04.4-16.2	101	89.7	83.8-95.6			
\$50,000- 74,999	100	88,336							3	7.7	00.0-17.7
\$75,000+	154	162,748	14	8.3	01.8-14.8	138	91.3	84.6-98.0	2	0.4	00.0-01.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAMINATION CALLED A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCOL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy			Something		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	953	524,738	139	14.2	10.7-17.7	803	84.1	80.4-87.8	11	1.7	00.3-03.1
White/Non-Hisp	783	442,618	115	15.1	11.2-19.0	660	83.5	79.4-87.6	8	1.4	00.0-02.8
Hispanic	112	40,425	15	3.1	00.7-05.5	96	96.8	94.3-99.3	1	0.1	00.0-00.3
45-54	96	74,184	10	7.4	00.1-14.7	85	92.6	85.3-99.9	1	0.0	00.0-00.0
55-64	295	172,562	43	12.2	06.3-18.1	249	85.3	78.8-91.8	3	2.5	00.0-05.8
65+	562	277,993	86	17.2	12.1-22.3	469	81.2	75.9-86.5	7	1.6	00.0-03.4
Less Than H.S.	78	23,425	12	6.8	01.3-12.3	64	91.9	85.8-98.0	2	1.3	00.0-03.7
H.S. or G.E.D.	280	146,387	37	16.5	08.9-24.1	238	81.8	74.0-89.6	5	1.7	00.0-04.2
Some Post-H.S.	311	171,482	41	13.5	07.6-19.4	269	85.3	79.0-91.6	1	1.2	00.0-03.6
College Graduate	282	183,277	49	13.9	08.0-19.8	230	84.0	77.5-90.5	3	2.1	00.0-05.0
Less than \$15,000	98	37,402							3	1.5	00.0-03.7
\$15,000- 24,999	161	78,556	19	11.0	02.0-20.0	140	86.1	76.1-96.1	2	2.9	00.0-08.0
\$25,000- 34,999	127	51,178							1	0.2	00.0-00.6
\$35,000- 49,999	150	87,624	22	11.8	04.7-18.9	127	88.1	81.0-95.2	1	0.1	00.0-00.3
\$50,000- 74,999	113	77,551	15	10.2	02.8-17.6	97	87.5	78.9-96.1	1	2.3	00.0-06.8
\$75,000+	122	98,983	15	8.1	02.0-14.2	106	89.8	82.7-96.9	1	2.1	00.0-06.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1624	1,059,692	453	31.0	27.1-34.9	359	22.0	18.7-25.3	551	34.8	30.9-38.7	161	6.9	05.1-08.7	100	5.4	03.4-07.4
Male	625	507,375	172	30.3	24.4-36.2	153	23.2	17.7-28.7	205	34.6	28.3-40.9	52	6.1	03.4-08.8	43	5.8	03.1-08.5
Female	999	552,317	281	31.6	26.5-36.7	206	20.9	16.6-25.2	346	34.9	30.0-39.8	109	7.5	05.3-09.7	57	5.1	02.4-07.8
White/Non-Hisp	1347	906,753	367	31.0	26.9-35.1	297	21.4	17.9-24.9	457	34.8	30.5-39.1	138	6.9	04.9-08.9	88	6.0	03.8-08.2
Hispanic	184	79,841										16	4.9	01.4-08.4	11	2.8	00.4-05.2
45-54	152	152,486										6	1.4	00.0-03.4	10	2.2	00.2-04.2
55-64	523	359,355	129	23.2	17.1-29.3	118	22.6	16.7-28.5	188	41.2	33.9-48.5	57	8.0	04.9-11.1	31	5.0	01.3-08.7
65+	949	547,852	276	35.4	30.3-40.5	191	17.0	13.3-20.7	325	33.4	28.5-38.3	98	7.6	05.1-10.1	59	6.6	03.9-09.3
Less Than H.S.	138	62,981				23	11.6	04.3-18.9				16	7.5	01.8-13.2	9	3.6	00.5-06.7
H.S. or G.E.D.	421	242,376	121	27.7	20.6-34.8	86	18.8	12.9-24.7	143	38.6	30.4-46.8	46	10.5	06.4-14.6	25	4.5	02.0-07.0
Some Post-H.S.	508	322,931	139	29.0	22.5-35.5	120	24.6	18.3-30.9	168	32.5	25.8-39.2	43	4.5	02.3-06.7	38	9.3	04.0-14.6
College Graduate	553	430,475	142	33.7	27.0-40.4	129	23.3	17.2-29.4	199	33.3	27.0-39.6	55	6.5	03.4-09.6	28	3.3	01.5-05.1
Less than \$15,000	131	49,649										11	3.8	00.9-06.7	8	3.9	00.6-07.2
\$15,000- 24,999	252	141,800				48	10.7	05.8-15.6				30	11.1	05.4-16.8	23	8.0	02.1-13.9
\$25,000- 34,999	194	97,779	42	24.8	14.8-34.8	41	15.2	08.9-21.5				22	7.9	03.0-12.8			
\$35,000- 49,999	279	172,309	88	40.8	31.2-50.4	60	20.4	13.1-27.7	95	30.6	22.0-39.2	23	5.2	01.9-08.5	13	3.0	00.3-05.7
\$50,000- 74,999	214	161,767	60	30.2	20.6-39.8	64	28.4	19.6-37.2				22	7.2	02.9-11.5	9	5.6	00.1-11.1
\$75,000+	281	272,577	66	27.8	19.2-36.4	78	29.9	21.1-38.7	97	35.9	27.1-44.7	29	4.9	02.0-07.8	11	1.6	00.4-02.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	625	507,375	172	30.3	24.4-36.2	153	23.2	17.7-28.7	205	34.6	28.3-40.9	52	6.1	03.4-08.8	43	5.8	03.1-08.5
White/Non-Hisp	534	439,249	148	31.3	25.0-37.6	129	21.2	16.1-26.3	174	35.2	28.3-42.1	45	6.0	03.1-08.9	38	6.3	03.2-09.4
Hispanic	57	37,323										5	4.5	00.0-09.6	5	4.1	00.0-08.6
45-54	53	77,593										1	0.2	00.0-00.6	5	3.3	00.0-06.8
55-64	220	173,532	51	21.0	12.4-29.6	49	22.8	13.8-31.8				23	7.3	02.8-11.8	17	3.1	00.9-05.3
65+	352	256,251	107	35.9	27.7-44.1	81	18.1	12.4-23.8	115	30.6	23.0-38.2	28	7.1	02.4-11.8	21	8.4	03.5-13.3
H.S. or G.E.D.	133	93,296	32	20.9	11.1-30.7							8	5.1	00.4-09.8	13	7.1	02.0-12.2
Some Post-H.S.	175	133,587										15	3.9	01.0-06.8	11	9.7	01.9-17.5
College Graduate	267	241,507	72	33.8	24.6-43.0	67	24.6	15.8-33.4	92	30.9	22.1-39.7	22	7.2	01.9-12.5	14	3.5	00.8-06.2
\$15,000- 24,999	84	61,265				13	10.4	02.4-18.4				11	11.4	02.6-20.2			
\$35,000- 49,999	123	82,292										7	2.5	00.1-04.9	8	3.1	00.0-06.2
\$50,000- 74,999	101	84,285										7	3.0	00.1-05.9	4	7.8	00.0-17.4
\$75,000+	157	168,758										12	4.9	00.8-09.0	7	2.0	00.0-04.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 11: COLORECTAL CANCER SCREENING**

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	999	552,317	281	31.6	26.5-36.7	206	20.9	16.6-25.2	346	34.9	30.0-39.8	109	7.5	05.3-09.7	57	5.1	02.4-07.8
White/Non-Hisp	813	467,503	219	30.7	25.2-36.2	168	21.6	16.9-26.3	283	34.4	29.1-39.7	93	7.6	05.2-10.0	50	5.7	02.6-08.8
Hispanic	127	42,518										11	5.3	00.4-10.2	6	1.7	00.1-03.3
45-54	99	74,893										5	2.7	00.0-06.6	5	1.0	00.0-02.4
55-64	303	185,823	78	25.2	16.8-33.6	69	22.5	14.9-30.1	108	36.9	27.7-46.1	34	8.7	04.2-13.2	14	6.7	00.0-13.6
65+	597	291,601	169	35.1	28.4-41.8	110	16.0	11.3-20.7	210	35.9	29.6-42.2	70	8.0	05.1-10.9	38	5.1	02.6-07.6
Less Than H.S.	90	24,759				16	8.5	02.6-14.4				9	5.2	00.7-09.7	4	3.5	00.0-07.2
H.S. or G.E.D.	288	149,080	89	31.9	22.7-41.1	55	17.9	11.0-24.8	94	33.6	25.0-42.2	38	13.8	07.9-19.7	12	2.8	00.1-05.5
Some Post-H.S.	333	189,343	89	27.9	19.9-35.9	73	24.2	16.4-32.0	116	33.8	25.4-42.2	28	4.9	02.0-07.8	27	9.1	02.0-16.2
College Graduate	286	188,968	70	33.6	23.8-43.4	62	21.5	13.7-29.3	107	36.4	27.4-45.4	33	5.5	02.6-08.4	14	3.0	00.8-05.2
Less than \$15,000	108	39,152										10	3.9	00.6-07.2	4	3.4	00.0-07.1
\$15,000- 24,999	168	80,535				35	11.0	05.1-16.9				19	10.9	03.5-18.3	16	6.4	01.1-11.7
\$25,000- 34,999	132	63,666				27	14.4	06.6-22.2				13	5.2	00.7-09.7			
\$35,000- 49,999	156	90,016				33	21.4	11.6-31.2	62	29.9	19.9-39.9	16	7.6	01.5-13.7	5	2.9	00.0-07.4
\$50,000- 74,999	113	77,482							27	19.2	09.8-28.6	15	11.8	03.4-20.2	5	3.2	00.0-07.1
\$75,000+	124	103,819										17	5.1	02.0-08.2	4	0.8	00.0-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 12: ADULT ASTHMA HISTORY CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)	
1 MALES AND FEMALES	84
2 MALES ONLY	85
3 FEMALES ONLY	86
DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)	
4 MALES AND FEMALES	87
5 MALES ONLY	88
6 FEMALES ONLY	89
DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)	
7 MALES AND FEMALES	90
8 MALES ONLY	91
9 FEMALES ONLY	92
[IF ONE OR MORE VISITS TO Q3, FILL IN (BESIDES THOSE EMERGENCY ROOM VISITS,)] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)	
10 MALES AND FEMALES	93
11 MALES ONLY	94
12 FEMALES ONLY	95
DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA? (ASRCHKUP)	
13 MALES AND FEMALES	96
14 MALES ONLY	97
15 FEMALES ONLY	98

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 12: ADULT ASTHMA HISTORY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)	
16	MALES AND FEMALES	99
17	MALES ONLY	100
18	FEMALES ONLY	101
	SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)	
19	MALES AND FEMALES	102
20	MALES ONLY	103
21	FEMALES ONLY	104
	DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? (ASNOSLEP)	
22	MALES AND FEMALES	105
23	MALES ONLY	106
24	FEMALES ONLY	107
	DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)	
25	MALES AND FEMALES	108
26	MALES ONLY	109
27	FEMALES ONLY	110
	DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)	
28	MALES AND FEMALES	111
29	MALES ONLY	112
30	FEMALES ONLY	113

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 1: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that had never been told they had asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 years old			11-17 years old			18-44 years old			45-54 years old			55-64 years old			65-96+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)									
TOTAL	609	572,554	146	30.4	23.3-37.5	91	15.3	10.2-20.4	209	38.1	31.0-45.2	71	6.1	03.9-08.3	46	4.4	01.9-06.9	46	5.7	02.8-08.6
Male	167	214,180				22	11.5	03.9-19.1				12	3.9	01.0-06.8	9	3.3	00.2-06.4	18	9.5	02.8-16.2
Female	442	358,374	87	26.2	18.4-34.0	69	17.5	10.8-24.2	162	40.3	31.7-48.9	59	7.5	04.4-10.6	37	5.1	01.4-08.8	28	3.4	01.0-05.8
White/Non-Hisp	462	444,077	113	26.0	18.9-33.1	63	16.1	09.8-22.4	153	38.9	30.9-46.9	57	7.0	04.3-09.7	35	5.1	01.8-08.4	41	7.0	03.3-10.7
Hispanic	96	61,106										10	4.0	00.5-07.5	9	3.8	00.3-07.3	4	0.5	00.0-01.3
45-54	101	82,919										16	11.8	03.8-19.8						
55-64	151	96,860				13	6.3	01.2-11.4				35	15.5	07.5-23.5						
65+	181	112,817	30	17.9	08.7-27.1	20	9.9	03.0-16.8				19	9.1	03.0-15.2	21	6.2	02.5-09.9			
Less Than H.S.	79	73,460													9	3.6	00.3-06.9			
H.S. or G.E.D.	169	156,753				29	11.1	05.8-16.4				24	8.7	03.4-14.0	19	4.0	01.5-06.5	13	4.3	00.6-08.0
Some Post-H.S.	193	172,969				33	15.0	06.2-23.8				17	4.2	01.5-06.9	12	7.3	00.0-14.9	13	7.7	01.2-14.2
College Graduate	168	169,372				18	13.9	03.9-23.9				15	2.6	00.4-04.8	6	2.2	00.0-04.6	9	3.0	00.6-05.4
Less than \$15,000	84	60,283	9	9.5	00.3-18.7										6	1.5	00.0-03.1			
\$15,000- 24,999	108	64,063				17	15.0	05.8-24.2				8	3.9	00.0-08.0	16	8.6	02.7-14.5	14	8.3	02.2-14.4
\$25,000- 34,999	56	51,837										9	7.9	00.0-16.3				2	7.0	00.0-19.9
\$35,000- 49,999	88	79,975				12	5.5	01.4-09.6				3	2.0	00.0-04.7	8	6.0	00.3-11.7	11	12.2	02.6-21.8
\$50,000- 74,999	70	79,587				11	10.3	00.5-20.1				10	7.6	00.0-16.0	1	0.8	00.0-02.4	4	2.1	00.0-04.6
\$75,000+	107	143,959										8	3.5	00.2-06.8	2	0.4	00.0-01.0	2	3.2	00.0-08.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 2: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that had never been told they had asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		11-17 years old			45-54 years old			55-64 years old			65-96+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	167	214,180	22	11.5	03.7-19.3	12	3.9	01.0-06.8	9	3.3	00.2-06.4	18	9.5	02.6-16.4
White/Non-Hisp	131	162,117	15	13.1	03.3-22.9	11	5.1	01.4-08.8	8	4.0	00.0-08.1	17	12.5	03.7-21.3
65+	60	56,360	6	6.8	00.0-13.9	4	5.7	00.0-12.8	6	5.6	00.0-11.3			
College Graduate	51	66,161	5	9.6	00.0-19.6	2	3.6	00.0-08.9	1	1.8	00.0-05.3	4	4.7	00.0-09.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 3: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that had never been told they had asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 years old			11-17 years old			18-44 years old			45-54 years old			55-64 years old			65-96+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Female	442	358,374	87	26.2	18.4-34.0	69	17.5	10.6-24.4	162	40.3	31.7-48.9	59	7.5	04.4-10.6	37	5.1	01.4-08.8	28	3.4	01.0-05.8
White/Non-Hisp	331	281,960	66	23.9	15.1-32.7	48	17.9	09.9-25.9	120	40.6	30.6-50.6	46	8.1	04.4-11.8	27	5.7	01.0-10.4	24	3.8	00.9-06.7
Hispanic	77	46,178										10	5.3	00.4-10.2	8	3.7	00.0-07.6	3	0.2	00.0-00.4
55-64	120	70,636				10	7.4	00.5-14.3												
65+	121	56,457										15	12.5	02.9-22.1	15	6.8	01.9-11.7			
Less Than H.S.	54	42,870													7	3.0	00.1-05.9	6	2.5	00.0-05.6
H.S. or G.E.D.	123	100,313				20	11.9	05.0-18.8				20	10.3	03.2-17.4	15	4.9	01.2-08.6	9	3.0	00.3-05.7
Some Post-H.S.	148	111,981	32	21.4	12.2-30.6	28	16.1	07.3-24.9				15	6.2	02.1-10.3	10	8.4	00.0-19.0	8	5.6	00.0-12.3
College Graduate	117	103,210										13	2.0	00.4-03.6	5	2.5	00.0-05.8	5	1.8	00.0-04.0
Less than \$15,000	70	40,087	6	7.2	00.0-17.4										6	2.3	00.0-04.7	4	1.5	00.0-03.3
\$15,000- 24,999	80	40,760										7	5.5	00.0-11.8	14	10.1	03.2-17.0	8	7.8	00.0-15.8
\$35,000- 49,999	54	36,738				10	9.8	01.8-17.8				2	3.7	00.0-09.6				5	7.3	00.2-14.4
\$75,000+	76	95,665										5	2.8	00.0-06.9	1	0.2	00.0-00.6	1	3.8	00.0-11.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 4: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	421	376,340	213	55.1	46.9-63.3	208	44.9	36.7-53.1
Female	312	247,587	168	64.3	54.7-73.9	144	35.7	26.1-45.3
White/Non-Hisp	320	304,088	162	57.5	48.3-66.7	158	42.5	33.3-51.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY

TABLE 5: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 6: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	312	247,587	168	64.3	54.7-73.9	144	35.7	26.1-45.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY

TABLE 7: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY

TABLE 8: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY

TABLE 9: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY

TABLE 10: [IF ONE OR MORE VISITS TO Q3, FILL IN (BESIDES THOSE EMERGENCY ROOM VISITS,)] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY

TABLE 11: [IF ONE OR MORE VISITS TO Q3, FILL IN (BESIDES THOSE EMERGENCY ROOM VISITS,)] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY

TABLE 12: [IF ONE OR MORE VISITS TO Q3, FILL IN (BESIDES THOSE EMERGENCY ROOM VISITS,)] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

**TABLE 13. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA?
(ASRCHKUP)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			14-26 times in last 12 months			27-39 times in last 12 months			40-52 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	428	386,879	251	54.5	45.9-63.1	3	2.5	00.0-06.2	1	0.4	00.0-01.2	1	0.0	00.0-00.0	172	42.6	34.2-51.0
Male	115	133,220				1	0.4	00.0-01.2									
Female	313	253,658				2	3.6	00.0-09.3	1	0.6	00.0-01.8	1	0.0	00.0-00.0			
White/Non-Hisp	325	308,678	176	53.2	43.6-62.8	3	3.2	00.0-07.9	1	0.5	00.0-01.5	1	0.0	00.0-00.0	144	43.1	33.7-52.5
55-64	109	73,179				1	2.8	00.0-08.3	1	2.1	00.0-06.2						
65+	131	79,262				1	0.7	00.0-02.1				1	0.1	00.0-00.3			
H.S. or G.E.D.	122	105,194										1	0.1	00.0-00.3			
Some Post-H.S.	132	117,183				2	2.3	00.0-05.8	1	1.3	00.0-03.8						
Less than \$15,000	62	39,475										1	0.2	00.0-00.6			
\$35,000- 49,999	68	60,611				1	1.0	00.0-03.0									
\$75,000+	71	86,022				1	2.4	00.0-07.1									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

**TABLE 14. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA?
(ASRCHKUP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			14-26 times in last 12 months	
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Male	115	133,220	1	0.4	00.0-01.2
White/Non-Hisp	90	103,019	1	0.6	00.0-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

**TABLE 15. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA?
(ASRCHKUP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		14-26 times in last 12 months			27-39 times in last 12 months			40-52 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	313	253,658	2	3.6	00.0-09.3	1	0.6	00.0-01.8	1	0.0	00.0-00.0			
White/Non-Hisp	235	205,660	2	4.5	00.0-11.4	1	0.8	00.0-02.4	1	0.0	00.0-00.0			
55-64	89	55,680	1	3.7	00.0-11.0	1	2.8	00.0-08.3				33	22.4	12.8-32.0
65+	86	35,861							1	0.2	00.0-00.6			
H.S. or G.E.D.	87	66,557							1	0.1	00.0-00.3			
Some Post-H.S.	104	81,798	1	2.5	00.0-07.4	1	1.9	00.0-05.6						
Less than \$15,000	53	23,698							1	0.3	00.0-00.9			
\$75,000+	54	68,640	1	3.0	00.0-08.9									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 16. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-10 Days			11-30 Days			31-60 Days			61-100 Days			101-366 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	400	360,292	65	18.8	11.4-26.2	13	3.3	00.0-06.6	3	0.7	00.0-01.9	67	11.7	07.0-16.4	8	0.8	00.0-01.6	244	64.8	56.4-73.2
Male	105	124,679	8	7.9	00.6-15.2	3	6.5	00.0-15.1				1	0.1	00.0-00.3						
Female	295	235,613				10	1.5	00.1-02.9	3	1.1	00.0-02.9	49	10.1	05.6-14.6	7	1.1	00.1-02.1			
White/Non-Hisp	303	292,065	46	16.8	08.6-25.0	10	3.8	00.0-07.7	3	0.9	00.0-02.3	47	13.1	07.2-19.0	6	0.7	00.0-01.5	191	64.6	55.0-74.2
Hispanic	64	37,145				3	1.5	00.0-03.5				16	6.3	01.4-11.2						
35-44	57	74,840				4	0.9	00.0-01.9							1	0.5	00.0-01.5			
45-54	60	41,594	15	12.1	04.1-20.1	1	1.2	00.0-03.6							1	0.5	00.0-01.5			
55-64	106	68,517				4	2.1	00.0-05.2	2	3.2	00.0-09.1				4	2.7	00.0-06.0			
65+	124	77,673	13	8.6	01.0-16.2				1	0.5	00.0-01.5	22	12.4	02.8-22.0	2	0.4	00.0-01.0			
H.S. or G.E.D.	113	96,065				3	0.7	00.0-01.7	1	2.2	00.0-06.5	18	10.6	01.4-19.8	3	0.7	00.0-01.5			
Some Post-H.S.	125	106,881				6	4.3	00.0-09.6							4	1.9	00.0-04.1			
College Graduate	113	115,772				2	4.5	00.0-13.1	2	0.4	00.0-01.2	18	11.0	02.8-19.2						
Less than \$15,000	53	31,473				6	6.8	00.0-14.6	1	6.6	00.0-19.1	12	8.2	01.7-14.7	3	5.1	00.0-12.4			
\$15,000- 24,999	77	46,280				1	0.4	00.0-01.2	1	0.2	00.0-00.6				3	1.8	00.0-04.0			
\$35,000- 49,999	63	53,308	9	7.5	00.1-14.9	1	4.9	00.0-14.3												
\$75,000+	69	85,550				2	0.4	00.0-01.0				10	11.0	01.8-20.2						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 17. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-10 Days			11-30 Days			101-366 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	105	124,679	8	7.9	00.6-15.2	3	6.5	00.0-14.3	1	0.1	00.0-00.3
White/Non-Hisp	83	100,436	5	6.6	00.0-14.0	2	7.8	00.0-17.4	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 18. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		11-30 Days			31-60 Days			61-100 Days			101-366 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	295	235,613	10	1.5	00.1-02.9	3	1.1	00.0-02.9	49	10.1	05.6-14.6	7	1.1	00.1-02.1
White/Non-Hisp	220	191,630	8	1.8	00.0-03.6	3	1.3	00.0-03.5	34	11.2	05.9-16.5	5	1.0	00.0-02.2
Hispanic	52	27,469	2	1.0	00.0-02.6				12	5.6	00.3-10.9			
55-64	86	51,018	4	2.8	00.0-06.9	2	4.2	00.0-12.0	10	9.2	00.8-17.6	3	3.4	00.0-07.9
65+	81	32,675	2	4.2	00.0-11.5	1	1.2	00.0-03.6	15	10.5	01.5-19.5	2	0.9	00.0-02.1
H.S. or G.E.D.	83	64,316	3	1.1	00.0-02.7	1	3.2	00.0-09.5	11	5.9	00.6-11.2	3	1.0	00.0-02.2
Some Post-H.S.	98	72,491	4	2.3	00.0-05.6							3	2.5	00.0-05.6
College Graduate	80	76,580	1	0.1	00.0-00.3	2	0.6	00.0-01.6	13	9.2	00.8-17.6			
\$15,000- 24,999	56	29,856	1	0.6	00.0-01.8	1	0.3	00.0-00.9				3	2.9	00.0-06.4
\$75,000+	53	68,598	1	0.1	00.0-00.3									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 19. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< Once Week			Once or Twice a Week			More Than 2 Times per Week, Not Everyday			Every Day, But Not All the Time			Every Day All the Time			Not at Any Time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	410	364,751	82	22.0	14.7-29.3	85	21.0	13.9-28.1	48	13.6	07.7-19.5	47	9.1	04.6-13.6	37	6.4	03.1-09.7	111	27.9	19.7-36.1
Male	105	124,205				21	13.1	04.5-21.7	11	11.5	02.5-20.5				10	10.1	01.9-18.3			
Female	305	240,546	66	26.6	17.4-35.8	64	25.0	15.4-34.6	37	14.7	07.1-22.3	29	5.0	02.3-07.7	27	4.5	01.8-07.2	82	24.1	14.7-33.5
White/Non-Hisp	314	297,814	66	25.0	16.6-33.4	60	20.3	12.3-28.3	31	12.3	05.6-19.0	39	10.2	04.9-15.5	30	6.2	03.1-09.3	88	26.1	17.5-34.7
Hispanic	64	36,893	11	5.9	00.4-11.4							4	2.1	00.0-04.6						
35-44	58	75,582													2	0.4	00.0-01.0			
45-54	66	45,734													7	4.3	00.2-08.4			
55-64	107	70,386	19	16.4	06.8-26.0							12	5.7	02.0-09.4	9	7.4	00.1-14.7			
65+	126	75,382	22	13.3	05.3-21.3	19	13.5	04.5-22.5	8	3.5	00.2-06.8				15	9.5	03.0-16.0			
Less Than H.S.	54	45,563	6	7.4	00.0-16.6										7	6.4	00.0-12.9			
H.S. or G.E.D.	116	98,069				25	17.4	07.8-27.0	12	10.4	01.6-19.2	12	5.6	00.5-10.7	6	7.0	00.0-15.0			
Some Post-H.S.	126	107,629							13	11.1	02.5-19.7	12	5.6	00.3-10.9	16	8.8	01.9-15.7			
College Graduate	114	113,490							13	12.3	03.7-20.9	11	7.9	00.0-16.9	8	3.8	00.0-07.9			
Less than \$15,000	60	37,714	6	5.4	00.0-11.7							6	9.4	00.0-19.0	9	8.9	01.1-16.7			
\$15,000- 24,999	74	43,064				10	4.9	01.2-08.6												
\$35,000- 49,999	64	54,560	9	7.0	01.5-12.5				3	3.4	00.0-07.5	6	8.5	00.0-18.5						
\$75,000+	69	85,550										8	9.7	00.0-19.7	3	1.6	00.0-04.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 20. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Once or Twice a Week			More Than 2 Times per Week, Not Everyday			Every Day All the Time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	105	124,205	21	13.1	04.5-21.7	11	11.5	02.5-20.5	10	10.1	01.9-18.3
White/Non-Hisp	84	100,355	13	8.5	02.0-15.0	6	10.5	00.7-20.3	9	8.7	01.8-15.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 21. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< Once Week			Once or Twice a Week			More Than 2 Times per Week, Not Everyday			Every Day, But Not All the Time			Every Day All the Time			Not at Any Time			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	305	240,546	66	26.6	17.4-35.8	64	25.0	15.6-34.4	37	14.7	07.1-22.3	29	5.0	02.3-07.7	27	4.5	01.8-07.2	82	24.1	14.7-33.5	
White/Non-Hisp	230	197,458							25	13.2	04.6-21.8	23	4.8	02.1-07.5	21	5.0	01.7-08.3	63	20.7	10.9-30.5	
Hispanic	53	27,611	11	7.9	00.3-15.5							3	1.7	00.0-04.2	4	2.0	00.0-04.4				
45-54	50	27,825													6	6.4	00.0-12.9				
55-64	87	52,887										8	5.1	01.4-08.8	6	4.5	00.0-09.2				
65+	84	32,938							7	6.8	00.0-13.9	7	6.6	00.3-12.9	12	12.4	02.4-22.4				
H.S. or G.E.D.	88	66,815										11	8.0	00.4-15.6	4	3.2	00.0-07.3				
Some Post-H.S.	98	72,244										5	2.3	00.0-04.8	12	7.1	00.0-14.2				
College Graduate	82	77,783							11	11.1	02.5-19.7	7	3.3	00.2-06.4	5	1.3	00.0-03.1				
Less than \$15,000	52	22,464	6	9.0	00.0-19.0													14	13.2	04.2-22.2	
\$15,000- 24,999	56	27,723				7	4.5	00.6-08.4					9	8.2	01.7-14.7	6	7.5	00.0-15.7			
\$75,000+	53	68,598							6	9.8	00.0-19.6		4	4.7	00.0-10.8	2	0.6	00.0-01.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 22. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? (ASNOSLEP)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 days			6 to 10 days			More Than 10 days			No days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	299	265,891	49	14.4	08.7-20.1	25	8.0	02.9-13.1	13	5.1	00.8-09.4	13	2.2	00.4-04.0	39	16.9	09.1-24.7	160	53.3	43.5-63.1
Male	78	80,056				6	7.8	00.0-17.0	2	8.4	00.0-19.6	1	1.5	00.0-04.4						
Female	221	185,835	39	15.9	09.4-22.4	19	8.1	02.2-14.0	11	3.8	00.1-07.5	12	2.6	00.4-04.8	30	14.8	06.2-23.4			
White/Non-Hisp	222	218,942	34	10.8	05.9-15.7	15	8.6	02.5-14.7	8	5.4	00.3-10.5	5	1.3	00.0-02.9	32	17.2	08.4-26.0			
45-54	54	35,098				4	6.8	00.0-15.4	3	2.9	00.0-06.8	2	1.0	00.0-02.6						
55-64	77	54,798				3	4.3	00.0-09.6				5	4.3	00.0-10.2						
65+	81	46,031							2	0.7	00.0-01.9	2	2.9	00.0-08.0						
H.S. or G.E.D.	82	63,433				7	8.1	00.0-16.3	4	6.6	00.0-16.0	4	2.7	00.0-06.4	8	6.4	00.7-12.1			
Some Post-H.S.	89	79,064				9	4.3	00.4-08.2	3	4.0	00.0-11.1	4	2.3	00.0-05.4						
College Graduate	82	84,495	16	10.3	02.9-17.7				1	4.5	00.0-13.1	2	0.3	00.0-00.7						
\$15,000- 24,999	55	34,218										2	1.2	00.0-03.2	9	6.0	00.9-11.1			
\$75,000+	54	68,714							1	5.6	00.0-16.2	1	0.2	00.0-00.8						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 23. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? (ASNOSLEP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 days			6 to 10 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	78	80,056				6	7.8	00.0-17.2	2	8.4	00.0-19.4	1	1.5	00.0-04.4
White/Non-Hisp	60	62,885	5	5.8	00.5-11.1							1	1.9	00.0-05.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 24. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? (ASNOSLEP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 days			6 to 10 days			More Than 10 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	221	185,835	39	15.9	09.4-22.4	19	8.1	02.2-14.0	11	3.8	00.1-07.5	12	2.6	00.4-04.8	30	14.8	06.2-23.4
White/Non-Hisp	162	156,057	29	12.8	06.3-19.3	11	8.4	01.3-15.5	6	3.3	00.0-07.6	4	1.1	00.0-02.5	25	15.1	05.3-24.9
55-64	63	43,632				2	4.5	00.0-10.8				5	5.4	00.0-12.7			
65+	51	20,807							2	1.6	00.0-04.3	1	0.6	00.0-01.8	4	2.0	00.0-04.2
H.S. or G.E.D.	61	45,375				5	5.5	00.0-11.4				4	3.8	00.0-08.9	8	9.0	01.0-17.0
Some Post-H.S.	67	52,144				7	5.6	00.0-11.3	2	0.5	00.0-01.3	3	1.2	00.0-02.8			
College Graduate	62	64,963	13	10.7	01.7-19.7							2	0.4	00.0-01.0	6	5.8	00.0-12.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY

TABLE 25. DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)
Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY

TABLE 26. DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY

TABLE 27. DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

**TABLE 28. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-14 times			15-29 times			30-59 times			60-99 times			100+ times			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	409	367,320	163	34.0	26.2-41.8	25	5.6	02.1-09.1	21	8.1	02.6-13.6	12	2.7	00.3-05.1	7	2.8	00.0-05.9	181	46.8	38.2-55.4
Male	106	123,809				7	9.1	00.3-17.9	10	6.9	00.6-13.2	3	2.0	00.0-05.3	4	5.5	00.0-13.7			
Female	303	243,510				18	3.8	01.4-06.2	11	8.7	01.1-16.3	9	3.0	00.1-05.9	3	1.5	00.0-03.7			
White/Non-Hisp	311	297,560	115	33.9	24.9-42.9	17	3.8	01.1-06.5	17	9.1	02.4-15.8	9	3.1	00.4-05.8	6	3.4	00.0-07.3	147	46.7	37.1-56.3
Hispanic	66	38,847				2	1.1	00.0-03.1	3	1.2	00.0-02.8									
35-44	59	75,976										1	1.0	00.0-03.0						
45-54	63	43,973				3	7.0	00.0-16.2	6	9.7	00.0-19.7	1	2.2	00.0-06.5						
55-64	105	71,029				7	3.1	00.0-06.4	6	7.0	00.1-13.9	4	7.1	00.0-16.1	2	0.5	00.0-01.1			
65+	128	77,341	39	20.1	11.3-28.9	7	7.1	00.0-14.7	6	5.2	00.0-11.5	5	1.2	00.0-02.4						
Less Than H.S.	57	48,457										4	3.1	00.0-07.4	1	2.5	00.0-07.4			
H.S. or G.E.D.	115	96,498				6	3.3	00.0-06.8	9	7.3	00.6-14.0	2	3.5	00.0-09.8	1	1.1	00.0-03.3			
Some Post-H.S.	123	108,875				6	8.1	00.0-17.1				5	2.6	00.0-05.7	4	2.6	00.0-06.9			
College Graduate	114	113,490				6	2.0	00.0-05.3	4	1.0	00.0-02.2	1	1.8	00.0-05.3	1	4.6	00.0-13.4			
Less than \$15,000	60	37,360										3	3.3	00.0-08.6	1	0.4	00.0-01.4			
\$15,000- 24,999	72	44,268				5	3.6	00.0-07.5												
\$35,000- 49,999	66	54,943				3	5.5	00.0-14.7	4	3.2	00.0-07.3				2	4.5	00.0-12.7			
\$75,000+	68	85,158				3	2.6	00.0-07.1	2	2.8	00.0-07.3	2	1.1	00.0-02.9						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

TABLE 29. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		15-29 times			30-59 times			60-99 times			100+ times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	106	123,809	7	9.1	00.0-18.3	10	6.9	00.6-13.2	3	2.0	00.0-05.3	4	5.5	00.0-13.9
White/Non-Hisp	84	99,566	5	4.2	00.0-09.9	9	8.2	00.4-16.0	2	2.3	00.0-06.4	3	6.6	00.0-17.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 12: ADULT ASTHMA HISTORY**

**TABLE 30. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		15-29 times			30-59 times			60-99 times			100+ times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	303	243,510	18	3.8	01.4-06.2	11	8.7	01.1-16.3	9	3.0	00.1-05.9	3	1.5	00.0-03.7
White/Non-Hisp	227	197,994	12	3.6	00.9-06.3	8	9.5	00.3-18.7	7	3.5	00.0-07.2	3	1.8	00.0-04.3
Hispanic	54	29,171	3	2.2	00.0-05.1	2	1.5	00.0-04.2	2	0.9	00.0-02.3			
55-64	86	53,921	6	4.1	00.0-08.4	6	9.2	00.2-18.2						
65+	85	35,296	5	6.9	00.0-15.3	1	1.1	00.0-03.3	3	1.4	00.0-03.2	1	0.3	00.0-00.9
H.S. or G.E.D.	86	64,903	6	5.0	00.0-10.3	4	4.2	00.0-10.3	1	4.8	00.0-14.0	1	1.7	00.0-05.0
Some Post-H.S.	97	75,083	3	1.2	00.0-02.8				4	3.5	00.0-08.0	2	3.3	00.0-09.4
College Graduate	82	77,783	4	2.8	00.0-07.7	1	0.5	00.0-01.5						
Less than \$15,000	52	22,110							3	5.5	00.0-14.1			
\$15,000- 24,999	52	27,997	5	5.8	00.0-11.9	1	1.4	00.0-04.1						
\$75,000+	53	68,598	2	3.0	00.0-08.5	1	2.8	00.0-08.3	2	1.4	00.0-03.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 13: ARTHRITIS MANAGEMENT CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
EARLIER YOU INDICATED THAT YOU HAD ARTHRITIS OR JOINT SYMPTOMS. THINKING ABOUT YOUR ARTHRITIS OR JOINT SYMPTOMS, WHICH OF THE FOLLOWING BEST DESCRIBES YOU TODAY? (ARTTODAY)	
1 MALES AND FEMALES	115
2 MALES ONLY	116
3 FEMALES ONLY	117
HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED LOSING WEIGHT TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHWGT)	
4 MALES AND FEMALES	118
5 MALES ONLY	119
6 FEMALES ONLY	120
HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)	
7 MALES AND FEMALES	121
8 MALES ONLY	122
9 FEMALES ONLY	123
HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)	
10 MALES AND FEMALES	124
11 MALES ONLY	125
12 FEMALES ONLY	126

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 13: ARTHRITIS MANAGEMENT**

TABLE 1: EARLIER YOU INDICATED THAT YOU HAD ARTHRITIS OR JOINT SYMPTOMS. THINKING ABOUT YOUR ARTHRITIS OR JOINT SYMPTOMS, WHICH OF THE FOLLOWING BEST DESCRIBES YOU TODAY? (ARTTODAY)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		I can do Everything I would like to			I can do Most Things I would like to			I can do Some Things I would like to			I can Hardly do Anything I would like to		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2232	1,688,009	645	34.5	30.2-38.8	978	41.6	37.7-45.5	454	17.5	14.8-20.2	155	6.4	04.4-08.4
Male	756	777,003	233	41.8	34.4-49.2	328	35.7	29.2-42.2	140	15.8	11.7-19.9	55	6.7	03.2-10.2
Female	1476	911,006	412	28.2	24.1-32.3	650	46.6	42.1-51.1	314	19.0	15.5-22.5	100	6.2	04.2-08.2
White/Non-Hisp	1709	1,319,229	464	33.1	29.0-37.2	783	43.3	39.2-47.4	339	17.0	14.1-19.9	123	6.6	04.2-09.0
Oth. Race/Non-Hisp.	85	69,081										3	6.3	00.0-14.3
Hispanic	377	245,554							83	18.6	10.0-27.2	24	6.2	01.3-11.1
25-34	92	181,537							5	3.3	00.0-07.2			
35-44	204	269,410							39	18.5	09.9-27.1	12	4.9	01.2-08.6
45-54	410	314,992	143	41.4	33.2-49.6	176	41.8	34.0-49.6	63	11.9	07.2-16.6	28	4.9	02.5-07.3
55-64	564	381,223	157	28.0	21.5-34.5	243	43.9	37.0-50.8	112	19.5	14.0-25.0	52	8.7	05.2-12.2
65+	922	492,237	207	22.5	18.2-26.8	430	46.8	41.3-52.3	227	24.6	19.7-29.5	58	6.1	03.2-09.0
Less Than H.S.	255	160,725										36	15.4	06.4-24.4
H.S. or G.E.D.	601	396,655	154	31.7	24.8-38.6	271	39.7	33.2-46.2	129	21.9	16.0-27.8	47	6.6	03.9-09.3
Some Post-H.S.	711	543,716	210	37.8	30.9-44.7	310	38.4	31.5-45.3	148	19.1	14.2-24.0	43	4.7	02.3-07.1
College Graduate	662	586,671	205	32.3	26.0-38.6	327	50.0	43.3-56.7	101	12.2	08.3-16.1	29	5.5	01.2-09.8
Less than \$15,000	269	117,910	45	13.5	07.0-20.0	91	29.4	20.4-38.4				37	12.4	06.9-17.9
\$15,000- 24,999	379	261,849							88	16.7	10.0-23.4	41	10.9	05.0-16.8
\$25,000- 34,999	243	137,938							50	19.8	09.8-29.8	9	2.6	00.2-05.0
\$35,000- 49,999	359	227,434	111	29.5	22.1-36.9	175	48.4	40.0-56.8	58	17.6	11.3-23.9	15	4.4	01.3-07.5
\$50,000- 74,999	279	276,986				142	40.4	31.0-49.8	42	12.3	06.2-18.4	8	3.2	00.3-06.1
\$75,000+	362	433,154	139	44.3	35.9-52.7	173	41.9	33.7-50.1	40	10.1	05.4-14.8	10	3.7	00.0-08.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 13: ARTHRITIS MANAGEMENT**

TABLE 2: EARLIER YOU INDICATED THAT YOU HAD ARTHRITIS OR JOINT SYMPTOMS. THINKING ABOUT YOUR ARTHRITIS OR JOINT SYMPTOMS, WHICH OF THE FOLLOWING BEST DESCRIBES YOU TODAY? (ARTTODAY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		I can do Everything I would like to			I can do Most Things I would like to			I can do Some Things I would like to			I can Hardly do Anything I would like to		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	756	777,003	233	41.8	34.4-49.2	328	35.7	29.2-42.2	140	15.8	11.7-19.9	55	6.7	03.2-10.2
White/Non-Hisp	603	599,415	178	39.8	32.9-46.7	265	37.0	30.7-43.3	117	15.8	11.5-20.1	43	7.5	03.2-11.8
Hispanic	104	128,075										10	4.1	00.0-09.0
35-44	58	142,262										4	4.4	00.0-09.7
45-54	142	147,544							22	14.9	06.1-23.7	4	3.2	00.0-06.7
55-64	211	157,317							36	14.1	07.8-20.4	20	7.2	02.5-11.9
65+	294	202,661	69	24.9	17.1-32.7	134	42.6	33.4-51.8	67	24.9	16.3-33.5	24	7.5	01.8-13.2
Less Than H.S.	83	95,657										16	9.8	01.2-18.4
H.S. or G.E.D.	186	154,357										16	5.5	01.2-09.8
Some Post-H.S.	221	224,522							49	17.4	09.8-25.0	11	3.3	00.6-06.0
College Graduate	266	302,466	89	39.9	29.9-49.9	127	40.9	31.1-50.7	38	10.3	05.0-15.6	12	8.8	00.8-16.8
Less than \$15,000	65	41,864	10	6.9	00.8-13.0									
\$15,000- 24,999	110	114,557										14	9.1	00.9-17.3
\$25,000- 34,999	69	50,713										2	2.9	00.0-07.6
\$35,000- 49,999	149	107,771										4	1.7	00.0-04.4
\$50,000- 74,999	108	122,657										4	4.2	00.0-09.3
\$75,000+	170	261,106							17	7.0	01.9-12.1	4	5.1	00.0-13.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 13: ARTHRITIS MANAGEMENT**

TABLE 3: EARLIER YOU INDICATED THAT YOU HAD ARTHRITIS OR JOINT SYMPTOMS. THINKING ABOUT YOUR ARTHRITIS OR JOINT SYMPTOMS, WHICH OF THE FOLLOWING BEST DESCRIBES YOU TODAY? (ARTTODAY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		I can do Everything I would like to			I can do Most Things I would like to			I can do Some Things I would like to			I can Hardly do Anything I would like to		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1476	911,006	412	28.2	24.1-32.3	650	46.6	42.1-51.1	314	19.0	15.5-22.5	100	6.2	04.2-08.2
White/Non-Hisp	1106	719,814	286	27.6	22.9-32.3	518	48.5	43.4-53.6	222	18.0	14.1-21.9	80	5.9	03.9-07.9
Oth. Race/Non-Hisp.	62	48,182										2	5.5	00.0-14.9
Hispanic	273	117,479							68	21.2	11.2-31.2	14	8.5	00.5-16.5
25-34	58	73,433							4	7.2	00.0-16.0	2	3.6	00.0-09.9
35-44	146	127,148										8	5.4	00.3-10.5
45-54	268	167,448	89	33.3	23.7-42.9	114	51.1	41.1-61.1	41	9.3	04.8-13.8	24	6.4	03.3-09.5
55-64	353	223,905	91	18.3	12.2-24.4	154	48.7	39.7-57.7	76	23.3	15.3-31.3	32	9.7	04.6-14.8
65+	628	289,576	138	20.8	15.9-25.7	296	49.7	43.0-56.4	160	24.4	18.7-30.1	34	5.1	02.0-08.2
H.S. or G.E.D.	415	242,298	102	28.0	20.0-36.0	192	43.1	35.1-51.1	90	21.5	14.6-28.4	31	7.3	03.8-10.8
Some Post-H.S.	490	319,193	143	31.7	24.4-39.0	216	42.2	34.6-49.8	99	20.3	14.2-26.4	32	5.7	02.4-09.0
College Graduate	396	284,205	116	24.2	17.1-31.3	200	59.6	51.2-68.0	63	14.3	08.4-20.2	17	1.9	00.5-03.3
Less than \$15,000	204	76,045	35	17.2	08.2-26.2	71	28.0	18.6-37.4				23	11.6	05.5-17.7
\$15,000- 24,999	269	147,292	57	15.8	09.5-22.1				63	19.0	11.9-26.1	27	12.3	04.9-19.7
\$25,000- 34,999	174	87,225										7	2.4	00.0-04.8
\$35,000- 49,999	210	119,663	73	26.2	18.0-34.4				29	13.7	07.0-20.4	11	6.9	01.8-12.0
\$50,000- 74,999	171	154,330							24	9.4	03.9-14.9	4	2.3	00.0-05.8
\$75,000+	192	172,047							23	14.8	06.2-23.4	6	1.5	00.0-03.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 13: ARTHRITIS MANAGEMENT**

TABLE 4: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED LOSING WEIGHT TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHWGT)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2236	1,683,360	686	29.2	25.7-32.7	1550	70.8	67.3-74.3
Male	759	778,896	220	26.1	20.4-31.8	539	73.9	68.2-79.6
Female	1477	904,464	466	31.8	27.5-36.1	1011	68.2	63.9-72.5
White/Non-Hisp	1713	1,319,880	501	29.6	25.7-33.5	1212	70.4	66.5-74.3
45-54	409	314,360	126	26.8	20.3-33.3	283	73.2	66.7-79.7
55-64	564	381,862	206	40.0	33.1-46.9	358	60.0	53.1-66.9
65+	927	492,679	263	29.9	24.6-35.2	664	70.1	64.8-75.4
H.S. or G.E.D.	606	398,387	177	28.0	22.1-33.9	429	72.0	66.1-77.9
Some Post-H.S.	710	537,490	224	27.6	22.1-33.1	486	72.4	66.9-77.9
College Graduate	662	586,067	205	31.1	24.6-37.6	457	68.9	62.4-75.4
\$15,000- 24,999	379	256,576	130	27.7	17.9-37.5	249	72.3	62.5-82.1
\$25,000- 34,999	241	137,251	74	26.4	17.2-35.6	167	73.6	64.4-82.8
\$35,000- 49,999	360	226,450	103	28.6	21.2-36.0	257	71.4	64.0-78.8
\$50,000- 74,999	279	276,441	90	27.8	19.4-36.2	189	72.2	63.8-80.6
\$75,000+	362	433,154	114	32.6	24.4-40.8	248	67.4	59.2-75.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 13: ARTHRITIS MANAGEMENT**

TABLE 5: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED LOSING WEIGHT TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHWTG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	759	778,896	220	26.1	20.4-31.8	539	73.9	68.2-79.6
White/Non-Hisp	605	600,759	173	28.0	21.7-34.3	432	72.0	65.7-78.3
45-54	143	147,578	40	22.1	12.5-31.7	103	77.9	68.3-87.5
65+	297	204,504	89	33.1	23.7-42.5	208	66.9	57.5-76.3
H.S. or G.E.D.	187	155,079	54	23.5	14.1-32.9	133	76.5	67.1-85.9
Some Post-H.S.	221	225,109	63	22.0	13.8-30.2	158	78.0	69.8-86.2
College Graduate	267	302,501	82	30.4	20.6-40.2	185	69.6	59.8-79.4
\$15,000- 24,999	110	114,557	31	12.1	03.3-20.9	79	87.9	79.1-96.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 13: ARTHRITIS MANAGEMENT**

TABLE 6: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED LOSING WEIGHT TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHWTG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1477	904,464	466	31.8	27.5-36.1	1011	68.2	63.9-72.5
White/Non-Hisp	1108	719,121	328	30.9	26.2-35.6	780	69.1	64.4-73.8
45-54	266	166,782	86	31.0	22.2-39.8	180	69.0	60.2-77.8
55-64	353	224,120	140	45.5	36.5-54.5	213	54.5	45.5-63.5
65+	630	288,175	174	27.6	21.5-33.7	456	72.4	66.3-78.5
H.S. or G.E.D.	419	243,308	123	30.8	23.5-38.1	296	69.2	61.9-76.5
Some Post-H.S.	489	312,380	161	31.8	24.7-38.9	328	68.2	61.1-75.3
College Graduate	395	283,566	123	31.8	23.6-40.0	272	68.2	60.0-76.4
\$35,000- 49,999	210	118,411				144	66.8	56.8-76.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 13: ARTHRITIS MANAGEMENT**

TABLE 7. HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2216	1,670,816	1054	44.7	40.8-48.6	1162	55.3	51.4-59.2
Male	757	776,729	300	36.8	30.5-43.1	457	63.2	56.9-69.5
Female	1459	894,087	754	51.6	47.1-56.1	705	48.4	43.9-52.9
White/Non-Hisp	1698	1,309,562	788	46.4	42.3-50.5	910	53.6	49.5-57.7
45-54	406	312,689	191	41.2	33.6-48.8	215	58.8	51.2-66.4
55-64	560	376,777	291	57.2	50.3-64.1	269	42.8	35.9-49.7
65+	919	491,479	426	48.3	42.8-53.8	493	51.7	46.2-57.2
H.S. or G.E.D.	604	398,180	277	42.5	35.8-49.2	327	57.5	50.8-64.2
Some Post-H.S.	701	532,544	335	45.0	38.3-51.7	366	55.0	48.3-61.7
College Graduate	652	578,575	327	49.0	42.1-55.9	325	51.0	44.1-57.9
\$35,000- 49,999	360	227,304	183	49.9	41.5-58.3	177	50.1	41.7-58.5
\$50,000- 74,999	276	275,891	124	37.9	28.7-47.1	152	62.1	52.9-71.3
\$75,000+	357	427,691	170	46.0	37.4-54.6	187	54.0	45.4-62.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 13: ARTHRITIS MANAGEMENT**

TABLE 8: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	757	776,729	300	36.8	30.3-43.3	457	63.2	56.7-69.7
White/Non-Hisp	603	598,592	247	42.0	35.3-48.7	356	58.0	51.3-64.7
65+	295	203,546	121	44.6	35.2-54.0	174	55.4	46.0-64.8
College Graduate	265	301,544	122	45.2	35.2-55.2	143	54.8	44.8-64.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 13: ARTHRITIS MANAGEMENT**

TABLE 9: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1459	894,087	754	51.6	47.1-56.1	705	48.4	43.9-52.9
White/Non-Hisp	1095	710,970	541	50.1	45.0-55.2	554	49.9	44.8-55.0
45-54	263	165,111	140	48.0	38.0-58.0	123	52.0	42.0-62.0
55-64	349	219,659	199	63.6	55.2-72.0	150	36.4	28.0-44.8
65+	624	287,932	305	50.8	44.1-57.5	319	49.2	42.5-55.9
H.S. or G.E.D.	416	242,977	202	45.9	37.9-53.9	214	54.1	46.1-62.1
Some Post-H.S.	481	308,769	253	54.1	46.5-61.7	228	45.9	38.3-53.5
College Graduate	387	277,031	205	53.2	44.2-62.2	182	46.8	37.8-55.8
\$15,000- 24,999	267	140,313	142	56.5	46.9-66.1	125	43.5	33.9-53.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 13: ARTHRITIS MANAGEMENT**

TABLE 10: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2234	1,668,071	252	10.9	08.7-13.1	1982	89.1	86.9-91.3
Male	757	762,232	76	11.0	07.3-14.7	681	89.0	85.3-92.7
Female	1477	905,839	176	10.8	08.1-13.5	1301	89.2	86.5-91.9
White/Non-Hisp	1711	1,320,715	189	11.7	09.0-14.4	1522	88.3	85.6-91.0
Hispanic	376	223,669	39	4.5	02.1-06.9	337	95.5	93.1-97.9
25-34	92	181,537	6	6.6	00.0-15.0	86	93.4	85.0-100.0
35-44	204	248,583	21	11.4	04.5-18.3	183	88.6	81.7-95.5
45-54	408	314,256	54	10.6	06.1-15.1	354	89.4	84.9-93.9
55-64	565	382,026	66	13.4	08.7-18.1	499	86.6	81.9-91.3
65+	926	493,737	100	10.8	07.3-14.3	826	89.2	85.7-92.7
Less Than H.S.	257	161,865	26	9.9	02.6-17.2	231	90.1	82.8-97.4
H.S. or G.E.D.	606	398,319	51	6.9	04.2-09.6	555	93.1	90.4-95.8
Some Post-H.S.	707	521,865	85	9.7	06.6-12.8	622	90.3	87.2-93.4
College Graduate	661	585,780	89	15.0	10.1-19.9	572	85.0	80.1-89.9
Less than \$15,000	272	119,405	29	9.9	04.6-15.2	243	90.1	84.8-95.4
\$15,000- 24,999	377	240,065	44	12.3	05.8-18.8	333	87.7	81.2-94.2
\$25,000- 34,999	241	137,462	26	10.5	04.2-16.8	215	89.5	83.2-95.8
\$35,000- 49,999	359	227,111	43	9.5	05.8-13.2	316	90.5	86.8-94.2
\$50,000- 74,999	280	277,021	27	5.9	02.4-09.4	253	94.1	90.6-97.6
\$75,000+	361	432,660	43	11.9	06.2-17.6	318	88.1	82.4-93.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 13: ARTHRITIS MANAGEMENT**

TABLE 11: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	757	762,232	76	11.0	07.3-14.7	681	89.0	85.3-92.7
White/Non-Hisp	604	600,232	61	12.2	07.7-16.7	543	87.8	83.3-92.3
Hispanic	103	111,938	9	3.6	00.1-07.1	94	96.4	92.9-99.9
35-44	57	126,125	8	10.9	01.5-20.3	49	89.1	79.7-98.5
45-54	142	147,085	18	12.6	04.0-21.2	124	87.4	78.8-96.0
55-64	211	157,492	18	10.2	04.1-16.3	193	89.8	83.7-95.9
65+	296	204,311	25	10.6	04.1-17.1	271	89.4	82.9-95.9
H.S. or G.E.D.	187	155,011	13	6.4	01.9-10.9	174	93.6	89.1-98.1
Some Post-H.S.	221	209,381	24	7.6	03.5-11.7	197	92.4	88.3-96.5
College Graduate	265	301,634	31	15.5	07.7-23.3	234	84.5	76.7-92.3
\$25,000- 34,999	69	50,713	8	9.6	00.6-18.6	61	90.4	81.4-99.4
\$35,000- 49,999	149	107,846	19	10.7	04.6-16.8	130	89.3	83.2-95.4
\$50,000- 74,999	109	122,691	9	5.7	00.8-10.6	100	94.3	89.4-99.2
\$75,000+	169	260,613	15	10.5	03.1-17.9	154	89.5	82.1-96.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007
MODULE 13: ARTHRITIS MANAGEMENT**

TABLE 12: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 3 months or have not been told they have arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1477	905,839	176	10.8	08.1-13.5	1301	89.2	86.5-91.9
White/Non-Hisp	1107	720,483	128	11.3	08.2-14.4	979	88.7	85.6-91.8
Hispanic	273	111,731	30	5.3	02.2-08.4	243	94.7	91.6-97.8
25-34	58	73,433	3	2.0	00.0-04.5	55	98.0	95.5-0100
35-44	147	122,458	13	11.9	02.1-21.7	134	88.1	78.3-97.9
45-54	266	167,171	36	8.9	04.8-13.0	230	91.1	87.0-95.2
55-64	354	224,534	48	15.7	08.8-22.6	306	84.3	77.4-91.2
65+	630	289,426	75	10.9	07.0-14.8	555	89.1	85.2-93.0
Less Than H.S.	173	65,659	18	7.5	02.2-12.8	155	92.5	87.2-97.8
H.S. or G.E.D.	419	243,308	38	7.1	03.6-10.6	381	92.9	89.4-96.4
Some Post-H.S.	486	312,484	61	11.0	06.7-15.3	425	89.0	84.7-93.3
College Graduate	396	284,146	58	14.5	08.2-20.8	338	85.5	79.2-91.8
Less than \$15,000	206	76,991	22	8.4	02.7-14.1	184	91.6	85.9-97.3
\$15,000- 24,999	269	142,019	38	14.3	07.8-20.8	231	85.7	79.2-92.2
\$25,000- 34,999	172	86,749	18	11.0	02.8-19.2	154	89.0	80.8-97.2
\$35,000- 49,999	210	119,265	24	8.4	03.7-13.1	186	91.6	86.9-96.3
\$50,000- 74,999	171	154,330	18	6.0	01.1-10.9	153	94.0	89.1-98.9
\$75,000+	192	172,047	28	14.0	05.6-22.4	164	86.0	77.6-94.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2007**

End of Module Data Report