

# ARIZONA

## 2012 Calculated Variables Data Comparison Report Behavioral Risk Factor Surveillance System

June 2, 2013

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 1: Health Status

### Fair or Poor Health Index ( \_RFHLTH)

_RFHLTH	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2011	Response Percent From 2011	Weighted (_LLCPWT) Response Percent From 2011	Difference In Weighted Percent From 2011 to 2012
Not At Risk	5807	79.48	81.75	5035	77.59	81.40	-0.36
At Risk	1482	20.28	18.07	1365	21.04	17.18	-0.90
DK/Ref	17	0.23	0.17	89	1.37	1.43	1.25

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 3: Health Care Access

### Under 65 Health Care Coverage ( \_HCVU651)

_HCVU651	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2011	Response Percent From 2011	Weighted (_LLCPWT) Response Percent From 2011	Difference In Weighted Percent From 2011 to 2012
Not At Risk	3439	47.07	59.32	3143	48.44	61.87	2.56
At Risk	858	11.74	19.44	673	10.37	17.87	-1.57

DK/Ref	3009	41.19	21.24	2673	41.19	20.26	-0.99
--------	------	-------	-------	------	-------	-------	-------

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 4: Exercise

Exercise Index ( _TOTINDA)							
_TOTINDA	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2011	Response Percent From 2011	Weighted (_LLCPWT) Response Percent From 2011	Difference In Weighted Percent From 2011 to 2012
Not At Risk	5547	75.92	77.31	4656	71.75	72.57	-4.74
At Risk	1738	23.79	22.52	1541	23.75	23.04	0.52
DK/Ref	21	0.29	0.17	292	4.50	4.39	4.22

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 5: Chronic Health Conditions

Lifetime Asthma Prevalence Calculated Variable ( LTASTH1)							
LTASTH1	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2011	Response Percent From 2011	Weighted (_LLCPWT) Response Percent From 2011	Difference In Weighted Percent From 2011 to 2012
Not told had Asthma	6262	85.71	86.21	5539	85.36	85.34	-0.87
Told had Asthma	1020	13.96	13.51	928	14.30	14.21	0.70
DK/Ref/Miss	24	0.33	0.28	22	0.34	0.45	0.16

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 5: Chronic Health Conditions

Current Asthma Prevalence Calculated Variable ( _CASTHM1)							
---	--	--	--	--	--	--	--

<u>CASTHM1</u>	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2011	Response Percent From 2011	Weighted (_LLCPWT) Response Percent From 2011	Difference In Weighted Percent From 2011 to 2012
Not Diagnosed with Asthma or Not have Asthma now	6550	89.65	90.76	5807	89.49	89.62	-1.14
Have Asthma now	691	9.46	8.57	625	9.63	9.60	1.02
DK/Ref/Miss	65	0.89	0.66	57	0.88	0.78	0.12

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 5: Chronic Health Conditions

**Computerd Asthma Status ( \_ASTHMS1)**

<u>ASTHMS1</u>	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2011	Response Percent From 2011	Weighted (_LLCPWT) Response Percent From 2011	Difference In Weighted Percent From 2011 to 2012
Currently has Asthma	691	9.46	8.57	625	9.63	9.60	1.02
Formerly had Asthma	288	3.94	4.56	268	4.13	4.28	-0.27
Never had Asthma	6262	85.71	86.21	5539	85.36	85.34	-0.87
DK/Ref	65	0.89	0.66	57	0.88	0.78	0.12

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 5: Chronic Health Conditions

**BEEN TOLD BY A DOCTOR HAD ARTHRITIS ( \_DRDXAR1)**

<u>DRDXAR1</u>	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2011	Response Percent From 2011	Weighted (_LLCPWT) Response Percent From 2011	Difference In Weighted Percent From 2011 to 2012
Missing	57	.	.	50	.	.	.

Yes	2620	36.14	24.97	2281	35.42	23.41	-1.56
No	4629	63.86	75.03	4158	64.58	76.59	1.56

Data Comparison Table: Compare current year data with data from previous year the variable was used.

Section 6: Oral Health

Please note shifts in observed prevalence from 2010 to 2012 for BRFSS measures will likely reflect the new methods of measuring risk factors, rather than true trends in risk-factor prevalence.

Use caution when comparing these differences.

**Had Permanent Teeth Rremoved ( EXTETH2)**

<u>EXTETH2</u>	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2010	Response Percent From 2010	Weighted (_FINALWT) Response Percent From 2010	Difference In Weighted Percent From 2010 to 2012
None Removed	3245	44.42	54.22	2413	41.92	53.86	-0.36
Teeth Removed	3855	52.76	43.95	3213	55.82	45.09	1.13
Dk/Ref	206	2.82	1.83	130	2.26	1.06	-0.77

Data Comparison Table: Compare current year data with data from previous year the variable was used.

Section 6: Oral Health

Please note shifts in observed prevalence from 2010 to 2012 for BRFSS measures will likely reflect the new methods of measuring risk factors, rather than true trends in risk-factor prevalence.

Use caution when comparing these differences.

**Aged 65+ and Had All Permanent Teeth Extracted ( ALTETH2)**

<u>ALLTEETH</u>	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2010	Response Percent From 2010	Weighted (_FINALWT) Response Percent From 2010	Difference In Weighted Percent From 2010 to 2012
Missing	4313	.	.	3285	.	.	.
None Removed	2373	79.28	77.02	1947	78.79	80.47	3.46
Teeth Removed	387	12.93	11.77	369	14.93	12.84	1.07
Dk/Ref	233	7.78	11.22	155	6.27	6.69	-4.53

Data Comparison Table: Compare current year data with data from previous year the variable was used.

Section 6: Oral Health

Please note shifts in observed prevalence from 2010 to 2012 for BRFSS measures will likely reflect the new methods of measuring risk factors, rather than true trends in risk-factor prevalence.

Use caution when comparing these differences.

Used Oral Health Care System In Last Year ( \_DENVST2)

_DENVST2	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2010	Response Percent From 2010	Weighted (_FINALWT) Response Percent From 2010	Difference In Weighted Percent From 2010 to 2012
Had Visit In Last Year	4625	63.30	61.19	3809	66.17	69.41	8.22
No Visit In Last Year	2637	36.09	38.12	1930	33.53	30.52	-7.60
Dk/Ref	44	0.60	0.69	17	0.30	0.07	-0.62

Data Comparison Table: Compare current year data with data from previous year the variable was used.

Section 7: Demographics - Race Variables

Race\Ethnicity Categories (RACE2)

RACE2	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2011	Response Percent From 2011	Weighted (_LLCPWT) Response Percent From 2011	Difference In Weighted Percent From 2011 to 2012
WH_NH	5320	72.82	60.20	4671	71.98	59.99	-0.21
BK_NH	125	1.71	3.81	110	1.70	3.52	-0.28
AS_NH	79	1.08	3.02	67	1.03	2.09	-0.93
NA_NH	21	0.29	0.18	13	0.20	0.32	0.14
AI_NH	302	4.13	3.52	288	4.44	3.57	0.06
OTHER_NH	65	0.89	0.49	45	0.69	0.73	0.24
MULTI_NH	100	1.37	0.94	86	1.33	1.28	0.34
HISPANIC	1139	15.59	26.01	1110	17.11	27.19	1.18

UNK	155	2.12	1.83	99	1.53	1.30	-0.53
-----	-----	------	------	----	------	------	-------

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 7: Demographics - Race Variables

**Race\Ethnicity Groups Based on RACE2 Categories ( \_RACEG2)**

<b>_RACEG2</b>	<b>Response Frequency From 2012</b>	<b>Response Percent From 2012</b>	<b>Weighted (_LLCPWT) Response Percent From 2012</b>	<b>Response Frequency From 2011</b>	<b>Response Percent From 2011</b>	<b>Weighted (_LLCPWT) Response Percent From 2011</b>	<b>Difference In Weighted Percent From 2011 to 2012</b>
WH_NHISP	5320	72.82	60.20	4671	71.98	59.99	-0.21
NWH_MULTI_HISP	1831	25.06	37.96	1719	26.49	38.70	0.74
UNK	155	2.12	1.83	99	1.53	1.30	-0.53

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 7: Demographics - Race Variables

**Race\Ethnicity Groups Based on RACE2 Categories ( RACEGR2)**

<b>RACEGR2</b>	<b>Response Frequency From 2012</b>	<b>Response Percent From 2012</b>	<b>Weighted (_LLCPWT) Response Percent From 2012</b>	<b>Response Frequency From 2011</b>	<b>Response Percent From 2011</b>	<b>Weighted (_LLCPWT) Response Percent From 2011</b>	<b>Difference In Weighted Percent From 2011 to 2012</b>
WHITE,NH	5320	72.82	60.20	4671	71.98	59.99	-0.21
BLACK,NH	125	1.71	3.81	110	1.70	3.52	-0.28
OTHER,NH	467	6.39	7.20	413	6.36	6.71	-0.50
MULTI,NH	100	1.37	0.94	86	1.33	1.28	0.34
HISPANIC	1139	15.59	26.01	1110	17.11	27.19	1.18
UNK	155	2.12	1.83	99	1.53	1.30	-0.53

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 7: Demographics - Age Variables

**Five-Year Age Categories ( \_AGEG5YR)**

<b>_AGEG5YR</b>	<b>Response Frequency From 2012</b>	<b>Response Percent From 2012</b>	<b>Weighted (_LLCPWT) Response Percent From 2012</b>	<b>Response Frequency From 2011</b>	<b>Response Percent From 2011</b>	<b>Weighted (_LLCPWT) Response Percent From 2011</b>	<b>Difference In Weighted Percent From 2011 to 2012</b>
18-24	367	5.02	13.24	254	3.91	12.50	-0.74
25-29	272	3.72	7.92	219	3.37	9.78	1.87
30-34	367	5.02	9.81	294	4.53	9.41	-0.40
35-39	331	4.53	7.78	329	5.07	8.29	0.51
40-44	389	5.32	8.85	368	5.67	9.37	0.52
45-49	456	6.24	7.18	429	6.61	8.37	1.19
50-54	600	8.21	9.63	585	9.02	8.93	-0.71
55-59	726	9.94	7.29	603	9.29	7.05	-0.24
60-64	805	11.02	7.57	758	11.68	7.09	-0.48
65-69	849	11.62	6.16	704	10.85	5.18	-0.98
70-74	737	10.09	5.05	699	10.77	4.65	-0.40
75-79	564	7.72	3.78	545	8.40	4.15	0.37
80 +	755	10.33	4.46	629	9.69	4.32	-0.14
DK/Ref	88	1.20	1.29	73	1.12	0.92	-0.37

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 7: Demographics - Race Variables

**65-Year Age Categories ( \_AGE65YR)**

<b>_AGE65YR</b>	<b>Response Frequency From 2012</b>	<b>Response Percent From 2012</b>	<b>Weighted (_LLCPWT) Response Percent From 2012</b>	<b>Response Frequency From 2011</b>	<b>Response Percent From 2011</b>	<b>Weighted (_LLCPWT) Response Percent From 2011</b>	<b>Difference In Weighted Percent From 2011 to 2012</b>
< 65	4313	59.03	79.27	3839	59.16	80.79	1.52
65 +	2905	39.76	19.43	2577	39.71	18.29	-1.15
DK/Ref	88	1.20	1.29	73	1.12	0.92	-0.37

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 7: Demographics - Body Mass Index

**Body Mass Index Categories ( BMI5CAT)**

<b>BMI5CAT</b>	<b>Response Frequency From 2012</b>	<b>Response Percent From 2012</b>	<b>Weighted (_LLCPWT) Response Percent From 2012</b>	<b>Response Frequency From 2011</b>	<b>Response Percent From 2011</b>	<b>Weighted (_LLCPWT) Response Percent From 2011</b>	<b>Difference In Weighted Percent From 2011 to 2012</b>
Dk/Ref/Miss	355	.	.	339	.	.	.
Under weight	148	2.13	2.32	138	2.24	2.59	0.26
Normal weight	2500	35.97	35.65	2210	35.93	35.13	-0.52
Overweight	2489	35.81	36.02	2256	36.68	37.19	1.16
Obese	1814	26.10	26.01	1546	25.14	25.10	-0.91

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 7: Demographics - Body Mass Index Variables

**Body Mass Index Calculated Variable ( RFBMI5)**

<b>RFBMI5</b>	<b>Response Frequency From 2012</b>	<b>Response Percent From 2012</b>	<b>Weighted (_LLCPWT) Response Percent From 2012</b>	<b>Response Frequency From 2011</b>	<b>Response Percent From 2011</b>	<b>Weighted (_LLCPWT) Response Percent From 2011</b>	<b>Difference In Weighted Percent From 2011 to 2012</b>
Not Overweight or Obese	2648	36.24	35.74	2348	36.18	35.67	-0.07
Overweight or Obese	4303	58.90	58.39	3802	58.59	58.91	0.52
Dk/Ref/Miss	355	4.86	5.87	339	5.22	5.42	-0.45

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 9: Tobacco Use

**Current\Former\Non Smoker Categories ( SMOKER3)**

<b>SMOKER3</b>	<b>Response Frequency From 2012</b>	<b>Response Percent From 2012</b>	<b>Weighted (_LLCPWT) Response Percent From 2012</b>	<b>Response Frequency From 2011</b>	<b>Response Percent From 2011</b>	<b>Weighted (_LLCPWT) Response Percent From 2011</b>	<b>Difference In Weighted Percent From 2011 to 2012</b>
Current Every Day Smoker	756	10.35	10.70	720	11.10	12.98	2.28
Current Some Days Smoker	335	4.59	5.92	303	4.67	6.11	0.19
Former Smoker	2289	31.33	26.18	2075	31.98	24.67	-1.51
Non-Smoker	3760	51.46	54.55	3337	51.43	55.37	0.83
Dk/Ref/Miss	166	2.27	2.65	54	0.83	0.85	-1.79

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 9: Tobacco Use

**Current Smoker Calculated Variable ( \_RFSMOK3)**

<b>RFSMOK3</b>	<b>Response Frequency From 2012</b>	<b>Response Percent From 2012</b>	<b>Weighted (_LLCPWT) Response Percent From 2012</b>	<b>Response Frequency From 2011</b>	<b>Response Percent From 2011</b>	<b>Weighted (_LLCPWT) Response Percent From 2011</b>	<b>Difference In Weighted Percent From 2011 to 2012</b>
Former or Non-Smoker	6049	82.79	80.73	5412	83.40	80.05	-0.68
Current Smoker	1091	14.93	16.62	1023	15.77	19.10	2.48
Dk/Ref/Miss	166	2.27	2.65	54	0.83	0.85	-1.79

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 10: Alcohol Consumption

**Consumed Alcohol in Past 30 Days (DRNKANY5)**

<b>DRNKANY5</b>	<b>Response Frequency From 2012</b>	<b>Response Percent From 2012</b>	<b>Weighted (_LLCPWT) Response Percent From 2012</b>	<b>Response Frequency From 2011</b>	<b>Response Percent From 2011</b>	<b>Weighted (_LLCPWT) Response Percent From 2011</b>	<b>Difference In Weighted Percent From 2011 to 2012</b>
-----------------	-------------------------------------	-----------------------------------	--	-------------------------------------	-----------------------------------	--	---

Yes	3591	49.15	51.63	3182	49.04	52.63	0.99
No	3522	48.21	45.27	2882	44.41	40.98	-4.29
Dk/Ref	31	0.42	0.43	13	0.20	0.13	-0.30
Dk/Ref	162	2.22	2.67	412	6.35	6.27	3.60

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 10: Alcohol Consumption

**Binge Drinking Categories ( \_RFBING5)**

<b>_RFBING5</b>	<b>Response Frequency From 2012</b>	<b>Response Percent From 2012</b>	<b>Weighted (_LLCPWT) Response Percent From 2012</b>	<b>Response Frequency From 2011</b>	<b>Response Percent From 2011</b>	<b>Weighted (_LLCPWT) Response Percent From 2011</b>	<b>Difference In Weighted Percent From 2011 to 2012</b>
No Binge Drinking	6252	85.57	80.66	5325	82.06	76.64	-4.02
Binge Drinking	748	10.24	14.55	710	10.94	16.37	1.81
DK/Ref/Miss	306	4.19	4.79	454	7.00	6.99	2.20

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 10: Alcohol Consumption

**Heavy Alcohol Consumption Calculated Variable ( \_RFDRHV4)**

<b>_RFDRHV4</b>	<b>Response Frequency From 2012</b>	<b>Response Percent From 2012</b>	<b>Weighted (_LLCPWT) Response Percent From 2012</b>	<b>Response Frequency From 2011</b>	<b>Response Percent From 2011</b>	<b>Weighted (_LLCPWT) Response Percent From 2011</b>	<b>Difference In Weighted Percent From 2011 to 2012</b>
Not Heavy Drinker	6646	90.97	90.70	5645	86.99	86.60	-4.09
Heavy Drinker	371	5.08	4.88	378	5.83	6.37	1.50
DK/Ref/Miss	289	3.96	4.43	466	7.18	7.02	2.60

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 10: Alcohol Consumption

**Heavy Alcohol Consumption in Males Calculated Variable ( \_RFDRMN4)**

<b>RFDRMN4</b>	<b>Response Frequency From 2012</b>	<b>Response Percent From 2012</b>	<b>Weighted (_LLCPWT) Response Percent From 2012</b>	<b>Response Frequency From 2011</b>	<b>Response Percent From 2011</b>	<b>Weighted (_LLCPWT) Response Percent From 2011</b>	<b>Difference In Weighted Percent From 2011 to 2012</b>
Female	4317	.	.	3965	.	.	.
Not Heavy Drinker	2703	90.43	90.15	2180	86.37	85.39	4.77
Heavy Drinker	160	5.35	5.15	170	6.74	7.35	2.20
DK/Ref	126	4.22	4.70	174	6.89	7.27	2.57

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 10: Alcohol Consumption

**Heavy Alcohol Consumption in Females Calculated Variable ( RFDRWM4)**

<b>RFDRWM4</b>	<b>Response Frequency From 2012</b>	<b>Response Percent From 2012</b>	<b>Weighted (_LLCPWT) Response Percent From 2012</b>	<b>Response Frequency From 2011</b>	<b>Response Percent From 2011</b>	<b>Weighted (_LLCPWT) Response Percent From 2011</b>	<b>Difference In Weighted Percent From 2011 to 2012</b>
Male	2989	.	.	2524	.	.	.
Not Heavy Drinker	3943	91.34	91.23	3465	87.39	87.80	-3.42
Heavy Drinker	211	4.89	4.61	208	5.25	5.42	0.80
DK/Ref	163	3.78	4.16	292	7.36	6.78	2.62

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 11: Immunization

**65+ Vaccinated Against Influenza Calculated Variable ( FLSHOT5)**

<b>FLSHOT5</b>	<b>Response Frequency From 2012</b>	<b>Response Percent From 2012</b>	<b>Weighted (_LLCPWT) Response Percent From 2012</b>	<b>Response Frequency From 2011</b>	<b>Response Percent From 2011</b>	<b>Weighted (_LLCPWT) Response Percent From 2011</b>	<b>Difference In Weighted Percent From 2011 to 2012</b>
Age 18-64	4313	.	.	3839	.	.	.

Flu Shot In Past 12 Months	1488	49.72	47.40	1426	53.81	52.89	5.49
No Flu Shot In Past 12 Months	1320	44.10	43.20	997	37.62	37.04	-6.16
DK/Ref/Miss	185	6.18	9.40	227	8.57	10.07	0.67

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 11: Immunization

65+ Vaccinated Against Pneumococcal Disease Calculated Variable ( PNEUMO2)

PNEUMO2	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2011	Response Percent From 2011	Weighted (_LLCPWT) Response Percent From 2011	Difference In Weighted Percent From 2011 to 2012
Age 18-64	4313	.	.	3839	.	.	.
Had Pneumococcal Shot	1846	61.68	57.89	1677	63.28	62.09	4.20
No Pneumococcal Shot	867	28.97	29.60	658	24.83	24.24	-5.36
DK/Ref/Miss	280	9.36	12.51	315	11.89	13.67	1.15

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 13: Seat Belt Use

Nearly Always Or Always Wear Seat Belt ( RFSEAT2)

RFSEAT2	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2011	Response Percent From 2011	Weighted (_LLCPWT) Response Percent From 2011	Difference In Weighted Percent From 2011 to 2012
Always, Nearly Always	6684	91.49	90.06	5767	88.87	87.39	-2.67
Sometimes, Seldom, Never	343	4.69	5.36	345	5.32	6.86	1.50
Dk/Ref/Miss	279	3.82	4.58	377	5.81	5.75	1.17

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 13: Seat Belt Use

Always Wear Seat Belt ( RFSEAT3)							
RFSEAT3	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2011	Response Percent From 2011	Weighted (_LLCPWT) Response Percent From 2011	Difference In Weighted Percent From 2011 to 2012
Always	6062	82.97	80.84	5310	81.83	79.52	-1.32
Not Always	965	13.21	14.58	802	12.36	14.73	0.15
Dk/Ref	279	3.82	4.58	377	5.81	5.75	1.17

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 15: Breast/Cervical Cancer Screening  
Please note shifts in observed prevalence from 2010 to 2012 for BRFSS measures will likely reflect the new methods of measuring risk factors, rather than true trends in risk-factor prevalence.  
Use caution when comparing these differences.

Women Aged 40+ That Have Not Had A Mammogram In Past 2 Years ( RFMAM2Y)							
RFMAM2Y	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2010	Response Percent From 2010	Weighted (_FINALWT) Response Percent From 2010	Difference In Weighted Percent From 2010 to 2012
Missing	3731	.	.	2611	.	.	.
Had Mammogram In Past 2 Years	2416	67.58	64.64	2168	68.93	70.46	<b>5.82</b>
Did Not Have Mammogram In Past 2 Years	951	26.60	28.40	831	26.42	24.89	-3.51
DK/Ref	208	5.82	6.96	146	4.64	4.66	-2.31

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 15: Breast/Cervical Cancer Screening  
Please note shifts in observed prevalence from 2010 to 2012 for BRFSS measures will likely reflect the new methods of measuring risk factors, rather than true trends in risk-factor prevalence.  
Use caution when comparing these differences.

**Women Aged 18+ That Have Not Had A Pap Smear In Past 3 Years ( \_RFPAP32)**

<u>_RFPAP32</u>	Response Frequency From 2012	Response Percent From 2012	Weighted ( <u>_LLCPWT</u> ) Response Percent From 2012	Response Frequency From 2010	Response Percent From 2010	Weighted ( <u>_FINALWT</u> ) Response Percent From 2010	Difference In Weighted Percent From 2010 to 2012
Missing	4573	.	.	3468	.	.	.
Had Pap Smear In Past 3 Years	1934	70.76	71.53	1658	72.47	80.86	<b>9.33</b>
Did Not Have Pap Smear In Past 3 Years	724	26.49	26.06	577	25.22	17.88	<b>-8.18</b>
DK/Ref	75	2.74	2.41	53	2.32	1.26	-1.15

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 16: Prostate Cancer Screening  
Please note shifts in observed prevalence from 2010 to 2012 for BRFSS measures will likely reflect the new methods of measuring risk factors, rather than true trends in risk-factor prevalence.  
Use caution when comparing these differences.

**Men Aged 40+ That Have Not Had A Psa Test In Past 2 Years ( \_RFPSA21)**

<u>_RFPSA21</u>	Response Frequency From 2012	Response Percent From 2012	Weighted ( <u>_LLCPWT</u> ) Response Percent From 2012	Response Frequency From 2010	Response Percent From 2010	Weighted ( <u>_FINALWT</u> ) Response Percent From 2010	Difference In Weighted Percent From 2010 to 2012
Missing	5017	.	.	3981	.	.	.
Had PSA Test In Past 2 Years	1151	50.28	41.81	1046	58.93	48.21	<b>6.39</b>
Did Not Have PSA Test In Past 2 Years	990	43.25	50.75	639	36.00	46.81	-3.94

DK/Ref	148	6.47	7.44	90	5.07	4.99	-2.45
--------	-----	------	------	----	------	------	-------

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 17: Colorectal Cancer Screening  
Please note shifts in observed prevalence from 2010 to 2012 for BRFSS measures will likely reflect the new methods of measuring risk factors, rather than true trends in risk-factor prevalence.  
Use caution when comparing these differences.

**Respondents Aged 50+ That Have Not Had Blood Stool Test In Past 2 Years ( RFBLDS2)**

RFBLDS2	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2010	Response Percent From 2010	Weighted (_FINALWT) Response Percent From 2010	Difference In Weighted Percent From 2010 to 2012
Missing	2399	.	.	1631	.	.	.
Had Blood Stool Test In Past 2 Years	768	15.65	14.24	778	18.86	16.29	2.05
Did Not Have Blood Stool Test In Past 2 Years	3962	80.74	81.03	3239	78.52	81.20	0.18
DK/Ref	177	3.61	4.73	108	2.62	2.50	-2.23

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 17: Colorectal Cancer Screening  
Please note shifts in observed prevalence from 2010 to 2012 for BRFSS measures will likely reflect the new methods of measuring risk factors, rather than true trends in risk-factor prevalence.  
Use caution when comparing these differences.

**Respondents Aged 50+ That Have Not Had Sigmoidoscopy In Past 2 Years ( RFSIGM2)**

RFSIGM2	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2010	Response Percent From 2010	Weighted (_FINALWT) Response Percent From 2010	Difference In Weighted Percent From 2010 to 2012
Missing	2407	.	.	1639	.	.	.

Had Sigmoidoscopy In Past 2 Years	3151	64.32	60.55	2582	62.72	60.21	-0.34
Did Not Have Sigmoidoscopy In Past 2 Years	1616	32.99	35.57	1462	35.51	38.34	2.77
DK/Ref	132	2.69	3.87	73	1.77	1.45	-2.42

Data Comparison Table: Compare current year data with data from previous year the variable was used.  
Section 18: HIV AIDS

**Respondents Aged 18-64 That Have Not Been Tested For HIV/AIDS ( AIDTST3)**

<u>AIDTST3</u>	Response Frequency From 2012	Response Percent From 2012	Weighted (_LLCPWT) Response Percent From 2012	Response Frequency From 2011	Response Percent From 2011	Weighted (_LLCPWT) Response Percent From 2011	Difference In Weighted Percent From 2011 to 2012
Missing	410	.	.	437	.	.	.
Have Been Tested For HIV/AIDS	1762	25.55	33.20	1583	26.16	34.24	1.05
Have Not Been Tested For HIV/AIDS	4913	71.24	64.06	4306	71.15	63.33	-0.73
DK/Ref	221	3.20	2.75	163	2.69	2.43	-0.32