

ARIZONA

2005 Module Variables Report

Behavioral Risk Factor Surveillance System

April 10, 2006



MODULE 1: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	4
2 MALES ONLY	5
3 FEMALES ONLY	6
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	7
5 MALES ONLY	8
6 FEMALES ONLY	9
ARE YOU TAKING DIABETES PILLS? (DIABPILL)	
7 MALES AND FEMALES	10
8 MALES ONLY	11
9 FEMALES ONLY	12
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
10 MALES AND FEMALES	13
11 MALES ONLY	14
12 FEMALES ONLY	15
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
13 MALES AND FEMALES	16
14 MALES ONLY	17
15 FEMALES ONLY	18
HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)	
16 MALES AND FEMALES	19
17 MALES ONLY	20
18 FEMALES ONLY	21

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005**

MODULE 1: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
19	MALES AND FEMALES	22
20	MALES ONLY	23
21	FEMALES ONLY	24
	A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)	
22	MALES AND FEMALES	25
23	MALES ONLY	26
24	FEMALES ONLY	27
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
25	MALES AND FEMALES	28
26	MALES ONLY	29
27	FEMALES ONLY	30
	WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)	
28	MALES AND FEMALES	31
29	MALES ONLY	32
30	FEMALES ONLY	33
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
31	MALES AND FEMALES	34
32	MALES ONLY	35
33	FEMALES ONLY	36
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
34	MALES AND FEMALES	37
35	MALES ONLY	38
36	FEMALES ONLY	39

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	445	300,285	8	3.2	0.27-6.15	26	12.4	4.63-20.2	116	29.7	20.2-39.2	177	35.6	27.7-43.5	118	19.1	12.8-25.4
Male	190	173,656	5	3.8	0.00-8.15	12	9.3	0.27-18.4							42	16.0	6.92-25.1
Female	255	126,629	3	2.4	0.00-5.92										76	23.4	15.2-31.6
White/Non-Hisp	262	198,918	6	3.4	0.00-7.21	8	5.5	0.00-11.4							84	23.2	14.8-31.7
Hispanic	131	70,318													28	9.7	2.67-16.7
45-54	76	52,314				6	5.3	0.27-10.4									
55-64	109	59,590	2	1.8	0.00-4.75	2	0.3	0.00-0.80							7	4.3	0.13-8.37
65+	209	108,338	1	0.2	0.00-0.59	3	0.5	0.00-1.15	19	8.0	1.04-14.9						
Less Than H.S.	95	44,158	1	0.5	0.00-1.49												
H.S. or G.E.D.	137	86,553	2	1.6	0.00-3.77												
Some Post-H.S.	123	104,214	2	2.2	0.00-5.28	6	3.3	0.00-6.56									
College Graduate	89	64,942													18	14.1	4.36-23.8
Less than \$15,000	94	42,256	1	0.5	0.00-1.56												
\$15,000- 24,999	86	61,831	1	0.3	0.00-1.03										20	8.9	2.08-15.7
\$25,000- 34,999	64	47,938	1	1.5	0.00-4.40	3	2.0	0.00-4.32									
\$35,000- 49,999	51	39,321	1	1.7	0.00-4.97												
\$50,000- 74,999	53	47,934				5	4.2	0.00-8.70							7	9.2	0.00-18.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	190	173,656	5	3.8	0.00-8.19	12	9.3	0.09-18.6				42	16.0	6.76-25.2
White/Non-Hisp	122	124,988	5	5.3	0.00-11.4	7	5.7	0.00-12.9						
65+	88	60,203				1	0.6	0.00-1.74	8	3.3	0.51-6.03			
H.S. or G.E.D.	66	54,370	1	1.2	0.00-3.57									
Some Post-H.S.	58	68,547	2	3.3	0.00-8.02	4	2.9	0.00-6.05						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	255	126,629	3	2.4	0.00-5.92				76	23.4	15.1-31.6
White/Non-Hisp	140	73,931	1	0.3	0.00-0.89	1	5.2	0.00-15.1			
55-64	64	27,300				2	0.6	0.00-1.78	5	7.9	0.00-16.4
65+	121	48,136	1	0.4	0.00-1.35	2	0.3	0.00-0.86			
Less Than H.S.	73	34,436	1	0.6	0.00-1.92						
H.S. or G.E.D.	71	32,184	1	2.2	0.00-6.49						
Some Post-H.S.	65	35,668				2	4.0	0.00-11.3	13	12.3	2.84-21.7
Less than \$15,000	67	24,808	1	0.9	0.00-2.64						
\$15,000- 24,999	53	29,933							10	9.5	0.00-20.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	461	314,509	122	31.6	22.3-40.9	339	68.4	59.1-77.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
White/Non-Hisp	145	77,123	31	15.9	5.90-25.9	114	84.1	74.1-94.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 7: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	460	313,476	329	69.2	60.9-77.5	131	30.8	22.5-39.1
Less Than H.S.	100	48,370	77	86.6	77.0-96.2	23	13.4	3.82-23.0
\$15,000- 24,999	92	64,507	69	88.6	80.6-96.7	23	11.4	3.34-19.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES

TABLE 8: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 9: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Hispanic	90	41,640	73	90.6	83.1-98.2	17	9.4	1.84-16.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Times per Day			Times per Week			Times per Month			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	447	304,822	32	7.1	3.26-10.9	291	67.7	59.9-75.5	73	14.2	8.57-19.8	23	6.5	1.98-11.0	28	4.5	1.98-7.08
Male	191	173,181	14	4.6	1.48-7.76				35	13.9	6.75-21.0	10	8.1	0.76-15.4	13	4.2	0.67-7.81
Female	256	131,640	18	10.3	2.71-18.0				38	14.6	5.48-23.7	13	4.4	0.70-8.06	15	4.9	1.22-8.62
White/Non-Hisp	265	207,445	15	6.4	1.83-11.0	174	68.0	58.3-77.7	45	12.8	6.58-19.1	14	7.6	1.42-13.8	17	5.1	1.58-8.72
Hispanic	128	65,980										4	1.2	0.00-2.93	6	1.5	0.00-3.10
45-54	75	52,192	7	5.5	0.05-10.9				7	4.0	0.00-8.26	3	4.4	0.00-10.3	4	2.0	0.00-4.85
55-64	110	59,777	6	5.2	0.26-10.2							6	6.2	0.00-15.0	10	9.6	0.37-18.9
65+	211	115,643	13	7.5	1.44-13.5				36	15.4	8.23-22.6	8	9.1	0.00-18.6	10	4.5	0.58-8.46
Less Than H.S.	95	48,088										6	1.5	0.00-2.97	4	1.6	0.00-3.47
H.S. or G.E.D.	134	86,059	8	9.1	0.00-18.3				23	12.3	3.85-20.7	4	1.7	0.00-3.62	9	3.8	0.77-6.77
Some Post-H.S.	126	109,059	13	5.6	1.33-9.79				19	10.0	2.13-17.8				9	3.1	0.42-5.80
College Graduate	91	61,199	3	3.5	0.00-8.03							4	6.7	0.00-14.8			
Less than \$15,000	95	44,739							22	14.5	5.65-23.4	3	0.7	0.00-1.61	2	0.4	0.00-0.95
\$15,000- 24,999	87	56,933	7	4.0	0.00-8.26							4	1.8	0.00-4.20	3	1.2	0.00-2.67
\$25,000- 34,999	65	51,818	4	5.4	0.00-12.2							1	0.5	0.00-1.44	7	5.3	0.31-10.2
\$35,000- 49,999	51	39,321	5	7.4	0.00-15.2							2	0.7	0.00-1.75			
\$50,000- 74,999	53	50,688	3	2.8	0.00-6.67										3	6.1	0.00-16.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Times per Week			Times per Month			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	191	173,181	14	4.6	1.54-7.70	35	13.9	6.88-20.8	10	8.1	0.60-15.5	13	4.2	0.67-7.81
White/Non-Hisp	123	131,182	7	4.8	0.96-8.56	23	13.2	5.14-21.3	7	10.2	0.39-20.0	8	4.6	0.03-9.17
65+	88	62,427	5	5.5	0.00-11.5							4	1.9	0.00-3.86
H.S. or G.E.D.	63	53,872	3	2.7	0.00-6.79				1	0.9	0.00-2.81	5	4.5	0.01-8.95
Some Post-H.S.	59	72,422	8	6.7	0.74-12.7	8	9.0	0.00-19.7				5	2.4	0.00-4.95

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Times per Week			Times per Month			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	256	131,640	18	10.3	2.55-18.2	38	14.6	5.34-23.8	13	4.4	0.73-8.03	15	4.9	1.24-8.60
White/Non-Hisp	142	76,263	8	9.3	0.00-19.4	22	12.2	3.20-21.1	7	3.2	0.29-6.09	9	6.1	0.29-11.9
Hispanic	85	40,996							1	0.5	0.00-1.40	4	1.8	0.00-4.32
55-64	64	27,300	3	7.0	0.00-15.7				3	1.7	0.00-3.75	5	5.2	0.00-10.6
65+	123	53,217				17	10.4	4.46-16.3	3	2.8	0.00-6.40	6	7.6	0.00-15.6
Less Than H.S.	73	38,735							4	1.5	0.00-3.31	2	0.7	0.00-1.71
H.S. or G.E.D.	71	32,187				11	7.6	1.42-13.8	3	2.9	0.00-6.97	4	2.6	0.00-5.81
Some Post-H.S.	67	36,638	5	3.3	0.00-7.48				4	4.3	0.00-9.74	4	4.6	0.00-10.7
Less than \$15,000	69	27,831				14	9.5	2.36-16.7	2	0.8	0.00-2.19	2	0.6	0.00-1.51
\$15,000- 24,999	54	31,733	5	6.1	0.00-13.4				3	3.0	0.00-7.42	1	0.4	0.00-1.37

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 13: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes**

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	454	301,198	299	64.8	55.8-73.8	64	15.9	7.70-24.1	19	4.7	0.39-8.93	10	2.2	0.00-4.87	60	11.1	6.27-15.9	2	1.3	0.00-3.86
Male	193	173,571							5	5.9	0.00-13.1	5	3.2	0.00-7.72	26	12.1	4.69-19.4			
Female	261	127,627				39	15.3	6.15-24.5	14	2.9	0.89-4.97	5	0.9	0.00-1.83	34	9.7	4.78-14.7	2	3.2	0.00-9.01
White/Non-Hisp	270	208,550							9	5.4	0.00-11.4	5	2.3	0.00-5.91	29	11.0	4.94-17.1	2	1.9	0.00-5.56
Hispanic	130	61,251							5	1.3	0.00-3.14	4	2.9	0.00-6.57						
45-54	76	52,086				8	8.8	0.00-17.5	1	0.1	0.00-0.18	2	2.2	0.00-6.07						
55-64	109	59,568				13	7.8	1.80-13.8	3	6.5	0.00-15.4	2	1.1	0.00-2.78				1	0.4	0.00-1.17
65+	218	117,434	133	70.5	61.0-80.0	37	17.5	9.25-25.8	8	1.6	0.12-3.10	5	0.9	0.06-1.74	35	9.5	4.62-14.3			
Less Than H.S.	97	43,724							2	0.3	0.00-0.80	6	3.3	0.10-6.42	23	13.8	4.72-23.0			
H.S. or G.E.D.	139	86,913				17	10.6	2.70-18.6	6	3.0	0.22-5.82	1	1.2	0.00-3.43	18	10.3	2.99-17.5	2	4.7	0.00-13.1
Some Post-H.S.	125	108,684							9	4.4	0.00-9.62	1	3.6	0.00-10.4	11	7.6	0.30-15.0			
College Graduate	92	61,460				15	9.5	2.96-16.1				2	0.7	0.00-1.70						
Less than \$15,000	96	45,280				14	8.6	2.22-15.0	2	2.0	0.00-5.70	1	1.1	0.00-3.19	17	10.5	2.81-18.3			
\$15,000- 24,999	88	52,007							5	1.9	0.00-4.16	3	1.3	0.00-2.94	7	9.3	0.00-19.9			
\$25,000- 34,999	66	52,119							2	1.8	0.00-4.66									
\$35,000- 49,999	51	39,321							4	3.1	0.00-7.02	2	1.0	0.00-2.62						
\$50,000- 74,999	54	50,839				4	3.2	0.00-6.83	2	6.7	0.00-17.2									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 14: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	193	173,571				5	5.9	0.00-13.2	5	3.2	0.00-7.74	26	12.1	4.59-19.5
White/Non-Hisp	126	131,779				3	7.0	0.00-16.5	3	3.3	0.00-9.02	15	12.4	3.44-21.3
65+	90	62,979				2	1.6	0.00-3.93	2	0.8	0.00-2.03	11	6.0	1.10-10.9
H.S. or G.E.D.	66	54,370	6	7.4	0.00-16.1	2	2.1	0.00-5.30	1	1.8	0.00-5.48	7	7.9	0.00-17.9
Some Post-H.S.	58	71,981				1	3.8	0.00-11.1	1	5.4	0.00-15.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 15: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	261	127,627	39	15.3	6.03-24.7	14	2.9	0.93-4.93	5	0.9	0.01-1.81	34	9.7	4.84-14.6	2	3.2	0.00-9.09
White/Non-Hisp	144	76,770	23	11.8	4.26-19.4	6	2.6	0.19-5.01	2	0.5	0.00-1.30	14	8.7	2.24-15.2	2	5.3	0.00-14.9
Hispanic	88	36,475				4	1.5	0.00-4.04	3	2.0	0.00-4.93	17	11.6	2.75-20.5			
55-64	64	27,300				2	4.2	0.00-10.1	1	1.8	0.00-5.24	5	5.1	0.00-11.8	1	0.9	0.00-2.57
65+	128	54,456				6	1.7	0.00-3.40	3	1.0	0.00-2.16	24	13.5	5.02-22.0			
Less Than H.S.	75	34,040	9	7.7	0.22-15.1	2	0.4	0.00-1.04	4	2.6	0.00-5.89						
H.S. or G.E.D.	73	32,543				4	4.6	0.00-9.72				11	14.2	4.38-24.1			
Some Post-H.S.	67	36,703				8	5.8	0.05-11.5				3	3.0	0.00-7.77			
Less than \$15,000	69	27,831	11	9.8	1.20-18.4	1	0.3	0.00-0.82	1	1.7	0.00-5.14						
\$15,000- 24,999	56	27,015	6	3.6	0.00-7.65	4	2.6	0.00-6.26	1	0.5	0.00-1.61	5	8.4	0.00-18.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 16: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	461	314,509	46	7.4	4.22-10.6	415	92.6	89.4-95.8
Male	196	181,059	21	7.1	2.57-11.6	175	92.9	88.4-97.4
Female	265	133,450	25	7.9	3.17-12.6	240	92.1	87.4-96.8
White/Non-Hisp	272	209,343	28	7.1	3.60-10.5	244	92.9	89.5-96.4
Hispanic	134	73,464	13	7.4	0.00-15.6	121	92.6	84.4-0100
45-54	77	52,439	13	12.5	2.53-22.5	64	87.5	77.5-97.5
55-64	110	59,777	5	3.0	0.00-6.32	105	96.9	93.7-0100
65+	221	118,198	19	6.1	2.25-9.93	202	93.9	90.1-97.8
H.S. or G.E.D.	139	86,913	10	8.1	0.85-15.4	129	91.9	84.6-99.2
Some Post-H.S.	127	109,477	12	4.3	1.08-7.44	115	95.7	92.6-98.9
College Graduate	93	68,299	10	7.2	0.26-14.2	83	92.8	85.8-99.7
Less than \$15,000	96	45,280	11	11.1	3.17-19.1	85	88.9	80.9-96.8
\$15,000- 24,999	92	64,507	11	5.9	0.00-12.0	81	94.0	88.0-0100
\$25,000- 34,999	66	52,119	5	2.2	0.08-4.28	61	97.8	95.7-99.9
\$50,000- 74,999	54	50,839	3	5.5	0.00-13.9	51	94.5	86.1-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 17: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	196	181,059	21	7.1	2.59-11.6	175	92.9	88.4-97.4
White/Non-Hisp	127	132,220	16	6.9	2.60-11.3	111	93.0	88.7-97.4
65+	91	63,419	6	2.5	0.09-4.99	85	97.5	95.0-99.9
Some Post-H.S.	59	72,422	5	4.2	0.00-8.45	54	95.8	91.5-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 18: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	265	133,450	25	7.9	3.21-12.5	240	92.1	87.5-96.8
White/Non-Hisp	145	77,123	12	7.3	1.89-12.7	133	92.7	87.3-98.1
Hispanic	90	41,640	10	5.6	0.57-10.6	80	94.4	89.4-99.4
55-64	64	27,300	1	0.7	0.00-2.09	63	99.3	97.9-100
65+	130	54,779	13	10.2	2.74-17.6	117	89.8	82.4-97.3
Less Than H.S.	78	39,510	10	9.5	0.00-19.3	68	90.5	80.7-100
H.S. or G.E.D.	73	32,543	3	4.9	0.00-11.0	70	95.1	89.0-100
Some Post-H.S.	68	37,055	7	4.4	0.27-8.61	61	95.6	91.4-99.7
Less than \$15,000	69	27,831	6	8.5	0.20-16.8	63	91.5	83.2-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	444	302,895	59	9.0	5.32-12.8	73	11.8	7.60-16.1	38	9.8	4.19-15.3	98	22.8	14.0-31.6	109	27.0	18.3-35.7	67	19.6	12.1-27.0
Male	192	178,733	22	7.4	2.53-12.3	34	12.3	5.88-18.7	17	9.7	2.14-17.3									
Female	252	124,162	37	11.3	5.67-17.0	39	11.1	6.14-16.1	21	9.8	2.10-17.5	55	20.1	12.6-27.6				28	16.1	6.84-25.3
White/Non-Hisp	269	207,674	34	10.0	4.95-15.1	45	13.5	7.61-19.4	23	7.9	2.42-13.4				61	24.9	15.0-34.9	39	16.8	9.18-24.5
Hispanic	125	66,777	18	5.4	1.25-9.59	21	8.1	2.27-13.9												
45-54	73	51,380	8	3.8	0.00-7.92							8	3.0	0.49-5.47						
55-64	107	58,234	16	8.3	2.54-14.0	13	9.9	1.86-18.0										13	11.7	1.80-21.6
65+	212	114,333	26	13.3	6.20-20.5	36	13.3	7.02-19.6	15	7.7	1.05-14.4				49	18.3	8.42-28.2	31	19.2	9.85-28.5
Less Than H.S.	93	43,020	14	8.3	2.14-14.5	11	8.9	0.54-17.4	7	4.8	0.28-9.38									
H.S. or G.E.D.	135	85,367	19	12.2	3.85-20.6	24	12.6	5.26-20.0							24	14.1	5.74-22.5	21	13.6	4.06-23.2
Some Post-H.S.	123	106,208	15	7.9	1.37-14.3	21	11.3	2.88-19.6	7	4.9	0.00-11.8							18	10.8	2.75-18.9
College Graduate	93	68,299	11	7.3	0.91-13.8	17	13.6	4.39-22.8	9	9.2	0.00-19.1	17	9.3	2.98-15.6						
Less than \$15,000	93	44,911	10	6.5	1.13-11.9	10	8.4	0.35-16.5												
\$15,000- 24,999	87	58,017	12	8.0	1.39-14.5	15	10.0	1.88-18.0	5	3.3	0.00-7.50									
\$25,000- 34,999	66	52,119							6	8.1	0.00-18.7							8	7.9	0.56-15.2
\$50,000- 74,999	54	50,839	8	4.7	0.20-9.26							6	3.6	0.00-7.32						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	192	178,733	22	7.4	2.45-12.4	34	12.3	5.92-18.7	17	9.7	2.16-17.3			
White/Non-Hisp	126	131,187	14	7.7	1.29-14.2	25	15.2	6.64-23.8	11	4.6	0.12-9.18			
65+	88	61,234	11	11.7	2.15-21.3	16	12.6	3.50-21.8	7	5.3	0.47-10.2			
H.S. or G.E.D.	64	53,218	8	8.7	0.00-17.8	12	11.1	1.28-20.9				13	9.9	2.81-17.1
Some Post-H.S.	57	71,247	5	6.5	0.00-15.3				2	0.4	0.00-1.23			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	252	124,162	37	11.3	5.59-17.1	39	11.1	6.20-16.1	21	9.8	2.06-17.6	55	20.1	12.7-27.4				28	16.1	6.66-25.5
White/Non-Hisp	143	76,487	20	14.0	5.56-22.5	20	10.5	3.99-17.0												
Hispanic	82	35,235	15	7.1	0.32-14.0	13	9.6	0.74-18.5	6	4.0	0.00-8.66	10	9.0	0.00-18.9						
55-64	61	25,758	10	11.0	1.12-21.0	5	6.8	0.00-14.6							15	11.2	2.33-20.1	7	9.4	0.07-18.8
65+	124	53,099				20	14.0	5.41-22.7							36	18.1	9.38-26.7			
Less Than H.S.	70	33,127	11	6.8	0.67-13.0				4	2.7	0.00-6.67									
H.S. or G.E.D.	71	32,150							7	6.3	0.00-13.5									
Some Post-H.S.	66	34,961	10	10.6	1.83-19.4	7	4.9	0.00-9.94										7	5.1	0.00-10.2
Less than \$15,000	66	27,463	8	8.0	0.27-15.8				4	0.9	0.00-2.04									
\$15,000- 24,999	55	27,129							4	6.0	0.00-14.5							1	0.5	0.00-1.64

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 22: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	416	287,595	307	75.5	67.0-84.0	1	0.0	0.00-0.03	61	13.1	6.47-19.8	47	11.4	5.00-17.7
Male	183	165,439							27	11.4	3.59-19.2	16	8.2	0.00-16.5
Female	233	122,156				1	0.0	0.00-0.09				31	15.7	6.01-25.3
White/Non-Hisp	253	192,703	197	82.0	74.3-89.8				30	11.5	4.46-18.5	26	6.5	3.08-9.86
Hispanic	116	67,634				1	0.0	0.00-0.15						
45-54	72	50,598	56	89.5	82.0-97.0	1	0.1	0.00-0.21	11	7.2	1.17-13.2	4	3.3	0.00-7.58
55-64	105	59,326	84	90.9	85.5-96.3				15	6.7	1.95-11.4	6	2.4	0.01-4.83
65+	191	105,827										32	15.5	7.45-23.5
H.S. or G.E.D.	129	82,926	95	83.2	74.7-91.6				18	8.5	2.21-14.8	16	8.3	2.87-13.8
Some Post-H.S.	123	105,044				1	0.0	0.00-0.09	16	10.5	0.59-20.5	10	3.3	0.65-5.99
Less than \$15,000	83	40,746							14	8.3	1.82-14.8			
\$15,000- 24,999	86	61,346				1	0.0	0.00-0.17						
\$25,000- 34,999	62	47,496										2	3.0	0.00-7.76
\$50,000- 74,999	50	48,031										2	0.5	0.00-1.41

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 23: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	NONE		N	Never Heard of	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	183	165,439	27	11.4	3.49-19.3	16	8.2	0.00-16.6
White/Non-Hisp	120	119,025				11	4.9	1.23-8.63
65+	82	58,675				11	9.0	1.97-16.1
H.S. or G.E.D.	62	51,902	10	8.8	0.00-17.9	7	6.2	0.26-12.2
Some Post-H.S.	58	68,547				4	2.8	0.00-6.21

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 24: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	233	122,156				1	0.0	0.00-0.09				31	15.7	6.14-25.2
White/Non-Hisp	133	73,677	103	82.4	73.4-91.3				15	8.7	2.00-15.3	15	9.0	2.41-15.5
Hispanic	75	37,054				1	0.1	0.00-0.27						
55-64	59	26,850							9	8.5	0.00-17.1	5	5.2	0.00-10.5
65+	109	47,152							15	10.1	1.02-19.1			
H.S. or G.E.D.	67	31,024							8	8.0	0.70-15.4			
Some Post-H.S.	65	36,497	50	88.4	79.6-97.1	1	0.1	0.00-0.27	8	7.2	0.06-14.3	6	4.4	0.23-8.51
Less than \$15,000	59	24,895							11	8.9	0.62-17.3			
\$15,000- 24,999	54	31,482				1	0.1	0.00-0.32						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 25: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	446	303,426	95	20.4	13.5-27.2	60	13.2	7.70-18.6	32	10.9	2.93-18.8	54	9.7	4.52-14.9	50	16.3	8.63-24.0	155	29.6	21.4-37.7
Male	192	178,750	42	20.0	10.5-29.5	24	11.3	5.19-17.5				31	10.7	2.57-18.8	16	14.1	4.90-23.4			
Female	254	124,676	53	20.9	11.4-30.5	36	15.8	6.22-25.4	19	10.3	2.47-18.2	23	8.3	3.24-13.4				89	25.2	16.9-33.5
White/Non-Hisp	262	200,213	53	17.8	10.4-25.1	38	12.1	6.54-17.7				29	9.4	3.83-14.9	28	15.2	6.27-24.1			
Hispanic	132	73,254							5	0.6	0.00-1.17									
45-54	74	50,795							3	1.9	0.00-4.72									
55-64	107	57,256	22	13.5	6.36-20.7	11	9.3	1.53-17.1				10	10.6	1.64-19.6						
65+	213	115,120				29	12.3	5.06-19.6	10	5.5	0.00-11.8	31	9.4	4.83-14.0	20	8.9	2.84-15.0			
Less Than H.S.	94	44,694				8	3.1	0.43-5.77	5	1.0	0.00-2.08	11	4.3	0.86-7.76						
H.S. or G.E.D.	135	82,539				13	10.5	2.29-18.7	7	6.0	0.00-13.0				14	9.7	2.11-17.2			
Some Post-H.S.	124	107,783	23	12.0	2.29-21.8							16	6.8	1.66-11.9						
College Graduate	92	67,993							7	7.7	0.00-17.3	8	4.7	0.23-9.25						
Less than \$15,000	90	39,377				8	10.3	0.32-20.2	6	3.5	0.00-7.91				12	9.0	1.01-17.0			
\$15,000- 24,999	88	63,204				14	7.8	2.05-13.7				12	5.9	0.95-10.9						
\$25,000- 34,999	66	52,119							4	5.9	0.00-15.9	8	8.7	0.62-16.8						
\$35,000- 49,999	51	39,321							5	5.2	0.00-10.8									
\$50,000- 74,999	54	50,839										4	1.5	0.00-3.35	5	5.9	0.00-14.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 26: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	192	178,750	42	20.0	10.3-29.6	24	11.3	5.19-17.5				31	10.7	2.62-18.8	16	14.1	4.76-23.5
White/Non-Hisp	124	130,082				19	11.7	4.59-18.8				17	7.9	0.71-15.2			
65+	87	61,111							4	1.2	0.00-2.57	18	8.9	3.10-14.7			
H.S. or G.E.D.	66	54,370							3	6.8	0.00-16.9				4	8.3	0.00-18.8
Some Post-H.S.	57	70,824										10	5.7	1.18-10.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 27: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	254	124,676	53	20.9	11.4-30.5	36	15.8	6.00-25.6	19	10.3	2.45-18.2	23	8.3	3.20-13.4				89	25.2	17.2-33.2
White/Non-Hisp	138	70,131				19	12.9	4.07-21.8				12	12.0	3.57-20.4				49	24.3	15.6-32.9
Hispanic	88	41,431							3	0.5	0.00-1.20	7	2.8	0.00-5.91						
55-64	61	24,780				7	8.2	1.17-15.3							8	4.2	0.11-8.27			
65+	126	54,009										13	9.9	2.72-17.2	14	7.5	2.63-12.4			
Less Than H.S.	73	35,512				7	3.3	0.14-6.46	4	1.1	0.00-2.52	6	2.7	0.00-5.50						
H.S. or G.E.D.	69	28,169				6	9.4	0.00-19.3	4	4.4	0.00-11.9				10	12.4	3.11-21.7			
Some Post-H.S.	67	36,959	14	11.7	3.32-20.1															
Less than \$15,000	64	22,470							4	1.6	0.00-3.46	3	6.4	0.00-14.5						
\$15,000- 24,999	55	31,682				8	7.8	0.22-15.4	3	3.9	0.00-10.9	6	6.8	0.00-14.8						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 28: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
TOTAL	455	301,575	96	21.8	14.4-29.3	216	43.3	34.3-52.4	74	20.2	11.7-28.6	46	11.5	5.75-17.2	23	3.2
Male	195	174,219	37	17.2	7.55-26.8							21	12.4	3.83-20.9	9	3.6
Female	260	127,355							40	13.4	7.49-19.3	25	10.2	3.34-17.1	14	2.6
White/Non-Hisp	271	207,719				118	35.1	25.4-44.8				31	11.1	5.12-17.1	7	3.2
Hispanic	129	62,152	20	12.7	3.13-22.3										12	3.1
15-45	77	52,439							12	10.0	2.34-17.7				8	4.1
45-64	110	59,777										9	7.8	1.74-13.9	7	7.1
65+	217	112,137										16	6.2	2.06-10.3	3	1.3
Less Than H.S.	97	43,761	21	11.9	2.32-21.5							6	5.6	0.00-12.0	7	5.1
Some G.E.D.	138	86,460	25	15.3	6.82-23.8				22	17.6	7.71-27.6				8	5.9
High School Post-H.S.	127	109,477										20	10.2	3.38-16.9	7	2.0
College Graduate	92	61,460							11	7.9	1.97-13.9				1	0.0
Less Than \$15,000	94	41,294							6	3.8	0.00-8.28				8	7.5
\$15,000- 24,999	89	56,011	18	12.7	3.54-21.9							11	8.8	0.00-18.7	7	2.0
\$25,000- 34,999	66	52,119										5	6.5	0.00-13.3	2	6.2
\$35,000- 49,999	51	39,321							13	12.4	2.91-21.9			0.00-11.3	1	0.3
\$50,000- 74,999	54	50,839										3	7.2	0.00-20.0	1	1.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 29: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	< 1 Month Ago			2 or more Years			Never	
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	
Male	195	174,219	37	17.2	7.37-27.0	21	12.4	3.68-21.1	9	3.6	
White/Non-Hisp	127	132,220				16	11.2	3.53-18.9	3	3.5	
65+	91	63,419				8	5.4	0.12-10.6	1	1.6	
H.S. or G.E.D.	66	54,370	11	11.1	2.76-19.5				3	5.9	
Some Post-H.S.	59	72,422				8	10.0	0.59-19.5	3	2.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 30: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1+ Yrs but < 2 Years			2 or more Years			Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
Female	260	127,355	40	13.4	7.51-19.3	25	10.2	3.22-17.2	14	2.6
White/Non-Hisp	144	75,500	21	14.8	6.30-23.3				4	2.7
Hispanic	86	37,168				9	9.3	0.00-18.8	8	2.5
55-64	64	27,300				7	10.0	1.36-18.6	2	0.7
65+	126	48,718	16	13.0	5.01-21.0	8	7.3	0.63-13.9	2	0.9
Less Than H.S.	74	33,868				4	5.7	0.00-13.8	4	2.0
H.S. or G.E.D.	72	32,090							5	6.0
Some Post-H.S.	68	37,055	14	12.1	3.30-20.8	12	10.4	1.93-18.9	4	2.0
Less than \$15,000	67	23,846	5	5.4	0.00-12.5				7	8.6
\$15,000- 24,999	56	30,811				7	7.6	0.00-16.9	4	1.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 31: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	457	313,359	102	18.8	12.4-25.2	355	81.2	74.8-87.6
Male	193	179,952	49	17.3	9.86-24.7	144	82.7	75.3-90.1
White/Non-Hisp	270	208,549	47	14.4	8.49-20.4	223	85.5	79.6-91.5
65+	220	118,058	48	15.8	8.61-23.0	172	84.2	77.0-91.4
H.S. or G.E.D.	137	85,947	25	14.9	6.28-23.6	112	85.1	76.4-93.7
Some Post-H.S.	127	109,477	27	17.2	7.28-27.2	100	82.8	72.8-92.7
\$25,000- 34,999	66	52,119	11	5.5	1.37-9.65	55	94.5	90.4-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 32: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	193	179,952	49	17.3	9.92-24.6	144	82.7	75.4-90.1
White/Non-Hisp	125	131,426	30	16.4	7.68-25.2	95	83.6	74.8-92.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 33: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
White/Non-Hisp	145	77,123	17	11.1	4.11-18.0	128	88.9	82.0-95.9
Some Post-H.S.	68	37,055	11	11.6	1.67-21.5	57	88.4	78.5-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 34: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

<NULL>

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	459	311,025	249	56.0	47.0-64.9	210	44.0	35.1-53.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES

TABLE 35: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES

TABLE 36: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005**

MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)	
1	MALES AND FEMALES	42
2	MALES ONLY	43
3	FEMALES ONLY	44
	(ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)	
4	MALES AND FEMALES	45
5	MALES ONLY	46
6	FEMALES ONLY	47
	(ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)	
7	MALES AND FEMALES	48
8	MALES ONLY	49
9	FEMALES ONLY	50
	(ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)	
10	MALES AND FEMALES	51
11	MALES ONLY	52
12	FEMALES ONLY	53
	ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)	
13	MALES AND FEMALES	54
14	MALES ONLY	55
15	FEMALES ONLY	56
	(EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)	
16	MALES AND FEMALES	57
17	MALES ONLY	58
18	FEMALES ONLY	59
	(EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)	
19	MALES AND FEMALES	60
20	MALES ONLY	61
21	FEMALES ONLY	62

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005**

MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	(EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)	
22	MALES AND FEMALES	63
23	MALES ONLY	64
24	FEMALES ONLY	65
	(EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)	
25	MALES AND FEMALES	66
26	MALES ONLY	67
27	FEMALES ONLY	68
	WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? BLOOD PRESSURE? (BPHI2MR)	
28	MALES AND FEMALES	69
29	MALES ONLY	70
30	FEMALES ONLY	71

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 1: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1344	886,157	889	67.2	63.0-71.3	455	32.8	28.7-37.0	
Male	511	437,667	323	65.9	59.2-72.6	188	34.1	27.4-40.8	
Female	833	448,491	566	68.5	63.4-73.5	267	31.5	26.5-36.6	
White/Non-Hisp	980	681,912	648	68.0	63.5-72.6	332	32.0	27.4-36.5	
45-54	212	149,041	155	75.0	65.6-84.4	57	25.0	15.6-34.4	
55-64	307	190,407	222	72.1	63.9-80.4	85	27.9	19.6-36.1	
65+	671	368,458	417	63.3	57.7-68.9	254	36.7	31.1-42.3	
H.S. or G.E.D.	408	264,879	258	62.3	54.4-70.2	150	37.7	29.8-45.6	
Some Post-H.S.	405	293,270	283	75.1	68.6-81.6	122	24.9	18.4-31.4	
College Graduate	338	226,777	224	67.8	60.3-75.4	114	32.2	24.6-39.7	
\$15,000- 24,999	284	181,205	181	72.1	63.6-80.7	103	27.9	19.3-36.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 2: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	511	437,667	323	65.9	59.2-72.6	188	34.1	27.4-40.8
White/Non-Hisp	378	337,828	243	66.1	58.7-73.4	135	33.9	26.6-41.3
65+	235	153,713	143	62.8	53.4-72.3	92	37.2	27.7-46.6
Some Post-H.S.	159	140,914	107	76.3	66.5-86.1	52	23.7	13.9-33.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 3: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	833	448,491	566	68.5	63.4-73.5	267	31.5	26.5-36.6
White/Non-Hisp	602	344,083	405	70.0	64.5-75.4	197	30.0	24.6-35.5
55-64	187	100,433	141	78.7	69.4-88.0	46	21.3	12.0-30.6
65+	436	214,745	274	63.6	56.7-70.5	162	36.4	29.5-43.3
H.S. or G.E.D.	269	145,440	179	67.3	58.3-76.3	90	32.7	23.7-41.7
Some Post-H.S.	246	152,356	176	74.0	65.3-82.7	70	26.0	17.3-34.7
College Graduate	175	91,254	115	69.2	59.9-78.5	60	30.8	21.5-40.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ARIZONA MODULE QUESTIONS DATA REPORT, 2005

MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE

TABLE 4: (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1347	887,629	913	68.6	64.4-72.8	303	23.0	19.2-26.7	131	8.4	6.02-10.8
Male	512	437,984	331	66.1	59.3-72.8	130	25.1	19.2-31.1	51	8.8	4.66-12.9
Female	835	449,645	582	71.1	66.0-76.1	173	20.8	16.2-25.5	80	8.1	5.52-10.6
White/Non-Hisp	982	683,633	650	69.3	64.8-73.7	229	22.9	18.8-27.0	103	7.8	5.78-9.90
Oth. Race/Non-Hisp.	51	31,893							5	3.3	0.00-6.54
Hispanic	256	136,688							14	7.0	0.00-15.7
35-44	91	95,981							5	0.9	0.01-1.81
45-54	213	149,074				53	24.3	14.5-34.0	16	10.1	1.55-18.6
55-64	307	190,099	212	69.0	60.3-77.6	68	24.9	16.5-33.3	27	6.1	2.57-9.63
65+	673	369,764	463	69.9	64.7-75.1	132	18.8	14.4-23.3	78	11.3	7.89-14.7
Less Than H.S.	192	101,298							14	6.1	1.05-11.2
H.S. or G.E.D.	410	265,109	279	66.6	58.7-74.5	95	22.5	16.1-28.9	36	10.9	4.68-17.2
Some Post-H.S.	405	295,058	291	76.5	69.8-83.2	72	16.1	9.97-22.2	42	7.4	4.32-10.6
College Graduate	336	225,856	205	64.3	56.5-72.1	93	28.0	20.6-35.3	38	7.8	4.47-11.1
Less than \$15,000	186	88,617				32	19.4	9.86-29.0			
\$15,000- 24,999	283	180,252	204	74.8	66.4-83.2	52	15.0	8.64-21.4	27	10.2	4.94-15.4
\$25,000- 34,999	160	110,032							14	4.9	1.59-8.29
\$35,000- 49,999	178	135,687							20	8.2	2.53-13.9
\$50,000- 74,999	153	137,374							17	8.3	1.19-15.3
\$75,000+	142	103,045				39	25.5	15.7-35.3	9	3.0	0.56-5.50

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 5: (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	512	437,984	331	66.1	59.3-72.9	130	25.1	19.2-31.1	51	8.8	4.64-13.0
White/Non-Hisp	380	338,447	243	67.1	60.0-74.2	100	26.3	19.6-33.0	37	6.5	3.85-9.25
55-64	120	89,974							8	5.6	0.00-11.2
65+	235	153,464	160	69.0	60.2-77.7	45	19.1	11.7-26.5	30	11.9	6.10-17.7
Less Than H.S.	50	41,792							3	4.2	0.00-10.5
Some Post-H.S.	158	140,613	111	77.6	67.7-87.5	31	15.6	6.78-24.4	16	6.8	2.19-11.4
College Graduate	164	135,575							18	5.8	2.45-9.19
\$15,000- 24,999	91	85,343				22	14.9	5.05-24.8	8	8.7	1.02-16.5
\$25,000- 34,999	62	47,786							5	4.6	0.00-9.86
\$35,000- 49,999	84	79,428							11	9.3	0.45-18.2
\$75,000+	82	65,457							5	2.0	0.00-4.00

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 6: (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	835	449,645	582	71.1	66.0-76.1	173	20.8	16.1-25.6	80	8.1	5.52-10.6
White/Non-Hisp	602	345,186	407	71.3	65.8-76.8	129	19.6	14.6-24.5	66	9.1	6.00-12.2
Hispanic	165	68,547							8	4.0	0.00-8.76
45-54	131	69,188							9	7.7	0.19-15.2
55-64	187	100,125				36	17.9	8.18-27.7	19	6.5	2.03-11.0
65+	438	216,299	303	70.5	64.1-76.9	87	18.7	13.1-24.3	48	10.8	6.77-14.9
Less Than H.S.	142	59,507							11	7.5	0.28-14.8
H.S. or G.E.D.	270	145,103	189	72.6	64.1-81.1	59	20.7	12.9-28.5	22	6.7	2.49-10.9
Some Post-H.S.	247	154,445	180	75.5	66.5-84.5	41	16.5	8.00-25.0	26	8.0	3.77-12.3
College Graduate	172	90,282	107	67.8	58.4-77.3	45	21.5	13.6-29.4	20	10.7	4.39-16.9
\$15,000- 24,999	192	94,909				30	15.1	6.91-23.3	19	11.5	4.46-18.5
\$25,000- 34,999	98	62,245							9	5.2	0.90-9.44
\$35,000- 49,999	94	56,260							9	6.6	1.09-12.2
\$50,000- 74,999	66	48,537							5	1.4	0.00-3.17
\$75,000+	60	37,589							4	4.9	0.00-10.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ARIZONA MODULE QUESTIONS DATA REPORT, 2005

MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE

TABLE 7: (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1347	891,053	426	36.0	31.4-40.6	344	25.1	21.3-28.9	577	38.9	34.3-43.4
Male	513	440,838	192	39.6	32.1-47.1	158	30.7	24.1-37.2	163	29.7	22.7-36.8
Female	834	450,215	234	32.5	27.1-37.9	186	19.7	15.7-23.7	414	47.8	42.2-53.4
White/Non-Hisp	982	689,400	320	34.4	29.6-39.3	272	26.8	22.6-31.1	390	38.7	33.7-43.8
45-54	213	153,605				47	18.9	10.4-27.4			
55-64	307	188,389	107	36.0	27.4-44.6	78	25.6	17.6-33.6	122	38.4	29.3-47.5
65+	673	370,351	175	27.4	22.1-32.8	177	26.8	21.8-31.9	321	45.8	40.0-51.6
H.S. or G.E.D.	411	265,775	130	37.8	29.7-45.9	104	24.9	18.1-31.6	177	37.3	29.5-45.1
Some Post-H.S.	406	299,890	156	38.5	30.3-46.6	91	18.7	13.0-24.4	159	42.8	34.1-51.6
College Graduate	336	224,303	100	31.8	23.6-40.0	122	38.0	29.6-46.4	114	30.2	22.8-37.7
Less than \$15,000	186	88,817				22	13.7	5.66-21.7			
\$15,000- 24,999	285	181,996				64	17.8	9.28-26.3			
\$35,000- 49,999	179	135,905							53	25.3	15.9-34.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 8: (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	513	440,838	192	39.6	32.1-47.1	158	30.7	24.1-37.3	163	29.7	22.7-36.8
White/Non-Hisp	381	343,703	136	36.8	28.9-44.6	123	31.9	24.8-38.9	122	31.4	23.4-39.3
65+	236	153,766	80	33.5	24.0-43.1	71	31.7	22.6-40.7	85	34.8	25.6-44.0
\$50,000- 74,999	87	88,837							20	15.0	5.32-24.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 9: (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	834	450,215	234	32.5	27.1-37.9	186	19.7	15.7-23.7	414	47.8	42.2-53.4
White/Non-Hisp	601	345,697	184	32.1	26.3-37.9	149	21.8	17.0-26.6	268	46.1	39.9-52.3
Hispanic	166	68,716				27	11.7	3.31-20.0			
45-54	130	69,121				28	16.3	7.18-25.5			
55-64	188	100,462				38	15.8	7.47-24.1			
65+	437	216,585	95	23.0	17.0-29.1	106	23.4	17.6-29.1	236	53.6	46.4-60.8
Less Than H.S.	141	59,095	19	14.9	5.04-24.8	15	10.6	1.99-19.3			
H.S. or G.E.D.	271	145,769	82	40.0	30.2-49.8	63	19.2	11.9-26.5	126	40.8	31.3-50.2
Some Post-H.S.	246	154,377				43	10.5	5.83-15.2			
College Graduate	173	90,775	45	25.9	16.4-35.4						
Less than \$15,000	138	56,514	37	21.6	11.9-31.2	14	10.8	2.15-19.4			
\$15,000- 24,999	193	95,787				37	14.1	7.17-21.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ARIZONA MODULE QUESTIONS DATA REPORT, 2005

MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE

TABLE 10: (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1342	890,480	914	69.9	65.8-74.0	428	30.1	26.0-34.2	
Male	511	442,228	349	70.9	64.6-77.2	162	29.1	22.8-35.4	
Female	831	448,252	565	68.9	63.9-74.0	266	31.0	26.0-36.1	
White/Non-Hisp	977	686,120	658	68.5	63.9-73.1	319	31.5	26.9-36.1	
45-54	212	152,453	157	78.0	69.1-87.0	55	22.0	13.0-30.9	
55-64	306	190,420	216	68.9	60.4-77.4	90	31.1	22.6-39.6	
65+	670	368,795	436	66.2	60.6-71.9	234	33.8	28.1-39.4	
H.S. or G.E.D.	410	265,843	273	65.1	57.3-73.0	137	34.9	27.0-42.7	
Some Post-H.S.	403	298,037	284	72.6	65.6-79.7	119	27.3	20.3-34.4	
College Graduate	336	225,935	250	78.0	71.6-84.4	86	22.0	15.6-28.4	
\$15,000- 24,999	283	181,378	195	76.0	68.0-83.9	88	24.0	16.1-32.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 11: (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	511	442,228	349	70.9	64.6-77.1	162	29.1	22.9-35.4	
White/Non-Hisp	379	342,484	257	68.4	61.2-75.5	122	31.6	24.5-38.8	
65+	235	153,671	163	64.4	54.4-74.4	72	35.6	25.6-45.6	
College Graduate	164	136,232	120	80.2	71.8-88.6	44	19.8	11.4-28.2	
\$15,000- 24,999	91	86,114	61	83.1	73.5-92.8	30	16.9	7.20-26.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 12: (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPXER)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	831	448,252	565	68.9	63.9-74.0	266	31.0	26.0-36.1	
White/Non-Hisp	598	343,637	401	68.6	62.9-74.4	197	31.4	25.6-37.1	
65+	435	215,124	273	67.5	61.0-74.1	162	32.5	25.9-39.0	
H.S. or G.E.D.	270	145,837	183	69.3	60.2-78.3	87	30.7	21.7-39.8	
Some Post-H.S.	245	153,557	173	72.8	64.1-81.4	72	27.3	18.6-35.9	
College Graduate	172	89,703	130	74.8	65.2-84.3	42	25.2	15.7-34.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 13: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1337	887,508	688	53.6	49.0-58.2	649	46.4	41.8-51.0
Male	513	442,881	288	61.3	54.5-68.2	225	38.6	31.8-45.5
Female	824	444,627	400	45.8	40.2-51.5	424	54.1	48.5-59.8
White/Non-Hisp	972	683,486	478	52.8	47.7-57.8	494	47.3	42.2-52.3
55-64	305	189,820	186	60.4	51.4-69.5	119	39.6	30.5-48.6
65+	665	365,587	264	39.3	33.5-45.1	401	60.7	54.9-66.5
H.S. or G.E.D.	408	263,164	206	52.4	44.3-60.5	202	47.6	39.5-55.7
Some Post-H.S.	400	296,959	221	57.3	48.9-65.7	179	42.7	34.3-51.1
College Graduate	335	226,341	163	50.1	41.6-58.6	172	49.9	41.4-58.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 14: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	513	442,881	288	61.3	54.6-68.1	225	38.6	31.9-45.4
White/Non-Hisp	380	343,042	208	59.0	51.5-66.5	172	41.0	33.5-48.5
65+	235	153,249	104	45.1	35.2-55.0	131	54.9	45.0-64.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 15: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE: (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	824	444,627	400	45.8	40.2-51.5	424	54.1	48.5-59.8
White/Non-Hisp	592	340,444	270	46.4	40.1-52.7	322	53.6	47.3-59.9
65+	430	212,338	160	35.1	28.3-41.9	270	64.9	58.1-71.7
H.S. or G.E.D.	269	143,675	127	44.8	35.0-54.6	142	55.2	45.4-65.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 16: (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1342	884,377	803	63.5	59.2-67.8	479	33.8	29.6-38.1	60	2.7	1.75-3.59
Male	512	437,954	331	71.4	65.4-77.5	159	26.4	20.5-32.4	22	2.1	1.01-3.29
Female	830	446,424	472	55.7	50.1-61.4	320	41.1	35.5-46.7	38	3.2	1.76-4.62
White/Non-Hisp	975	680,058	564	61.8	57.0-66.7	366	35.4	30.6-40.1	45	2.8	1.71-3.91
Oth. Race/Non-Hisp.	51	31,893							2	1.7	0.00-4.16
Hispanic	258	137,010							7	1.7	0.04-3.38
35-44	91	94,675							1	0.2	0.00-0.71
45-54	211	151,694							9	2.6	0.00-5.24
55-64	305	187,795	188	63.2	54.2-72.2	107	35.2	26.2-44.2	10	1.6	0.27-2.89
65+	672	367,502	383	59.7	54.0-65.4	250	35.9	30.3-41.5	39	4.4	2.66-6.18
Less Than H.S.	190	99,256							6	3.2	0.00-6.34
H.S. or G.E.D.	410	263,437	258	67.1	59.7-74.5	135	31.1	23.8-38.5	17	1.8	0.66-2.94
Some Post-H.S.	405	296,717	238	65.2	57.5-72.9	144	32.2	24.6-39.8	23	2.6	1.23-3.93
College Graduate	333	224,658	175	56.3	48.1-64.5	144	40.1	32.1-48.1	14	3.6	1.14-6.08
Less than \$15,000	187	89,035							8	4.8	0.00-9.80
\$15,000- 24,999	283	181,257	175	68.9	59.4-78.4	97	28.3	19.2-37.4	11	2.8	0.65-4.93
\$25,000- 34,999	160	114,287							8	2.2	0.17-4.29
\$35,000- 49,999	179	135,808							4	0.7	0.00-1.45
\$50,000- 74,999	151	135,814							10	2.8	0.60-5.10
\$75,000+	139	98,578							2	0.6	0.00-1.38

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 17: (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	512	437,954	331	71.4	65.4-77.4	159	26.4	20.5-32.3	22	2.1	1.03-3.27
White/Non-Hisp	379	338,115	243	70.0	63.3-76.8	119	27.6	21.0-34.2	17	2.4	1.03-3.73
Hispanic	92	68,442							3	1.9	0.00-4.60
45-54	82	82,994							1	0.5	0.00-1.44
55-64	120	88,135							5	2.3	0.00-4.72
65+	235	152,164	146	67.6	58.6-76.6	73	27.8	19.0-36.6	16	4.6	1.77-7.45
H.S. or G.E.D.	139	118,514							6	1.2	0.00-2.43
Some Post-H.S.	159	142,809	115	80.2	71.0-89.4	38	18.5	9.41-27.6	6	1.3	0.08-2.48
College Graduate	165	136,441							8	3.3	0.63-5.93
\$15,000- 24,999	92	86,209							2	1.9	0.00-4.74
\$25,000- 34,999	63	52,385							3	1.2	0.00-2.85
\$35,000- 49,999	85	79,729							2	0.6	0.00-1.58
\$50,000- 74,999	87	88,837							8	4.2	0.73-7.67
\$75,000+	80	61,262							2	0.9	0.00-2.24

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 18: (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	830	446,424	472	55.7	50.1-61.4	320	41.1	35.4-46.7	38	3.2	1.74-4.64
White/Non-Hisp	596	341,943	321	53.7	47.4-60.0	247	43.1	36.8-49.4	28	3.2	1.51-4.95
Hispanic	166	68,568							4	1.6	0.00-3.45
45-54	129	68,700							8	5.1	0.00-10.8
55-64	185	99,659							5	1.0	0.00-2.14
65+	437	215,338	237	54.1	47.0-61.2	177	41.6	34.5-48.7	23	4.3	2.04-6.54
Less Than H.S.	141	59,066							4	2.4	0.00-5.63
H.S. or G.E.D.	271	144,923	163	59.2	49.5-68.9	97	38.5	28.9-48.1	11	2.3	0.53-4.09
Some Post-H.S.	246	153,908							17	3.8	1.43-6.13
College Graduate	168	88,217							6	4.1	0.00-8.87
Less than \$15,000	139	56,733							6	5.6	0.00-12.3
\$15,000- 24,999	191	95,048							9	3.6	0.53-6.69
\$25,000- 34,999	97	61,902							5	3.1	0.00-6.63
\$35,000- 49,999	94	56,079							2	0.8	0.00-2.01
\$50,000- 74,999	64	46,977							2	0.3	0.00-0.83

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

ARIZONA MODULE QUESTIONS DATA REPORT, 2005

MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE

TABLE 19: (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1345	885,449	334	29.8	25.1-34.6	581	42.3	37.9-46.8	430	27.8	23.8-31.9
Male	512	436,305	173	37.5	29.6-45.3	214	41.5	34.4-48.7	125	21.0	15.1-26.9
Female	833	449,144	161	22.4	17.5-27.4	367	43.1	37.6-48.6	305	34.4	29.1-39.8
White/Non-Hisp	978	681,130	223	26.3	21.4-31.2	466	46.3	41.3-51.3	289	27.4	23.0-31.9
Oth. Race/Non-Hisp.	51	31,893							17	10.9	3.48-18.3
55-64	306	187,395	91	29.7	22.0-37.4	128	41.4	32.3-50.4	87	28.9	19.9-37.9
65+	672	369,655	107	17.7	13.1-22.3	311	47.4	41.6-53.2	254	34.9	29.4-40.5
H.S. or G.E.D.	412	265,925	93	27.2	19.4-35.0	183	43.5	35.5-51.4	136	29.3	22.0-36.7
Some Post-H.S.	403	296,271	107	31.8	23.0-40.5	171	37.5	29.6-45.4	125	30.8	22.9-38.6
College Graduate	335	222,087	82	28.4	19.9-36.9	176	53.4	44.9-61.9	77	18.2	12.3-24.1
\$15,000- 24,999	282	180,605				114	33.2	23.5-42.8	89	24.3	15.8-32.8
\$35,000- 49,999	178	131,933							42	13.4	7.40-19.3
\$50,000- 74,999	153	137,374							29	14.2	5.36-23.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 20: (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	512	436,305	173	37.5	29.5-45.4	214	41.5	34.4-48.7	125	21.0	15.1-26.9
White/Non-Hisp	379	336,467	115	32.0	23.7-40.3	175	46.0	38.0-54.0	89	21.9	15.4-28.5
65+	236	153,766	52	23.1	14.7-31.5	116	53.0	43.2-62.7	68	23.9	15.8-31.9
Less Than H.S.	50	41,792							12	9.8	0.75-18.9
College Graduate	163	131,700							35	17.5	9.22-25.8
\$35,000- 49,999	84	75,854							17	11.4	3.11-19.7
\$50,000- 74,999	87	88,837							15	9.5	1.95-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 21: (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	833	449,144	161	22.4	17.5-27.4	367	43.1	37.7-48.5	305	34.4	29.1-39.8
White/Non-Hisp	599	344,664	108	20.6	15.5-25.8	291	46.6	40.4-52.8	200	32.8	26.8-38.7
55-64	187	100,125	45	26.0	16.3-35.7						
65+	436	215,889	55	13.8	8.72-18.9	195	43.4	36.4-50.4	186	42.8	35.6-50.0
H.S. or G.E.D.	272	145,919	51	22.4	13.3-31.5	129	47.3	37.6-57.1	92	30.3	21.5-39.0
Some Post-H.S.	244	153,462	49	25.1	15.4-34.8	104	35.4	25.5-45.3			
College Graduate	172	90,387	31	19.6	10.9-28.4				42	19.2	10.9-27.5
\$35,000- 49,999	94	56,079							25	16.0	7.57-24.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005**

MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE

**TABLE 22: (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXADV)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1338	882,320	961	74.4	70.8-78.0	377	25.6	22.0-29.2	
Male	513	439,836	367	74.6	68.9-80.3	146	25.4	19.7-31.1	
Female	825	442,484	594	74.2	69.6-78.8	231	25.8	21.2-30.4	
White/Non-Hisp	973	678,876	685	73.3	69.2-77.5	288	26.7	22.5-30.8	
35-44	91	92,231	78	88.0	79.0-96.9	13	12.0	3.07-21.0	
45-54	213	153,457	174	84.2	76.4-92.1	39	15.8	7.93-23.6	
55-64	303	186,730	222	75.4	67.9-82.9	81	24.6	17.1-32.1	
65+	669	367,230	445	67.0	61.5-72.4	224	33.0	27.6-38.5	
H.S. or G.E.D.	409	264,596	284	71.1	64.1-78.1	125	28.9	21.9-35.9	
Some Post-H.S.	400	294,938	300	78.0	71.7-84.2	100	22.0	15.8-28.3	
College Graduate	334	221,620	244	74.7	68.0-81.4	90	25.3	18.6-32.0	
\$15,000- 24,999	277	176,401	196	73.8	65.1-82.5	81	26.2	17.5-34.9	
\$50,000- 74,999	153	137,374	120	80.3	70.4-90.2	33	19.7	9.79-29.6	
\$75,000+	142	103,045	108	79.3	70.6-88.0	34	20.7	12.0-29.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 23: (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	513	439,836	367	74.6	68.9-80.3	146	25.4	19.7-31.1	
White/Non-Hisp	381	340,037	267	73.0	66.4-79.5	114	27.0	20.5-33.6	
65+	236	153,766	161	66.7	57.4-76.1	75	33.3	23.9-42.6	
Some Post-H.S.	160	145,513	124	80.0	70.5-89.5	36	20.0	10.5-29.5	
College Graduate	164	132,566	118	73.6	64.0-83.3	46	26.4	16.7-36.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 24: (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	825	442,484	594	74.2	69.7-78.7	231	25.8	21.3-30.3	
White/Non-Hisp	592	338,839	418	73.7	68.6-78.8	174	26.3	21.2-31.4	
45-54	130	68,973	110	87.3	79.4-95.1	20	12.7	4.88-20.6	
55-64	182	95,890	138	79.1	69.6-88.6	44	20.9	11.4-30.4	
65+	433	213,464	284	67.1	60.6-73.6	149	32.9	26.4-39.4	
H.S. or G.E.D.	270	144,630	192	71.4	62.8-80.0	78	28.6	20.0-37.2	
Some Post-H.S.	240	149,425	176	76.0	67.8-84.2	64	24.0	15.8-32.2	
College Graduate	170	89,054	126	76.3	67.5-85.2	44	23.7	14.8-32.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005**

MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE

**TABLE 25: (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1348	892,423	1169	85.7	82.5-88.9	179	14.3	11.1-17.5	
Male	515	443,750	427	84.0	79.0-89.0	88	16.0	11.0-21.0	
Female	833	448,672	742	87.4	83.4-91.3	91	12.6	8.68-16.6	
White/Non-Hisp	982	688,354	874	87.7	84.4-91.0	108	12.3	9.05-15.6	
45-54	212	152,569	172	84.2	76.5-91.8	40	15.8	8.18-23.5	
55-64	308	190,965	275	91.4	87.1-95.7	33	8.6	4.26-12.9	
65+	673	370,072	629	94.2	91.5-96.8	44	5.8	3.21-8.47	
H.S. or G.E.D.	410	264,787	356	86.9	81.9-92.0	54	13.0	7.95-18.1	
Some Post-H.S.	405	299,299	354	86.2	80.1-92.2	51	13.8	7.76-19.9	
College Graduate	338	227,171	291	86.8	81.6-92.0	47	13.2	7.98-18.4	
\$15,000- 24,999	283	181,471	247	87.6	80.9-94.2	36	12.4	5.79-19.1	
\$25,000- 34,999	161	114,631	142	85.0	75.4-94.6	19	15.0	5.41-24.6	
\$35,000- 49,999	178	135,559	154	88.7	82.3-95.1	24	11.3	4.90-17.7	
\$50,000- 74,999	153	137,374	126	86.1	77.9-94.2	27	13.9	5.83-22.1	
\$75,000+	142	103,045	118	80.8	71.3-90.3	24	19.2	9.72-28.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 26: (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	515	443,750	427	84.0	79.0-89.0	88	16.0	11.0-21.0	
White/Non-Hisp	382	343,912	328	84.8	79.2-90.4	54	15.2	9.63-20.8	
55-64	121	90,840	106	89.5	82.2-96.8	15	10.5	3.17-17.8	
65+	236	153,766	216	95.9	93.6-98.1	20	4.1	1.93-6.35	
H.S. or G.E.D.	140	120,006	113	85.5	77.5-93.6	27	14.5	6.43-22.5	
College Graduate	165	136,441	139	86.2	78.8-93.6	26	13.8	6.42-21.2	
\$15,000- 24,999	92	86,209	76	90.9	83.7-98.2	16	9.0	1.80-16.3	
\$35,000- 49,999	85	79,729	70	86.9	77.3-96.4	15	13.1	3.60-22.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 27: (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	833	448,672	742	87.4	83.4-91.3	91	12.6	8.66-16.6	
White/Non-Hisp	600	344,442	546	90.5	87.0-94.0	54	9.5	5.98-13.0	
45-54	129	68,084	108	85.9	77.1-94.7	21	14.1	5.26-22.9	
55-64	187	100,125	169	93.1	88.2-98.1	18	6.8	1.93-11.8	
65+	437	216,307	413	93.0	88.8-97.1	24	7.0	2.90-11.2	
H.S. or G.E.D.	270	144,781	243	88.1	81.6-94.7	27	11.9	5.33-18.4	
Some Post-H.S.	245	153,786	218	89.9	83.5-96.3	27	10.1	3.67-16.5	
College Graduate	173	90,731	152	87.8	81.1-94.5	21	12.2	5.48-18.9	
\$35,000- 49,999	93	55,830	84	91.3	84.0-98.6	9	8.7	1.41-16.0	
\$50,000- 74,999	66	48,537	54	90.4	83.8-97.0	12	9.6	3.00-16.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 28: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? BLOOD PRESSURE?
(BPHI2MR)**

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1331	877,544	1043	77.6	73.6-81.5	5	0.6	0.00-1.50	273	21.2	17.4-25.1	10	0.6	0.12-1.02
Male	508	435,562	386	75.3	68.9-81.7				116	24.0	17.6-30.3	6	0.7	0.11-1.33
Female	823	441,982	657	79.8	75.1-84.5	5	1.2	0.00-2.97	157	18.5	14.1-23.0	4	0.4	0.00-1.11
White/Non-Hisp	968	677,395	774	80.3	76.2-84.3	3	0.2	0.00-0.47	184	18.9	14.9-23.0	7	0.6	0.05-1.15
Hispanic	257	133,602				2	2.9	0.00-8.51				3	0.7	0.00-1.78
45-54	213	149,892				2	0.8	0.00-1.96				4	1.0	0.00-2.00
55-64	304	187,777	254	82.1	74.6-89.5	1	0.0	0.00-0.09	48	17.8	10.4-25.2	1	0.1	0.00-0.24
65+	659	363,515	534	84.8	81.0-88.6	1	0.1	0.00-0.21	119	14.2	10.5-17.9	5	0.9	0.00-1.96
Less Than H.S.	188	97,202				1	0.1	0.00-0.21				2	0.9	0.00-2.41
H.S. or G.E.D.	408	265,521	317	79.7	73.7-85.7	1	0.2	0.00-0.71	86	19.7	13.7-25.7	4	0.4	0.00-0.81
Some Post-H.S.	397	290,366	314	77.3	69.8-84.8	3	1.6	0.00-4.26	79	20.8	13.6-28.0	1	0.3	0.00-0.74
College Graduate	334	224,146	258	75.8	67.7-83.9				73	23.1	15.1-31.2	3	1.1	0.00-2.53
Less than \$15,000	184	85,032	152	81.1	71.7-90.4				31	18.1	8.86-27.3	1	0.9	0.00-2.55
\$15,000- 24,999	278	178,208	209	75.7	65.9-85.5	1	0.0	0.00-0.12	66	24.2	14.4-34.0	2	0.1	0.00-0.28
\$25,000- 34,999	156	110,870				1	3.5	0.00-10.1						
\$35,000- 49,999	181	137,118	135	74.2	64.4-84.0	1	0.2	0.00-0.56	42	24.6	14.8-34.3	3	1.0	0.00-2.16
\$50,000- 74,999	151	135,742				2	0.9	0.00-2.18						
\$75,000+	143	103,264										2	1.8	0.00-4.75

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 29: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? BLOOD PRESSURE?
(BPHI2MR)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	508	435,562	386	75.3	68.9-81.7	116	24.0	17.6-30.3	6	0.7	0.11-1.33
White/Non-Hisp	378	339,880	297	79.3	72.9-85.7	76	20.0	13.6-26.4	5	0.7	0.05-1.35
Hispanic	91	64,981							1	1.1	0.00-3.38
45-54	83	84,485							3	1.5	0.00-3.33
55-64	118	87,716	99	86.4	78.2-94.5	19	13.6	5.46-21.8			
65+	233	152,162	185	83.9	77.8-90.0	45	14.9	8.91-20.9	3	1.2	0.00-2.59
H.S. or G.E.D.	140	120,054	106	81.8	73.0-90.5	32	17.6	8.88-26.3	2	0.6	0.00-1.61
Some Post-H.S.	158	143,406							1	0.5	0.00-1.51
College Graduate	162	133,943							2	0.6	0.00-1.57
\$35,000- 49,999	85	79,729							3	1.7	0.00-3.72
\$75,000+	82	65,457							1	0.4	0.00-1.29

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 6: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

**TABLE 30: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? BLOOD PRESSURE?
(BPHI2MR)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	823	441,982	657	79.8	75.1-84.5	5	1.2	0.00-2.97	157	18.5	14.0-23.1	4	0.4	0.00-1.11
White/Non-Hisp	590	337,514	477	81.2	76.2-86.3	3	0.4	0.00-0.97	108	17.8	12.8-22.8	2	0.5	0.00-1.40
Hispanic	166	68,620				2	5.7	0.00-16.3				2	0.3	0.00-0.69
45-54	130	65,407	100	85.0	77.1-92.9	2	1.9	0.00-4.49	27	12.9	5.53-20.3	1	0.2	0.00-0.65
55-64	186	100,061				1	0.1	0.00-0.18				1	0.1	0.00-0.44
65+	426	211,353	349	85.5	80.6-90.3	1	0.1	0.00-0.36	74	13.6	8.97-18.3	2	0.8	0.00-2.18
Less Than H.S.	140	59,042				1	0.1	0.00-0.33				1	0.2	0.00-0.73
H.S. or G.E.D.	268	145,468	211	78.0	70.1-85.9	1	0.4	0.00-1.27	54	21.5	13.6-29.3	2	0.1	0.00-0.32
Some Post-H.S.	239	146,960	190	80.9	71.9-89.8	3	3.2	0.00-8.33	46	15.9	8.01-23.8			
College Graduate	172	90,203	135	80.4	71.4-89.5				36	17.8	9.18-26.5	1	1.7	0.00-5.05
\$15,000- 24,999	188	93,898	145	78.1	68.5-87.6	1	0.1	0.00-0.21	40	21.7	12.1-31.2	2	0.2	0.00-0.50
\$25,000- 34,999	94	60,217				1	6.4	0.00-18.3						
\$35,000- 49,999	96	57,389				1	0.4	0.00-1.35						
\$50,000- 74,999	66	48,537				2	2.5	0.00-6.10						
\$75,000+	61	37,807										1	4.1	0.00-12.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005

MODULE 8: INFLUENZA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHERE DID YOU GO TO GET YOUR MOST RECENT FLU SHOT/VACCINE THAT WAS SPRAYED IN YOUR NOSE/VACCINATION (WHETHER IT WAS A SHOT OR SPRAY IN YOUR NOSE)? VACCINATION (WHETHER IT WAS A SHOT OR SPRAY IN YOUR NOSE)? (FLUSTLOC)	
1	MALES AND FEMALES	73
2	MALES ONLY	74
3	FEMALES ONLY	75

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 8: INFLUENZA**

**TABLE 1: WHERE DID YOU GO TO GET YOUR MOST RECENT FLU SHOT/VACCINE THAT WAS SPRAYED IN YOUR NOSE/VACCINATION (WHETHER IT WAS A SHOT OR SPRAY IN YOUR NOSE)?
VACCINATION (WHETHER IT WAS A SHOT OR SPRAY IN YOUR NOSE)? (FLUSTLOC)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Drs office, HMO, ER, Hospital			Health Dept, Clinic, Health Center			Senior, Recreation, Community Center			Store			Workplace			Other,Canada,Mexico		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1361	962,906	563	39.8	35.2-44.5	359	22.7	18.1-27.3	78	5.6	3.89-7.41	145	12.4	9.59-15.3	90	10.1	7.06-13.1	126	9.3	6.99-11.6
Male	493	427,157	217	43.1	35.5-50.8	115	22.4	15.0-29.7	28	4.9	2.53-7.31	46	10.1	5.73-14.6	33	10.4	5.88-14.9	54	9.0	5.42-12.6
Female	868	535,749	346	37.2	31.8-42.7	244	22.9	17.1-28.8	50	6.2	3.69-8.75	99	14.3	10.5-18.0	57	9.9	5.80-13.9	72	9.5	6.48-12.5
White/Non-Hisp	1006	736,121	399	41.0	36.0-46.0	247	16.6	13.5-19.7	68	6.7	4.48-8.88	124	14.6	11.1-18.1	68	11.0	7.36-14.6	100	10.2	7.53-12.8
Oth. Race/Non-Hisp.	78	52,311							2	2.7	0.00-6.57				2	3.3	0.00-9.07	4	6.5	0.00-14.8
Hispanic	227	150,770							7	1.5	0.00-3.37	12	3.0	0.01-6.05	17	8.6	1.41-15.8	18	5.9	0.00-12.1
25-34	89	114,350							2	0.6	0.00-1.50							7	5.4	0.00-13.2
35-44	106	84,093							4	4.3	0.00-9.69	2	7.1	0.00-19.9				14	12.3	3.22-21.5
45-54	154	125,867							6	4.6	0.00-10.6	8	6.4	0.00-13.0				6	3.6	0.00-7.33
55-64	214	133,714				53	18.9	11.2-26.5	10	5.6	0.72-10.4	25	15.6	8.04-23.2	15	8.7	3.28-14.2	20	7.7	2.68-12.8
65+	744	439,654	295	39.4	33.9-44.9	207	20.5	16.5-24.6	56	8.4	5.54-11.2	109	18.9	14.4-23.4	2	0.1	0.00-0.17	75	12.7	9.04-16.4
Less Than H.S.	154	70,107							7	6.7	0.51-12.9	10	8.7	1.12-16.4	3	4.0	0.00-9.94	13	6.5	2.00-11.0
H.S. or G.E.D.	384	282,203	158	36.6	27.7-45.5				25	6.1	2.22-9.94	45	13.2	7.49-18.9	14	4.5	0.29-8.75	31	5.4	2.54-8.22
Some Post-H.S.	389	299,094	159	40.8	32.6-49.1	96	17.1	11.5-22.7	16	2.6	0.77-4.45	50	14.3	9.17-19.4	33	14.7	8.05-21.4	35	10.5	5.71-15.2
College Graduate	434	311,502	180	40.1	32.5-47.8	97	16.8	11.5-22.0	30	7.9	4.43-11.4	40	10.8	5.79-15.8	40	12.1	6.88-17.3	47	12.3	7.71-16.9
Less than \$15,000	148	94,730							12	6.8	0.75-12.7	14	8.6	1.49-15.6	2	0.8	0.00-2.12	10	2.9	0.38-5.36
\$15,000- 24,999	242	130,595	111	40.7	31.0-50.4	79	30.8	21.0-40.6	10	6.2	1.07-11.3	17	7.4	2.87-12.0	6	6.8	0.00-15.2	19	8.1	3.61-12.5
\$25,000- 34,999	151	114,109							8	3.5	0.49-6.49				7	9.5	0.00-19.5	17	12.2	4.24-20.2
\$35,000- 49,999	209	165,757							9	4.6	0.00-9.42	28	12.9	7.20-18.7	18	9.9	2.48-17.3	23	9.7	4.30-15.1
\$50,000- 74,999	163	142,892				42	14.9	8.59-21.3	13	6.3	1.97-10.7	15	13.4	5.08-21.8	17	16.5	6.99-25.9	16	11.7	3.50-19.8
\$75,000+	180	163,199				27	8.6	3.16-14.1	8	3.7	0.60-6.80	16	9.2	1.42-17.1	31	19.8	10.7-28.8	14	7.0	1.98-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 8: INFLUENZA**

**TABLE 2: WHERE DID YOU GO TO GET YOUR MOST RECENT FLU SHOT/VACCINE THAT WAS SPRAYED IN YOUR NOSE/VACCINATION (WHETHER IT WAS A SHOT OR SPRAY IN YOUR NOSE)?
VACCINATION (WHETHER IT WAS A SHOT OR SPRAY IN YOUR NOSE)? (FLUSTLOC)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Drs office, HMO, ER, Hospital			Health Dept, Clinic, Health Center			Senior, Recreation, Community Center			Store			Workplace			Other,Canada,Mexico		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	493	427,157	217	43.1	35.6-50.7	115	22.4	14.9-29.8	28	4.9	2.51-7.33	46	10.1	5.71-14.6	33	10.4	5.90-14.9	54	9.0	5.48-12.6
White/Non-Hisp	366	326,714	147	43.8	35.8-51.8	88	19.0	13.1-24.8	24	5.7	2.75-8.71	41	12.8	7.12-18.4	24	9.6	4.71-14.5	42	9.1	5.39-12.9
Hispanic	81	71,706							3	1.2	0.00-2.84	2	0.6	0.00-1.48						
55-64	74	55,798							3	7.5	0.00-17.6	5	8.3	0.12-16.5	4	4.3	0.00-9.32			
65+	276	191,695	118	43.2	33.9-52.5	68	21.3	14.1-28.5	20	7.0	3.11-10.8	38	16.4	9.27-23.6				32	12.1	6.65-17.5
H.S. or G.E.D.	124	115,280							8	2.8	0.00-5.73	11	8.8	0.28-17.3	5	4.6	0.00-9.39	6	2.9	0.00-5.95
Some Post-H.S.	136	137,269										16	9.2	3.15-15.3				17	11.2	3.12-19.2
College Graduate	187	148,597				40	17.5	9.85-25.3	17	10.4	4.40-16.4	18	13.6	4.54-22.7	12	9.4	2.56-16.2	25	12.0	5.50-18.4
\$15,000- 24,999	81	43,219							4	8.8	0.00-18.6	4	5.2	0.00-10.9	1	1.7	0.00-5.03	5	4.4	0.00-8.76
\$35,000- 49,999	98	87,346							5	2.9	0.00-6.30	10	9.9	2.46-17.4	6	4.9	0.00-10.2	15	8.7	2.92-14.4
\$50,000- 74,999	80	83,278				19	16.5	6.95-26.1	6	4.3	0.60-8.08	8	10.2	0.97-19.4						
\$75,000+	82	86,950				11	11.3	1.75-20.9	7	6.0	0.45-11.5							7	5.8	0.00-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 8: INFLUENZA**

**TABLE 3: WHERE DID YOU GO TO GET YOUR MOST RECENT FLU SHOT/VACCINE THAT WAS SPRAYED IN YOUR NOSE/VACCINATION (WHETHER IT WAS A SHOT OR SPRAY IN YOUR NOSE)?
VACCINATION (WHETHER IT WAS A SHOT OR SPRAY IN YOUR NOSE)? (FLUSTLOC)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Drs office, HMO, ER, Hospital			Health Dept, Clinic, Health Center			Senior, Recreation, Community Center			Store			Workplace			Other,Canada,Mexico		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	868	535,749	346	37.2	31.8-42.7	244	22.9	17.2-28.7	50	6.2	3.69-8.75	99	14.3	10.5-18.0	57	9.9	5.80-13.9	72	9.5	6.48-12.5
White/Non-Hisp	640	409,407	252	38.8	32.9-44.6	159	14.7	11.7-17.7	44	7.4	4.25-10.6	83	16.0	11.6-20.4	44	12.0	6.96-17.1	58	11.0	7.35-14.7
Oth. Race/Non-Hisp.	56	37,660							2	3.8	0.00-9.14				1	0.6	0.00-1.74	1	5.7	0.00-16.5
Hispanic	146	79,064							4	1.9	0.00-5.00	10	5.3	0.00-11.0	11	3.4	0.40-6.40	11	3.8	0.33-7.19
35-44	65	38,674							2	5.0	0.00-14.1	1	0.5	0.00-1.65						
45-54	108	77,821							4	5.8	0.00-15.1	6	8.5	0.00-18.8				3	2.8	0.00-7.61
55-64	140	77,916				35	16.9	8.37-25.5	7	4.2	0.32-8.08				11	11.9	3.50-20.3	11	6.0	1.58-10.5
65+	468	247,959	177	36.4	29.9-42.8	139	19.9	15.5-24.4	36	9.5	5.44-13.5	71	20.8	15.1-26.6	2	0.1	0.00-0.30	43	13.2	8.21-18.2
Less Than H.S.	108	44,097							4	5.5	0.00-12.2				2	1.6	0.00-4.17	7	5.6	0.00-11.4
H.S. or G.E.D.	260	166,923	103	30.8	21.2-40.3				17	8.3	2.19-14.5	34	16.3	8.57-24.0	9	4.4	0.00-10.8	25	7.1	2.76-11.4
Some Post-H.S.	253	161,824	100	37.8	28.4-47.2	67	15.9	10.5-21.4	16	4.8	1.46-8.20	34	18.5	11.0-26.1	18	13.0	4.57-21.5	18	9.9	4.29-15.5
College Graduate	247	162,905	105	42.9	33.3-52.6	57	16.1	9.06-23.1	13	5.7	1.80-9.52	22	8.2	3.60-12.9	28	14.5	6.82-22.2	22	12.6	6.11-19.1
Less than \$15,000	112	59,452							11	10.5	1.06-19.9				2	1.3	0.00-3.40	6	1.8	0.00-3.83
\$15,000- 24,999	161	87,376							6	4.9	0.00-10.9	13	8.6	2.37-14.8				14	9.9	3.64-16.2
\$25,000- 34,999	102	64,603							7	6.0	0.67-11.4				5	4.2	0.00-9.69			
\$35,000- 49,999	111	78,412							4	6.4	0.00-15.8	18	16.3	7.54-25.0				8	10.9	1.59-20.2
\$50,000- 74,999	83	59,614				23	12.8	5.47-20.1	7	9.1	0.30-17.9							8	9.3	0.20-18.3
\$75,000+	98	76,249				16	5.5	1.84-9.24	1	1.1	0.00-3.26	5	2.9	0.00-7.16				7	8.2	0.15-16.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005**

MODULE 9: ADULT ASTHMA HISTORY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)	
1	MALES AND FEMALES	78
2	MALES ONLY	79
3	FEMALES ONLY	80
	DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)	
4	MALES AND FEMALES	81
5	MALES ONLY	82
6	FEMALES ONLY	83
	DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)	
7	MALES AND FEMALES	84
8	MALES ONLY	85
9	FEMALES ONLY	86
	[IF ONE OR MORE VISITS TO MODULE Q9.3, FILL IN (BESIDES THOSE EMERGENCY ROOM VISITS,)] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)	
10	MALES AND FEMALES	87
11	MALES ONLY	88
12	FEMALES ONLY	89
	DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR OR OTHER NURSE FOR A ROUTINE CHECKUP FOR YOUR ASTHMA? (ASRCHKUP)	
13	MALES AND FEMALES	90
14	MALES ONLY	91
15	FEMALES ONLY	92

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005**

MODULE 9: ADULT ASTHMA HISTORY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)	
16	MALES AND FEMALES	93
17	MALES ONLY	94
18	FEMALES ONLY	95
	SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DO NOT HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)	
19	MALES AND FEMALES	96
20	MALES ONLY	97
21	FEMALES ONLY	98
	DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? (ASNOSLEP)	
22	MALES AND FEMALES	99
23	MALES ONLY	100
24	FEMALES ONLY	101
	DURING THE PAST 30 DAYS, HOW OFTEN DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED2)	
25	MALES AND FEMALES	102
26	MALES ONLY	103
27	FEMALES ONLY	104
	DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)	
28	MALES AND FEMALES	105
29	MALES ONLY	106
30	FEMALES ONLY	107

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 1: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that had never been told they had asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 years old			11-17 years old			18-44 years old			45-54 years old			55-64 years old			65-96+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)									
TOTAL	545	468,952	160	36.4	28.8-43.9	66	16.7	9.49-23.9	196	33.6	26.3-40.8	52	6.9	3.83-10.1	38	2.8	1.59-3.95	33	3.6	1.89-5.37
Male	179	222,612										12	5.0	0.26-9.82	9	0.9	0.22-1.68	6	1.7	0.18-3.16
Female	366	246,340	78	27.7	18.2-37.2	40	14.2	6.86-21.5	152	39.6	30.9-48.4	40	8.7	4.72-12.6	29	4.4	2.32-6.52	27	5.4	2.43-8.39
White/Non-Hisp	413	342,422	125	39.1	30.6-47.7	43	12.6	6.52-18.8	142	31.9	24.5-39.4	43	8.6	4.53-12.8	32	3.4	1.83-4.93	28	4.3	2.08-6.44
Hispanic	87	92,110										5	2.0	0.00-4.74	5	1.2	0.00-2.51	5	2.6	0.00-6.22
55-64	109	69,749				6	3.4	0.00-7.05							17	8.0	2.43-13.5			
65+	153	81,652				16	8.2	1.97-14.4				10	5.3	0.63-9.93	21	9.1	4.33-13.9	33	20.9	11.9-29.9
Less Than H.S.	76	74,164	14	10.2	1.91-18.6							7	1.5	0.11-2.97	9	3.7	0.31-7.05	5	3.3	0.00-7.76
H.S. or G.E.D.	127	85,214										12	7.6	1.05-14.2	8	4.5	0.86-8.12	12	6.8	1.98-11.6
Some Post-H.S.	177	160,434				18	9.7	2.80-16.6				25	12.4	4.84-19.9	9	1.4	0.00-2.92	11	2.7	0.65-4.81
College Graduate	165	149,140				18	9.8	1.81-17.7				8	3.4	0.02-6.84	12	2.8	0.67-4.87	5	3.0	0.00-6.49
Less than \$15,000	75	47,239										8	3.2	0.59-5.85	7	6.2	0.17-12.2	6	9.2	0.24-18.1
\$15,000- 24,999	86	66,849				12	9.3	1.90-16.8				7	10.1	0.09-20.0	10	5.3	0.67-9.85	8	4.8	0.71-8.83
\$25,000- 34,999	65	60,497				4	7.0	0.00-15.2				6	3.3	0.00-6.98	2	0.8	0.00-2.19	5	7.9	0.00-16.9
\$35,000- 49,999	89	64,278										11	6.3	0.84-11.8	8	4.2	0.35-8.11	4	2.4	0.00-5.16
\$50,000- 74,999	67	70,359													2	0.9	0.00-2.51			
\$75,000+	82	103,632										3	4.2	0.00-9.43	5	1.8	0.00-3.79			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 2: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that had never been told they had asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		11-17 years old			45-54 years old			55-64 years old			65-96+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	179	222,612				12	5.0	0.14-9.94	9	0.9	0.24-1.66	6	1.7	0.24-3.10
White/Non-Hisp	143	159,890				9	6.6	0.00-13.2	8	1.3	0.28-2.24	5	1.7	0.13-3.23
65+	56	41,510	8	8.9	0.00-19.5	4	6.9	0.00-15.1	6	3.5	0.09-6.95	6	9.0	1.13-16.8
Some Post-H.S.	56	67,692	6	7.5	0.76-14.2				4	1.1	0.00-2.36	2	1.5	0.00-3.99
College Graduate	68	86,125				3	3.6	0.00-8.97	2	0.3	0.00-0.80			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 3: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that had never been told they had asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 years old			11-17 years old			18-44 years old			45-54 years old			55-64 years old			65-96+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Female	366	246,340	78	27.7	18.2-37.2	40	14.2	6.84-21.5	152	39.6	30.8-48.5	40	8.7	4.74-12.6	29	4.4	2.32-6.52	27	5.4	2.41-8.41
White/Non-Hisp	270	182,532				23	9.2	2.29-16.0				34	10.5	5.32-15.6	24	5.2	2.48-8.00	23	6.5	2.71-10.4
Hispanic	65	40,501										4	3.8	0.00-9.32	4	2.5	0.00-5.36	4	3.5	0.00-9.41
35-44	55	29,101				6	8.6	0.08-17.2												
45-54	73	46,910										15	10.9	2.50-19.2						
55-64	81	47,244				3	0.6	0.00-1.48							14	10.4	2.64-18.2			
65+	97	40,141	17	14.3	4.76-23.7	8	7.5	1.31-13.7				6	3.6	0.00-7.86	15	14.8	6.25-23.5			
Less Than H.S.	62	39,491										7	2.9	0.40-5.38	7	4.8	0.10-9.50	4	3.6	0.00-9.69
H.S. or G.E.D.	86	51,092													7	7.0	1.13-12.9	9	8.1	1.22-14.9
Some Post-H.S.	121	92,741										19	13.4	4.89-21.9	5	1.7	0.00-4.09	9	3.6	0.50-6.74
College Graduate	97	63,015				12	6.5	1.33-11.7				5	3.3	0.00-6.54	10	6.1	1.15-11.1	5	7.0	0.00-15.3
Less than \$15,000	57	36,504										7	3.4	0.36-6.44	7	8.0	0.11-15.9	4	6.8	0.00-16.0
\$15,000- 24,999	67	41,422													8	7.3	0.55-14.0	7	5.8	0.99-10.6
\$35,000- 49,999	53	29,713				6	7.8	0.56-15.1							5	7.1	0.00-14.8	4	5.2	0.00-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 4: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	378	295,626	213	58.4	49.6-67.3	165	41.5	32.7-50.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY

TABLE 5: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY

TABLE 6: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 7: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	393	309,536	74	18.0	10.1-25.9	319	82.0	74.1-89.9
Male	113	127,483	14	9.3	0.00-18.9	99	90.8	81.1-0100
White/Non-Hisp	304	237,113	44	15.9	7.34-24.5	260	84.1	75.5-92.7
35-44	53	26,429	13	12.2	4.18-20.2	40	87.8	79.8-95.8
65+	119	58,281	13	6.7	1.07-12.2	106	93.3	87.8-98.9
Some Post-H.S.	135	102,131	30	11.3	5.40-17.2	105	88.7	82.8-94.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 8: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	113	127,483	14	9.3	0.00-19.0	99	90.8	81.0-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 9: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
65+	79	31,147	11	8.6	0.74-16.5	68	91.4	83.5-99.3
Some Post-H.S.	97	62,278	26	17.7	8.06-27.3	71	82.3	72.7-91.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 10: [IF ONE OR MORE VISITS TO MODULE Q9.3, FILL IN (BESIDES THOSE EMERGENCY ROOM VISITS,)] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			14-26 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	390	308,280	120	34.5	25.6-43.3	3	0.6	0.00-1.44	267	64.9	56.1-73.7
Female	280	182,166				3	1.1	0.00-2.46			
White/Non-Hisp	303	236,126	88	31.0	21.6-40.3	1	0.3	0.00-0.74	214	68.8	59.4-78.1
Hispanic	58	42,382				1	0.8	0.00-2.35			
35-44	52	26,318				1	4.0	0.00-11.8			
45-54	79	78,867				2	1.2	0.00-2.88			
Less Than H.S.	56	32,261				1	3.3	0.00-9.80			
H.S. or G.E.D.	88	61,258				1	0.9	0.00-2.83			
Some Post-H.S.	135	101,473				1	0.3	0.00-0.98			
Less than \$15,000	58	40,699				1	2.6	0.00-7.74			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY

TABLE 11: [IF ONE OR MORE VISITS TO MODULE Q9.3, FILL IN (BESIDES THOSE EMERGENCY ROOM VISITS,)] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 12: [IF ONE OR MORE VISITS TO MODULE Q9.3, FILL IN (BESIDES THOSE EMERGENCY ROOM VISITS,)] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			14-26 times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	
Female	280	182,166	3	1.1	0.00-2.46	
White/Non-Hisp	214	133,903	1	0.4	0.00-1.30	
45-54	56	46,347	2	2.0	0.00-5.01	
H.S. or G.E.D.	63	36,655	1	1.6	0.00-4.75	
Some Post-H.S.	98	62,714	1	0.5	0.00-1.57	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 13. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR OR OTHER NURSE FOR A ROUTINE CHECKUP FOR YOUR ASTHMA? (ASRCHKUP)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			14-26 times in last 12 months			40-52 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	386	308,372	218	60.8	52.1-69.6	2	0.5	0.00-1.21	2	0.2	0.00-0.59	164	38.4	29.7-47.1
Male	110	126,839							1	0.4	0.00-1.21			
Female	276	181,533				2	0.8	0.00-2.05	1	0.1	0.00-0.37			
White/Non-Hisp	299	236,289	170	61.9	52.3-71.5	1	0.2	0.00-0.53	2	0.3	0.00-0.78	126	37.6	28.0-47.2
35-44	52	26,216				1	4.1	0.00-11.9	1	0.9	0.00-2.57			
65+	118	58,264				1	0.7	0.00-2.13	1	0.9	0.00-2.63			
Less Than H.S.	54	31,641				1	3.4	0.00-9.99						
H.S. or G.E.D.	88	61,358							1	0.8	0.00-2.51			
Some Post-H.S.	132	101,761							1	0.2	0.00-0.65			
College Graduate	112	113,611				1	0.4	0.00-1.10						
Less than \$15,000	59	40,813				2	3.6	0.00-9.15	1	0.6	0.00-1.68			
\$75,000+	50	60,947	29	87.7	78.9-96.6							21	12.3	3.41-21.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 14. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR OR OTHER NURSE FOR A ROUTINE CHECKUP FOR YOUR ASTHMA? (ASRCHKUP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			40-52 times in last 12 months	
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Male	110	126,839	1	0.4	0.00-1.21
White/Non-Hisp	90	103,131	1	0.5	0.00-1.50

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 15. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR OR OTHER NURSE FOR A ROUTINE CHECKUP FOR YOUR ASTHMA? (ASRCHKUP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		14-26 times in last 12 months			40-52 times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	276	181,533	2	0.8	0.00-2.05	1	0.1	0.00-0.37
White/Non-Hisp	209	133,158	1	0.3	0.00-0.92	1	0.2	0.00-0.50
65+	78	31,129	1	1.3	0.00-3.99			
Some Post-H.S.	95	62,212				1	0.4	0.00-1.09
College Graduate	75	57,902	1	0.7	0.00-2.15			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 16. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-10 Days			11-30 Days			31-60 Days			61-100 Days			101-366 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	368	292,014	75	15.2	9.05-21.3	17	3.5	0.00-7.28	1	0.2	0.00-0.53	61	22.1	14.4-29.8	7	1.3	0.01-2.59	207	57.7	48.7-66.7
Male	107	124,089	11	7.8	2.07-13.5	5	0.9	0.03-1.83	1	0.4	0.00-1.24				2	0.9	0.00-2.68			
Female	261	167,925	64	20.6	11.2-30.0	12	5.4	0.00-11.8							5	1.6	0.00-3.38			
White/Non-Hisp	286	229,382	58	15.9	8.39-23.3	12	4.1	0.00-8.87				40	19.8	11.6-27.9	6	1.6	0.00-3.27			
Hispanic	55	41,803	11	9.7	1.89-17.5	2	0.8	0.00-1.95	1	1.2	0.00-3.70									
45-54	74	70,174				5	2.9	0.00-6.82							2	1.7	0.00-4.36			
55-64	73	45,954				5	3.4	0.00-7.20							2	0.4	0.00-0.93			
65+	109	53,204	22	16.6	7.87-25.3	1	0.8	0.00-2.43							3	4.6	0.00-10.5			
Less Than H.S.	50	30,962				3	2.3	0.00-5.29							1	0.4	0.00-1.20			
H.S. or G.E.D.	84	59,072	21	17.3	7.43-27.3	1	0.3	0.00-0.74	1	0.9	0.00-2.59				1	2.0	0.00-6.07			
Some Post-H.S.	127	98,732	27	12.4	5.30-19.5	8	8.4	0.00-19.1							4	1.6	0.00-3.88			
College Graduate	107	103,248				5	1.0	0.00-2.09				17	14.8	5.32-24.2	1	0.9	0.00-2.55			
Less than \$15,000	56	40,227	7	4.7	0.44-8.90	1	0.6	0.00-1.68							3	4.1	0.00-10.3			
\$15,000- 24,999	65	36,482				2	1.3	0.00-3.69	1	1.4	0.00-4.17				1	0.2	0.00-0.58			
\$35,000- 49,999	57	45,017				3	3.9	0.00-9.78												

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 17. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-10 Days			11-30 Days			31-60 Days			101-366 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	107	124,089	11	7.8	2.26-13.3	5	0.9	0.03-1.83	1	0.4	0.00-1.24	2	0.9	0.00-2.68
White/Non-Hisp	85	100,040	9	9.0	2.19-15.9	2	0.7	0.00-1.65				1	1.1	0.00-3.26

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 18. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-10 Days			11-30 Days			101-366 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	261	167,925	64	20.6	11.2-30.1	12	5.4	0.00-11.9	5	1.6	0.00-3.40
White/Non-Hisp	201	129,341				10	6.8	0.00-15.0	5	2.0	0.00-4.42
45-54	53	38,390				4	5.0	0.00-12.2	2	3.1	0.00-8.04
55-64	57	28,672				2	2.5	0.00-7.22	1	0.4	0.00-1.09
65+	72	28,558				1	1.5	0.00-4.53	2	4.7	0.00-12.8
H.S. or G.E.D.	58	35,227				1	0.4	0.00-1.24	1	3.4	0.00-10.1
Some Post-H.S.	93	60,159							2	0.7	0.00-1.73
College Graduate	71	48,620				2	0.5	0.00-1.35	1	1.8	0.00-5.42
\$15,000- 24,999	51	24,538				2	2.0	0.00-5.49			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 19. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DO NOT HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< Once Week			Once or Twice a Week			More Than 2 Times per Week, Not Everyday			Every Day, But Not All the Time			Every Day All the Time			Not at Any Time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	369	291,151	60	17.0	9.91-24.1	87	23.1	15.0-31.2	29	10.1	3.85-16.4	46	10.9	5.92-16.0	38	8.9	3.75-14.0	109	29.9	22.2-37.6
Male	109	125,591										13	6.6	2.05-11.1						
Female	260	165,560	41	18.2	9.02-27.4				20	7.2	1.74-12.6	33	14.2	6.53-21.9	24	7.4	2.86-12.0	80	27.3	18.1-36.5
White/Non-Hisp	289	228,814	46	14.5	7.75-21.4	68	23.1	14.0-32.3	21	9.6	2.33-17.0	34	9.9	4.53-15.3	33	10.4	4.06-16.8	87	32.3	23.1-41.4
Hispanic	53	41,509							4	5.9	0.00-14.9				1	1.4	0.00-4.08			
45-54	75	70,778	8	7.2	0.60-13.7															
55-64	71	42,688	11	7.2	1.06-13.3				8	5.7	0.55-10.9	8	8.6	0.00-19.3						
65+	111	55,003	11	7.4	1.53-13.3	24	16.8	7.66-26.0	7	8.9	0.00-19.4				12	6.4	1.62-11.2			
Less Than H.S.	50	31,274												7	7.1	0.46-13.8	6	8.7	0.00-18.1	
H.S. or G.E.D.	84	58,142	18	14.7	5.85-23.5				6	7.9	0.28-15.6	7	9.3	1.06-17.5						
Some Post-H.S.	127	97,946							7	6.9	0.00-16.1				14	8.4	2.25-14.5			
College Graduate	108	103,789	14	7.6	1.84-13.4							6	2.4	0.00-4.79	9	7.9	0.70-15.1			
Less than \$15,000	60	41,331							8	7.7	0.00-16.9				6	7.6	0.00-17.2			
\$15,000- 24,999	63	36,785							3	5.7	0.00-13.1	5	6.7	0.00-15.5						
\$35,000- 49,999	56	43,999	12	9.9	2.10-17.8				2	0.7	0.00-1.83									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 20. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DO NOT HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Every Day, But Not All the Time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	
Male	109	125,591	13	6.6	2.29-10.9	
White/Non-Hisp	87	101,543	10	6.7	1.58-11.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 21. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DO NOT HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< Once Week			Once or Twice a Week			More Than 2 Times per Week, Not Everyday			Every Day, But Not All the Time			Every Day All the Time			Not at Any Time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	260	165,560	41	18.2	9.04-27.4				20	7.2	1.72-12.7	33	14.2	6.74-21.7	24	7.4	2.84-12.1	80	27.3	18.1-36.6
White/Non-Hisp	202	127,271	31	16.1	6.99-25.2				13	3.8	0.95-6.67	24	12.5	4.17-20.9	21	8.6	2.80-14.4			
45-54	53	38,383	4	3.1	0.00-6.47				2	2.8	0.00-6.83									
55-64	55	25,406	10	10.8	1.44-20.1				7	7.9	0.34-15.5									
65+	73	29,467	6	6.6	0.00-14.0				4	1.3	0.00-2.96				7	8.2	0.24-16.1			
H.S. or G.E.D.	58	33,781										3	5.2	0.00-12.6	5	2.1	0.00-4.21			
Some Post-H.S.	91	58,387				19	11.6	4.56-18.7	5	3.6	0.00-7.92				5	7.0	0.00-15.2			
College Graduate	72	49,161	8	7.8	0.00-16.5				4	1.8	0.00-4.00	6	5.0	0.00-10.1						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 22. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? (ASNOSLEP)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 days			6 to 10 days			More Than 10 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	267	207,629				25	7.8	2.35-13.2	6	2.2	0.10-4.38	18	5.4	1.13-9.67	35	13.5	5.96-21.1
Male	80	83,317										5	2.6	0.12-5.02			
Female	187	124,312				19	5.4	2.15-8.73	6	3.7	0.17-7.31	13	7.3	0.48-14.1	28	14.6	5.78-23.4
White/Non-Hisp	209	158,853				21	9.5	2.45-16.5	5	2.5	0.00-5.17	14	6.4	0.88-11.9	28	14.3	5.74-22.8
45-54	52	53,192							1	0.7	0.00-2.15	2	1.5	0.00-3.92			
55-64	52	28,871	6	4.2	0.00-8.70	7	5.2	0.00-10.9									
65+	82	35,470				5	6.5	0.00-13.9	1	1.0	0.00-2.89	8	6.1	1.03-11.2			
H.S. or G.E.D.	59	40,870				4	4.6	0.00-10.7	1	1.7	0.00-4.98						
Some Post-H.S.	95	77,398							1	0.7	0.00-1.97	6	3.0	0.21-5.85	12	10.3	1.60-19.0
College Graduate	67	60,653				6	6.6	0.00-15.6	3	5.1	0.00-11.8	3	1.2	0.00-2.78	5	5.5	0.00-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 23. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? (ASNOSLEP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			6 to 10 days		C.I. (95%)
	TOTAL	WEIGHTED	N	%		
Male	80	83,317	5	2.6	0.28-4.86	
White/Non-Hisp	62	65,039	5	3.3	0.29-6.29	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 24. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? (ASNOSLEP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 days			6 to 10 days			More Than 10 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	187	124,312				19	5.4	2.21-8.67	6	3.7	0.15-7.33	13	7.3	0.44-14.2	28	14.6	5.72-23.4
White/Non-Hisp	147	93,814				16	6.2	2.01-10.3	5	4.2	0.00-8.76	9	8.5	0.00-17.3	23	14.0	5.34-22.7
65+	55	19,366	4	8.8	0.00-19.9	2	1.9	0.00-4.70	1	1.8	0.00-5.31	4	3.3	0.00-7.84			
Some Post-H.S.	63	43,806				10	8.3	1.35-15.2	1	1.2	0.00-3.46	2	1.7	0.00-4.80			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 25. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01 to 14 Days			15-24 Days			25-30 Days			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	374	295,285	76	24.6	16.4-32.8	6	2.1	0.11-4.15	161	41.1	32.3-49.9	131	32.1	24.1-40.1
Male	109	125,990				1	0.2	0.00-0.68						
Female	265	169,295				5	3.5	0.05-7.03						
White/Non-Hisp	295	233,050	54	21.8	13.1-30.4	4	1.6	0.00-3.70				99	30.9	22.1-39.7
Hispanic	52	41,406				2	6.0	0.00-14.6						
45-54	75	70,744	18	12.9	4.41-21.3	2	2.0	0.00-5.55						
65+	115	56,031	14	14.2	4.56-23.8	2	2.7	0.00-6.99						
H.S. or G.E.D.	87	60,481				1	3.5	0.00-10.2						
Some Post-H.S.	130	100,136				3	1.7	0.00-4.27						
College Graduate	108	103,853				1	1.2	0.00-3.69						
Less than \$15,000	58	40,840				1	3.0	0.00-8.82						
\$15,000- 24,999	64	37,173				1	0.3	0.00-0.98						
\$35,000- 49,999	58	45,816				1	2.8	0.00-8.22						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 26. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			15-24 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	
Male	109	125,990	1	0.2	0.00-0.68	
White/Non-Hisp	87	101,942	1	0.3	0.00-0.86	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 27. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01 to 14 Days			15-24 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	265	169,295				5	3.5	0.05-7.03
White/Non-Hisp	208	131,108				3	2.7	0.00-6.31
45-54	53	38,349	13	11.6	2.59-20.7	2	3.6	0.00-10.3
55-64	56	28,545	8	6.0	0.21-11.7			
65+	77	30,095	10	11.0	2.60-19.4	1	4.0	0.00-11.7
H.S. or G.E.D.	60	35,603				1	5.9	0.00-17.0
Some Post-H.S.	94	60,577				2	2.3	0.00-6.46
College Graduate	73	49,343				1	2.6	0.00-7.73

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 28. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-14 times			15-29 times			30-59 times			60-99 times			100+ times			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	369	289,881	147	46.3	37.1-55.4	19	2.5	0.84-4.22	17	3.8	1.33-6.23	20	3.7	1.47-5.89	12	2.3	0.69-3.83	154	41.5	32.4-50.6
Male	107	124,456				5	2.5	0.00-5.33	8	4.3	0.00-8.63	6	2.2	0.00-4.47	6	3.9	0.54-7.32			
Female	262	165,425				14	2.5	0.53-4.57	9	3.4	0.63-6.19	14	4.8	1.36-8.26	6	1.0	0.00-2.09			
White/Non-Hisp	290	228,970				15	2.8	0.70-4.82	13	3.4	0.71-6.15	18	4.1	1.48-6.66	10	2.5	0.62-4.42			
Hispanic	53	41,405				4	2.4	0.00-5.62				1	0.3	0.00-0.94						
45-54	73	70,144				4	3.1	0.00-7.12	1	1.3	0.00-3.78	3	3.2	0.00-8.65	3	2.6	0.00-5.83			
55-64	71	44,225				6	4.2	0.00-8.54	5	7.4	0.00-15.7	3	3.1	0.00-7.74						
65+	115	54,336				4	0.8	0.00-1.66	11	12.5	2.67-22.3	12	10.2	3.19-17.3	6	5.3	0.00-10.7			
Less Than H.S.	50	30,415				5	3.5	0.00-7.78	1	0.3	0.00-0.74	4	3.4	0.00-7.26	2	2.4	0.00-6.61			
H.S. or G.E.D.	86	60,181				2	2.9	0.00-8.19	4	3.7	0.00-8.74	7	4.0	0.00-8.00	5	5.4	0.04-10.7			
Some Post-H.S.	126	97,247				9	3.6	0.31-6.97	5	3.6	0.00-7.60	7	5.4	0.82-9.92	3	1.5	0.00-3.79			
College Graduate	107	102,038				3	0.9	0.00-2.22	7	5.0	0.01-10.0	2	2.0	0.00-5.64	2	1.1	0.00-2.91			
Less than \$15,000	58	39,912				2	1.7	0.00-4.51	4	2.8	0.00-6.24	3	8.4	0.00-19.0	1	0.3	0.00-0.94			
\$15,000- 24,999	65	37,300				4	7.0	0.00-16.0	2	4.4	0.00-11.9	2	2.5	0.00-6.76	2	4.4	0.00-10.7			
\$35,000- 49,999	59	45,934				3	3.8	0.00-9.51	5	8.0	0.00-16.8	5	5.3	0.00-11.6	2	4.6	0.00-11.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 29. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		15-29 times			30-59 times			60-99 times			100+ times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	107	124,456	5	2.5	0.00-5.31	8	4.3	0.00-8.59	6	2.2	0.00-4.45	6	3.9	0.68-7.18
White/Non-Hisp	86	100,590	4	2.8	0.00-6.29	5	2.9	0.00-7.31	6	2.7	0.00-5.52	6	4.9	0.82-8.90

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 9: ADULT ASTHMA HISTORY**

TABLE 30. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		15-29 times			30-59 times			60-99 times			100+ times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	262	165,425	14	2.5	0.53-4.57	9	3.4	0.61-6.21	14	4.8	1.34-8.28	6	1.0	0.00-2.09
White/Non-Hisp	204	128,380	11	2.7	0.27-5.17	8	3.8	0.40-7.30	12	5.1	1.08-9.20	4	0.7	0.00-1.63
45-54	51	37,749	4	5.7	0.00-13.4	1	2.3	0.00-7.05	3	6.0	0.00-16.1	1	1.5	0.00-4.69
55-64	55	26,943	5	5.5	0.00-11.9				3	5.1	0.00-12.5			
65+	78	29,752	4	1.4	0.00-3.04	5	8.2	0.22-16.1	6	9.6	0.74-18.4	3	0.9	0.00-2.07
H.S. or G.E.D.	59	35,303	1	0.4	0.00-1.10	1	1.2	0.00-3.67	5	5.7	0.00-12.1	2	1.9	0.00-5.20
Some Post-H.S.	92	59,157	7	5.0	0.00-10.3	4	5.1	0.00-11.3	3	4.9	0.00-10.7	1	0.1	0.00-0.41
College Graduate	71	47,410	1	0.1	0.00-0.40	3	4.5	0.00-9.88	2	4.2	0.00-12.1	1	0.4	0.00-1.15
\$15,000- 24,999	50	24,322	2	2.8	0.00-7.51	1	0.7	0.00-2.15	1	0.5	0.00-1.56	1	2.5	0.00-7.49

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005**

MODULE 10: RANDOM CHILD SELECTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	109
2 MALES ONLY	110
3 FEMALES ONLY	111
IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4 MALES AND FEMALES	112
5 MALES ONLY	113
6 FEMALES ONLY	114
IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)	
7 MALES AND FEMALES	115
8 MALES ONLY	116
9 FEMALES ONLY	117
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)	
10 MALES AND FEMALES	118
11 MALES ONLY	119
12 FEMALES ONLY	120
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)	
13 MALES AND FEMALES	121
14 MALES ONLY	122
15 FEMALES ONLY	123
HOW ARE YOU RELATED TO THE CHILD? (RCSRELTN)	
16 MALES AND FEMALES	124
17 MALES ONLY	125
18 FEMALES ONLY	126

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION**

**TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2004			2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)									
TOTAL	1426	1,543,232	357	20.9	17.0-24.8	382	22.3	18.2-26.4	343	27.9	23.2-32.5	302	25.2	20.6-29.8	42	3.8	1.77-5.73
Male	476	707,552	108	18.7	12.6-24.8	138	23.3	16.8-29.8	129	33.6	25.7-41.4	88	21.5	14.9-28.1	13	2.9	0.71-5.11
Female	950	835,681	249	22.8	17.8-27.7	244	21.4	16.2-26.7	214	23.0	17.8-28.2	214	28.3	21.9-34.6	29	4.5	1.32-7.60
White/Non-Hisp	707	800,005	175	25.1	19.8-30.5	174	20.7	16.3-25.1	178	26.9	21.4-32.3	153	23.5	18.4-28.7	27	3.8	1.58-6.00
Oth. Race/Non-Hisp.	106	95,679												3	3.2	0.00-8.12	
Hispanic	574	596,016	149	15.7	9.52-21.8	169	25.1	16.7-33.5	127	28.7	19.6-37.7	119	27.4	18.3-36.5	10	3.1	0.00-6.85
25-34	404	495,272	18	1.5	0.49-2.61	69	12.6	7.34-17.8	152	45.1	36.2-54.0	142	36.1	28.1-44.2	23	4.6	1.46-7.74
35-44	514	482,375	131	23.7	17.2-30.3	178	31.9	25.1-38.7	120	27.6	20.5-34.7	76	14.8	9.59-20.0	9	2.0	0.11-3.95
45-54	298	239,032	150	53.7	43.8-63.7	84	25.0	16.8-33.2	37	11.9	6.09-17.7	25	8.9	3.95-13.9	2	0.5	0.00-1.27
Less Than H.S.	214	232,067												2	0.5	0.00-1.19	
H.S. or G.E.D.	401	440,550	105	18.8	12.3-25.4	118	26.4	16.6-36.1	81	25.1	15.4-34.9	88	25.0	16.8-33.3	9	4.6	0.00-9.89
Some Post-H.S.	416	418,015	107	22.5	16.3-28.8	104	19.2	13.2-25.2	124	38.1	30.1-46.2	72	16.5	10.5-22.6	9	3.7	0.43-6.89
College Graduate	394	452,450	82	23.8	16.1-31.5	97	19.7	13.7-25.8	94	24.6	17.3-32.0	99	27.1	19.9-34.3	22	4.7	1.66-7.74
Less than \$15,000	138	158,520	49	16.2	6.80-25.6	37	13.1	3.21-23.0						1	3.4	0.00-10.0	
\$15,000- 24,999	287	253,692	64	14.7	7.15-22.2	81	22.4	13.5-31.3						6	4.6	0.25-8.87	
\$25,000- 34,999	180	159,836	44	16.4	7.32-25.4									5	7.3	0.00-19.8	
\$35,000- 49,999	230	246,075				57	20.9	12.2-29.6				46	16.6	8.52-24.6	9	1.4	0.31-2.43
\$50,000- 74,999	229	243,597	63	19.8	12.5-27.2	62	26.3	17.2-35.5	54	24.7	15.5-33.9	41	21.7	12.3-31.1	9	7.4	1.34-13.5
\$75,000+	247	323,080	60	27.2	17.6-36.8	63	19.3	12.8-25.7	60	24.7	16.2-33.2	54	26.8	18.1-35.4	10	2.1	0.21-4.01

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2004			2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)									
Male	476	707,552	108	18.7	12.6-24.8	138	23.3	16.8-29.8	129	33.6	25.7-41.4	88	21.5	14.9-28.2	13	2.9	0.73-5.09
White/Non-Hisp	251	371,534	60	21.5	13.8-29.3	63	22.0	14.9-29.1	74	30.6	21.5-39.8	46	22.2	14.2-30.2	8	3.6	0.15-7.13
Hispanic	183	283,083													3	1.5	0.00-3.87
25-34	117	233,452	3	0.9	0.00-1.98	15	8.0	0.71-15.2							8	5.4	0.00-10.9
35-44	157	195,674	31	18.0	8.65-27.3							18	7.6	1.96-13.2	2	0.6	0.00-1.42
45-54	124	125,910							20	16.3	6.33-26.2	12	13.1	4.08-22.0	1	0.7	0.00-2.19
H.S. or G.E.D.	120	180,131													1	1.3	0.00-3.85
Some Post-H.S.	137	196,383	35	17.7	9.14-26.3							17	15.4	5.55-25.3	3	4.3	0.00-9.97
College Graduate	156	231,862				43	24.0	14.3-33.6							9	4.2	0.01-8.35
\$15,000- 24,999	82	116,743													3	5.4	0.00-12.4
\$25,000- 34,999	61	65,916	15	9.2	1.95-16.5												
\$35,000- 49,999	82	136,056													2	0.8	0.00-1.99
\$50,000- 74,999	101	140,987	21	14.6	5.61-23.5										6	8.5	0.00-17.4
\$75,000+	96	139,407													2	0.8	0.00-2.08

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2004			2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)									
Female	950	835,681	249	22.8	17.8-27.8	244	21.4	16.2-26.7	214	23.0	17.8-28.2	214	28.3	22.0-34.6	29	4.5	1.32-7.60
White/Non-Hisp	456	428,471	115	28.3	21.0-35.6	111	19.5	14.2-24.9	104	23.6	17.2-30.0	107	24.7	18.1-31.3	19	3.9	1.10-6.74
Oth. Race/Non-Hisp.	79	61,367													1	0.3	0.00-0.83
Hispanic	391	312,933	110	16.9	9.84-24.0				84	21.9	12.1-31.8				7	4.6	0.00-11.3
18-24	77	136,282							12	5.5	0.78-10.2						
25-34	287	261,819	15	2.1	0.39-3.87	54	16.7	9.31-24.0				100	38.2	28.5-47.9	15	3.9	0.55-7.17
35-44	357	286,701	100	27.6	18.7-36.6	117	26.7	18.9-34.5	75	22.9	14.4-31.5	58	19.7	12.0-27.4	7	3.0	0.00-6.17
45-54	174	113,122				44	19.1	10.2-28.1	17	7.0	2.06-11.9	13	4.3	1.29-7.37	1	0.2	0.00-0.65
Less Than H.S.	151	132,891	48	14.0	6.02-22.1				27	9.5	3.23-15.7				2	0.8	0.00-2.07
H.S. or G.E.D.	281	260,419	76	19.1	11.0-27.3										8	6.8	0.00-15.5
Some Post-H.S.	279	221,632	72	26.8	18.0-35.6	70	18.4	11.9-24.9	76	34.3	24.6-43.9	55	17.4	10.1-24.8	6	3.1	0.00-6.61
College Graduate	238	220,589				54	15.3	8.31-22.2	55	22.8	13.2-32.3	63	28.5	18.8-38.1	13	5.2	0.85-9.63
Less than \$15,000	107	112,691													1	4.8	0.00-14.1
\$15,000- 24,999	205	136,950	49	15.1	6.07-24.1	55	22.7	12.8-32.7							3	3.8	0.00-9.20
\$35,000- 49,999	148	110,018										31	14.4	7.33-21.4	7	2.0	0.20-3.88
\$50,000- 74,999	128	102,610										24	14.7	6.73-22.7	3	5.8	0.00-13.5
\$75,000+	151	183,673				37	16.3	8.83-23.7							8	3.1	0.00-6.31

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION**

TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy male			Girl female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1511	1,620,712	802	51.3	46.4-56.2	709	48.7	43.8-53.6
Male	515	748,054	285	54.9	47.2-62.7	230	45.0	37.3-52.8
Female	996	872,658	517	48.1	41.8-54.5	479	51.8	45.5-58.2
White/Non-Hisp	736	833,304	403	52.9	47.0-58.7	333	47.1	41.3-53.0
Hispanic	620	626,246	325	51.8	42.4-61.3	295	48.2	38.7-57.6
25-34	425	522,859	212	42.3	34.0-50.6	213	57.7	49.4-66.0
35-44	536	501,043	295	52.1	44.7-59.6	241	47.9	40.4-55.3
45-54	322	259,741	164	53.5	43.8-63.3	158	46.5	36.7-56.2
Some Post-H.S.	431	436,238	239	51.3	43.2-59.4	192	48.7	40.6-56.8
College Graduate	410	479,664	225	54.9	46.8-63.0	185	45.1	37.0-53.2
\$75,000+	257	338,052	149	57.6	48.1-67.1	108	42.4	32.9-51.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy male			Girl female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	515	748,054	285	54.9	47.2-62.7	230	45.0	37.3-52.8
White/Non-Hisp	262	392,400	149	56.2	47.0-65.4	113	43.8	34.6-53.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION
TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Boy male			Girl female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	996	872,658	517	48.1	41.8-54.5	479	51.8	45.5-58.2
White/Non-Hisp	474	440,904	254	49.9	42.4-57.4	220	50.1	42.6-57.6
25-34	303	281,986	157	39.1	29.9-48.3	146	60.9	51.7-70.1
35-44	369	290,859	201	47.4	38.0-56.8	168	52.6	43.2-62.0
Some Post-H.S.	289	234,036	162	48.9	38.9-58.8	127	51.1	41.2-61.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION**

TABLE 7. IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1519	1,631,533	664	38.6	33.7-43.5	855	61.4	56.5-66.3	
Male	523	759,994	221	39.7	31.9-47.5	302	60.3	52.5-68.1	
Female	996	871,539	443	37.7	31.5-43.9	553	62.3	56.1-68.5	
White/Non-Hisp	742	842,478	55	5.5	3.36-7.60	687	94.5	92.4-96.6	
Oth. Race/Non-Hisp.	116	106,441	15	9.8	1.74-17.9	101	90.2	82.1-98.3	
Hispanic	621	625,944	587	87.8	79.3-96.3	34	12.2	3.68-20.7	
25-34	427	521,101	186	43.1	34.6-51.7	241	56.8	48.3-65.4	
35-44	541	505,908	244	35.2	28.1-42.4	297	64.8	57.6-71.9	
45-54	319	259,216	126	24.8	16.6-32.9	193	75.2	67.1-83.4	
H.S. or G.E.D.	439	463,082	238	48.7	38.7-58.7	201	51.3	41.3-61.3	
Some Post-H.S.	434	438,006	165	38.3	30.2-46.5	269	61.7	53.5-69.8	
College Graduate	413	482,442	84	14.0	8.75-19.3	329	86.0	80.7-91.3	
\$15,000- 24,999	312	283,470	199	67.5	58.1-77.0	113	32.4	23.0-41.9	
\$50,000- 74,999	241	257,485	58	21.0	12.7-29.3	183	79.0	70.7-87.3	
\$75,000+	258	341,699	46	11.3	6.29-16.2	212	88.7	83.8-93.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	523	759,994	221	39.7	31.9-47.5	302	60.3	52.5-68.1	
White/Non-Hisp	267	398,399	19	3.9	1.61-6.27	248	96.1	93.7-98.4	
Hispanic	209	298,974	196	91.7	81.8-0100	13	8.3	0.00-18.2	
College Graduate	165	250,088	32	14.3	6.28-22.3	133	85.7	77.7-93.7	
\$75,000+	101	147,722	18	12.2	3.88-20.5	83	87.8	79.5-96.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	996	871,539	443	37.7	31.5-43.9	553	62.3	56.1-68.5	
White/Non-Hisp	475	444,078	36	6.9	3.45-10.3	439	93.1	89.7-96.6	
25-34	302	276,475	130	42.1	32.1-52.1	172	57.9	47.9-67.9	
35-44	372	294,205	170	36.0	26.8-45.3	202	64.0	54.7-73.2	
Some Post-H.S.	290	234,776	107	32.8	23.1-42.5	183	67.2	57.5-76.9	
College Graduate	248	232,354	52	13.7	7.03-20.4	196	86.3	79.6-93.0	
\$50,000- 74,999	133	105,074	31	17.4	7.39-27.3	102	82.6	72.7-92.6	
\$75,000+	157	193,977	28	10.6	4.49-16.6	129	89.4	83.4-95.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION**

TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1490	1,604,292	927	63.1	58.2-68.1	31	4.1	1.09-7.05	12	0.8	0.21-1.43	14	0.8	0.00-1.75	90	4.6	3.01-6.19	416	26.5	21.9-31.2
Male	513	753,607	324	59.7	51.8-67.5	10	2.8	0.35-5.29	3	0.4	0.00-0.90	6	1.5	0.00-3.34	27	4.5	1.81-7.19	143	31.2	23.3-39.1
Female	977	850,685	603	66.2	59.9-72.5	21	5.2	0.06-10.3	9	1.2	0.20-2.24	8	0.3	0.07-0.55	63	4.7	2.80-6.60	273	22.4	17.3-27.4
White/Non-Hisp	742	841,938	691	95.4	93.0-97.8	4	0.6	0.00-1.69	2	0.1	0.00-0.28	5	1.0	0.00-2.62	6	0.4	0.00-0.82	34	2.5	1.06-3.88
Oth. Race/Non-Hisp.	116	106,441	11	11.1	1.24-20.9				8	8.6	1.15-16.0	7	4.4	0.00-8.83						
Hispanic	595	602,894	217	31.9	23.1-40.8	10	5.8	0.00-12.7	1	0.4	0.00-1.10	1	0.1	0.00-0.21	9	1.3	0.00-3.53	357	60.5	50.9-70.2
18-24	117	247,883							1	0.4	0.00-1.21	1	0.9	0.00-2.59	9	2.6	0.20-4.98			
25-34	417	501,752	245	56.4	47.8-64.9	9	2.5	0.02-4.92	4	0.9	0.00-1.89	5	1.6	0.00-4.32	22	5.3	1.81-8.83	132	33.3	24.9-41.8
35-44	530	502,688	335	67.7	60.6-74.8	9	2.1	0.00-4.84	3	0.7	0.00-1.57	1	0.2	0.00-0.50	39	5.5	2.48-8.48	143	23.8	17.2-30.4
45-54	314	258,405	210	78.2	70.8-85.6	7	4.8	0.00-9.57	3	0.4	0.00-0.93	4	0.6	0.00-1.27	14	4.4	0.81-7.99	76	11.6	6.66-16.6
55-64	75	66,244				1	0.5	0.00-1.56	1	5.0	0.00-14.4	3	1.1	0.00-2.67	5	2.2	0.00-4.66			
Less Than H.S.	226	245,012							1	1.3	0.00-3.97	1	0.1	0.00-0.27	19	4.6	1.72-7.44			
H.S. or G.E.D.	430	442,776				11	4.8	0.51-9.09	3	0.9	0.00-2.04	3	0.6	0.00-1.61	26	5.3	2.08-8.62			
Some Post-H.S.	427	432,745	290	68.2	60.3-76.1	9	2.3	0.00-4.68	2	0.4	0.00-0.91	6	1.9	0.00-4.99	26	5.9	1.98-9.90	94	21.3	14.2-28.4
College Graduate	406	483,608	310	80.7	74.5-86.8	6	1.4	0.00-3.19	6	0.9	0.00-1.82	4	0.5	0.00-0.99	18	2.7	0.48-4.94	62	13.8	8.20-19.5
Less than \$15,000	148	148,785							2	0.6	0.00-1.53	16	6.7	1.77-11.6						
\$15,000- 24,999	305	281,138				5	3.8	0.00-8.61	3	0.8	0.00-1.79	2	2.6	0.00-7.26	24	5.5	2.41-8.57			
\$25,000- 34,999	182	159,642				3	3.1	0.00-8.65				2	0.4	0.00-0.99	15	4.7	1.00-8.44			
\$35,000- 49,999	238	248,690				7	0.7	0.09-1.27	3	2.6	0.00-5.84	2	0.2	0.00-0.51	15	8.7	2.06-15.3	57	20.7	11.4-29.9
\$50,000- 74,999	237	256,356	177	80.1	72.4-87.8	6	3.6	0.00-7.58	1	0.1	0.00-0.33	4	0.6	0.00-1.32	10	2.2	0.64-3.78	39	13.4	6.67-20.2
\$75,000+	254	338,382	214	89.8	85.0-94.6	3	0.6	0.00-1.77	5	1.2	0.00-2.51	1	0.2	0.00-0.65	5	0.9	0.00-2.28	26	7.2	2.88-11.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	513	753,607	324	59.7	51.9-67.4	10	2.8	0.35-5.29	3	0.4	0.00-0.90	6	1.5	0.00-3.34	27	4.5	1.83-7.17	143	31.2	23.4-39.0
White/Non-Hisp	267	398,399	246	93.3	88.7-98.0	1	1.1	0.00-3.40				3	2.0	0.00-5.40	5	0.8	0.01-1.69	12	2.6	0.27-4.97
Hispanic	201	295,800				3	1.7	0.00-4.28							3	2.4	0.00-6.91			
25-34	122	240,851				2	2.1	0.00-5.86				1	2.8	0.00-8.33	6	4.8	0.00-10.7			
35-44	168	211,292				3	4.7	0.00-11.0	2	1.2	0.00-3.07	1	0.4	0.00-1.23	11	6.9	0.99-12.9			
45-54	134	137,816				4	4.0	0.00-10.4	1	0.2	0.00-0.61	1	0.5	0.00-1.60	3	2.0	0.00-5.24	29	11.7	4.02-19.5
Less Than H.S.	71	112,415				1	3.4	0.00-10.2							4	1.8	0.00-4.12			
H.S. or G.E.D.	138	192,427				4	5.8	0.00-13.1				1	1.1	0.00-3.33	9	8.2	1.04-15.3			
Some Post-H.S.	141	202,000				4	3.1	0.00-7.58				2	3.4	0.00-9.90	7	6.1	0.00-13.0			
College Graduate	163	246,765	122	79.3	70.1-88.6	1	0.0	0.00-0.15	3	1.1	0.00-2.77	3	0.8	0.00-1.76	7	1.5	0.19-2.85	27	17.1	8.11-26.2
\$15,000- 24,999	91	127,608				3	8.0	0.00-18.4				1	5.4	0.00-15.6	8	6.3	0.62-11.9			
\$25,000- 34,999	62	70,584				2	6.7	0.00-18.9							1	0.9	0.00-2.57			
\$35,000- 49,999	85	136,105										1	0.3	0.00-0.77	3	5.6	0.00-14.0			
\$50,000- 74,999	106	151,482				4	4.0	0.00-9.95	1	0.2	0.00-0.56	2	0.6	0.00-1.75	5	2.3	0.03-4.65			
\$75,000+	100	144,961	85	85.0	75.2-94.8				2	1.7	0.00-4.48	1	0.5	0.00-1.53	3	1.9	0.00-4.95	9	10.9	1.80-19.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION**

TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	977	850,685	603	66.2	59.9-72.5	21	5.2	0.04-10.3	9	1.2	0.20-2.24	8	0.3	0.07-0.55	63	4.7	2.82-6.58	273	22.4	17.3-27.4
White/Non-Hisp	475	443,539	445	97.2	95.5-98.9	3	0.1	0.00-0.26	2	0.2	0.00-0.50	2	0.1	0.00-0.24	1	0.0	0.00-0.06	22	2.3	0.69-3.99
Oth. Race/Non-Hisp.	86	67,751							5	9.3	0.00-19.4	5	2.5	0.00-5.14						
Hispanic	394	307,093							1	0.7	0.00-2.16	1	0.1	0.00-0.38	6	0.3	0.03-0.53			
18-24	79	137,243							1	0.7	0.00-2.20				6	2.1	0.05-4.25			
25-34	295	260,901	175	61.0	51.3-70.7	7	2.8	0.00-6.05	4	1.7	0.00-3.61	4	0.5	0.00-1.18	16	5.8	1.71-9.87	89	28.1	18.9-37.4
35-44	362	291,396	227	71.8	63.3-80.2	6	0.3	0.02-0.56	1	0.3	0.00-0.98				28	4.4	1.56-7.28	100	23.2	15.0-31.4
45-54	180	120,589				3	5.7	0.00-12.9	2	0.6	0.00-1.68	3	0.7	0.00-1.45	11	7.1	0.47-13.8	47	11.5	5.49-17.6
Less Than H.S.	155	132,597							1	2.5	0.00-7.32	1	0.2	0.00-0.50	15	6.9	1.99-11.9			
H.S. or G.E.D.	292	250,349				7	4.1	0.00-9.14	3	1.6	0.00-3.60	2	0.3	0.00-0.63	17	3.2	1.45-4.89			
Some Post-H.S.	286	230,745	194	75.7	67.4-84.0	5	1.6	0.00-3.78	2	0.7	0.00-1.71	4	0.6	0.00-1.29	19	5.8	1.46-10.1	62	15.7	8.39-22.9
College Graduate	243	236,843	188	82.0	73.8-90.3	5	2.9	0.00-6.44	3	0.6	0.00-1.48	1	0.1	0.00-0.44	11	3.9	0.00-8.24	35	10.4	3.76-17.0
Less than \$15,000	109	100,715										2	0.9	0.00-2.29	12	7.8	1.10-14.5			
\$15,000- 24,999	214	153,530				2	0.4	0.00-0.94	3	1.5	0.00-3.29	1	0.2	0.00-0.68	16	4.8	1.63-8.01			
\$25,000- 34,999	120	89,058				1	0.3	0.00-0.76				2	0.7	0.00-1.81	14	7.8	1.15-14.4			
\$35,000- 49,999	153	112,585				7	1.5	0.18-2.80	3	5.8	0.00-12.7	1	0.1	0.00-0.38						
\$50,000- 74,999	131	104,874	101	85.3	77.2-93.5	2	2.9	0.00-7.72				2	0.5	0.00-1.32	5	2.0	0.18-3.86	21	9.2	2.73-15.6
\$75,000+	154	193,421	129	93.5	89.7-97.3	3	1.1	0.00-3.10	3	0.8	0.00-1.82				2	0.2	0.00-0.57	17	4.4	1.43-7.35

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents with do not know/refused/missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION**

TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRELTN)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1528	1,641,633	1336	86.9	83.2-90.6	85	3.7	2.22-5.20	16	0.9	0.00-1.94	45	5.5	2.26-8.72	23	1.4	0.48-2.40	23	1.5	0.56-2.52
Male	525	761,816	453	85.3	79.2-91.4	24	3.7	1.24-6.14	8	0.8	0.00-1.86	22	6.7	1.38-12.0	8	1.5	0.00-3.16	10	2.0	0.02-3.94
Female	1003	879,818	883	88.3	83.8-92.8	61	3.7	1.93-5.53	8	1.0	0.00-2.67	23	4.4	0.55-8.35	15	1.3	0.22-2.46	13	1.2	0.45-1.87
White/Non-Hisp	744	843,458	660	89.8	86.6-93.1	43	4.9	2.45-7.39	7	0.3	0.05-0.63	16	2.9	1.00-4.80	5	0.5	0.00-1.05	13	1.5	0.58-2.38
Oth. Race/Non-Hisp.	116	106,441	98	84.6	74.8-94.4	7	5.5	0.00-11.8				4	3.4	0.00-7.66	5	5.1	0.00-11.6	2	1.4	0.00-3.78
Hispanic	626	634,636	547	83.7	75.5-91.8	27	1.7	0.12-3.34	9	1.9	0.00-4.51	24	9.7	1.98-17.3	11	1.2	0.10-2.30	8	1.8	0.00-3.99
18-24	121	254,637												7	4.3	0.24-8.32	7	2.5	0.18-4.92	
25-34	431	527,356	411	96.5	93.4-99.5	1	0.0	0.00-0.15	5	0.9	0.00-2.39	3	0.3	0.00-0.80	7	0.8	0.04-1.46	4	1.5	0.00-4.03
35-44	542	506,100	529	95.2	91.3-99.1	5	1.0	0.00-2.45	1	1.4	0.00-4.24			2	1.3	0.00-3.56	5	1.1	0.02-2.14	
45-54	321	259,938	280	91.0	86.5-95.6	26	6.4	2.16-10.7	6	0.6	0.07-1.17	2	0.4	0.00-0.98	3	0.3	0.00-0.80	4	1.2	0.00-2.55
55-64	75	66,244							2	1.4	0.00-4.11			3	1.4	0.00-3.17	1	1.0	0.00-3.04	
Less Than H.S.	233	248,270				24	5.4	0.62-10.3	4	4.8	0.00-11.4	10	8.2	0.00-18.8	3	0.7	0.00-1.94	3	1.3	0.00-2.96
H.S. or G.E.D.	445	463,979	378	81.9	72.7-91.0	21	2.0	0.11-3.95	7	0.4	0.00-0.83	20	10.8	1.85-19.8	9	3.2	0.24-6.16	10	1.7	0.28-3.06
Some Post-H.S.	435	440,486	374	86.9	81.6-92.3	29	6.5	2.48-10.5	3	0.2	0.00-0.46	14	3.2	1.01-5.37	9	0.7	0.14-1.28	6	2.4	0.00-5.57
College Graduate	414	488,748	394	95.4	92.4-98.4	11	1.9	0.42-3.40	2	0.1	0.00-0.17	1	1.1	0.00-3.27	2	0.8	0.00-2.08	4	0.7	0.00-1.43
Less than \$15,000	153	164,953	127	92.0	86.8-97.3	10	3.2	0.02-6.44	3	0.5	0.00-1.27	5	2.4	0.00-5.19	5	0.4	0.00-0.98	3	1.3	0.00-3.09
\$15,000- 24,999	314	284,211	264	83.3	75.1-91.5	21	4.7	0.55-8.83	5	4.2	0.00-9.79	9	3.3	0.23-6.31	8	3.4	0.00-7.59	7	1.1	0.07-2.19
\$25,000- 34,999	186	165,672	164	92.2	87.8-96.6	11	3.4	0.59-6.19	3	0.7	0.00-1.83	1	0.1	0.00-0.41	4	1.9	0.00-4.05	3	1.6	0.00-3.75
\$35,000- 49,999	240	250,033				15	5.5	0.16-10.9	2	0.1	0.00-0.24			2	0.7	0.00-1.94	3	1.6	0.00-3.81	
\$50,000- 74,999	242	258,655	226	91.8	86.3-97.4	8	5.5	0.25-10.7	1	0.1	0.00-0.30	4	1.2	0.00-2.51				3	1.4	0.00-2.97
\$75,000+	260	342,478	246	95.9	92.4-99.5	9	2.0	0.25-3.69	1	0.1	0.00-0.18	2	1.7	0.00-4.74	1	0.1	0.00-0.33	1	0.3	0.00-0.83

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRELTN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	525	761,816	453	85.3	79.2-91.4	24	3.7	1.24-6.14	8	0.8	0.00-1.86	22	6.7	1.36-12.0	8	1.5	0.00-3.18	10	2.0	0.00-3.96
White/Non-Hisp	268	398,961	237	89.9	85.2-94.7	13	5.1	1.08-9.12	3	0.3	0.00-0.67	7	2.6	0.34-4.88	3	0.7	0.00-1.46	5	1.4	0.00-2.78
Hispanic	210	300,234				6	2.1	0.00-5.19	5	1.6	0.00-4.29				4	1.1	0.00-2.35	5	3.2	0.00-7.82
25-34	127	245,306	116	93.9	87.5-0100				4	1.8	0.00-5.11	2	0.7	0.00-1.68	2	0.5	0.00-1.35	3	3.0	0.00-8.39
35-44	169	211,703	165	95.3	89.6-0100										2	3.1	0.00-8.44	2	1.6	0.00-3.79
45-54	137	138,847	124	90.6	83.0-98.1	7	7.9	0.39-15.3	3	0.6	0.00-1.36	1	0.2	0.00-0.59	1	0.4	0.00-1.30	1	0.3	0.00-0.89
Less Than H.S.	73	112,699				4	4.5	0.00-12.5	2	4.2	0.00-11.5							1	1.3	0.00-3.79
H.S. or G.E.D.	141	194,067				6	2.9	0.00-7.34	4	0.4	0.00-0.85				5	5.1	0.00-11.3	6	2.6	0.00-5.44
Some Post-H.S.	145	204,400	123	83.7	74.3-93.0	8	6.0	0.00-12.2	1	0.1	0.00-0.36	8	5.3	0.92-9.62	2	0.7	0.00-1.71	3	4.2	0.00-10.8
College Graduate	166	250,650	158	97.7	95.4-99.9	6	2.0	0.00-4.21	1	0.1	0.00-0.30				1	0.2	0.00-0.62			
\$15,000- 24,999	96	129,048				7	4.8	0.00-11.8	3	3.4	0.00-9.59	4	2.5	0.00-5.64	3	5.5	0.00-14.3	3	0.7	0.00-1.56
\$25,000- 34,999	63	70,828	52	87.9	79.1-96.6	5	5.2	0.00-11.0	1	0.3	0.00-1.06				3	4.1	0.00-9.04	2	2.5	0.00-6.61
\$35,000- 49,999	85	136,105				3	4.9	0.00-13.4	1	0.1	0.00-0.36							2	2.8	0.00-6.85
\$50,000- 74,999	109	153,581	101	93.8	87.5-0100	4	3.9	0.00-9.71	1	0.2	0.00-0.47	2	1.2	0.00-2.99				1	0.9	0.00-2.72
\$75,000+	102	148,284	95	95.8	91.9-99.8	5	3.8	0.00-7.63				1	0.2	0.00-0.56	1	0.3	0.00-0.74			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 10: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRELTN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1003	879,818	883	88.3	83.7-92.8	61	3.7	1.93-5.53	8	1.0	0.00-2.67	23	4.4	0.55-8.35	15	1.3	0.24-2.44	13	1.2	0.45-1.87
White/Non-Hisp	476	444,497	423	89.7	85.4-94.1	30	4.8	1.75-7.75	4	0.4	0.00-0.84	9	3.2	0.18-6.14	2	0.4	0.00-1.10	8	1.6	0.42-2.70
Oth. Race/Non-Hisp.	86	67,751				6	8.0	0.00-17.7				3	2.1	0.00-4.78	5	8.0	0.00-18.0	2	2.2	0.00-5.94
Hispanic	416	334,402	370	87.5	77.5-97.5	21	1.4	0.08-2.70	4	2.3	0.00-6.48	11	7.1	0.00-16.3	7	1.3	0.00-3.03	3	0.5	0.00-1.22
18-24	81	141,725												5	5.7	0.00-12.4	4	2.0	0.00-4.35	
25-34	304	282,049	295	98.7	97.5-99.9	1	0.1	0.00-0.27	1	0.0	0.00-0.03	1	0.0	0.00-0.15	5	0.9	0.00-2.04	1	0.2	0.00-0.65
35-44	373	294,397	364	95.1	89.7-0100	5	1.7	0.00-4.22	1	2.5	0.00-7.26							3	0.7	0.00-1.62
45-54	184	121,091	156	91.6	87.3-95.9	19	4.8	1.95-7.55	3	0.6	0.00-1.45	1	0.6	0.00-1.78	2	0.2	0.00-0.45	3	2.3	0.00-5.06
Less Than H.S.	160	135,572				20	6.2	0.39-12.1	2	5.4	0.00-15.6	4	1.9	0.00-4.02	3	1.3	0.00-3.55	2	1.4	0.00-3.49
H.S. or G.E.D.	304	269,912				15	1.4	0.45-2.33	3	0.4	0.00-1.10				4	1.9	0.00-4.31	4	1.0	0.00-2.22
Some Post-H.S.	290	236,087	251	89.8	84.2-95.4	21	6.9	1.67-12.2	2	0.3	0.00-0.71	6	1.4	0.00-2.95	7	0.7	0.09-1.35	3	0.9	0.00-2.04
College Graduate	248	238,098	236	93.1	87.5-98.7	5	1.8	0.00-3.84	1	0.0	0.00-0.12	1	2.3	0.00-6.66	1	1.4	0.00-4.04	4	1.4	0.00-2.94
Less than \$15,000	113	115,780	91	90.3	83.2-97.5	10	4.6	0.00-9.26	2	0.4	0.00-1.26	3	2.4	0.00-5.74	5	0.6	0.00-1.41	2	1.6	0.00-4.12
\$15,000- 24,999	218	155,163				14	4.6	0.00-9.51	2	4.8	0.00-13.7	5	3.9	0.00-8.80	5	1.7	0.00-3.79	4	1.5	0.00-3.31
\$25,000- 34,999	123	94,844	112	95.4	91.6-99.3	6	2.0	0.00-4.29	2	1.0	0.00-2.87	1	0.3	0.00-0.74	1	0.3	0.00-0.94	1	1.0	0.00-3.01
\$35,000- 49,999	155	113,928	133	87.1	78.5-95.7	12	6.3	0.35-12.3	1	0.1	0.00-0.24	6	4.7	0.00-10.9	2	1.6	0.00-4.24	1	0.2	0.00-0.62
\$50,000- 74,999	133	105,074	125	89.0	79.0-98.9	4	7.7	0.00-17.3				2	1.3	0.00-3.00				2	2.1	0.00-4.94
\$75,000+	158	194,194	151	96.0	90.5-0100	4	0.6	0.00-1.38	1	0.1	0.00-0.30	1	2.8	0.00-8.16				1	0.5	0.00-1.45

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005

MODULE 11: CHILDHOOD ASTHMA PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR OR OTHER MEDICAL PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	128
2	MALES ONLY	129
3	FEMALES ONLY	130
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	131
5	MALES ONLY	132
6	FEMALES ONLY	133

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 11: CHILDHOOD ASTHMA PREVALENCE**

TABLE 1: HAS A DOCTOR OR OTHER MEDICAL PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1512	1,637,770	193	11.5	8.77-14.3	1319	88.5	85.7-91.2	
Male	518	759,343	56	9.5	5.40-13.7	462	90.5	86.3-94.6	
Female	994	878,428	137	13.2	9.56-16.9	857	86.8	83.1-90.4	
White/Non-Hisp	739	847,497	104	13.8	9.66-18.0	635	86.2	82.0-90.3	
Oth. Race/Non-Hisp.	113	101,586	14	9.5	1.46-17.6	99	90.4	82.4-98.5	
Hispanic	618	631,589	62	8.6	4.75-12.5	556	91.4	87.5-95.3	
18-24	119	258,002	17	9.3	3.20-15.5	102	90.6	84.5-96.8	
25-34	425	524,378	40	9.0	4.03-14.1	385	90.9	85.9-96.0	
35-44	538	502,936	65	9.4	5.46-13.4	473	90.6	86.6-94.5	
45-54	318	259,164	55	22.5	13.8-31.2	263	77.5	68.8-86.2	
Less Than H.S.	229	245,401	32	10.1	4.47-15.8	197	89.8	84.2-95.5	
H.S. or G.E.D.	440	469,486	53	8.7	4.19-13.1	387	91.3	86.9-95.8	
Some Post-H.S.	432	438,661	53	11.8	6.79-16.7	379	88.2	83.3-93.2	
College Graduate	410	484,073	55	14.7	8.73-20.7	355	85.3	79.3-91.3	
Less than \$15,000	152	164,337	18	6.8	1.88-11.8	134	93.2	88.2-98.1	
\$15,000- 24,999	312	289,141	42	9.2	4.46-13.9	270	90.8	86.1-95.5	
\$25,000- 34,999	181	163,869	29	14.8	6.11-23.5	152	85.2	76.5-93.9	
\$35,000- 49,999	239	249,797	38	13.4	7.75-19.1	201	86.6	80.9-92.3	
\$50,000- 74,999	241	258,024	30	9.6	4.60-14.6	211	90.4	85.4-95.4	
\$75,000+	258	340,785	27	14.2	6.58-21.8	231	85.8	78.2-93.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 11: CHILDHOOD ASTHMA PREVALENCE**

TABLE 2: HAS A DOCTOR OR OTHER MEDICAL PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	518	759,343	56	9.5	5.38-13.7	462	90.5	86.3-94.6	
White/Non-Hisp	266	397,921	32	12.5	5.90-19.1	234	87.5	80.9-94.1	
Hispanic	205	298,801	20	6.9	1.42-12.4	185	93.1	87.6-98.6	
25-34	125	244,265	11	9.8	0.57-19.0	114	90.2	81.0-99.4	
35-44	169	211,703	19	9.0	2.49-15.4	150	91.0	84.6-97.5	
Less Than H.S.	71	111,793	9	5.3	0.57-9.93	62	94.8	90.1-99.4	
H.S. or G.E.D.	137	192,624	16	10.1	0.63-19.5	121	89.9	80.5-99.4	
Some Post-H.S.	145	204,400	16	9.1	1.91-16.3	129	90.9	83.7-98.1	
College Graduate	165	250,525	15	11.4	3.52-19.3	150	88.6	80.7-96.5	
\$15,000- 24,999	94	128,109	9	2.4	0.46-4.38	85	97.6	95.6-99.5	
\$35,000- 49,999	85	136,105	12	8.8	2.86-14.8	73	91.2	85.2-97.1	
\$50,000- 74,999	109	153,581	10	7.5	1.65-13.4	99	92.5	86.6-98.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 11: CHILDHOOD ASTHMA PREVALENCE**

TABLE 3: HAS A DOCTOR OR OTHER MEDICAL PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	994	878,428	137	13.2	9.56-16.9	857	86.8	83.1-90.4
White/Non-Hisp	473	449,576	72	15.0	9.68-20.4	401	85.0	79.6-90.3
Hispanic	413	332,787	42	10.1	4.73-15.5	371	89.9	84.5-95.3
18-24	80	145,436	12	12.1	2.21-22.0	68	87.9	78.0-97.8
25-34	300	280,112	29	8.4	3.47-13.3	271	91.6	86.7-96.5
35-44	369	291,233	46	9.8	4.74-14.8	323	90.2	85.2-95.3
Less Than H.S.	158	133,608	23	14.3	4.71-23.8	135	85.7	76.2-95.3
H.S. or G.E.D.	303	276,862	37	7.7	4.02-11.3	266	92.3	88.7-96.0
Some Post-H.S.	287	234,261	37	14.1	7.23-21.0	250	85.9	79.0-92.8
College Graduate	245	233,548	40	18.3	9.24-27.3	205	81.7	72.7-90.8
Less than \$15,000	112	115,163	14	7.9	1.24-14.5	98	92.1	85.5-98.8
\$15,000- 24,999	218	161,033	33	14.5	6.53-22.6	185	85.4	77.4-93.5
\$35,000- 49,999	154	113,692	26	18.9	9.58-28.2	128	81.1	71.8-90.4
\$50,000- 74,999	132	104,443	20	12.7	4.04-21.3	112	87.3	78.7-96.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 11: CHILDHOOD ASTHMA PREVALENCE
TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	994	878,428	137	13.2	9.56-16.9	857	86.8	83.1-90.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 11: CHILDHOOD ASTHMA PREVALENCE
TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASHNO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 11: CHILDHOOD ASTHMA PREVALENCE
TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASHNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005**

MODULE 15: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	135
2	MALES ONLY	136
3	FEMALES ONLY	137
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)	
4	MALES AND FEMALES	138
5	MALES ONLY	139
6	FEMALES ONLY	140
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7	MALES AND FEMALES	141
8	MALES ONLY	142
9	FEMALES ONLY	143
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)	
10	MALES AND FEMALES	144
11	MALES ONLY	145
12	FEMALES ONLY	146

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 15: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2467	1,544,101	1066	45.0	41.7-48.2	1401	55.0	51.8-58.3
Male	936	710,760	408	44.0	38.8-49.3	528	56.0	50.7-61.2
Female	1531	833,341	658	45.8	41.7-49.8	873	54.2	50.2-58.3
White/Non-Hisp	1951	1,324,430	921	47.2	43.7-50.7	1030	52.8	49.3-56.3
45-54	412	330,196	98	23.0	15.9-30.0	314	77.0	70.0-84.1
55-64	785	509,466	356	49.1	43.2-54.9	429	50.9	45.1-56.8
65+	1270	704,439	612	52.3	48.0-56.6	658	47.7	43.4-52.0
Less Than H.S.	306	127,760	69	32.4	22.5-42.4	237	67.6	57.6-77.5
H.S. or G.E.D.	697	390,888	289	40.6	34.8-46.3	408	59.4	53.7-65.2
Some Post-H.S.	733	517,158	355	51.3	45.3-57.2	378	48.7	42.8-54.7
College Graduate	724	507,034	351	45.2	39.4-51.0	373	54.8	49.0-60.6
Less than \$15,000	295	116,823	98	39.6	30.3-48.9	197	60.4	51.1-69.7
\$15,000- 24,999	449	222,217	182	46.4	38.8-54.1	267	53.6	45.9-61.2
\$25,000- 34,999	266	147,714	122	45.9	36.4-55.3	144	54.1	44.7-63.6
\$35,000- 49,999	379	268,802	176	44.1	35.8-52.5	203	55.9	47.5-64.2
\$50,000- 74,999	302	268,293	142	49.4	40.4-58.4	160	50.6	41.6-59.6
\$75,000+	327	262,062	145	38.1	30.1-46.2	182	61.9	53.8-69.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 15: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	936	710,760	408	44.0	38.7-49.3	528	56.0	50.7-61.3
White/Non-Hisp	755	616,470	352	46.0	40.3-51.7	403	54.0	48.3-59.7
55-64	306	242,150	141	49.9	40.7-59.2	165	50.1	40.8-59.3
65+	473	312,809	236	51.4	44.2-58.6	237	48.6	41.4-55.8
H.S. or G.E.D.	228	155,406	89	36.8	27.1-46.4	139	63.2	53.6-72.9
Some Post-H.S.	281	236,590	130	52.2	42.7-61.7	151	47.8	38.3-57.3
College Graduate	342	274,362	168	42.4	34.3-50.5	174	57.6	49.5-65.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 15: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1531	833,341	658	45.8	41.7-49.8	873	54.2	50.2-58.3
White/Non-Hisp	1196	707,960	569	48.3	43.8-52.7	627	51.7	47.3-56.2
45-54	255	174,395	67	25.6	16.6-34.6	188	74.4	65.4-83.4
55-64	479	267,316	215	48.3	40.9-55.7	264	51.7	44.3-59.1
65+	797	391,630	376	53.0	47.8-58.3	421	47.0	41.7-52.2
H.S. or G.E.D.	469	235,482	200	43.1	36.0-50.1	269	56.9	49.9-64.0
Some Post-H.S.	452	280,569	225	50.5	43.0-58.0	227	49.5	42.0-57.0
College Graduate	382	232,672	183	48.4	40.6-56.2	199	51.6	43.8-59.4
\$15,000- 24,999	305	135,142	121	50.9	41.9-59.9	184	49.1	40.1-58.1
\$35,000- 49,999	209	126,861	90	39.3	29.3-49.3	119	60.7	50.7-70.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 15: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1052	688,007	460	42.8	38.1-47.6	200	20.5	16.6-24.3	195	18.1	14.2-22.1	197	18.6	15.0-22.1
Male	404	312,219	209	50.8	42.8-58.8	73	19.0	13.3-24.8	59	17.2	10.2-24.1	63	13.0	8.25-17.7
Female	648	375,789	251	36.2	30.7-41.7	127	21.6	16.6-26.7	136	18.9	14.7-23.2	134	23.2	18.1-28.3
White/Non-Hisp	910	622,054	388	43.0	38.0-48.0	177	20.6	16.5-24.7	169	16.8	13.0-20.7	176	19.5	15.6-23.4
Hispanic	87	39,318										16	11.9	2.23-21.6
55-64	353	249,136	144	38.4	30.2-46.7	69	23.4	16.4-30.5	71	18.5	11.7-25.3	69	19.6	13.2-26.0
65+	601	362,965	281	45.7	39.7-51.7	106	17.1	12.9-21.3	107	18.9	13.7-24.1	107	18.3	13.7-23.0
Less Than H.S.	67	38,235				7	7.0	0.00-14.4						
H.S. or G.E.D.	285	157,185	129	43.6	35.2-51.9	61	23.0	15.9-30.0	43	16.9	10.1-23.7	52	16.5	10.6-22.5
Some Post-H.S.	354	264,840	145	39.5	31.1-47.9	64	16.1	10.7-21.5	76	26.1	18.0-34.3	69	18.3	12.0-24.6
College Graduate	344	227,534	149	44.4	36.3-52.5	67	26.1	18.2-34.0	69	10.7	7.21-14.2	59	18.8	12.7-25.0
Less than \$15,000	94	42,592							8	7.8	0.84-14.8			
\$15,000- 24,999	179	102,407				31	15.9	8.95-22.8	31	22.1	12.8-31.5	40	20.7	11.9-29.4
\$25,000- 34,999	122	67,740							24	13.1	5.18-21.0			
\$35,000- 49,999	175	118,212				38	22.0	12.1-32.0				29	13.4	6.45-20.4
\$50,000- 74,999	142	132,573										21	13.2	5.14-21.3
\$75,000+	144	99,816				28	15.9	7.94-23.9	30	13.9	7.02-20.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 15: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	404	312,219	209	50.8	42.7-58.9	73	19.0	13.5-24.6	59	17.2	10.3-24.1	63	13.0	8.23-17.8
White/Non-Hisp	350	283,052	173	50.3	42.0-58.7	67	19.8	13.7-25.9	53	16.0	9.10-22.8	57	13.9	8.68-19.1
55-64	140	120,823				25	20.9	11.6-30.2				20	11.9	3.65-20.2
65+	233	160,168				43	16.2	9.80-22.7	34	17.3	7.91-26.6	33	13.7	7.27-20.1
H.S. or G.E.D.	88	57,021										11	11.9	3.58-20.3
Some Post-H.S.	129	123,238				20	11.7	5.61-17.9				26	16.0	6.49-25.5
College Graduate	167	116,301							29	8.9	4.49-13.3	24	10.5	3.98-17.0
\$35,000- 49,999	86	68,807										11	6.8	1.62-11.9
\$50,000- 74,999	72	80,366				8	12.0	2.42-21.6				8	7.8	0.00-15.6
\$75,000+	70	52,324							10	6.0	0.28-11.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 15: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	648	375,789	251	36.2	30.7-41.7	127	21.6	16.6-26.7	136	18.9	14.7-23.2	134	23.2	18.1-28.3
White/Non-Hisp	560	339,002	215	36.9	31.0-42.8	110	21.3	16.0-26.7	116	17.6	13.3-21.8	119	24.2	18.7-29.7
45-54	67	44,679				12	10.3	2.74-17.8						
55-64	213	128,313	69	27.4	18.4-36.4	44	25.8	16.0-35.6	51	19.9	12.3-27.6	49	26.8	17.4-36.3
65+	368	202,796	158	40.0	33.1-47.0	63	17.8	12.2-23.4	73	20.2	14.3-26.1	74	22.0	15.6-28.4
H.S. or G.E.D.	197	100,164				38	19.9	12.0-27.8	34	18.0	10.5-25.6	41	19.1	11.2-27.1
Some Post-H.S.	225	141,602	82	35.2	25.9-44.5	44	19.8	11.8-27.8	56	24.6	16.5-32.8	43	20.4	12.0-28.8
College Graduate	177	111,233							40	12.6	7.14-18.0			
Less than \$15,000	77	35,865							8	9.3	0.95-17.6			
\$15,000- 24,999	120	68,327				24	18.2	9.25-27.2						
\$25,000- 34,999	77	34,266							17	11.5	4.56-18.5			
\$35,000- 49,999	89	49,405				19	15.1	6.96-23.3						
\$50,000- 74,999	70	52,207							13	12.3	2.57-22.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 15: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2469	1,548,493	1355	56.0	52.7-59.3	1114	44.0	40.7-47.3
Male	939	714,948	543	61.6	56.6-66.7	396	38.4	33.3-43.4
Female	1530	833,545	812	51.2	47.1-55.3	718	48.8	44.7-52.9
White/Non-Hisp	1951	1,327,589	1128	58.3	54.7-61.8	823	41.7	38.2-45.3
45-54	414	332,681	142	36.7	28.5-44.9	272	63.3	55.1-71.5
55-64	786	513,338	399	52.3	46.5-58.2	387	47.6	41.8-53.5
65+	1269	702,473	814	67.8	63.8-71.8	455	32.2	28.2-36.2
Less Than H.S.	305	126,768	142	44.4	34.8-54.1	163	55.6	45.9-65.2
H.S. or G.E.D.	703	394,854	383	57.6	51.5-63.7	320	42.4	36.3-48.5
Some Post-H.S.	730	515,612	387	52.9	47.0-58.9	343	47.1	41.1-53.0
College Graduate	725	510,415	440	60.8	55.0-66.6	285	39.2	33.4-45.0
Less than \$15,000	294	118,428	147	50.6	41.4-59.8	147	49.4	40.2-58.6
\$15,000- 24,999	449	222,129	221	52.6	44.9-60.3	228	47.4	39.7-55.1
\$25,000- 34,999	264	147,290	144	57.4	48.0-66.7	120	42.6	33.3-52.0
\$35,000- 49,999	378	270,994	216	59.3	51.0-67.6	162	40.7	32.4-49.0
\$50,000- 74,999	302	268,758	170	53.3	44.3-62.3	132	46.7	37.7-55.7
\$75,000+	331	263,201	200	56.3	47.6-65.1	131	43.7	34.9-52.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 15: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 49 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	939	714,948	543	61.6	56.5-66.7	396	38.4	33.3-43.5
White/Non-Hisp	754	617,957	463	63.7	58.2-69.1	291	36.3	30.9-41.8
55-64	306	244,368	159	54.7	45.6-63.8	147	45.3	36.2-54.4
65+	473	312,146	327	77.3	71.8-82.8	146	22.7	17.2-28.2
H.S. or G.E.D.	231	158,597	125	63.8	53.8-73.8	106	36.2	26.2-46.2
Some Post-H.S.	281	235,678	148	56.7	47.3-66.1	133	43.3	33.9-52.7
College Graduate	342	276,365	228	66.4	58.1-74.7	114	33.6	25.3-41.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 15: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1530	833,545	812	51.2	47.1-55.2	718	48.8	44.8-52.9
White/Non-Hisp	1197	709,632	665	53.6	49.1-58.0	532	46.4	42.0-50.9
45-54	254	174,247	85	32.4	22.6-42.3	169	67.6	57.7-77.4
55-64	480	268,970	240	50.2	42.8-57.6	240	49.8	42.4-57.2
65+	796	390,327	487	60.2	55.0-65.5	309	39.8	34.5-45.0
H.S. or G.E.D.	472	236,257	258	53.4	46.0-60.8	214	46.6	39.2-54.0
Some Post-H.S.	449	279,933	239	49.7	42.3-57.1	210	50.3	42.9-57.7
College Graduate	383	234,051	212	54.2	46.4-62.0	171	45.8	38.0-53.6
\$15,000- 24,999	302	134,606	153	52.7	43.7-61.7	149	47.3	38.3-56.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 15: COLORECTAL CANCER SCREENING**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1340	861,678	379	27.4	23.6-31.2	310	24.2	20.3-28.1	409	30.7	26.7-34.8	136	9.4	6.86-12.0	106	8.2	5.74-10.7
Male	540	439,698	158	28.8	22.9-34.8	122	24.4	18.2-30.6	166	30.6	24.2-36.9	58	8.8	4.89-12.6	36	7.4	3.58-11.3
Female	800	421,979	221	25.9	21.3-30.5	188	24.1	19.5-28.7	243	30.9	26.0-35.8	78	10.1	6.79-13.5	70	9.0	5.99-12.0
White/Non-Hisp	1119	771,931	295	26.4	22.5-30.4	258	23.3	19.3-27.4	355	32.3	27.9-36.6	121	9.5	6.72-12.2	90	8.5	5.81-11.2
Hispanic	149	47,307										8	4.0	0.00-8.23	10	4.5	0.25-8.67
45-54	141	122,072	29	14.5	5.91-23.1										14	8.4	2.23-14.5
55-64	398	265,466	105	25.5	18.6-32.5	99	26.4	19.2-33.6	124	30.4	22.7-38.1	40	8.9	4.87-13.0	30	8.7	3.44-13.9
65+	801	474,139	245	31.7	26.7-36.8	170	21.1	16.4-25.7	242	30.0	25.2-34.8	82	9.3	6.39-12.2	62	7.9	4.91-10.9
Less Than H.S.	138	52,708				35	20.3	11.4-29.1							7	3.3	0.00-6.65
H.S. or G.E.D.	380	226,862	108	30.0	22.7-37.4	91	23.1	17.0-29.2	106	27.1	20.4-33.8	42	12.6	6.39-18.7	33	7.2	3.63-10.7
Some Post-H.S.	384	272,118	103	22.2	16.1-28.3	80	25.0	17.2-32.8	135	36.3	28.2-44.4	33	7.5	3.54-11.4	33	9.1	4.64-13.5
College Graduate	436	309,775	113	28.6	21.8-35.4	103	25.0	18.1-32.0	137	29.5	22.8-36.2	50	7.9	4.19-11.5	33	9.0	4.07-14.0
Less than \$15,000	144	59,583	48	25.6	16.1-35.0	26	15.7	7.23-24.1							11	8.8	0.97-16.6
\$15,000- 24,999	219	116,165	69	25.6	17.5-33.7	44	22.2	13.2-31.2	54	27.3	17.9-36.8	26	13.3	6.01-20.6	26	11.6	3.66-19.5
\$25,000- 34,999	144	84,491										15	8.2	2.40-14.0	9	6.4	1.38-11.5
\$35,000- 49,999	216	160,786	61	27.1	18.0-36.2	50	22.8	13.0-32.7				22	13.1	4.52-21.7	14	6.1	1.54-10.6
\$50,000- 74,999	170	143,216	47	25.1	15.5-34.7							16	6.9	1.77-12.0	13	5.1	1.19-8.95
\$75,000+	200	148,214	44	24.3	14.6-33.9							18	3.8	1.48-6.02	12	11.2	2.19-20.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 15: COLORECTAL CANCER SCREENING**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	540	439,698	158	28.8	22.9-34.8	122	24.4	18.3-30.5	166	30.6	24.2-37.0	58	8.8	4.89-12.6	36	7.4	3.54-11.3
White/Non-Hisp	461	393,034	126	27.7	21.4-34.0	106	23.5	17.2-29.9	147	32.1	25.2-39.0	50	8.9	4.78-13.1	32	7.8	3.46-12.0
45-54	57	65,600										5	5.9	0.00-12.1			
55-64	159	133,744										17	8.8	2.64-14.9	9	8.3	0.00-17.2
65+	324	240,354	112	34.7	26.6-42.8	62	21.6	13.9-29.3	98	29.2	21.8-36.6	30	7.1	3.23-11.0	22	7.4	2.66-12.1
H.S. or G.E.D.	124	100,859							33	19.6	9.93-29.4				10	6.8	1.31-12.2
Some Post-H.S.	147	133,132	39	14.6	7.90-21.4							13	8.9	2.06-15.7	10	8.8	1.45-16.2
College Graduate	227	183,447	63	33.0	23.1-42.8	45	20.0	10.6-29.5	76	33.3	23.6-43.0	27	5.9	2.27-9.63	16	7.7	0.79-14.6
\$15,000- 24,999	67	45,350										8	9.5	0.04-19.0			
\$25,000- 34,999	51	39,725										5	8.9	0.00-18.7	2	3.0	0.00-7.59
\$35,000- 49,999	108	97,829													6	3.6	0.00-8.19
\$50,000- 74,999	95	95,737										10	7.4	0.65-14.2	7	4.4	0.73-8.07
\$75,000+	121	95,010										12	2.9	0.85-4.89			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 15: COLORECTAL CANCER SCREENING**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	800	421,979	221	25.9	21.3-30.5	188	24.1	19.5-28.7	243	30.9	26.0-35.8	78	10.1	6.79-13.5	70	9.0	5.99-12.0
White/Non-Hisp	658	378,897	169	25.1	20.3-30.1	152	23.1	18.2-28.0	208	32.4	27.1-37.8	71	10.0	6.47-13.5	58	9.3	6.01-12.6
Hispanic	100	22,263										3	4.9	0.00-12.7	8	4.7	1.00-8.36
45-54	84	56,472										3	6.8	0.00-19.3			
55-64	239	131,723	66	23.8	15.7-32.0	57	29.9	20.5-39.3	72	28.0	19.3-36.7	23	9.1	3.72-14.5	21	9.1	3.49-14.7
65+	477	233,785	133	28.7	22.7-34.8	108	20.6	15.4-25.7	144	30.8	24.8-36.7	52	11.5	7.24-15.8	40	8.4	4.79-12.0
Less Than H.S.	96	30,449													7	5.7	0.00-11.5
H.S. or G.E.D.	256	126,003	71	25.1	17.8-32.4	61	21.9	14.9-29.0	73	33.0	24.3-41.8	28	12.4	6.17-18.6	23	7.5	2.89-12.1
Some Post-H.S.	237	138,986	64	29.4	20.2-38.5	43	19.3	11.5-27.1	87	35.9	26.9-44.9	20	6.1	2.08-10.2	23	9.3	4.26-14.4
College Graduate	209	126,328	50	22.3	14.0-30.6				61	23.9	15.7-32.2	23	10.6	3.62-17.7	17	10.9	4.05-17.8
Less than \$15,000	112	43,680	36	21.9	12.0-31.8	19	12.5	4.38-20.7									
\$15,000- 24,999	152	70,814													19	8.4	3.03-13.8
\$25,000- 34,999	93	44,766										10	7.6	1.07-14.1	7	9.5	1.20-17.8
\$35,000- 49,999	108	62,957										7	8.2	0.00-17.1	8	10.0	1.05-18.9
\$50,000- 74,999	75	47,479										6	5.8	0.00-13.0	6	6.4	0.00-15.3
\$75,000+	79	53,204										6	5.3	0.23-10.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005**

MODULE 21: SMOKING CESSATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (SCLSTSMK)	
1	MALES AND FEMALES	148
2	MALES ONLY	149
3	FEMALES ONLY	150
	IN THE LAST 12 MONTHS, HOW MANY TIMES HAVE YOU SEEN A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TO GET ANY KIND OF CARE FOR YOURSELF? (SCGETCAR)	
4	MALES AND FEMALES	151
5	MALES ONLY	152
6	FEMALES ONLY	153
	IN THE LAST 12 MONTHS, ON HOW MANY VISITS WERE YOU ADVISED TO QUIT SMOKING BY A DOCTOR OR OTHER HEALTH PROVIDER? (SCQITSMK)	
7	MALES AND FEMALES	154
8	MALES ONLY	155
9	FEMALES ONLY	156
	ON HOW MANY VISITS DID YOUR DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL RECOMMEND OR DISCUSS MEDICATION TO ASSIST YOU WITH QUITTING SMOKING, SUCH AS NICOTINE GUM, PATCH, NASAL SPRAY, INHALER, LOZENGE, OR PRESCRIPTION MEDICATION SUCH AS WELLBUTRIN/ZYBAN/BUPROPRION? (SCDSCMED)	
10	MALES AND FEMALES	157
11	MALES ONLY	158
12	FEMALES ONLY	159
	ON HOW MANY VISITS DID YOUR DOCTOR OR HEALTH PROVIDER RECOMMEND OR DISCUSS METHODS AND STRATEGIES OTHER THAN MEDICATION TO ASSIST YOU WITH QUITTING SMOKING? (SCDSCMTH)	
13	MALES AND FEMALES	160
14	MALES ONLY	161
15	FEMALES ONLY	162

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 1: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (SCLSTSMK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes
Denominator excludes: Respondents that reported smoking every day or some days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within the past month (anytime less than 1 month ago)			Within the past 3 months (1 month but less than 3 months ago)			Within the past 6 months (3 months but less than 6 months ago)			Within the past year (6 months but less than 1 year ago)			Within the past 5 years (1 year but less than 5 years ago)			Within the past 10 years (5 years but less than 10 years ago)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1268	1,005,949	44	4.8	2.68-6.96	19	2.0	0.73-3.23	41	4.6	2.08-7.22	164	18.8	13.7-23.8	144	13.0	9.45-16.5	856	56.8	51.6-62.0
Male	586	549,996	22	4.3	1.40-7.16	7	1.2	0.02-2.46	21	4.8	0.84-8.72	72	20.1	12.0-28.1	68	15.5	9.81-21.1	396	54.2	46.3-62.0
Female	682	455,953	22	5.5	2.29-8.65	12	2.9	0.54-5.20	20	4.5	1.34-7.66	92	17.2	11.8-22.6	76	10.0	6.26-13.7	460	60.0	53.6-66.4
White/Non-Hisp	1020	837,745	32	4.2	2.24-6.16	12	1.8	0.41-3.11	25	3.6	0.92-6.36	112	16.7	11.2-22.2	114	12.8	8.95-16.6	725	60.9	55.2-66.7
Hispanic	181	131,725	10	8.9	0.00-19.2	6	3.5	0.00-7.69	14	11.9	2.43-21.4									
25-34	86	130,942				5	7.0	0.00-14.3										8	5.4	0.00-11.7
35-44	116	137,302	10	3.5	0.59-6.43	4	3.6	0.00-7.76	5	2.3	0.00-5.40									
45-54	201	178,705	8	6.5	0.68-12.4	4	0.9	0.00-1.85	9	2.7	0.00-5.48	29	15.6	6.40-24.8	25	14.5	5.43-23.6			
55-64	277	174,158	4	1.1	0.00-2.61	5	2.0	0.00-5.11	4	1.1	0.00-2.65	30	10.8	4.32-17.3	35	14.5	6.22-22.8	199	70.4	60.7-80.2
65+	559	314,045	7	2.2	0.00-4.62	1	0.2	0.00-0.59	4	0.8	0.00-1.73	34	5.4	2.84-7.90	44	7.5	4.24-10.8	469	83.9	79.3-88.5
Less Than H.S.	119	85,197	3	2.0	0.00-4.59	1	0.7	0.00-1.97												
H.S. or G.E.D.	365	253,496	11	5.8	0.05-11.5	5	1.9	0.00-4.97	8	3.0	0.00-6.44				44	11.1	6.23-15.9			
Some Post-H.S.	396	332,748	16	4.0	1.00-7.04	7	2.1	0.18-4.02	13	3.5	0.64-6.28	46	15.5	8.37-22.7	49	16.9	9.79-24.1	265	58.0	49.5-66.4
College Graduate	387	334,412	14	5.6	2.00-9.22	6	2.2	0.00-4.49	15	4.9	1.46-8.40	39	13.8	8.11-19.6	36	11.0	4.86-17.2	277	62.4	54.4-70.4
Less than \$15,000	113	58,843	3	2.1	0.00-5.26	1	0.1	0.00-0.33	9	10.5	0.82-20.3				11	3.9	0.99-6.83			
\$15,000- 24,999	210	152,644	6	7.4	0.00-16.2	1	0.4	0.00-1.15							19	9.9	2.30-17.6			
\$25,000- 34,999	139	91,003	3	4.4	0.00-10.2	5	3.8	0.00-7.89	3	0.4	0.00-1.04									
\$35,000- 49,999	211	135,326	5	0.5	0.02-1.08	1	1.9	0.00-5.58	11	5.1	1.46-8.68	30	12.8	5.57-20.0						
\$50,000- 74,999	192	196,154	7	5.3	0.04-10.7	4	1.9	0.00-4.62	3	1.4	0.00-3.65	24	15.7	7.20-24.3	23	14.9	6.13-23.7			
\$75,000+	219	219,736	13	7.5	2.65-12.4	5	3.6	0.00-7.80	5	4.0	0.00-8.31	21	15.7	6.86-24.6	30	14.6	6.34-22.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 2: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (SCLSTSMK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes
Denominator excludes: Respondents that reported smoking every day or some days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within the past month (anytime less than 1 month ago)			Within the past 3 months (1 month but less than 3 months ago)			Within the past 6 months (3 months but less than 6 months ago)			Within the past year (6 months but less than 1 year ago)			Within the past 5 years (1 year but less than 5 years ago)			Within the past 10 years (5 years but less than 10 years ago)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	586	549,996	22	4.3	1.42-7.14	7	1.2	0.02-2.46	21	4.8	0.82-8.74	72	20.1	12.1-28.1	68	15.5	9.83-21.1	396	54.2	46.5-61.8
White/Non-Hisp	471	456,990	15	2.9	1.13-4.73	3	1.1	0.00-2.45	15	5.1	0.39-9.75	50	17.6	8.73-26.6	50	14.9	8.97-20.9	338	58.3	50.0-66.7
Hispanic	84	75,726				3	1.8	0.00-4.36	5	3.5	0.00-7.82									
35-44	53	87,570	7	4.9	0.27-9.59	1	1.0	0.00-2.98	2	2.9	0.00-7.74									
45-54	86	92,093	5	3.0	0.00-6.78	1	0.4	0.00-1.30	5	4.4	0.00-9.73									
55-64	125	86,575	1	0.8	0.00-2.28	2	3.2	0.00-9.20	1	1.6	0.00-4.62	14	10.4	0.95-19.9						
65+	271	172,692	2	1.0	0.00-2.41				2	0.8	0.00-2.13	13	4.6	1.01-8.19	16	5.1	1.26-8.94	238	88.5	83.1-93.9
Less Than H.S.	53	55,610	1	1.1	0.00-3.22	1	1.0	0.00-3.07												
H.S. or G.E.D.	159	139,129	7	9.0	0.00-19.1	1	0.6	0.00-1.88	4	0.9	0.00-1.84				14	7.3	1.66-12.9			
Some Post-H.S.	173	164,309	5	2.0	0.00-4.13	2	1.4	0.00-3.44	7	3.5	0.30-6.80									
College Graduate	201	190,948	9	3.8	0.83-6.71	3	1.6	0.00-4.45	8	4.5	0.63-8.43	19	13.0	5.19-20.8	21	14.4	4.66-24.1			
\$25,000- 34,999	62	54,215	2	6.8	0.00-16.3	3	5.2	0.00-11.7	2	0.6	0.00-1.69									
\$35,000- 49,999	114	79,951	2	0.3	0.00-0.86				8	7.5	1.51-13.5	13	8.7	1.86-15.5						
\$50,000- 74,999	107	117,231	5	2.6	0.00-5.29	2	2.6	0.00-7.18	2	2.1	0.00-5.88									
\$75,000+	116	110,606	7	4.2	0.24-8.24	1	0.0	0.00-0.12	4	4.5	0.00-9.98	8	10.0	0.41-19.6						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 3: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (SCLSTSMK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes
Denominator excludes: Respondents that reported smoking every day or some days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within the past month (anytime less than 1 month ago)			Within the past 3 months (1 month but less than 3 months ago)			Within the past 6 months (3 months but less than 6 months ago)			Within the past year (6 months but less than 1 year ago)			Within the past 5 years (1 year but less than 5 years ago)			Within the past 10 years (5 years but less than 10 years ago)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	682	455,953	22	5.5	2.28-8.66	12	2.9	0.52-5.22	20	4.5	1.36-7.64	92	17.2	11.8-22.6	76	10.0	6.24-13.7	460	60.0	53.6-66.4
White/Non-Hisp	549	380,755	17	5.7	2.08-9.38	9	2.6	0.11-5.05	10	1.9	0.00-4.00	62	15.6	9.88-21.2	64	10.1	5.87-14.4	387	64.1	57.1-71.0
Hispanic	97	55,999	5	5.6	0.00-12.8	3	5.8	0.00-14.9							7	8.1	0.76-15.5			
25-34	51	73,463	5	7.3	0.00-16.0															
35-44	63	49,732	3	1.0	0.00-2.50	3	8.2	0.00-18.7	3	1.1	0.00-2.77				9	6.9	1.38-12.4			
45-54	115	86,612				3	1.4	0.00-3.12	4	0.8	0.00-2.03	13	8.9	0.75-17.1						
55-64	152	87,582	3	1.5	0.00-4.01	3	0.9	0.00-2.37	3	0.6	0.00-1.31	16	11.2	2.30-20.1	18	9.4	2.55-16.3			
65+	288	141,354	5	3.7	0.00-8.73	1	0.4	0.00-1.30	2	0.8	0.00-2.10	21	6.3	2.79-9.81	28	10.5	4.98-16.0	231	78.3	70.7-85.9
Less Than H.S.	66	29,587	2	3.9	0.00-9.78				3	2.0	0.00-4.81				7	5.7	0.00-11.4			
H.S. or G.E.D.	206	114,367	4	1.8	0.00-4.41	4	3.5	0.00-9.96	4	5.6	0.00-12.9	28	15.9	7.04-24.7	30	15.7	8.11-23.3			
Some Post-H.S.	223	168,439	11	6.0	0.49-11.5	5	2.8	0.00-6.07	6	3.4	0.00-7.92	28	14.9	5.17-24.6	24	9.8	2.80-16.7			
College Graduate	186	143,464	5	8.1	0.77-15.4	3	3.0	0.00-6.73	7	5.5	0.00-11.7	20	14.9	6.58-23.3	15	6.5	0.78-12.3			
Less than \$15,000	72	26,239	2	1.4	0.00-3.93	1	0.2	0.00-0.73				9	11.7	1.97-21.4	7	5.5	0.90-10.2			
\$15,000- 24,999	131	80,116	3	2.3	0.00-5.53	1	0.8	0.00-2.22							16	11.9	3.90-20.0			
\$25,000- 34,999	77	36,789	1	1.0	0.00-2.87	2	1.7	0.00-5.06	1	0.1	0.00-0.27									
\$35,000- 49,999	97	55,375	3	0.9	0.00-1.95	1	4.6	0.00-13.5	3	1.5	0.00-3.51				13	8.5	2.61-14.4			
\$50,000- 74,999	85	78,923				2	0.7	0.00-1.86	1	0.3	0.00-0.92									
\$75,000+	103	109,130	6	10.8	2.06-19.6	4	7.3	0.00-15.5	1	3.5	0.00-10.3				10	8.1	0.00-17.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 4: IN THE LAST 12 MONTHS, HOW MANY TIMES HAVE YOU SEEN A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TO GET ANY KIND OF CARE FOR YOURSELF? (SCGETCAR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	870	884,440	161	17.1	12.2-21.9	104	11.7	6.85-16.5	89	9.9	6.53-13.4	77	6.6	4.20-8.94	208	23.1	17.2-29.0	231	31.7	25.5-37.9
Male	383	479,835	71	18.5	11.2-25.9	44	11.2	4.19-18.1	36	8.4	4.04-12.7	22	4.5	1.55-7.47	78	16.6	10.2-22.9	132	40.8	31.3-50.3
Female	487	404,606	90	15.3	9.40-21.2	60	12.3	5.71-18.8	53	11.8	6.45-17.2	55	9.0	5.23-12.8	130	30.8	21.0-40.5	99	20.9	14.5-27.2
White/Non-Hisp	604	582,633	96	13.8	9.28-18.3	72	8.8	5.57-12.1	69	13.8	9.05-18.6	56	6.1	3.63-8.65	167	28.6	22.4-34.8	144	28.8	22.3-35.2
Hispanic	201	231,002							17	2.5	0.00-5.54	13	3.6	0.25-6.87						
18-24	57	148,521							4	3.8	0.00-8.93	6	5.2	0.00-10.6						
25-34	158	227,541				18	7.9	1.16-14.6	17	6.2	1.48-11.0	10	4.5	0.07-8.85	32	14.5	6.92-22.1			
35-44	151	167,544	22	9.5	2.04-17.1	21	9.5	4.08-14.9				10	2.8	0.51-5.17						
45-54	195	151,063	40	19.1	9.30-28.8	23	13.1	4.75-21.4	15	9.5	3.04-16.0	20	10.0	2.69-17.4	52	23.7	14.6-32.9			
55-64	170	115,021				19	3.8	1.57-5.97				16	12.1	3.66-20.6						
65+	136	73,774	22	10.9	4.86-17.0	16	13.2	6.28-20.2	20	13.3	3.26-23.3	15	8.6	2.79-14.5						
Less Than H.S.	111	136,480	20	9.8	1.69-18.0				8	2.7	0.00-5.39	10	6.3	0.26-12.3						
H.S. or G.E.D.	276	275,824				30	15.5	5.54-25.5	27	8.0	2.70-13.4	27	7.9	2.93-12.8	64	19.3	11.7-26.9			
Some Post-H.S.	281	291,851	45	16.2	8.21-24.2	36	7.1	3.29-11.0	33	12.5	6.09-18.9	26	4.6	2.21-7.07	72	30.0	20.2-39.8	69	29.5	20.4-38.7
College Graduate	201	180,174	47	21.6	11.7-31.6	23	8.7	3.59-13.8	21	14.3	5.04-23.5	14	7.9	1.60-14.2	47	17.8	10.6-25.0			
Less than \$15,000	128	150,229							15	5.5	0.06-11.0	10	3.7	0.35-7.09						
\$15,000- 24,999	182	193,831				20	8.4	0.94-15.9	16	5.7	0.86-10.5	15	6.7	1.49-11.9						
\$25,000- 34,999	127	107,978	21	12.9	3.96-21.8	13	7.5	1.29-13.6	13	4.5	0.52-8.44	13	4.3	0.38-8.26						
\$35,000- 49,999	137	124,013	22	12.2	2.36-22.0	18	9.4	3.80-15.0				11	5.8	1.89-9.81	33	18.6	9.69-27.6			
\$50,000- 74,999	100	113,126				13	11.8	2.37-21.2				6	5.5	0.00-13.3	20	12.7	4.21-21.2			
\$75,000+	102	121,344	19	14.7	6.29-23.2	13	8.4	2.08-14.7				12	11.1	1.92-20.3						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 5: IN THE LAST 12 MONTHS, HOW MANY TIMES HAVE YOU SEEN A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TO GET ANY KIND OF CARE FOR YOURSELF? (SCGETCAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	383	479,835	71	18.5	11.2-25.9	44	11.2	4.19-18.1	36	8.4	3.98-12.8	22	4.5	1.53-7.49	78	16.6	10.2-23.0	132	40.8	31.3-50.4
White/Non-Hisp	256	295,924	41	14.9	7.71-22.1	32	8.1	4.29-11.9	26	11.6	5.15-18.1	15	3.9	0.82-7.02	62	24.8	15.4-34.2			
Hispanic	93	142,834							8	3.2	0.00-8.12	4	2.1	0.00-5.63	7	1.5	0.16-2.78			
25-34	72	130,758							8	6.7	0.00-13.8	2	4.3	0.00-11.4	10	4.7	0.94-8.42			
35-44	58	90,337				6	4.6	0.00-9.29	1	6.4	0.00-18.6	1	0.3	0.00-0.91						
45-54	91	76,689							7	7.5	0.00-16.1	5	2.7	0.00-5.52						
55-64	82	69,412				8	3.4	0.48-6.24												
65+	52	29,080	6	7.0	0.00-15.2															
H.S. or G.E.D.	115	143,251				13	8.8	0.00-18.2	11	9.1	0.62-17.6	8	6.7	0.00-13.8	20	11.8	4.01-19.5			
Some Post-H.S.	130	173,152	21	14.8	5.25-24.3	11	5.6	0.00-11.2	14	12.3	3.30-21.3	9	2.7	0.58-4.74						
College Graduate	93	88,566				14	13.2	3.54-22.8	7	4.0	0.00-8.53	4	5.5	0.00-14.3	18	10.5	3.47-17.6			
\$15,000- 24,999	74	117,093				7	3.8	0.30-7.40	4	5.1	0.00-12.4	4	2.6	0.00-5.80						
\$25,000- 34,999	62	58,921				5	4.1	0.00-9.31	8	6.4	0.00-13.3	3	1.8	0.00-4.32						
\$35,000- 49,999	77	84,664				7	5.6	0.55-10.7				4	4.0	0.00-8.16	14	10.2	2.21-18.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 6: IN THE LAST 12 MONTHS, HOW MANY TIMES HAVE YOU SEEN A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TO GET ANY KIND OF CARE FOR YOURSELF? (SCGETCAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	487	404,606	90	15.3	9.40-21.2	60	12.3	5.69-18.8	53	11.8	6.43-17.2	55	9.0	5.21-12.8	130	30.8	21.0-40.5	99	20.9	14.5-27.2
White/Non-Hisp	348	286,709	55	12.7	7.31-18.0	40	9.6	4.29-15.0	43	16.1	9.04-23.2	41	8.4	4.47-12.4	105	32.6	24.5-40.7	64	20.5	13.7-27.4
Hispanic	108	88,168							9	1.2	0.00-2.79	9	6.0	0.00-12.8						
25-34	86	96,783				10	5.3	0.57-10.1	9	5.6	0.00-11.4	8	4.6	0.58-8.66						
35-44	93	77,206	15	6.1	1.04-11.2							9	5.8	0.80-10.8						
45-54	104	74,373				8	8.5	0.00-18.5	8	11.6	1.86-21.3									
55-64	88	45,610				11	4.4	1.00-7.78										16	12.8	4.23-21.4
65+	84	44,694	16	13.5	5.01-21.9	11	12.8	4.68-20.9				9	6.7	1.50-11.8						
Less Than H.S.	66	61,615				9	6.6	0.00-14.7	4	2.2	0.00-5.25									
H.S. or G.E.D.	161	132,573	31	13.3	6.37-20.1				16	6.9	0.53-13.2	19	9.2	2.20-16.1						
Some Post-H.S.	151	118,699				25	9.4	4.71-14.2	19	12.7	4.06-21.4	17	7.5	2.46-12.6						
College Graduate	108	91,608				9	4.4	0.56-8.28				10	10.2	1.13-19.3						
Less than \$15,000	90	86,128	14	7.0	1.00-13.1				8	2.3	0.00-5.04	9	6.3	0.13-12.4						
\$15,000- 24,999	108	76,737							12	6.5	1.43-11.6									
\$25,000- 34,999	65	49,057	9	6.1	0.81-11.4				5	2.1	0.00-5.03	10	7.3	0.00-15.4						
\$35,000- 49,999	60	39,349	10	6.4	1.08-11.8							7	9.8	1.32-18.4						
\$50,000- 74,999	52	52,852				6	6.1	0.00-12.5				2	0.7	0.00-1.79						
\$75,000+	56	66,371	10	11.3	1.78-20.9	6	5.0	0.00-10.1												

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 7: IN THE LAST 12 MONTHS, ON HOW MANY VISITS WERE YOU ADVISED TO QUIT SMOKING BY A DOCTOR OR OTHER HEALTH PROVIDER? (SCQITSMK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes
Denominator excludes: Respondents that reported not smoking at all
Denominator excludes: Respondents that reported not having smoked in past 12 months or more
Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	647	610,611	117	18.7	13.3-24.2	78	10.5	5.75-15.3	43	5.9	2.79-9.07	38	5.3	2.49-8.05	101	15.4	10.1-20.6	270	44.2	36.1-52.2
Male	254	287,199	43	19.6	10.9-28.3	29	8.5	2.65-14.4	18	3.3	1.41-5.29	14	6.0	1.25-10.7	45	17.8	8.69-26.9			
Female	393	323,412	74	17.9	11.2-24.7	49	12.3	4.94-19.7	25	8.2	2.65-13.8	24	4.6	1.51-7.79	56	13.2	7.64-18.8			
White/Non-Hisp	466	420,900	90	21.7	15.5-28.0	51	7.1	4.42-9.76	31	7.4	3.08-11.8	28	4.1	1.64-6.66	81	20.3	13.5-27.2	185	39.3	31.9-46.7
Hispanic	133	128,141				22	9.0	0.06-17.9	8	1.7	0.00-3.39	4	2.3	0.00-6.35	11	3.1	0.02-6.26			
25-34	111	130,625							9	3.5	0.76-6.20	6	5.2	0.00-12.2	12	10.3	1.31-19.3			
35-44	100	105,427				14	5.6	1.05-10.1				6	2.8	0.00-5.80						
45-54	152	114,838	28	16.4	7.31-25.5				7	2.8	0.00-5.51	8	5.2	0.00-11.8	31	19.1	9.24-28.9			
55-64	129	89,764				14	6.1	0.75-11.4	9	8.9	0.82-16.9									
65+	113	59,074	18	11.6	5.36-17.9	15	14.6	6.53-22.7				7	5.7	0.17-11.3						
Less Than H.S.	80	82,347	11	9.0	0.00-18.2	7	3.3	0.00-6.98	7	4.5	0.00-9.56	6	6.5	0.00-15.1	11	6.5	0.00-13.1			
H.S. or G.E.D.	198	194,436	37	18.6	8.86-28.4				14	5.0	0.56-9.38	12	7.0	0.80-13.3	37	15.5	7.79-23.3			
Some Post-H.S.	213	205,412	36	19.7	10.4-29.0	25	7.7	2.22-13.2	14	5.5	1.35-9.63	13	2.9	0.94-4.86						
College Graduate	155	128,305	20	10.5	3.02-18.0	8	9.0	0.00-19.8	7	5.6	0.00-12.3	7	5.6	0.00-12.3	19	9.9	3.40-16.4			
Less than \$15,000	96	115,789	16	5.5	0.97-10.1				7	3.1	0.00-6.43	5	1.3	0.00-2.83						
\$15,000- 24,999	129	123,317				15	8.7	1.51-15.9	5	2.8	0.07-5.55	8	6.3	0.00-13.1						
\$25,000- 34,999	89	66,805				10	6.2	0.48-11.9	11	6.1	1.06-11.2	5	2.0	0.00-4.38						
\$35,000- 49,999	98	81,028				7	6.2	0.00-12.4	7	7.8	0.00-16.0	5	3.8	0.00-7.72	10	8.6	0.58-16.5			
\$75,000+	79	93,341				10	7.4	0.54-14.3				5	7.4	0.00-16.4						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 8: IN THE LAST 12 MONTHS, ON HOW MANY VISITS WERE YOU ADVISED TO QUIT SMOKING BY A DOCTOR OR OTHER HEALTH PROVIDER? (SCQITSMK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	254	287,199	43	19.6	10.8-28.4	29	8.5	2.63-14.4	18	3.3	1.47-5.23	14	6.0	1.17-10.8	45	17.8	8.55-27.0
White/Non-Hisp	179	190,120	32	20.8	11.1-30.5	20	5.7	2.44-8.90	11	3.4	0.95-5.89	10	4.4	0.00-8.93			
Hispanic	53	64,157				6	3.4	0.00-7.63	4	1.3	0.00-3.04	2	4.2	0.00-12.2	4	3.9	0.00-8.86
45-54	64	49,830							5	5.4	0.00-11.7	2	1.5	0.00-4.32	7	8.3	0.00-17.8
55-64	56	49,252				6	3.7	0.13-7.19	4	5.2	0.00-10.8						
H.S. or G.E.D.	71	86,971							5	2.3	0.00-4.99	3	7.1	0.00-17.7	16	13.0	3.54-22.5
Some Post-H.S.	89	112,332				9	7.6	0.00-16.1	7	3.8	0.58-7.04	6	3.4	0.36-6.36			
College Graduate	68	53,781				9	6.8	0.44-13.1	3	2.1	0.00-5.08				9	9.9	0.40-19.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 9: IN THE LAST 12 MONTHS, ON HOW MANY VISITS WERE YOU ADVISED TO QUIT SMOKING BY A DOCTOR OR OTHER HEALTH PROVIDER? (SCQITSMK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	393	323,412	74	17.9	11.1-24.7	49	12.3	4.92-19.7	25	8.2	2.63-13.8	24	4.6	1.49-7.81	56	13.2	7.60-18.9			
White/Non-Hisp	287	230,780	58	22.5	14.3-30.7	31	8.3	4.23-12.3	20	10.7	3.31-18.2	18	3.9	1.24-6.62	45	17.0	9.88-24.1	115	37.6	28.2-47.1
Hispanic	80	63,985	12	6.6	0.00-16.2				4	2.0	0.00-5.11	2	0.4	0.00-1.17	7	2.4	0.00-6.19			
25-34	63	62,679							6	4.6	0.03-9.13	3	1.5	0.00-3.55						
35-44	72	54,728				12	9.0	1.11-16.9				5	4.8	0.00-10.6	13	11.6	1.82-21.5			
45-54	88	65,008							2	0.7	0.00-1.77	6	8.0	0.00-19.3						
55-64	73	40,513				8	9.0	0.00-19.7							7	9.0	0.00-18.2			
65+	68	33,049	13	15.1	5.42-24.8							4	3.6	0.00-7.61	2	5.2	0.00-12.3			
Less Than H.S.	54	48,233	7	6.6	0.00-16.3	6	3.4	0.00-7.89	4	3.1	0.00-7.83	4	5.3	0.00-15.2	8	7.9	0.00-17.8			
H.S. or G.E.D.	127	107,465							9	7.1	0.00-14.7	9	6.9	0.00-14.3						
Some Post-H.S.	124	93,081				16	7.9	1.49-14.2	7	7.5	0.00-15.6	7	2.3	0.00-4.73						
College Graduate	87	74,524										4	3.8	0.00-8.61	10	9.8	1.00-18.7			
Less than \$15,000	66	69,642	13	8.3	0.27-16.2				4	2.0	0.00-4.96	5	2.2	0.00-4.88						
\$15,000- 24,999	86	61,978							3	3.6	0.00-7.88				14	5.7	1.43-9.93			
\$35,000- 49,999	54	38,197				3	7.7	0.00-19.1				2	2.8	0.00-7.75	5	4.4	0.00-10.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 10: ON HOW MANY VISITS DID YOUR DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL RECOMMEND OR DISCUSS MEDICATION TO ASSIST YOU WITH QUITTING SMOKING, SUCH AS NICOTINE GUM, PATCH, NASAL SPRAY, INHALER, LOZENGE, OR PRESCRIPTION MEDICATION SUCH AS WELLBUTRIN/ZYBAN/BUPROPRION? (SCDSCMED)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	639	599,558	91	14.5	9.35-19.6	33	3.9	1.95-5.91	17	2.2	0.89-3.55	21	2.4	0.63-4.19	30	4.3	2.09-6.59	447	72.6	66.3-78.9
Male	252	286,051	36	15.8	7.43-24.2	9	1.5	0.42-2.62	5	1.3	0.00-2.64	9	3.6	0.09-7.15	14	5.5	1.57-9.45	179	72.3	62.5-82.0
Female	387	313,508	55	13.3	7.04-19.5	24	6.1	2.48-9.78	12	3.1	0.83-5.29	12	1.3	0.20-2.40	16	3.3	0.84-5.70	268	73.0	64.8-81.1
White/Non-Hisp	458	410,513	68	15.4	9.71-21.2	29	4.6	2.41-6.73	13	2.8	0.93-4.61	15	2.4	0.23-4.55	23	5.8	2.64-9.00	310	69.0	62.1-75.9
Hispanic	133	128,183	13	3.3	0.00-7.95	3	3.3	0.00-9.32	2	0.7	0.00-1.93	5	2.5	0.00-6.51	3	0.3	0.00-0.61	107	90.0	80.9-99.1
25-34	110	128,820				5	3.7	0.00-9.52	4	1.8	0.00-3.85	1	0.1	0.00-0.36	3	2.2	0.00-6.14			
35-44	97	101,543				4	3.7	0.00-7.60	3	4.1	0.00-9.43	3	0.6	0.00-1.40	9	6.6	0.44-12.7			
45-54	152	114,838				6	1.8	0.25-3.43	5	3.0	0.00-6.34	2	0.9	0.00-2.56	5	3.0	0.00-6.57			
55-64	129	88,196	16	11.8	2.30-21.3	12	9.8	2.39-17.2	2	2.5	0.00-5.91	7	7.5	0.00-16.7	9	6.8	0.18-13.5			
65+	110	59,712	11	7.0	2.00-12.0	6	7.2	1.07-13.4	2	0.6	0.00-1.56	6	5.5	0.00-11.2						
Less Than H.S.	83	83,211	7	4.5	0.00-9.56	1	2.6	0.00-7.96	4	2.9	0.00-6.92	6	4.8	0.00-11.7	4	1.9	0.00-4.79			
H.S. or G.E.D.	193	189,320				10	2.9	0.68-5.18	6	3.2	0.00-6.46	6	2.2	0.00-4.43	10	3.3	0.00-6.58			
Some Post-H.S.	210	201,359	25	10.6	2.67-18.5	13	2.5	0.86-4.08	6	1.8	0.08-3.56	6	1.0	0.00-2.04	11	6.5	1.46-11.5	149	77.7	68.3-87.0
College Graduate	152	125,559				9	8.6	1.29-16.0	1	0.9	0.00-2.58	3	3.4	0.00-9.62	5	4.1	0.00-8.81			
Less than \$15,000	92	111,659				6	2.7	0.00-5.62	2	1.3	0.00-3.88	2	0.3	0.00-0.64	3	1.9	0.00-4.52			
\$15,000- 24,999	129	124,539				8	6.0	0.00-12.6	6	3.6	0.26-6.92	7	3.7	0.19-7.17	6	2.8	0.00-6.28			
\$25,000- 34,999	88	66,663				5	3.0	0.00-6.08	4	3.2	0.00-7.32	4	0.8	0.00-2.01	4	3.5	0.00-8.40			
\$35,000- 49,999	96	76,322				6	7.1	0.37-13.9	1	0.3	0.00-0.95	2	1.4	0.00-3.91	4	4.2	0.00-11.5			
\$50,000- 74,999	77	71,279				2	1.1	0.00-2.55	3	5.8	0.00-13.2	1	0.3	0.00-0.89	5	5.4	0.00-11.8			
\$75,000+	78	90,897	16	14.1	4.21-24.1	3	2.4	0.00-5.72				1	4.4	0.00-12.9	2	3.1	0.00-8.58			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 11: ON HOW MANY VISITS DID YOUR DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL RECOMMEND OR DISCUSS MEDICATION TO ASSIST YOU WITH QUITTING SMOKING, SUCH AS NICOTINE GUM, PATCH, NASAL SPRAY, INHALER, LOZENGE, OR PRESCRIPTION MEDICATION SUCH AS WELLBUTRIN/ZYBAN/BUPROPRION? (SCDSCMED)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	252	286,051	36	15.8	7.45-24.2	9	1.5	0.46-2.58	5	1.3	0.00-2.62	9	3.6	0.03-7.21	14	5.5	1.61-9.41	179	72.3	62.4-82.1
White/Non-Hisp	177	188,930	25	13.6	5.10-22.2	7	1.8	0.33-3.27	4	1.6	0.00-3.58	4	3.0	0.00-7.38	12	8.1	2.26-13.9			
Hispanic	53	64,198	5	1.5	0.00-3.60	1	0.6	0.00-1.92				4	4.9	0.00-13.1	1	0.2	0.00-0.72	42	92.8	83.8-100
45-54	64	49,830				3	2.3	0.00-5.10	2	3.7	0.00-9.42									
55-64	56	49,252				4	4.0	0.00-8.12												
H.S. or G.E.D.	69	86,738				4	2.2	0.00-4.79	2	1.5	0.00-4.10	3	3.0	0.00-7.17	5	5.3	0.00-12.4			
Some Post-H.S.	88	111,234				4	1.8	0.00-3.65	1	0.5	0.00-1.57	1	0.5	0.00-1.38	8	9.9	1.36-18.4			
College Graduate	68	53,781				1	0.8	0.00-2.24												

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 12: ON HOW MANY VISITS DID YOUR DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL RECOMMEND OR DISCUSS MEDICATION TO ASSIST YOU WITH QUITTING SMOKING, SUCH AS NICOTINE GUM, PATCH, NASAL SPRAY, INHALER, LOZENGE, OR PRESCRIPTION MEDICATION SUCH AS WELLBUTRIN/ZYBAN/BUPROPRION? (SCDSCMED)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	387	313,508	55	13.3	7.02-19.5	24	6.1	2.46-9.80	12	3.1	0.85-5.27	12	1.3	0.20-2.40	16	3.3	0.84-5.70	268	73.0	64.7-81.2
White/Non-Hisp	281	221,583	43	16.9	9.16-24.7	22	6.9	3.18-10.7	9	3.7	0.79-6.67	11	1.8	0.29-3.39	11	3.9	0.69-7.11	185	66.7	57.6-75.8
Hispanic	80	63,985	8	5.1	0.00-14.3	2	6.1	0.00-18.0	2	1.3	0.00-3.97	1	0.0	0.00-0.09	2	0.3	0.00-0.80			
25-34	63	61,972				4	7.1	0.00-18.9	4	3.7	0.00-8.00				3	4.6	0.00-12.7			
35-44	69	50,844				3	5.6	0.00-12.6	1	4.8	0.00-14.0	3	1.1	0.00-2.82	6	5.6	0.00-12.0			
45-54	88	65,008				3	1.5	0.00-3.32	3	2.5	0.00-6.42	2	1.6	0.00-4.51	5	5.2	0.00-11.5			
55-64	73	38,944							2	5.6	0.00-13.3	4	3.5	0.00-9.06	2	2.9	0.00-8.10			
65+	67	33,920	8	10.1	1.83-18.3				1	0.7	0.00-2.12	3	3.2	0.00-8.06						
Less Than H.S.	56	48,913	5	3.3	0.00-7.96	1	4.5	0.00-13.9	2	1.2	0.00-3.49	3	2.2	0.00-6.12	3	3.0	0.00-8.04			
H.S. or G.E.D.	124	102,582				6	3.5	0.00-7.06	4	4.7	0.00-10.2	3	1.5	0.00-3.78	5	1.5	0.00-3.34			
Some Post-H.S.	122	90,124	10	2.9	0.60-5.30	9	3.3	0.54-6.06	5	3.4	0.00-7.09	5	1.6	0.00-3.73	3	2.3	0.00-6.38	90	86.5	79.4-93.6
College Graduate	84	71,778							1	1.5	0.00-4.53	1	0.0	0.00-0.06	5	7.3	0.00-15.3			
Less than \$15,000	62	65,511				3	2.7	0.00-6.96	1	0.1	0.00-0.40	2	0.4	0.00-1.13	2	3.0	0.00-7.59			
\$15,000- 24,999	86	63,200							5	5.3	0.00-10.8	2	1.8	0.00-5.28	4	1.3	0.00-2.72			
\$35,000- 49,999	53	34,589							1	0.7	0.00-2.09	1	2.7	0.00-8.06	2	0.6	0.00-1.45			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 13: ON HOW MANY VISITS DID YOUR DOCTOR OR HEALTH PROVIDER RECOMMEND OR DISCUSS METHODS AND STRATEGIES OTHER THAN MEDICATION TO ASSIST YOU WITH QUITTING SMOKING? (SCDSCMTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes
Denominator excludes: Respondents that reported not smoking at all
Denominator excludes: Respondents that reported not having smoked in past 12 months or more
Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	639	600,594	67	11.9	6.59-17.3	27	3.3	1.25-5.33	7	1.5	0.00-3.80	14	1.8	0.13-3.47	22	3.5	1.35-5.71	502	77.9	71.7-84.2
Male	250	284,255	24	13.4	3.94-22.9	10	2.1	0.46-3.84	2	2.6	0.00-7.27	8	3.2	0.00-6.58	9	2.6	0.14-5.16			
Female	389	316,338	43	10.5	5.18-15.9	17	4.3	0.78-7.84	5	0.5	0.00-1.28	6	0.6	0.00-1.24	13	4.3	0.87-7.77	305	79.7	72.4-87.0
White/Non-Hisp	460	413,041	50	14.0	7.13-20.8	19	2.4	1.06-3.72	4	0.4	0.00-0.96	10	1.8	0.00-3.91	17	4.9	1.81-7.97	360	76.5	69.2-83.8
Hispanic	132	127,023	10	4.2	0.00-9.52	6	7.5	0.00-16.3	1	0.0	0.00-0.15	4	2.5	0.00-6.60	1	0.1	0.00-0.36			
25-34	111	129,918	8	9.6	0.45-18.8	4	3.5	0.00-9.28	2	5.3	0.00-15.3	4	1.9	0.00-4.21	1	2.0	0.00-5.84			
35-44	99	104,407				4	2.0	0.00-4.79	2	0.7	0.00-1.91	2	0.5	0.00-1.14	6	4.5	0.00-8.99			
45-54	150	111,555	21	7.2	2.96-11.4	7	5.7	0.00-12.6	1	0.3	0.00-0.83	1	0.1	0.00-0.33	4	4.4	0.00-11.1	116	82.3	72.4-92.2
55-64	127	86,003	11	7.7	0.75-14.7	5	2.0	0.00-4.06	2	1.3	0.00-3.86	5	5.8	0.00-14.7	8	3.1	0.49-5.71			
65+	111	62,262	9	6.8	1.68-12.0	6	6.7	0.86-12.6				1	0.3	0.00-0.92						
Less Than H.S.	82	83,964	8	5.9	0.00-11.8	1	1.2	0.00-3.74	2	0.2	0.00-0.45	2	3.3	0.00-9.43	3	3.3	0.00-9.27			
H.S. or G.E.D.	194	190,367	18	12.2	3.09-21.3	9	4.3	0.02-8.68	2	3.8	0.00-10.6	3	0.3	0.00-0.54	9	4.3	0.00-8.58			
Some Post-H.S.	208	201,114				7	1.4	0.01-2.75	1	0.3	0.00-0.86	6	1.5	0.00-3.01	6	2.7	0.00-5.91			
College Graduate	154	125,039	19	11.5	4.50-18.5	10	6.1	0.00-12.6	2	1.0	0.00-2.76	3	3.7	0.00-9.91	4	3.9	0.00-8.61			
Less than \$15,000	94	113,066	9	6.6	0.00-14.6	4	4.8	0.00-12.0	3	6.3	0.00-18.0	3	1.2	0.00-3.14	4	1.9	0.00-4.49			
\$15,000- 24,999	130	125,644				6	4.8	0.00-11.0	1	0.0	0.00-0.15	2	0.3	0.00-0.66	4	1.3	0.00-2.84			
\$25,000- 34,999	87	65,954				4	1.1	0.00-2.35	1	0.5	0.00-1.42	1	0.5	0.00-1.50						
\$35,000- 49,999	96	77,177				4	4.4	0.00-8.75				2	1.6	0.00-4.45	2	0.3	0.00-0.63			
\$50,000- 74,999	76	68,566	4	3.7	0.00-8.28	3	1.4	0.00-3.07	2	2.5	0.00-6.05	2	0.7	0.00-1.73	3	6.3	0.00-14.1	62	85.5	75.5-95.4
\$75,000+	79	93,341	11	9.3	1.16-17.5	3	2.1	0.00-5.18				2	4.7	0.00-12.9	2	3.8	0.00-9.51			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 14: ON HOW MANY VISITS DID YOUR DOCTOR OR HEALTH PROVIDER RECOMMEND OR DISCUSS METHODS AND STRATEGIES OTHER THAN MEDICATION TO ASSIST YOU WITH QUITTING SMOKING? (SCDSCMTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	250	284,255	24	13.4	3.98-22.9	10	2.1	0.50-3.80	2	2.6	0.00-7.33	8	3.2	0.00-6.62	9	2.6	0.12-5.18			
White/Non-Hisp	177	188,628				7	2.6	0.33-4.83				5	3.2	0.00-7.56	7	3.7	0.00-7.42			
Hispanic	52	63,038	3	1.2	0.00-3.34	2	1.7	0.00-5.08				3	4.7	0.00-13.0				44	92.3	82.7-100
45-54	63	48,429	10	9.6	2.04-17.2	4	3.9	0.00-9.73										49	86.5	76.8-96.2
55-64	55	48,919	5	7.5	0.00-18.3	2	2.0	0.00-5.02							5	4.0	0.00-8.15			
H.S. or G.E.D.	68	85,527				3	1.5	0.00-3.72				1	0.2	0.00-0.55	2	1.4	0.00-3.35			
Some Post-H.S.	89	112,332				3	1.9	0.00-4.23	1	0.5	0.00-1.56	3	1.5	0.00-3.60	5	4.6	0.00-10.5			
College Graduate	68	53,781	5	9.0	0.00-19.6	3	3.0	0.00-8.20							2	2.1	0.00-5.79			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 21: SMOKING CESSATION**

TABLE 15: ON HOW MANY VISITS DID YOUR DOCTOR OR HEALTH PROVIDER RECOMMEND OR DISCUSS METHODS AND STRATEGIES OTHER THAN MEDICATION TO ASSIST YOU WITH QUITTING SMOKING? (SCDSCMTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	389	316,338	43	10.5	5.16-15.9	17	4.3	0.78-7.84	5	0.5	0.00-1.28	6	0.6	0.00-1.24	13	4.3	0.87-7.77	305	79.7	72.4-87.0
White/Non-Hisp	283	224,413	32	12.1	5.46-18.7	12	2.2	0.64-3.82	4	0.8	0.00-1.77	5	0.7	0.00-1.63	10	5.9	1.17-10.7	220	78.3	70.3-86.3
Hispanic	80	63,985	7	7.1	0.00-17.8				1	0.1	0.00-0.32	1	0.3	0.00-0.99	1	0.2	0.00-0.70			
25-34	63	61,972				3	7.1	0.00-18.9	1	0.1	0.00-0.41	2	1.9	0.00-5.22	1	4.1	0.00-12.1			
35-44	72	54,728				2	0.2	0.00-0.64	1	0.3	0.00-0.97	1	0.4	0.00-1.17	3	3.6	0.00-8.67			
45-54	87	63,126	11	5.3	0.51-10.1	3	7.0	0.00-18.4	1	0.5	0.00-1.48	1	0.2	0.00-0.56	4	7.8	0.00-19.4			
55-64	72	37,084	6	8.0	0.29-15.7	3	2.0	0.00-4.70	2	3.1	0.00-8.91	1	0.2	0.00-0.50	3	1.9	0.00-4.57			
65+	68	36,610	7	10.7	2.15-19.3	5	8.6	0.22-17.0				1	0.5	0.00-1.59						
Less Than H.S.	57	51,348	6	7.9	0.00-17.5				2	0.3	0.00-0.76	1	0.4	0.00-1.18	3	5.4	0.00-15.5			
H.S. or G.E.D.	126	104,841				6	6.7	0.00-14.3	1	0.3	0.00-0.89	2	0.3	0.00-0.76	7	6.6	0.00-14.2			
Some Post-H.S.	119	88,782	11	5.0	1.04-8.92	4	0.7	0.00-1.54				3	1.4	0.00-3.73	1	0.1	0.00-0.44	100	92.7	88.0-97.5
College Graduate	86	71,258	14	13.4	3.84-23.0	7	8.4	0.00-18.9	2	1.8	0.00-4.87				2	5.3	0.00-13.0			
Less than \$15,000	65	68,319				2	7.3	0.00-19.1	2	0.4	0.00-1.02	3	2.0	0.00-5.32	3	2.9	0.00-7.28			
\$15,000- 24,999	88	64,587				4	7.6	0.00-19.1	1	0.1	0.00-0.30	1	0.1	0.00-0.30	2	1.7	0.00-4.11			
\$35,000- 49,999	52	34,346	8	8.4	1.11-15.8	1	2.0	0.00-5.97							2	0.6	0.00-1.45	41	88.9	80.5-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005**

MODULE 22: SECOND HAND SMOKE POLICY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)	
1	MALES AND FEMALES	164
2	MALES ONLY	165
3	FEMALES ONLY	166
	WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)	
4	MALES AND FEMALES	167
5	MALES ONLY	168
6	FEMALES ONLY	169
	WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)	
7	MALES AND FEMALES	170
8	MALES ONLY	171
9	FEMALES ONLY	172
	WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)	
10	MALES AND FEMALES	173
11	MALES ONLY	174
12	FEMALES ONLY	175

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 22: SECOND HAND SMOKE POLICY**

TABLE 1: WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Smoking in House			Some Smoking in House			Smoke Anywhere in House			No Smoking Rules		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4410	3,931,498	3564	83.0	80.9-85.2	269	6.3	4.77-7.83	93	1.3	0.90-1.80	484	9.3	7.74-10.9
Male	1644	1,942,896	1279	80.7	77.1-84.3	91	6.1	3.66-8.52	52	1.7	0.96-2.42	222	11.5	8.71-14.4
Female	2766	1,988,603	2285	85.3	83.0-87.6	178	6.5	4.67-8.35	41	1.0	0.49-1.55	262	7.2	5.70-8.64
White/Non-Hisp	3014	2,681,212	2429	83.0	80.7-85.3	165	6.2	4.48-7.96	68	1.4	0.89-1.87	352	9.4	7.78-11.0
Black or Af. Am./Non-Hisp	52	61,469							6	8.2	0.00-17.3			
Oth. Race/Non-Hisp.	203	172,626	163	79.8	69.8-89.8	11	7.8	0.00-16.2	4	2.1	0.00-5.93	25	10.3	4.38-16.2
Hispanic	1045	949,097	865	84.5	79.0-90.0	77	5.8	2.45-9.19	12	0.6	0.00-1.42	91	9.0	4.46-13.6
18-24	213	522,645	177	82.9	74.1-91.7	15	7.7	1.44-13.9	3	0.8	0.00-2.06	18	8.7	2.07-15.3
25-34	570	767,682	488	85.3	79.8-90.8	47	10.3	5.13-15.5	5	0.2	0.00-0.35	30	4.2	2.04-6.40
35-44	715	723,468	595	83.2	78.2-88.2	58	6.3	3.57-8.97	10	1.4	0.10-2.64	52	9.2	4.80-13.5
45-54	818	675,677	643	83.1	79.0-87.2	44	4.4	2.34-6.50	33	3.4	1.65-5.17	98	9.1	5.78-12.4
55-64	786	507,776	610	79.6	74.9-84.2	51	5.6	3.05-8.07	20	1.4	0.63-2.15	105	13.5	9.36-17.6
65+	1271	700,974	1020	82.3	78.9-85.6	53	3.5	1.91-5.05	21	1.1	0.42-1.72	177	13.2	10.2-16.2
Less Than H.S.	540	479,130	427	77.1	67.7-86.5	38	9.5	3.61-15.3	13	1.7	0.00-3.42	62	11.8	3.89-19.6
H.S. or G.E.D.	1252	1,040,917	970	78.3	73.4-83.1	102	11.5	7.18-15.9	33	1.8	0.75-2.83	147	8.4	5.97-10.8
Some Post-H.S.	1297	1,183,111	1052	83.2	79.9-86.5	67	3.5	2.11-4.81	28	1.7	0.76-2.56	150	11.7	8.71-14.7
College Graduate	1311	1,222,944	1109	89.2	86.8-91.6	61	3.3	1.90-4.80	18	0.5	0.23-0.85	123	6.9	5.02-8.78
Less than \$15,000	477	349,785				36	11.3	2.92-19.8	15	2.3	0.44-4.12	58	12.6	3.81-21.5
\$15,000- 24,999	802	621,249	618	78.4	72.7-84.1	66	9.9	5.10-14.8	15	0.8	0.22-1.48	103	10.8	7.26-14.4
\$25,000- 34,999	526	440,352	399	81.9	76.9-87.0	35	5.0	2.54-7.48	18	2.1	0.69-3.43	74	11.0	7.01-15.0
\$35,000- 49,999	691	598,749	567	83.4	78.8-88.0	48	6.1	3.29-8.89	18	2.8	0.79-4.79	58	7.7	4.32-11.1
\$50,000- 74,999	604	612,335	529	89.1	85.2-93.0	29	3.7	1.55-5.79	5	0.7	0.05-1.35	41	6.5	3.22-9.88
\$75,000+	657	762,908	565	89.0	85.0-93.1	16	2.9	0.00-5.86	9	0.4	0.00-0.82	67	7.6	4.63-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 22: SECOND HAND SMOKE POLICY**

TABLE 2: WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Smoking in House			Some Smoking in House			Smoke Anywhere in House			No Smoking Rules		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1644	1,942,896	1279	80.7	77.1-84.3	91	6.1	3.64-8.54	52	1.7	0.96-2.42	222	11.5	8.71-14.4
White/Non-Hisp	1161	1,314,740	899	81.4	77.7-85.1	58	5.9	3.25-8.63	38	1.8	0.92-2.60	166	10.9	8.22-13.6
Oth. Race/Non-Hisp.	66	74,817							3	4.8	0.00-13.5			
Hispanic	351	485,562	287	82.1	72.6-91.7	21	4.8	0.00-10.3	5	0.2	0.00-0.34	38	12.9	4.56-21.2
18-24	81	282,335				9	7.1	0.00-14.9	2	1.3	0.00-3.72			
25-34	203	413,409	178	84.1	75.1-93.1	14	12.4	3.58-21.2	1	0.0	0.00-0.03	10	3.5	0.64-6.32
35-44	247	356,195	200	78.7	69.9-87.6	22	6.5	2.20-10.9	5	2.0	0.00-4.47	20	12.7	4.62-20.8
45-54	319	328,668	241	84.4	78.6-90.2	13	1.7	0.56-2.84	21	3.6	1.44-5.84	44	10.3	4.94-15.6
55-64	308	242,258	227	77.3	70.1-84.5	22	4.8	1.95-7.75	10	1.9	0.55-3.29	49	15.9	9.23-22.6
65+	473	310,311	365	79.1	73.1-85.0	11	2.0	0.02-4.06	12	1.6	0.30-2.88	85	17.3	11.6-23.0
Less Than H.S.	164	252,006				10	9.5	0.00-19.2	4	1.1	0.00-2.49			
H.S. or G.E.D.	420	456,682	301	74.9	66.5-83.3	36	13.4	5.61-21.1	22	2.9	0.89-4.97	61	8.8	4.87-12.8
Some Post-H.S.	491	579,347	372	78.5	72.8-84.3	25	2.9	1.11-4.75	19	2.5	0.77-4.21	75	16.1	10.7-21.4
College Graduate	568	650,985	476	89.1	85.5-92.6	20	2.5	0.51-4.47	7	0.3	0.06-0.64	65	8.1	5.06-11.1
Less than \$15,000	125	123,964							7	2.9	0.00-5.84			
\$15,000- 24,999	262	302,183				24	11.9	3.17-20.7	8	1.2	0.03-2.35	41	14.2	7.54-20.9
\$25,000- 34,999	192	218,215	145	85.6	78.8-92.4	10	3.7	0.42-6.92	7	2.0	0.00-4.37	30	8.7	3.62-13.8
\$35,000- 49,999	301	327,016	230	80.2	72.9-87.4	22	6.3	2.21-10.5	13	3.3	0.50-6.10	36	10.2	4.60-15.7
\$50,000- 74,999	284	360,842	242	89.5	84.5-94.6	12	1.5	0.56-2.52	3	0.7	0.00-1.60	27	8.2	3.27-13.1
\$75,000+	300	383,753	251	88.1	82.9-93.4	6	1.8	0.00-3.91	7	0.8	0.00-1.61	36	9.3	4.51-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 22: SECOND HAND SMOKE POLICY**

TABLE 3: WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Smoking in House			Some Smoking in House			Smoke Anywhere in House			No Smoking Rules		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2766	1,988,603	2285	85.3	83.0-87.6	178	6.5	4.67-8.35	41	1.0	0.49-1.55	262	7.2	5.70-8.64
White/Non-Hisp	1853	1,366,472	1530	84.5	81.7-87.3	107	6.5	4.23-8.77	30	1.0	0.49-1.55	186	7.9	6.15-9.75
Oth. Race/Non-Hisp.	137	97,809	115	86.9	78.0-95.8	5	4.8	0.00-12.3	1	0.0	0.00-0.03	16	8.3	2.89-13.7
Hispanic	694	463,535	578	87.0	82.0-92.1	56	6.9	3.09-10.7	7	1.1	0.00-2.76	53	5.0	2.07-7.91
18-24	132	240,310				6	8.3	0.00-18.3	1	0.1	0.00-0.33	6	2.9	0.00-5.92
25-34	367	354,274	310	86.6	81.3-92.0	33	7.9	3.56-12.3	4	0.3	0.00-0.72	20	5.1	1.77-8.39
35-44	468	367,273	395	87.5	83.0-92.0	36	6.0	2.76-9.26	5	0.7	0.00-1.53	32	5.7	2.61-8.85
45-54	499	347,010	402	81.9	76.1-87.7	31	7.0	3.17-10.8	12	3.2	0.47-5.91	54	7.9	3.98-11.9
55-64	478	265,518	383	81.6	75.6-87.7	29	6.2	2.20-10.2	10	0.9	0.11-1.71	56	11.2	6.28-16.2
65+	798	390,664	655	84.8	81.2-88.4	42	4.6	2.34-6.92	9	0.7	0.09-1.23	92	9.9	7.04-12.8
Less Than H.S.	376	227,124	298	80.3	72.1-88.6	28	9.4	3.17-15.6	9	2.3	0.00-5.63	41	7.9	3.56-12.3
H.S. or G.E.D.	832	584,235	669	80.9	75.4-86.5	66	10.1	5.25-15.0	11	0.9	0.00-1.85	86	8.0	4.99-11.1
Some Post-H.S.	806	603,764	680	87.6	84.2-91.0	42	4.0	1.98-5.98	9	0.9	0.23-1.49	75	7.5	4.74-10.3
College Graduate	743	571,959	633	89.3	86.3-92.4	41	4.3	2.22-6.46	11	0.8	0.18-1.36	58	5.5	3.42-7.66
Less than \$15,000	352	225,821	278	83.9	77.1-90.6	29	7.4	2.79-12.1	8	1.9	0.00-4.30	37	6.8	3.14-10.4
\$15,000- 24,999	540	319,066	429	83.9	78.8-89.0	42	8.0	3.71-12.3	7	0.5	0.00-1.05	62	7.6	4.66-10.5
\$25,000- 34,999	334	222,137	254	78.3	71.3-85.4	25	6.3	2.69-9.95	11	2.1	0.64-3.50	44	13.3	7.34-19.2
\$35,000- 49,999	390	271,732	337	87.3	81.8-92.7	26	5.8	2.10-9.46	5	2.2	0.00-4.99	22	4.8	1.39-8.17
\$50,000- 74,999	320	251,494	287	88.4	82.3-94.6	17	6.7	1.87-11.6	2	0.6	0.00-1.65	14	4.2	0.19-8.27
\$75,000+	357	379,155	314	89.9	83.6-96.3	10	4.0	0.00-9.49	2	0.0	0.00-0.13	31	6.0	2.32-9.68

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 22: SECOND HAND SMOKE POLICY**

TABLE 4: WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being unemployed

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2105	2,217,003	1621	78.0	74.7-81.4	484	21.9	18.6-25.3
Male	910	1,228,713	586	69.4	64.2-74.6	324	30.6	25.4-35.8
Female	1195	988,290	1035	88.8	85.5-92.1	160	11.2	7.90-14.5
White/Non-Hisp	1379	1,506,887	1106	81.6	78.1-85.2	273	18.4	14.8-21.9
Hispanic	557	552,000	381	68.5	60.0-76.9	176	31.5	23.1-40.0
25-34	383	553,723	294	81.3	75.1-87.4	89	18.7	12.6-24.9
35-44	506	528,123	382	77.8	71.8-83.8	124	22.2	16.2-28.2
45-54	605	515,691	485	80.8	75.3-86.3	120	19.2	13.7-24.7
55-64	366	267,367	281	84.0	79.1-89.0	85	16.0	11.0-20.9
H.S. or G.E.D.	512	492,789	352	71.1	63.7-78.4	160	28.9	21.6-36.3
Some Post-H.S.	635	665,741	479	76.8	70.9-82.7	156	23.2	17.3-29.1
College Graduate	778	855,550	669	86.6	82.6-90.6	109	13.4	9.43-17.4
\$25,000- 34,999	261	236,352	188	71.7	61.9-81.5	73	28.3	18.5-38.1
\$35,000- 49,999	382	371,618	295	81.9	75.4-88.5	87	18.0	11.5-24.6
\$50,000- 74,999	402	457,565	323	78.0	70.7-85.4	79	22.0	14.6-29.3
\$75,000+	465	579,364	382	82.7	76.8-88.6	83	17.3	11.4-23.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 22: SECOND HAND SMOKE POLICY**

TABLE 5: WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being unemployed

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	910	1,228,713	586	69.4	64.2-74.6	324	30.6	25.4-35.8
White/Non-Hisp	601	812,633	410	74.9	69.4-80.5	191	25.1	19.5-30.6
25-34	170	327,604	108	76.8	67.5-86.0	62	23.2	14.0-32.5
35-44	212	280,033	138	68.6	58.8-78.3	74	31.4	21.7-41.2
45-54	271	282,678	187	70.3	61.2-79.4	84	29.7	20.6-38.8
55-64	154	130,331	95	74.4	65.2-83.6	59	25.6	16.4-34.8
Some Post-H.S.	266	360,385	164	65.8	56.3-75.4	102	34.2	24.6-43.7
College Graduate	345	474,113	273	82.4	76.0-88.8	72	17.6	11.2-24.0
\$75,000+	223	311,619	161	75.4	66.9-84.0	62	24.6	16.0-33.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 22: SECOND HAND SMOKE POLICY**

TABLE 6: WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being unemployed

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1195	988,290	1035	88.8	85.5-92.1	160	11.2	7.90-14.5
White/Non-Hisp	778	694,254	696	89.5	85.4-93.6	82	10.5	6.36-14.6
Hispanic	315	219,297	251	87.9	81.8-94.1	64	12.0	5.93-18.2
25-34	213	226,119	186	87.8	81.1-94.5	27	12.2	5.54-18.9
35-44	294	248,090	244	88.3	83.2-93.4	50	11.7	6.56-16.8
45-54	334	233,013	298	93.6	90.1-97.0	36	6.4	3.01-9.87
55-64	212	137,036	186	93.2	88.9-97.5	26	6.8	2.50-11.1
Some Post-H.S.	369	305,356	315	89.7	85.4-94.1	54	10.3	5.90-14.6
College Graduate	433	381,436	396	91.7	87.9-95.5	37	8.3	4.47-12.1
Less than \$15,000	79	62,671	61	91.7	84.2-99.3	18	8.3	0.69-15.8
\$15,000- 24,999	189	111,219	159	89.1	83.0-95.1	30	10.9	4.86-17.0
\$35,000- 49,999	219	176,668	197	93.4	88.7-98.0	22	6.6	1.96-11.3
\$50,000- 74,999	200	170,348	178	88.5	81.9-95.2	22	11.5	4.82-18.1
\$75,000+	242	267,744	221	91.2	83.2-99.2	21	8.8	0.84-16.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 22: SECOND HAND SMOKE POLICY**

TABLE 7: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported being unemployed
Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Public Areas			Allowed in Some Public Areas			Allowed in All Public Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1593	1,695,543	1274	78.0	74.3-81.6	198	15.0	11.8-18.3	25	1.5	0.58-2.46	96	5.5	3.59-7.39
Male	577	829,727	441	74.3	68.4-80.2	89	17.9	12.5-23.3	9	2.1	0.33-3.97	38	5.7	2.89-8.49
Female	1016	865,816	833	81.5	77.2-85.8	109	12.3	8.62-16.0	16	0.9	0.28-1.54	58	5.3	2.70-7.92
White/Non-Hisp	1091	1,210,313	889	78.7	74.7-82.8	131	14.3	10.7-17.8	18	1.8	0.49-3.07	53	5.3	3.07-7.43
Oth. Race/Non-Hisp.	79	71,082				8	10.4	0.44-20.3				7	4.6	0.00-10.1
Hispanic	371	364,400				52	19.6	10.3-28.8	6	1.1	0.03-2.19	34	7.1	2.04-12.2
18-24	87	170,183				1	0.9	0.00-2.55	1	0.9	0.00-2.55	6	7.8	0.06-15.5
25-34	289	442,165	227	73.6	65.2-82.1	37	17.3	9.92-24.8	7	2.7	0.02-5.36	18	6.3	1.84-10.8
35-44	375	394,156	306	82.8	76.6-88.9	45	11.1	6.35-15.8	5	0.8	0.00-1.83	19	5.4	1.11-9.77
45-54	476	412,050	384	81.4	75.6-87.3	61	13.1	8.10-18.1	6	1.8	0.00-4.06	25	3.7	1.02-6.32
55-64	277	219,704	227	83.2	76.3-90.1	28	11.3	5.16-17.4	4	0.7	0.00-1.70	18	4.8	1.34-8.32
65+	78	48,482				1	0.7	0.00-1.98	1	0.7	0.00-1.98	10	9.8	1.86-17.8
Less Than H.S.	115	112,706				4	1.0	0.00-2.12	4	1.0	0.00-2.12			
H.S. or G.E.D.	345	347,066	258	73.8	65.2-82.3	52	18.9	11.3-26.5	11	1.7	0.48-2.94	24	5.6	1.07-10.2
Some Post-H.S.	469	498,944	364	74.7	68.2-81.3	65	17.1	11.2-23.0	5	0.9	0.00-2.05	35	7.3	3.70-10.8
College Graduate	662	732,843	575	84.9	80.3-89.6	58	9.6	5.81-13.4	4	1.9	0.00-3.85	25	3.6	1.27-5.85
Less than \$15,000	79	95,516				1	0.1	0.00-0.40	1	0.1	0.00-0.40	9	8.3	0.00-17.5
\$15,000- 24,999	216	171,565				7	1.4	0.04-2.70	7	1.4	0.04-2.70	20	8.1	0.00-16.5
\$25,000- 34,999	185	168,571				3	1.8	0.00-4.46	3	1.8	0.00-4.46	16	7.7	0.67-14.7
\$35,000- 49,999	289	301,267				6	2.3	0.00-5.35	6	2.3	0.00-5.35	9	2.2	0.51-3.81
\$50,000- 74,999	322	354,478	268	78.0	70.2-85.8	33	11.2	5.54-16.9	4	3.0	0.00-6.33	17	7.7	2.26-13.2
\$75,000+	378	471,503	326	86.8	81.4-92.2	35	10.0	5.04-15.0				17	3.2	0.91-5.57

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 22: SECOND HAND SMOKE POLICY**

TABLE 8: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Public Areas			Allowed in Some Public Areas			Allowed in All Public Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	577	829,727	441	74.3	68.3-80.2	89	17.9	12.5-23.3	9	2.1	0.33-3.97	38	5.7	2.87-8.51
White/Non-Hisp	406	598,080	313	73.2	66.5-79.9	61	16.9	11.1-22.7	7	2.8	0.24-5.26	25	7.1	3.32-10.9
Hispanic	125	172,679							2	0.8	0.00-1.97	9	1.3	0.00-2.57
25-34	107	247,457							5	3.9	0.00-8.51	7	7.7	0.56-14.8
35-44	134	176,805	103	82.8	75.1-90.5	24	13.2	6.42-19.9	1	1.2	0.00-3.52	6	2.8	0.00-5.97
45-54	184	197,547	151	82.8	74.1-91.4	22	10.0	3.82-16.2	2	2.6	0.00-7.08	9	4.6	0.00-9.76
55-64	94	94,230							1	1.0	0.00-3.10	9	6.6	0.18-13.0
H.S. or G.E.D.	109	153,004							3	1.3	0.00-2.74	11	7.5	0.00-16.4
Some Post-H.S.	161	229,475				29	20.8	11.0-30.7	2	1.3	0.00-3.33	15	10.3	3.68-16.9
College Graduate	272	388,145	230	82.7	75.6-89.8	30	11.4	5.51-17.3	3	3.2	0.00-6.89	9	2.7	0.00-5.42
\$15,000- 24,999	62	74,729				10	9.3	1.23-17.5	2	1.5	0.00-3.85	6	5.4	0.00-11.5
\$25,000- 34,999	58	80,427							1	2.6	0.00-7.75	7	7.0	0.00-14.4
\$35,000- 49,999	97	139,174							4	4.8	0.00-11.4	2	0.9	0.00-2.36
\$50,000- 74,999	145	206,258				17	10.9	2.80-19.1	2	3.9	0.00-9.23	10	11.5	2.41-20.5
\$75,000+	160	229,245	132	81.7	72.7-90.8	18	13.8	5.40-22.2				10	4.5	0.48-8.48

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 22: SECOND HAND SMOKE POLICY**

TABLE 9: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Public Areas			Allowed in Some Public Areas			Allowed in All Public Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1016	865,816	833	81.5	77.2-85.8	109	12.3	8.62-16.0	16	0.9	0.28-1.54	58	5.3	2.70-7.92
White/Non-Hisp	685	612,233	576	84.0	79.6-88.5	70	11.7	7.66-15.7	11	0.8	0.12-1.54	28	3.4	1.24-5.64
Oth. Race/Non-Hisp.	55	38,851	45	89.1	80.6-97.6	6	8.7	0.77-16.6				4	2.2	0.00-4.70
Hispanic	246	191,721							4	1.4	0.00-3.10	25	12.3	3.09-21.6
18-24	56	82,979				11	9.8	1.63-18.1	1	1.8	0.00-5.25			
25-34	182	194,709							2	1.1	0.00-2.80	11	4.6	0.00-9.37
35-44	241	217,350	203	82.7	73.4-92.0	21	9.3	2.71-16.0	4	0.4	0.00-0.85	13	7.6	0.25-14.9
45-54	292	214,502	233	80.2	72.3-88.1	39	15.9	8.30-23.6	4	1.1	0.00-2.39	16	2.8	0.84-4.72
55-64	183	125,475	155	86.1	78.2-94.0	16	9.9	2.79-17.0	3	0.5	0.00-1.22	9	3.5	0.00-7.35
65+	55	28,144				4	4.6	0.00-10.7	1	1.1	0.00-3.42			
Less Than H.S.	81	57,478							3	1.4	0.00-3.42			
H.S. or G.E.D.	236	194,061				30	17.8	8.35-27.2	8	2.1	0.21-3.93	13	4.1	0.00-8.31
Some Post-H.S.	308	269,470	249	80.8	73.3-88.4	36	13.9	6.93-20.8	3	0.6	0.00-1.70	20	4.7	1.28-8.06
College Graduate	390	344,697	345	87.5	81.7-93.3	28	7.6	2.98-12.2	1	0.4	0.00-1.10	16	4.5	0.83-8.27
Less than \$15,000	58	55,705				7	2.1	0.00-4.65	1	0.2	0.00-0.70			
\$15,000- 24,999	154	96,836							5	1.3	0.00-2.73			
\$25,000- 34,999	127	88,145							2	1.1	0.00-2.86	9	8.4	0.00-19.9
\$35,000- 49,999	192	162,093	161	83.8	76.3-91.3	22	12.8	5.74-19.9	2	0.2	0.00-0.48	7	3.2	0.46-5.98
\$50,000- 74,999	177	148,220	152	84.0	75.8-92.2	16	11.7	4.05-19.3	2	1.9	0.00-4.46	7	2.5	0.37-4.61
\$75,000+	218	242,258	194	91.5	85.7-97.3	17	6.4	1.11-11.7				7	2.1	0.00-4.52

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 22: SECOND HAND SMOKE POLICY**

TABLE 10: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Work Areas			Allowed in Some Work Areas			Allowed in All Work Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1593	1,699,058	1373	85.2	82.0-88.4	124	8.1	5.53-10.7	17	1.0	0.19-1.91	79	5.7	3.62-7.70
Male	576	829,447	481	81.7	76.4-87.1	52	9.8	5.57-14.1	8	1.8	0.01-3.49	35	6.7	3.41-9.99
Female	1017	869,611	892	88.5	84.9-92.2	72	6.4	3.58-9.30	9	0.4	0.09-0.67	44	4.7	2.19-7.13
White/Non-Hisp	1089	1,207,239	963	87.7	84.5-90.8	69	6.2	3.99-8.35	11	1.2	0.01-2.41	46	5.0	2.78-7.14
Oth. Race/Non-Hisp.	80	71,458	72	95.7	91.8-99.5	2	1.4	0.00-3.80				6	2.9	0.00-5.82
Hispanic	373	370,737				49	15.5	6.59-24.4	6	0.9	0.04-1.68	26	9.1	3.05-15.2
18-24	87	170,312							1	0.6	0.00-1.89	7	5.3	0.38-10.2
25-34	288	444,522	243	82.1	74.9-89.4	25	9.0	3.53-14.5	4	2.0	0.00-4.55	16	6.8	2.10-11.6
35-44	376	398,911	329	86.8	80.7-92.9	29	6.4	2.74-10.0	5	0.2	0.00-0.49	13	6.6	1.40-11.7
45-54	478	410,253	412	87.6	82.7-92.6	40	6.5	3.29-9.75	6	1.6	0.00-3.79	20	4.3	0.92-7.58
55-64	276	218,099	249	87.3	80.2-94.5	11	7.7	1.37-14.0	1	0.1	0.00-0.44	15	4.8	1.00-8.64
65+	77	48,159				6	6.7	0.00-18.0				8	5.1	1.02-9.26
Less Than H.S.	114	116,615							4	1.1	0.00-2.36			
H.S. or G.E.D.	345	345,792	284	85.2	78.9-91.6	28	6.4	2.65-10.1	7	1.0	0.14-1.90	26	7.4	2.18-12.6
Some Post-H.S.	468	495,150	400	84.4	78.9-90.0	40	8.2	3.87-12.6	3	0.1	0.00-0.24	25	7.2	3.34-11.1
College Graduate	664	737,516	609	91.0	87.4-94.6	32	5.2	2.42-7.94	3	1.7	0.00-3.63	20	2.1	0.67-3.57
Less than \$15,000	81	96,955				8	8.2	0.00-19.8	2	1.2	0.00-3.46	6	2.2	0.00-4.69
\$15,000- 24,999	217	176,081				24	12.5	2.82-22.2	5	1.1	0.01-2.13			
\$25,000- 34,999	185	168,336	154	87.6	80.7-94.5	17	8.9	2.77-15.1	3	0.8	0.00-1.74	11	2.7	0.00-5.64
\$35,000- 49,999	289	300,308	255	83.6	73.8-93.5	23	10.4	1.26-19.6	3	1.6	0.00-4.59	8	4.3	0.27-8.31
\$50,000- 74,999	323	357,051	287	85.2	78.3-92.2	19	5.8	1.69-9.81	2	2.2	0.00-5.34	15	6.8	1.41-12.2
\$75,000+	377	466,531	337	90.4	86.1-94.7	25	6.7	2.99-10.4				15	2.9	0.66-5.20

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 22: SECOND HAND SMOKE POLICY**

TABLE 11: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Work Areas			Allowed in Some Work Areas			Allowed in All Work Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	576	829,447	481	81.7	76.4-87.1	52	9.8	5.57-14.1	8	1.8	0.01-3.49	35	6.7	3.39-10.0
White/Non-Hisp	404	591,927	342	82.9	77.3-88.4	33	7.9	4.25-11.6	5	2.2	0.00-4.61	24	7.0	3.11-11.0
Hispanic	127	178,676							3	0.8	0.00-2.11	8	7.0	0.00-15.1
25-34	106	246,894				12	8.0	1.59-14.4	3	3.4	0.00-7.89	7	8.4	0.76-16.0
35-44	134	181,485	116	86.0	77.3-94.8	12	8.1	1.84-14.3	1	0.0	0.00-0.15	5	5.9	0.00-12.6
45-54	185	194,015	157	82.6	73.5-91.7	17	8.2	2.95-13.5	2	2.4	0.00-7.00	9	6.8	0.08-13.4
55-64	93	93,364							1	0.4	0.00-1.07	8	4.5	0.72-8.32
H.S. or G.E.D.	108	150,749				12	8.4	1.81-15.0	2	0.8	0.00-2.24			
Some Post-H.S.	162	226,894	134	82.6	74.1-91.1	17	7.2	2.04-12.4				11	10.2	3.05-17.3
College Graduate	271	388,021	247	88.3	82.3-94.2	15	7.7	2.76-12.6	3	3.2	0.00-6.89	6	0.8	0.09-1.57
\$15,000- 24,999	64	80,597							2	0.8	0.00-1.86			
\$25,000- 34,999	57	80,127				9	10.9	1.99-19.8				3	3.4	0.00-9.08
\$35,000- 49,999	96	137,899							1	3.3	0.00-9.75	2	3.6	0.00-10.0
\$50,000- 74,999	145	206,258				8	4.5	0.00-9.36	2	3.9	0.00-9.23	8	8.8	0.33-17.3
\$75,000+	158	222,733	135	84.7	76.7-92.7	13	10.8	3.69-17.9				10	4.5	0.40-8.68

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 22: SECOND HAND SMOKE POLICY**

TABLE 12: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Work Areas			Allowed in Some Work Areas			Allowed in All Work Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1017	869,611	892	88.5	84.9-92.2	72	6.4	3.58-9.30	9	0.4	0.11-0.65	44	4.7	2.17-7.15
White/Non-Hisp	685	615,311	621	92.3	89.2-95.4	36	4.5	2.07-6.89	6	0.3	0.02-0.52	22	3.0	0.96-4.96
Oth. Race/Non-Hisp.	56	39,228	51	95.6	90.7-0100	2	2.6	0.00-6.92				3	1.8	0.00-3.96
Hispanic	246	192,061							3	0.9	0.00-1.93	18	11.1	2.08-20.0
18-24	56	83,108	44	89.1	81.0-97.2	8	7.3	0.70-13.9				4	3.6	0.00-7.44
25-34	182	197,628				13	10.2	1.01-19.4	1	0.4	0.00-1.07	9	4.9	0.06-9.82
35-44	242	217,425	213	87.5	79.0-95.9	17	5.0	0.75-9.21	4	0.4	0.00-0.87	8	7.2	0.00-14.8
45-54	293	216,237	255	92.2	88.0-96.4	23	5.0	1.14-8.82	4	0.8	0.00-1.66	11	2.0	0.37-3.63
55-64	183	124,735	169	88.7	79.2-98.2	7	6.3	0.00-14.1				7	5.0	0.00-11.1
65+	54	27,821	45	93.1	87.2-99.1	4	1.0	0.00-2.34				5	5.8	0.16-11.5
Less Than H.S.	80	56,707							1	1.0	0.00-2.98			
H.S. or G.E.D.	237	195,042	205	90.5	84.7-96.3	16	4.8	0.49-9.07	5	1.2	0.07-2.27	11	3.5	0.00-7.37
Some Post-H.S.	306	268,256	266	86.0	78.6-93.4	23	9.1	2.39-15.8	3	0.2	0.00-0.42	14	4.8	0.85-8.65
College Graduate	393	349,496	362	94.0	90.6-97.5	17	2.4	0.57-4.25				14	3.6	0.62-6.50
Less than \$15,000	60	57,145										5	3.2	0.00-7.28
\$15,000- 24,999	153	95,483							3	1.3	0.00-3.07			
\$25,000- 34,999	128	88,209	109	89.3	80.3-98.4	8	7.1	0.00-15.8	3	1.5	0.00-3.34	8	2.0	0.00-4.24
\$35,000- 49,999	193	162,409	175	90.9	84.2-97.6	10	4.0	0.00-8.68	2	0.2	0.00-0.51	6	4.9	0.00-9.89
\$50,000- 74,999	178	150,793	160	88.6	80.3-96.9	11	7.4	0.48-14.3				7	4.0	0.00-9.14
\$75,000+	219	243,798	202	95.5	92.2-98.9	12	3.0	0.34-5.64				5	1.5	0.00-3.58

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005**

MODULE 25: SEXUAL VIOLENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IN THE PAST 12 MONTHS, HAS ANYONE EXPOSED YOU TO UNWANTED SEXUAL SITUATIONS THAT DID NOT INVOLVE PHYSICAL TOUCHING? (SVNOTCH)	
1	MALES AND FEMALES	178
2	MALES ONLY	179
3	FEMALES ONLY	180
	IN THE PAST 12 MONTHS, HAS ANYONE TOUCHED SEXUAL PARTS OF YOUR BODY AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT THEM TO OR WITHOUT YOUR CONSENT? (SVSEXTCH)	
4	MALES AND FEMALES	181
5	MALES ONLY	182
6	FEMALES ONLY	183
	IN THE PAST 12 MONTHS, HAS ANYONE ATTEMPTED TO HAVE SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT, BUT SEX DID NOT OCCUR? (SVNOSEX)	
7	MALES AND FEMALES	184
8	MALES ONLY	185
9	FEMALES ONLY	186
	IN THE PAST 12 MONTHS, HAS ANYONE HAD SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT? (SVHADSEX)	
10	MALES AND FEMALES	187
11	MALES ONLY	188
12	FEMALES ONLY	189
	AT THE TIME OF THE MOST RECENT INCIDENT, WHAT WAS YOUR RELATIONSHIP TO THE PERSON WHO [HAD SEX OR ATTEMPTED TO HAVE SEX] WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT. (SVRELATN)	
13	MALES AND FEMALES	190
14	MALES ONLY	191
15	FEMALES ONLY	192
	WAS THE PERSON WHO DID THIS MALE OR FEMALE? (SVGENDER)	
16	MALES AND FEMALES	193
17	MALES ONLY	194
18	FEMALES ONLY	195
	HAS ANYONE EVER ATTEMPTED TO HAVE SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT, BUT SEX DID NOT OCCUR? (SVEANOSX)	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005

MODULE 25: SEXUAL VIOLENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
19	MALES AND FEMALES	196
20	MALES ONLY	197
21	FEMALES ONLY	198
	HAS ANYONE EVER HAD SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT THEM TO OR WITHOUT YOUR CONSENT? (SVEHDSEX)	
22	MALES AND FEMALES	199
23	MALES ONLY	200
24	FEMALES ONLY	201

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

TABLE 1: IN THE PAST 12 MONTHS, HAS ANYONE EXPOSED YOU TO UNWANTED SEXUAL SITUATIONS THAT DID NOT INVOLVE PHYSICAL TOUCHING? (SVNOTCH)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3471	3,205,585	44	0.9	0.44-1.30	3427	99.1	98.7-99.6	
Male	1324	1,597,407	13	0.6	0.08-1.22	1311	99.3	98.8-99.9	
Female	2147	1,608,178	31	1.1	0.43-1.73	2116	98.9	98.3-99.6	
White/Non-Hisp	2433	2,206,919	31	1.0	0.47-1.61	2402	99.0	98.4-99.5	
Oth. Race/Non-Hisp.	155	133,399	1	0.1	0.00-0.27	154	99.9	99.7-0100	
Hispanic	767	756,099	12	0.6	0.00-1.32	755	99.4	98.7-0100	
18-24	183	465,666	7	2.4	0.25-4.53	176	97.6	95.5-99.7	
25-34	474	649,738	8	0.8	0.00-1.97	466	99.2	98.0-0100	
35-44	587	583,654	8	0.5	0.00-1.10	579	99.5	98.9-0100	
45-54	673	566,149	8	0.8	0.00-1.67	665	99.2	98.3-0100	
55-64	645	426,808	4	0.3	0.00-0.58	641	99.7	99.4-0100	
65+	885	490,656	9	0.5	0.12-0.90	876	99.5	99.1-99.9	
Less Than H.S.	362	350,825	5	1.0	0.00-2.56	357	98.9	97.4-0100	
H.S. or G.E.D.	938	807,783	11	0.9	0.00-1.90	927	99.1	98.1-0100	
Some Post-H.S.	1067	999,112	16	1.3	0.35-2.19	1051	98.7	97.8-99.7	
College Graduate	1097	1,046,387	12	0.4	0.11-0.69	1085	99.6	99.3-99.9	
Less than \$15,000	328	258,498	7	2.8	0.00-6.06	321	97.3	93.9-0100	
\$15,000- 24,999	608	479,841	7	0.1	0.00-0.28	601	99.9	99.7-0100	
\$25,000- 34,999	417	353,228	6	1.3	0.03-2.57	411	98.7	97.4-0100	
\$35,000- 49,999	566	489,267	9	0.7	0.03-1.33	557	99.3	98.7-0100	
\$50,000- 74,999	519	522,346	2	0.1	0.00-0.30	517	99.9	99.7-0100	
\$75,000+	572	682,258	5	0.4	0.00-0.93	567	99.6	99.1-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

TABLE 2: IN THE PAST 12 MONTHS, HAS ANYONE EXPOSED YOU TO UNWANTED SEXUAL SITUATIONS THAT DID NOT INVOLVE PHYSICAL TOUCHING? (SVNOTCH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1324	1,597,407	13	0.6	0.08-1.22	1311	99.3	98.8-99.9	
White/Non-Hisp	959	1,109,614	8	0.6	0.00-1.30	951	99.4	98.7-0100	
Oth. Race/Non-Hisp.	52	54,247				52	100.0	0100-0100	
Hispanic	261	378,860	5	1.0	0.00-2.36	256	99.0	97.6-0100	
18-24	71	256,118	2	2.3	0.00-5.66	69	97.7	94.3-0100	
25-34	165	338,007	1	0.0	0.00-0.15	164	99.9	99.9-0100	
35-44	203	287,570	2	0.7	0.00-1.88	201	99.3	98.1-0100	
45-54	268	276,027	1	0.0	0.00-0.06	267	100.0	99.9-0100	
55-64	252	203,193	1	0.2	0.00-0.62	251	99.8	99.4-0100	
65+	359	233,610	6	0.7	0.00-1.42	353	99.3	98.6-0100	
Less Than H.S.	113	195,921	2	1.5	0.00-4.12	111	98.5	95.9-0100	
H.S. or G.E.D.	324	338,466	1	0.0	0.00-0.15	323	99.9	99.9-0100	
Some Post-H.S.	415	511,712	5	1.1	0.00-2.60	410	98.8	97.4-0100	
College Graduate	472	551,308	5	0.3	0.00-0.56	467	99.7	99.4-0100	
Less than \$15,000	92	97,496				92	100.0	0100-0100	
\$15,000- 24,999	200	235,036	2	0.0	0.00-0.09	198	100.0	99.9-0100	
\$25,000- 34,999	151	177,793	3	1.4	0.00-3.26	148	98.6	96.7-0100	
\$35,000- 49,999	242	260,519	1	0.1	0.00-0.18	241	99.9	99.8-0100	
\$50,000- 74,999	248	305,590				248	100.0	0100-0100	
\$75,000+	260	343,835	3	0.4	0.00-0.87	257	99.6	99.1-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

**TABLE 3: IN THE PAST 12 MONTHS, HAS ANYONE EXPOSED YOU TO UNWANTED SEXUAL SITUATIONS THAT DID NOT INVOLVE PHYSICAL TOUCHING? (SVNOTCH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2147	1,608,178	31	1.1	0.43-1.73	2116	98.9	98.3-99.6	
White/Non-Hisp	1474	1,097,305	23	1.5	0.55-2.43	1451	98.5	97.6-99.5	
Oth. Race/Non-Hisp.	103	79,151	1	0.1	0.00-0.46	102	99.8	99.5-0100	
Hispanic	506	377,239	7	0.2	0.02-0.46	499	99.8	99.5-0100	
18-24	112	209,548	5	2.5	0.01-4.91	107	97.5	95.1-0100	
25-34	309	311,732	7	1.6	0.00-4.04	302	98.4	96.0-0100	
35-44	384	296,084	6	0.3	0.00-0.58	378	99.7	99.4-0100	
45-54	405	290,121	7	1.6	0.00-3.26	398	98.4	96.7-0100	
55-64	393	223,615	3	0.4	0.00-0.77	390	99.6	99.2-0100	
65+	526	257,046	3	0.3	0.00-0.72	523	99.7	99.3-0100	
Less Than H.S.	249	154,904	3	0.5	0.00-1.32	246	99.5	98.7-0100	
H.S. or G.E.D.	614	469,317	10	1.5	0.00-3.23	604	98.5	96.8-0100	
Some Post-H.S.	652	487,399	11	1.4	0.27-2.55	641	98.6	97.5-99.7	
College Graduate	625	495,079	7	0.5	0.02-1.08	618	99.4	98.9-0100	
Less than \$15,000	236	161,001	7	4.4	0.00-9.73	229	95.6	90.3-0100	
\$15,000- 24,999	408	244,805	5	0.2	0.00-0.50	403	99.8	99.5-0100	
\$25,000- 34,999	266	175,435	3	1.3	0.00-2.94	263	98.8	97.1-0100	
\$35,000- 49,999	324	228,748	8	1.4	0.00-2.77	316	98.6	97.2-0100	
\$50,000- 74,999	271	216,757	2	0.3	0.00-0.70	269	99.7	99.3-0100	
\$75,000+	312	338,423	2	0.5	0.00-1.32	310	99.5	98.7-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

**TABLE 4: IN THE PAST 12 MONTHS, HAS ANYONE TOUCHED SEXUAL PARTS OF YOUR BODY AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT THEM TO OR WITHOUT YOUR CONSENT?
(SVSEXTCH)**

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3464	3,199,781	28	1.3	0.45-2.25	3436	98.6	97.7-99.6
Male	1321	1,595,650	9	1.1	0.00-2.59	1312	98.9	97.4-0100
Female	2143	1,604,131	19	1.6	0.49-2.65	2124	98.4	97.4-99.5
White/Non-Hisp	2429	2,201,608	12	0.8	0.13-1.47	2417	99.2	98.5-99.9
Oth. Race/Non-Hisp.	155	133,399	5	5.3	0.00-10.9	150	94.7	89.1-0100
Hispanic	764	755,606	11	2.5	0.00-5.62	753	97.5	94.4-0100
18-24	183	465,666	7	2.4	0.00-5.10	176	97.6	94.9-0100
25-34	472	648,334	5	1.0	0.00-2.31	467	99.0	97.7-0100
35-44	585	582,503	9	4.1	0.00-8.30	576	95.9	91.7-0100
45-54	673	564,940	4	0.1	0.00-0.33	669	99.8	99.7-0100
55-64	645	426,808	2	0.1	0.00-0.25	643	99.9	99.8-0100
65+	884	491,032	1	0.0	0.00-0.12	883	100.0	99.9-0100
Less Than H.S.	363	351,108	5	4.8	0.00-11.4	358	95.2	88.6-0100
H.S. or G.E.D.	934	804,974	8	0.4	0.06-0.84	926	99.5	99.2-99.9
Some Post-H.S.	1064	997,119	9	1.5	0.12-2.98	1055	98.4	97.0-99.9
College Graduate	1096	1,045,100	6	0.7	0.00-1.47	1090	99.3	98.5-0100
Less than \$15,000	329	258,781	7	2.1	0.00-4.95	322	97.9	95.0-0100
\$15,000- 24,999	605	478,697	4	0.8	0.00-1.81	601	99.2	98.2-0100
\$25,000- 34,999	417	353,228	6	2.4	0.00-5.59	411	97.5	94.4-0100
\$35,000- 49,999	566	489,792	3	0.6	0.00-1.55	563	99.4	98.5-0100
\$50,000- 74,999	516	519,293	3	0.6	0.00-1.29	513	99.4	98.7-0100
\$75,000+	572	682,258	2	0.6	0.00-1.67	570	99.4	98.3-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

**TABLE 5: IN THE PAST 12 MONTHS, HAS ANYONE TOUCHED SEXUAL PARTS OF YOUR BODY AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT THEM TO OR WITHOUT YOUR CONSENT?
(SVSEXTCH)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1321	1,595,650	9	1.1	0.00-2.59	1312	98.9	97.4-0100
White/Non-Hisp	958	1,108,125	3	0.4	0.00-0.82	955	99.6	99.2-0100
Oth. Race/Non-Hisp.	52	54,247	2	1.9	0.00-5.12	50	98.1	94.9-0100
Hispanic	259	378,592	4	3.4	0.00-9.35	255	96.5	90.7-0100
18-24	71	256,118	2	0.5	0.00-1.32	69	99.5	98.7-0100
25-34	164	337,889	3	0.5	0.00-1.09	161	99.5	98.9-0100
35-44	201	286,419	3	5.3	0.00-13.0	198	94.7	87.0-0100
45-54	268	274,818				268	100.0	0100-0100
55-64	252	203,193				252	100.0	0100-0100
65+	359	234,330	1	0.1	0.00-0.27	358	99.9	99.7-0100
Less Than H.S.	114	196,203	1	5.9	0.00-17.1	113	94.1	82.9-0100
H.S. or G.E.D.	322	338,193	5	0.8	0.00-1.55	317	99.3	98.4-0100
Some Post-H.S.	413	509,946	1	0.3	0.00-0.92	412	99.7	99.1-0100
College Graduate	472	551,308	2	0.5	0.00-1.19	470	99.5	98.8-0100
Less than \$15,000	93	97,779	1	0.9	0.00-2.58	92	99.1	97.4-0100
\$15,000- 24,999	197	233,893	2	1.0	0.00-2.65	195	99.0	97.4-0100
\$25,000- 34,999	151	177,793	3	1.3	0.00-3.27	148	98.6	96.7-0100
\$35,000- 49,999	243	261,390	1	0.1	0.00-0.18	242	99.9	99.8-0100
\$50,000- 74,999	246	303,823				246	100.0	0100-0100
\$75,000+	260	343,835				260	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

**TABLE 6: IN THE PAST 12 MONTHS, HAS ANYONE TOUCHED SEXUAL PARTS OF YOUR BODY AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT THEM TO OR WITHOUT YOUR CONSENT?
(SVSEXTCH)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2143	1,604,131	19	1.6	0.49-2.65	2124	98.4	97.4-99.5
White/Non-Hisp	1471	1,093,483	9	1.2	0.00-2.49	1462	98.8	97.5-0100
Oth. Race/Non-Hisp.	103	79,151	3	7.6	0.00-16.6	100	92.4	83.4-0100
Hispanic	505	377,014	7	1.5	0.00-3.53	498	98.5	96.5-0100
18-24	112	209,548	5	4.6	0.00-10.6	107	95.3	89.4-0100
25-34	308	310,445	2	1.6	0.00-4.20	306	98.3	95.8-0100
35-44	384	296,084	6	3.0	0.00-6.18	378	97.0	93.8-0100
45-54	405	290,121	4	0.3	0.00-0.64	401	99.7	99.4-0100
55-64	393	223,615	2	0.2	0.00-0.49	391	99.8	99.5-0100
65+	525	256,702				525	100.0	0100-0100
Less Than H.S.	249	154,905	4	3.4	0.00-8.27	245	96.6	91.7-0100
H.S. or G.E.D.	612	466,782	3	0.2	0.00-0.59	609	99.8	99.4-0100
Some Post-H.S.	651	487,173	8	2.8	0.01-5.69	643	97.1	94.3-0100
College Graduate	624	493,792	4	1.0	0.00-2.41	620	99.0	97.6-0100
Less than \$15,000	236	161,003	6	2.8	0.00-7.30	230	97.2	92.7-0100
\$15,000- 24,999	408	244,805	2	0.7	0.00-1.81	406	99.3	98.2-0100
\$25,000- 34,999	266	175,435	3	3.6	0.00-9.51	263	96.4	90.5-0100
\$35,000- 49,999	323	228,402	2	1.1	0.00-3.24	321	98.9	96.8-0100
\$50,000- 74,999	270	215,470	3	1.3	0.00-3.10	267	98.7	96.9-0100
\$75,000+	312	338,423	2	1.1	0.00-3.36	310	98.8	96.6-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

TABLE 7: IN THE PAST 12 MONTHS, HAS ANYONE ATTEMPTED TO HAVE SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT, BUT SEX DID NOT OCCUR? (SVNOSEX)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3416	3,170,929	32	1.3	0.50-2.18	3384	98.7	97.8-99.5
Male	1314	1,593,670	10	1.1	0.00-2.46	1304	98.9	97.5-0100
Female	2102	1,577,259	22	1.6	0.50-2.62	2080	98.4	97.4-99.5
White/Non-Hisp	2391	2,178,354	14	1.2	0.06-2.30	2377	98.8	97.7-99.9
Oth. Race/Non-Hisp.	152	130,663	4	4.3	0.00-9.49	148	95.7	90.5-0100
Hispanic	760	754,165	14	1.5	0.26-2.72	746	98.5	97.3-99.7
18-24	183	465,666	10	5.3	0.18-10.5	173	94.6	89.5-99.8
25-34	469	647,255	10	1.3	0.00-2.60	459	98.7	97.4-0100
35-44	583	580,750	3	0.9	0.00-2.24	580	99.1	97.8-0100
45-54	665	558,940	4	0.3	0.00-0.54	661	99.8	99.5-0100
55-64	634	419,438	3	0.2	0.00-0.36	631	99.8	99.6-0100
65+	859	478,155	2	0.4	0.00-0.92	857	99.6	99.1-0100
Less Than H.S.	361	350,960	2	1.1	0.00-3.18	359	98.9	96.8-0100
H.S. or G.E.D.	915	794,441	11	1.1	0.06-2.18	904	98.9	97.8-99.9
Some Post-H.S.	1050	986,527	13	1.6	0.30-2.84	1037	98.4	97.2-99.7
College Graduate	1083	1,037,522	6	1.4	0.00-3.41	1077	98.6	96.6-0100
Less than \$15,000	325	256,706	7	4.0	0.00-8.17	318	96.0	91.8-0100
\$15,000- 24,999	602	476,825	8	0.8	0.00-1.57	594	99.3	98.4-0100
\$25,000- 34,999	413	352,051	3	2.0	0.00-5.14	410	98.0	94.9-0100
\$35,000- 49,999	560	483,901	7	3.0	0.00-7.24	553	96.9	92.8-0100
\$50,000- 74,999	511	517,174	4	0.4	0.00-0.97	507	99.6	99.0-0100
\$75,000+	568	680,688				568	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

TABLE 8: IN THE PAST 12 MONTHS, HAS ANYONE ATTEMPTED TO HAVE SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT, BUT SEX DID NOT OCCUR? (SVNOSEX)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1314	1,593,670	10	1.1	0.00-2.46	1304	98.9	97.5-0100
White/Non-Hisp	953	1,107,393	3	1.2	0.00-3.03	950	98.8	97.0-0100
Oth. Race/Non-Hisp.	52	54,247	1	1.5	0.00-4.61	51	98.4	95.4-0100
Hispanic	259	378,592	6	1.1	0.00-2.34	253	98.9	97.7-0100
18-24	71	256,118	4	5.5	0.00-13.5	67	94.5	86.5-0100
25-34	164	337,889	4	0.4	0.00-0.93	160	99.6	99.1-0100
35-44	202	287,295	1	0.5	0.00-1.63	201	99.4	98.4-0100
45-54	267	274,315				267	100.0	0100-0100
55-64	251	203,027				251	100.0	0100-0100
65+	353	232,144	1	0.4	0.00-1.30	352	99.6	98.7-0100
Less Than H.S.	114	196,203				114	100.0	0100-0100
H.S. or G.E.D.	321	338,812	4	0.7	0.00-1.50	317	99.3	98.5-0100
Some Post-H.S.	411	508,609	4	1.0	0.00-2.10	407	99.0	97.9-0100
College Graduate	468	550,046	2	1.9	0.00-5.56	466	98.1	94.4-0100
Less than \$15,000	92	97,276	2	1.9	0.00-4.75	90	98.1	95.2-0100
\$15,000- 24,999	197	234,627	3	1.0	0.00-2.55	194	99.0	97.5-0100
\$25,000- 34,999	151	177,793	2	1.0	0.00-2.80	149	99.0	97.2-0100
\$35,000- 49,999	241	259,742	3	4.6	0.00-12.2	238	95.4	87.8-0100
\$50,000- 74,999	245	303,593				245	100.0	0100-0100
\$75,000+	259	343,669				259	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

TABLE 9: IN THE PAST 12 MONTHS, HAS ANYONE ATTEMPTED TO HAVE SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT, BUT SEX DID NOT OCCUR? (SVNOSEX)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2102	1,577,259	22	1.6	0.50-2.62	2080	98.4	97.4-99.5
White/Non-Hisp	1438	1,070,962	11	1.2	0.00-2.41	1427	98.8	97.6-0100
Oth. Race/Non-Hisp.	100	76,416	3	6.2	0.00-14.7	97	93.8	85.3-0100
Hispanic	501	375,574	8	1.9	0.00-4.02	493	98.1	96.0-0100
18-24	112	209,548	6	5.2	0.00-11.2	106	94.8	88.8-0100
25-34	305	309,366	6	2.3	0.00-4.92	299	97.7	95.1-0100
35-44	381	293,455	2	1.3	0.00-3.70	379	98.7	96.3-0100
45-54	398	284,625	4	0.5	0.00-1.07	394	99.5	98.9-0100
55-64	383	216,411	3	0.3	0.00-0.70	380	99.7	99.3-0100
65+	506	246,010	1	0.3	0.00-0.98	505	99.7	99.0-0100
Less Than H.S.	247	154,757	2	2.5	0.00-7.14	245	97.5	92.9-0100
H.S. or G.E.D.	594	455,628	7	1.4	0.00-3.16	587	98.6	96.8-0100
Some Post-H.S.	639	477,918	9	2.2	0.00-4.50	630	97.8	95.5-0100
College Graduate	615	487,477	4	0.8	0.00-2.08	611	99.2	97.9-0100
Less than \$15,000	233	159,430	5	5.2	0.00-11.7	228	94.8	88.3-0100
\$15,000- 24,999	405	242,198	5	0.5	0.00-1.05	400	99.5	99.0-0100
\$25,000- 34,999	262	174,258	1	3.1	0.00-9.01	261	96.9	91.0-0100
\$35,000- 49,999	319	224,158	4	1.3	0.00-2.60	315	98.8	97.4-0100
\$50,000- 74,999	266	213,580	4	1.0	0.00-2.34	262	99.0	97.7-0100
\$75,000+	309	337,019				309	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

**TABLE 10: IN THE PAST 12 MONTHS, HAS ANYONE HAD SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT? (SVHADSEX)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3410	3,164,025	12	0.7	0.00-1.42	3398	99.3	98.6-0100
Male	1312	1,591,951	3	0.8	0.00-2.19	1309	99.2	97.8-0100
Female	2098	1,572,074	9	0.5	0.00-1.09	2089	99.5	98.9-0100
White/Non-Hisp	2389	2,176,265	6	0.3	0.00-0.72	2383	99.7	99.3-0100
Oth. Race/Non-Hisp.	151	130,522	1	0.6	0.00-1.92	150	99.3	98.1-0100
Hispanic	757	749,491	5	1.7	0.00-4.71	752	98.3	95.3-0100
18-24	181	461,219	3	0.4	0.00-0.90	178	99.6	99.1-0100
25-34	469	647,255	4	2.6	0.00-6.19	465	97.4	93.8-0100
35-44	582	578,813	1	0.0	0.00-0.03	581	100.0	0100-0100
45-54	663	558,681	2	0.4	0.00-1.06	661	99.6	98.9-0100
55-64	635	420,245	1	0.0	0.00-0.06	634	100.0	99.9-0100
65+	858	477,314	1	0.0	0.00-0.12	857	100.0	99.9-0100
Less Than H.S.	362	351,025	1	3.3	0.00-9.54	361	96.7	90.5-0100
H.S. or G.E.D.	912	789,652	7	0.9	0.00-1.90	905	99.1	98.1-0100
Some Post-H.S.	1047	985,199	4	0.3	0.00-0.65	1043	99.7	99.3-0100
College Graduate	1082	1,036,671				1082	100.0	0100-0100
Less than \$15,000	324	256,529	3	1.8	0.00-4.84	321	98.2	95.2-0100
\$15,000- 24,999	600	474,155	3	2.5	0.00-7.13	597	97.5	92.9-0100
\$25,000- 34,999	412	351,709	1	0.1	0.00-0.27	411	99.9	99.7-0100
\$35,000- 49,999	561	483,598	2	0.2	0.00-0.53	559	99.8	99.5-0100
\$50,000- 74,999	511	517,174	1	0.4	0.00-1.07	510	99.6	98.9-0100
\$75,000+	569	680,854				569	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

TABLE 11: IN THE PAST 12 MONTHS, HAS ANYONE HAD SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT? (SVHADSEX)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1312	1,591,951	3	0.8	0.00-2.19	1309	99.2	97.8-0100	
White/Non-Hisp	952	1,105,815	1	0.0	0.00-0.06	951	100.0	99.9-0100	
Oth. Race/Non-Hisp.	51	54,106	1	1.6	0.00-4.64	50	98.4	95.4-0100	
Hispanic	259	378,592	1	3.0	0.00-8.85	258	97.0	91.1-0100	
18-24	71	256,118				71	100.0	0100-0100	
25-34	164	337,889	2	3.6	0.00-10.1	162	96.4	89.9-0100	
35-44	201	285,357				201	100.0	0100-0100	
45-54	266	274,174				266	100.0	0100-0100	
55-64	251	203,017				251	100.0	0100-0100	
65+	353	232,514	1	0.1	0.00-0.24	352	99.9	99.8-0100	
Less Than H.S.	114	196,203	1	5.8	0.00-16.9	113	94.2	83.1-0100	
H.S. or G.E.D.	321	338,812	2	0.3	0.00-0.81	319	99.7	99.2-0100	
Some Post-H.S.	409	506,531				409	100.0	0100-0100	
College Graduate	468	550,405				468	100.0	0100-0100	
Less than \$15,000	91	97,099	1	0.9	0.00-2.61	90	99.1	97.4-0100	
\$15,000- 24,999	197	234,627	2	5.0	0.00-14.2	195	95.0	85.8-0100	
\$25,000- 34,999	151	177,793				151	100.0	0100-0100	
\$35,000- 49,999	241	258,345				241	100.0	0100-0100	
\$50,000- 74,999	245	303,593				245	100.0	0100-0100	
\$75,000+	260	343,835				260	100.0	0100-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

**TABLE 12: IN THE PAST 12 MONTHS, HAS ANYONE HAD SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT? (SVHADSEX)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2098	1,572,074	9	0.5	0.00-1.09	2089	99.5	98.9-0100
White/Non-Hisp	1437	1,070,451	5	0.6	0.00-1.45	1432	99.3	98.5-0100
Oth. Race/Non-Hisp.	100	76,416				100	100.0	0100-0100
Hispanic	498	370,900	4	0.4	0.00-0.94	494	99.6	99.1-0100
18-24	110	205,101	3	0.9	0.00-2.01	107	99.1	98.0-0100
25-34	305	309,366	2	1.4	0.00-3.86	303	98.6	96.1-0100
35-44	381	293,455	1	0.0	0.00-0.03	380	100.0	0100-0100
45-54	397	284,507	2	0.8	0.00-2.08	395	99.2	97.9-0100
55-64	384	217,229	1	0.0	0.00-0.12	383	100.0	99.9-0100
65+	505	244,800				505	100.0	0100-0100
Less Than H.S.	248	154,822				248	100.0	0100-0100
H.S. or G.E.D.	591	450,839	5	1.3	0.00-3.06	586	98.7	96.9-0100
Some Post-H.S.	638	478,668	4	0.5	0.00-1.33	634	99.5	98.7-0100
College Graduate	614	486,266				614	100.0	0100-0100
Less than \$15,000	233	159,430	2	2.4	0.00-7.13	231	97.6	92.9-0100
\$15,000- 24,999	403	239,528	1	0.0	0.00-0.12	402	100.0	99.9-0100
\$25,000- 34,999	261	173,917	1	0.2	0.00-0.53	260	99.8	99.5-0100
\$35,000- 49,999	320	225,253	2	0.4	0.00-1.16	318	99.6	98.8-0100
\$50,000- 74,999	266	213,580	1	0.9	0.00-2.60	265	99.1	97.4-0100
\$75,000+	309	337,019				309	100.0	0100-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE

TABLE 13: AT THE TIME OF THE MOST RECENT INCIDENT, WHAT WAS YOUR RELATIONSHIP TO THE PERSON WHO [HAD SEX OR ATTEMPTED TO HAVE SEX] WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT. (SVRELATN)

Denominator excludes: Respondents with refused/missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE

TABLE 14: AT THE TIME OF THE MOST RECENT INCIDENT, WHAT WAS YOUR RELATIONSHIP TO THE PERSON WHO [HAD SEX OR ATTEMPTED TO HAVE SEX] WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT. (SVRELATN)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE

TABLE 15: AT THE TIME OF THE MOST RECENT INCIDENT, WHAT WAS YOUR RELATIONSHIP TO THE PERSON WHO [HAD SEX OR ATTEMPTED TO HAVE SEX] WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT. (SVRELATN)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE
TABLE 16: WAS THE PERSON WHO DID THIS MALE OR FEMALE? (SVGENDER)
Denominator excludes: Respondents with refused/missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE

TABLE 17: WAS THE PERSON WHO DID THIS MALE OR FEMALE? (SVGENDER)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE

TABLE 18: WAS THE PERSON WHO DID THIS MALE OR FEMALE? (SVGENDER)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

**TABLE 19: HAS ANYONE EVER ATTEMPTED TO HAVE SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT, BUT SEX DID NOT OCCUR?
(SVEANOSX)**

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3358	3,112,288	314	8.0	6.35-9.61	3044	92.0	90.4-93.6
Male	1299	1,570,627	45	4.2	1.87-6.45	1254	95.8	93.5-98.1
Female	2059	1,541,662	269	11.9	9.57-14.2	1790	88.1	85.8-90.4
White/Non-Hisp	2357	2,140,640	248	9.0	7.14-10.8	2109	91.0	89.2-92.9
Oth. Race/Non-Hisp.	148	125,194	8	7.9	0.76-15.1	140	92.1	84.9-99.2
Hispanic	742	739,344	42	4.5	0.61-8.49	700	95.4	91.5-99.4
18-24	172	437,750	14	2.9	0.26-5.64	158	97.0	94.4-99.7
25-34	459	639,769	50	9.9	4.70-15.1	409	90.1	84.9-95.3
35-44	578	573,368	61	9.4	5.99-12.9	517	90.6	87.1-94.0
45-54	659	555,926	82	12.1	7.72-16.5	577	87.9	83.5-92.3
55-64	626	416,197	64	8.6	5.56-11.6	562	91.4	88.4-94.4
65+	843	468,891	41	3.1	1.72-4.42	802	96.9	95.6-98.3
Less Than H.S.	358	346,078	22	5.5	0.77-10.3	336	94.4	89.7-99.2
H.S. or G.E.D.	896	780,210	55	7.8	3.74-11.9	841	92.2	88.1-96.3
Some Post-H.S.	1029	965,112	124	9.1	6.61-11.5	905	90.9	88.5-93.4
College Graduate	1069	1,019,519	113	7.9	5.34-10.5	956	92.1	89.5-94.7
\$15,000- 24,999	588	468,433	54	9.4	4.86-13.9	534	90.6	86.1-95.1
\$25,000- 34,999	407	343,153	38	6.6	3.26-9.88	369	93.4	90.1-96.7
\$35,000- 49,999	550	466,680	50	5.5	3.35-7.71	500	94.5	92.3-96.6
\$50,000- 74,999	504	514,025	50	7.3	4.05-10.6	454	92.7	89.4-96.0
\$75,000+	568	679,913	55	9.1	5.47-12.8	513	90.9	87.2-94.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

**TABLE 20: HAS ANYONE EVER ATTEMPTED TO HAVE SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT, BUT SEX DID NOT OCCUR?
(SVEANOSX)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1299	1,570,627	45	4.2	1.87-6.45	1254	95.8	93.5-98.1
White/Non-Hisp	946	1,089,855	38	4.0	1.95-6.03	908	96.0	94.0-98.0
Oth. Race/Non-Hisp.	51	53,404				51	100.0	0100-0100
Hispanic	253	374,454	6	5.3	0.00-12.7	247	94.7	87.3-0100
18-24	67	242,109	2	2.9	0.00-7.38	65	97.1	92.6-0100
25-34	160	336,535	9	7.4	0.00-15.9	151	92.6	84.1-0100
35-44	200	283,780	8	4.3	0.26-8.42	192	95.7	91.6-99.7
45-54	266	273,309	8	3.7	0.00-7.66	258	96.3	92.3-0100
55-64	249	201,625	10	4.2	0.65-7.67	239	95.8	92.3-99.3
65+	351	230,387	7	1.0	0.10-1.98	344	99.0	98.0-99.9
Less Than H.S.	114	196,203	3	4.7	0.00-11.8	111	95.3	88.2-0100
H.S. or G.E.D.	316	335,337	9	5.6	0.00-13.4	307	94.4	86.6-0100
Some Post-H.S.	405	501,053	22	4.6	1.63-7.67	383	95.3	92.3-98.4
College Graduate	464	538,033	11	2.6	0.21-5.07	453	97.4	94.9-99.8
\$15,000- 24,999	193	231,319	8	7.0	0.00-14.3	185	93.0	85.7-0100
\$25,000- 34,999	148	175,455	5	2.5	0.00-5.38	143	97.5	94.6-0100
\$35,000- 49,999	238	246,363	5	1.4	0.00-3.05	233	98.6	97.0-0100
\$50,000- 74,999	243	301,633	12	4.4	0.36-8.40	231	95.6	91.6-99.6
\$75,000+	260	343,835	8	2.9	0.00-5.74	252	97.1	94.3-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

**TABLE 21: HAS ANYONE EVER ATTEMPTED TO HAVE SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT TO OR WITHOUT YOUR CONSENT, BUT SEX DID NOT OCCUR?
(SVEANOSX)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2059	1,541,662	269	11.9	9.57-14.2	1790	88.1	85.8-90.4
White/Non-Hisp	1411	1,050,784	210	14.1	11.1-17.1	1201	85.9	82.9-88.9
Hispanic	489	364,890	36	3.8	1.52-6.02	453	96.2	94.0-98.5
18-24	105	195,642	12	3.0	0.58-5.40	93	97.0	94.6-99.4
25-34	299	303,234	41	12.7	6.94-18.5	258	87.3	81.5-93.1
35-44	378	289,588	53	14.4	8.98-19.9	325	85.6	80.1-91.0
45-54	393	282,617	74	20.3	12.9-27.7	319	79.7	72.3-87.1
55-64	377	214,571	54	12.7	7.97-17.5	323	87.3	82.5-92.0
65+	492	238,504	34	5.0	2.56-7.50	458	95.0	92.5-97.4
Less Than H.S.	244	149,875	19	6.7	0.89-12.5	225	93.3	87.5-99.1
H.S. or G.E.D.	580	444,873	46	9.5	5.28-13.8	534	90.4	86.2-94.7
Some Post-H.S.	624	464,059	102	13.8	9.96-17.7	522	86.2	82.3-90.0
College Graduate	605	481,486	102	13.8	9.18-18.4	503	86.2	81.6-90.8
Less than \$15,000	227	150,877	36	12.8	5.32-20.2	191	87.3	79.8-94.7
\$15,000- 24,999	395	237,114	46	11.7	6.34-17.0	349	88.3	83.0-93.7
\$25,000- 34,999	259	167,698	33	10.9	5.08-16.6	226	89.1	83.4-94.9
\$35,000- 49,999	312	220,317	45	10.2	6.10-14.3	267	89.8	85.7-93.9
\$50,000- 74,999	261	212,392	38	11.5	6.07-17.0	223	88.5	83.0-93.9
\$75,000+	308	336,078	47	15.6	8.94-22.2	261	84.4	77.8-91.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

**TABLE 22: HAS ANYONE EVER HAD SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT THEM TO OR WITHOUT YOUR CONSENT? (SVEHDSEX)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3378	3,126,423	233	5.7	4.40-6.98	3145	94.3	93.0-95.6
Male	1305	1,575,437	23	2.4	0.73-3.99	1282	97.6	96.0-99.3
Female	2073	1,550,986	210	9.1	7.10-11.1	1863	90.9	88.9-92.9
White/Non-Hisp	2366	2,157,398	189	6.5	5.06-7.96	2177	93.5	92.0-94.9
Oth. Race/Non-Hisp.	151	129,941	5	8.0	0.00-16.2	146	92.0	83.8-0100
Hispanic	749	731,448	22	2.1	0.00-4.84	727	97.9	95.2-0100
18-24	179	460,886	5	3.6	0.00-8.57	174	96.3	91.4-0100
25-34	463	626,040	35	5.5	2.68-8.36	428	94.5	91.6-97.3
35-44	579	576,770	37	4.9	2.21-7.55	542	95.1	92.5-97.8
45-54	659	553,968	66	8.9	5.53-12.2	593	91.1	87.8-94.5
55-64	630	418,717	55	7.4	4.64-10.2	575	92.6	89.8-95.4
65+	847	469,655	35	3.9	2.15-5.67	812	96.1	94.3-97.9
Less Than H.S.	357	333,183	17	3.9	0.77-6.97	340	96.1	93.0-99.2
H.S. or G.E.D.	901	781,068	49	5.8	2.52-9.10	852	94.2	90.9-97.5
Some Post-H.S.	1038	976,620	89	6.5	4.49-8.53	949	93.5	91.5-95.5
College Graduate	1076	1,034,184	77	5.4	3.35-7.47	999	94.6	92.5-96.6
Less than \$15,000	319	251,360	35	10.3	1.95-18.6	284	89.7	81.4-98.0
\$15,000- 24,999	592	455,248	47	6.4	3.58-9.26	545	93.6	90.7-96.4
\$25,000- 34,999	410	350,436	30	7.7	3.32-12.1	380	92.3	87.9-96.7
\$35,000- 49,999	557	481,775	36	4.9	2.39-7.37	521	95.1	92.6-97.6
\$50,000- 74,999	507	513,448	30	5.5	2.28-8.78	477	94.5	91.2-97.7
\$75,000+	567	679,637	36	4.6	2.35-6.93	531	95.4	93.1-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

TABLE 23: HAS ANYONE EVER HAD SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT THEM TO OR WITHOUT YOUR CONSENT? (SVEHDSEX)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1305	1,575,437	23	2.4	0.71-4.01	1282	97.6	96.0-99.3	
White/Non-Hisp	947	1,101,673	19	2.1	0.70-3.52	928	97.9	96.5-99.3	
Oth. Race/Non-Hisp.	51	53,404				51	100.0	0100-0100	
Hispanic	257	366,922	2	2.8	0.00-8.30	255	97.1	91.7-0100	
18-24	71	256,118	1	4.0	0.00-11.9	70	95.9	88.1-0100	
25-34	162	325,585	3	0.2	0.00-0.42	159	99.8	99.6-0100	
35-44	200	284,306	4	3.7	0.00-8.10	196	96.3	91.9-0100	
45-54	266	273,309	3	1.6	0.00-3.96	263	98.3	96.0-0100	
55-64	250	202,808	6	3.4	0.00-6.79	244	96.6	93.2-0100	
65+	350	230,430	6	1.8	0.11-3.53	344	98.2	96.5-99.9	
Less Than H.S.	112	184,533	1	1.1	0.00-3.29	111	98.9	96.7-0100	
H.S. or G.E.D.	317	335,634	6	3.8	0.00-9.81	311	96.1	90.2-0100	
Some Post-H.S.	410	506,672	9	1.9	0.25-3.55	401	98.1	96.5-99.7	
College Graduate	466	548,598	7	2.3	0.00-4.64	459	97.7	95.4-0100	
\$15,000- 24,999	193	221,763	5	2.3	0.00-4.84	188	97.7	95.2-0100	
\$25,000- 34,999	151	177,793	5	2.6	0.00-5.66	146	97.4	94.3-0100	
\$35,000- 49,999	241	258,345	2	0.5	0.00-1.27	239	99.5	98.7-0100	
\$50,000- 74,999	243	301,698	4	2.6	0.00-6.43	239	97.4	93.6-0100	
\$75,000+	260	343,835	4	1.3	0.00-3.15	256	98.7	96.8-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 25: SEXUAL VIOLENCE**

TABLE 24: HAS ANYONE EVER HAD SEX WITH YOU AFTER YOU SAID OR SHOWED THAT YOU DIDN'T WANT THEM TO OR WITHOUT YOUR CONSENT? (SVEHDSEX)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2073	1,550,986	210	9.1	7.10-11.1	1863	90.9	88.9-92.9
White/Non-Hisp	1419	1,055,725	170	11.1	8.58-13.6	1249	88.9	86.4-91.4
Hispanic	492	364,526	20	1.3	0.32-2.24	472	98.7	97.8-99.7
18-24	108	204,768	4	3.1	0.00-8.30	104	96.9	91.7-0100
25-34	301	300,455	32	11.3	5.63-17.0	269	88.7	83.0-94.4
35-44	379	292,464	33	6.0	2.89-9.09	346	94.0	90.9-97.1
45-54	393	280,659	63	15.9	9.92-21.8	330	84.1	78.2-90.1
55-64	380	215,909	49	11.2	6.89-15.5	331	88.8	84.5-93.1
65+	497	239,225	29	5.9	2.94-8.90	468	94.1	91.1-97.1
Less Than H.S.	245	148,650	16	7.3	1.07-13.6	229	92.7	86.4-98.9
H.S. or G.E.D.	584	445,433	43	7.3	3.62-11.0	541	92.7	89.0-96.4
Some Post-H.S.	628	469,948	80	11.5	7.79-15.2	548	88.5	84.8-92.2
College Graduate	610	485,586	70	8.9	5.49-12.4	540	91.1	87.6-94.5
Less than \$15,000	229	155,104	33	9.7	3.89-15.5	196	90.3	84.5-96.1
\$15,000- 24,999	399	233,486	42	10.3	5.49-15.1	357	89.7	84.9-94.5
\$25,000- 34,999	259	172,643	25	13.0	5.09-20.9	234	87.0	79.1-94.9
\$35,000- 49,999	316	223,429	34	10.0	4.91-15.1	282	90.0	84.9-95.1
\$50,000- 74,999	264	211,750	26	9.7	3.96-15.4	238	90.3	84.6-96.0
\$75,000+	307	335,802	32	8.0	3.82-12.2	275	92.0	87.8-96.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005**

MODULE 26: INTIMATE PARTNER VIOLENCE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAS AN INTIMATE PARTNER EVER THREATENED YOU WITH PHYSICAL VIOLENCE? THIS INCLUDES THREATENING TO HIT, SLAP, PUSH, KICK, OR PHYSICALLY HURT YOU IN ANY WAY (IPVTHRAT)	
1	MALES AND FEMALES	204
2	MALES ONLY	205
3	FEMALES ONLY	206
	HAS AN INTIMATE PARTNER EVER HIT, SLAPPED, PUSHED, KICKED, OR PHYSICALLY HURT YOU IN ANY WAY? (IPVPHHRT)	
4	MALES AND FEMALES	207
5	MALES ONLY	208
6	FEMALES ONLY	209
	"OTHER THAN WHAT YOU HAVE ALREADY TOLD ME ABOUT" HAS AN INTIMATE PARTNER EVER ATTEMPTED PHYSICAL VIOLENCE AGAINST YOU? (IPVPHYVL)	
7	MALES AND FEMALES	210
8	MALES ONLY	211
9	FEMALES ONLY	212
	HAVE YOU EVER EXPERIENCED ANY UNWANTED SEX BY A CURRENT OR FORMER INTIMATE PARTNER? (IPVUWSEX)	
10	MALES AND FEMALES	213
11	MALES ONLY	214
12	FEMALES ONLY	215
	IN THE PAST 12 MONTHS, HAVE YOU EXPERIENCED ANY PHYSICAL VIOLENCE OR HAD UNWANTED SEX WITH AN INTIMATE PARTNER? (IPVPVL12)	
13	MALES AND FEMALES	216
14	MALES ONLY	217
15	FEMALES ONLY	218
	IN THE PAST 12 MONTHS, HAVE YOU HAD ANY INJURIES, SUCH AS BRUISES, CUTS, SCRAPES, BLACK EYES, VAGINAL OR ANAL TEARS, OR BROKEN BONES, AS A RESULT OF THIS PHYSICAL VIOLENCE OR UNWANTED SEX? (IPVSXINJ)	
16	MALES AND FEMALES	219
17	MALES ONLY	220
18	FEMALES ONLY	221
	AT THE TIME OF THE MOST RECENT INCIDENT, WHAT WAS YOUR RELATIONSHIP TO THE INTIMATE PARTNER WHO WAS PHYSICALLY VIOLENT OR HAD UNWANTED SEX WITH YOU? (IPVRELTN)	
19	MALES AND FEMALES	222

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005

MODULE 26: INTIMATE PARTNER VIOLENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
20	MALES ONLY	223
21	FEMALES ONLY	224

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

TABLE 1: HAS AN INTIMATE PARTNER EVER THREATENED YOU WITH PHYSICAL VIOLENCE? THIS INCLUDES THREATENING TO HIT, SLAP, PUSH, KICK, OR PHYSICALLY HURT YOU IN ANY WAY (IPVTHRAT)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3300	3,063,012	510	11.3	9.70-12.9	2790	88.7	87.1-90.3
Male	1267	1,529,849	105	6.4	4.39-8.35	1162	93.6	91.7-95.6
Female	2033	1,533,163	405	16.2	13.7-18.7	1628	83.8	81.3-86.3
White/Non-Hisp	2304	2,091,358	403	13.5	11.5-15.6	1901	86.4	84.4-88.5
Oth. Race/Non-Hisp.	147	126,369	18	10.8	3.36-18.1	129	89.3	81.9-96.6
Hispanic	739	742,124	71	4.6	2.63-6.51	668	95.4	93.5-97.4
18-24	182	446,440	17	3.6	1.44-5.86	165	96.3	94.1-98.6
25-34	465	636,422	78	11.6	7.76-15.4	387	88.4	84.6-92.2
35-44	567	564,379	100	12.2	8.05-16.3	467	87.8	83.7-91.9
45-54	648	551,573	143	18.1	13.5-22.7	505	81.9	77.3-86.5
55-64	618	390,168	110	15.9	11.4-20.4	508	84.1	79.6-88.6
65+	800	456,641	60	5.5	3.33-7.65	740	94.5	92.4-96.7
Less Than H.S.	352	350,581	39	6.6	2.86-10.4	313	93.4	89.6-97.1
H.S. or G.E.D.	893	777,670	109	9.1	6.12-12.0	784	90.9	88.0-93.9
Some Post-H.S.	1004	934,011	203	14.6	11.4-17.7	801	85.4	82.3-88.6
College Graduate	1046	999,799	158	11.6	8.81-14.5	888	88.4	85.5-91.2
Less than \$15,000	303	248,090	65	14.3	7.61-20.9	238	85.8	79.1-92.4
\$15,000- 24,999	569	457,061	91	10.9	7.03-14.7	478	89.1	85.3-93.0
\$25,000- 34,999	405	347,937	78	14.7	9.43-20.0	327	85.3	80.0-90.6
\$35,000- 49,999	547	478,652	80	10.5	7.15-13.9	467	89.5	86.1-92.9
\$50,000- 74,999	502	491,534	65	9.3	5.53-13.1	437	90.7	86.9-94.5
\$75,000+	555	647,429	85	12.9	8.71-17.0	470	87.1	83.0-91.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

TABLE 2: HAS AN INTIMATE PARTNER EVER THREATENED YOU WITH PHYSICAL VIOLENCE? THIS INCLUDES THREATENING TO HIT, SLAP, PUSH, KICK, OR PHYSICALLY HURT YOU IN ANY WAY (IPVTHRAT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1267	1,529,849	105	6.4	4.39-8.35	1162	93.6	91.7-95.6
White/Non-Hisp	916	1,052,605	82	7.0	4.57-9.39	834	93.0	90.6-95.4
Hispanic	254	379,095	16	3.7	0.98-6.50	238	96.3	93.5-99.0
18-24	69	240,111	4	2.2	0.00-4.77	65	97.8	95.2-0100
25-34	164	336,708	14	5.0	1.79-8.21	150	95.0	91.8-98.2
35-44	194	274,186	21	9.5	2.87-16.2	173	90.5	83.8-97.1
45-54	257	269,399	29	9.6	4.04-15.3	228	90.3	84.7-96.0
55-64	243	181,881	24	8.3	2.70-13.8	219	91.8	86.2-97.3
65+	333	226,246	12	3.5	0.54-6.50	321	96.5	93.5-99.5
Less Than H.S.	108	194,557	4	2.2	0.00-5.10	104	97.8	94.9-0100
H.S. or G.E.D.	314	336,853	18	4.8	0.96-8.72	296	95.2	91.3-99.0
Some Post-H.S.	393	478,694	46	9.3	5.03-13.6	347	90.7	86.4-95.0
College Graduate	452	519,745	37	6.2	3.10-9.34	415	93.8	90.7-96.9
Less than \$15,000	85	95,584	10	8.0	0.52-15.5	75	92.0	84.5-99.5
\$15,000- 24,999	186	228,700	15	6.9	1.18-12.6	171	93.1	87.4-98.8
\$25,000- 34,999	146	176,612	16	5.3	1.54-8.98	130	94.7	91.0-98.5
\$35,000- 49,999	237	258,399	17	3.7	1.02-6.46	220	96.3	93.5-99.0
\$50,000- 74,999	240	281,670	15	5.2	0.62-9.72	225	94.8	90.3-99.4
\$75,000+	252	318,540	24	10.3	4.41-16.3	228	89.6	83.7-95.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

TABLE 3: HAS AN INTIMATE PARTNER EVER THREATENED YOU WITH PHYSICAL VIOLENCE? THIS INCLUDES THREATENING TO HIT, SLAP, PUSH, KICK, OR PHYSICALLY HURT YOU IN ANY WAY (IPVTHRAT)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2033	1,533,163	405	16.2	13.7-18.7	1628	83.8	81.3-86.3
White/Non-Hisp	1388	1,038,753	321	20.2	17.0-23.4	1067	79.8	76.6-83.0
Hispanic	485	363,029	55	5.4	2.76-8.14	430	94.5	91.9-97.2
18-24	113	206,329	13	5.4	1.65-9.09	100	94.6	90.9-98.4
25-34	301	299,714	64	18.9	12.2-25.7	237	81.1	74.3-87.8
35-44	373	290,193	79	14.7	9.68-19.6	294	85.3	80.4-90.3
45-54	391	282,174	114	26.2	19.1-33.3	277	73.8	66.7-80.9
55-64	375	208,287	86	22.6	15.9-29.4	289	77.4	70.6-84.1
65+	467	230,395	48	7.4	4.34-10.5	419	92.6	89.5-95.7
Less Than H.S.	244	156,024	35	12.1	4.80-19.5	209	87.9	80.5-95.2
H.S. or G.E.D.	579	440,818	91	12.3	8.03-16.6	488	87.7	83.4-92.0
Some Post-H.S.	611	455,317	157	20.1	15.5-24.7	454	79.9	75.3-84.5
College Graduate	594	480,054	121	17.5	12.7-22.2	473	82.5	77.8-87.3
Less than \$15,000	218	152,506	55	18.1	8.41-27.9	163	81.8	72.1-91.6
\$15,000- 24,999	383	228,361	76	14.8	9.83-19.9	307	85.1	80.1-90.2
\$25,000- 34,999	259	171,324	62	24.4	15.6-33.3	197	75.6	66.7-84.4
\$35,000- 49,999	310	220,253	63	18.5	12.4-24.6	247	81.5	75.4-87.6
\$50,000- 74,999	262	209,864	50	14.9	8.49-21.3	212	85.1	78.7-91.5
\$75,000+	303	328,889	61	15.3	9.43-21.2	242	84.7	78.8-90.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

**TABLE 4: HAS AN INTIMATE PARTNER EVER HIT, SLAPPED, PUSHED, KICKED, OR PHYSICALLY HURT YOU IN ANY WAY? (IPVPHRT)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3295	3,061,119	573	13.3	11.5-15.1	2722	86.7	84.9-88.5
Male	1268	1,528,709	143	9.6	7.12-12.0	1125	90.4	88.0-92.9
Female	2027	1,532,410	430	17.1	14.5-19.6	1597	82.9	80.4-85.5
White/Non-Hisp.	2302	2,089,705	443	16.1	13.9-18.4	1859	83.8	81.6-86.1
Oth. Race/Non-Hisp.	146	126,289	23	14.0	5.81-22.2	123	86.0	77.8-94.2
Hispanic	737	741,964	88	5.2	3.13-7.25	649	94.8	92.8-96.9
18-24	182	446,440	25	6.9	2.68-11.2	157	93.1	88.8-97.3
25-34	464	636,169	89	14.7	10.2-19.2	375	85.3	80.8-89.8
35-44	566	562,441	112	14.6	10.2-19.1	454	85.3	80.9-89.8
45-54	647	551,555	151	19.4	14.7-24.1	496	80.6	75.9-85.3
55-64	617	390,041	121	16.0	11.9-20.2	496	84.0	79.8-88.1
65+	799	457,084	72	6.8	4.43-9.09	727	93.2	90.9-95.6
Less Than H.S.	349	350,341	46	6.9	3.13-10.7	303	93.1	89.3-96.9
H.S. or G.E.D.	893	777,703	133	12.5	8.77-16.3	760	87.4	83.7-91.2
Some Post-H.S.	1003	932,413	216	16.4	13.0-19.7	787	83.6	80.3-87.0
College Graduate	1045	999,711	176	13.3	10.3-16.3	869	86.7	83.7-89.7
Less than \$15,000	301	247,728	72	15.5	8.47-22.5	229	84.5	77.5-91.5
\$15,000- 24,999	569	457,061	98	11.5	7.44-15.6	471	88.5	84.4-92.6
\$25,000- 34,999	404	348,046	81	16.9	11.0-22.8	323	83.1	77.2-89.0
\$35,000- 49,999	548	479,236	102	15.4	11.0-19.8	446	84.6	80.2-89.1
\$50,000- 74,999	501	491,164	84	13.9	9.01-18.8	417	86.1	81.2-91.0
\$75,000+	555	647,429	84	12.6	8.55-16.6	471	87.4	83.4-91.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

**TABLE 5: HAS AN INTIMATE PARTNER EVER HIT, SLAPPED, PUSHED, KICKED, OR PHYSICALLY HURT YOU IN ANY WAY? (IPVPHRT)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1268	1,528,709	143	9.6	7.12-12.0	1125	90.4	88.0-92.9
White/Non-Hisp	917	1,051,465	108	10.8	7.74-13.9	809	89.2	86.1-92.3
Hispanic	254	379,095	25	5.0	1.85-8.23	229	95.0	91.8-98.2
18-24	69	240,111	10	8.1	0.89-15.4	59	91.9	84.6-99.1
25-34	164	336,708	26	10.8	5.34-16.3	138	89.2	83.7-94.7
35-44	193	272,248	28	12.8	5.55-20.0	165	87.2	80.0-94.5
45-54	258	269,648	34	11.2	5.45-17.0	224	88.8	83.0-94.6
55-64	243	181,881	30	9.1	4.74-13.6	213	90.8	86.4-95.3
65+	334	226,794	13	3.6	0.63-6.59	321	96.4	93.4-99.4
Less Than H.S.	108	194,557	6	2.4	0.00-5.38	102	97.6	94.6-0100
H.S. or G.E.D.	315	337,041	34	12.4	5.73-19.0	281	87.6	81.0-94.3
Some Post-H.S.	393	477,218	51	10.7	6.31-15.2	342	89.3	84.8-93.7
College Graduate	452	519,892	52	9.3	5.61-13.1	400	90.6	86.9-94.4
Less than \$15,000	85	95,584	13	11.1	1.75-20.5	72	88.9	79.5-98.2
\$15,000- 24,999	186	228,700	16	8.2	1.80-14.7	170	91.8	85.3-98.2
\$25,000- 34,999	146	176,754	18	8.1	2.05-14.1	128	91.9	85.9-97.9
\$35,000- 49,999	239	259,236	32	10.9	5.17-16.7	207	89.1	83.3-94.8
\$50,000- 74,999	239	281,299	27	11.4	4.66-18.2	212	88.6	81.8-95.3
\$75,000+	252	318,540	27	10.1	4.52-15.7	225	89.9	84.3-95.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

**TABLE 6: HAS AN INTIMATE PARTNER EVER HIT, SLAPPED, PUSHED, KICKED, OR PHYSICALLY HURT YOU IN ANY WAY? (IPVPHRT)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2027	1,532,410	430	17.1	14.5-19.6	1597	82.9	80.4-85.5
White/Non-Hisp	1385	1,038,240	335	21.6	18.2-24.9	1050	78.4	75.1-81.8
Hispanic	483	362,870	63	5.3	2.79-7.89	420	94.7	92.1-97.2
18-24	113	206,329	15	5.5	1.78-9.30	98	94.5	90.7-98.2
25-34	300	299,461	63	19.0	12.0-26.0	237	81.0	74.0-88.0
35-44	373	290,193	84	16.4	11.1-21.7	289	83.6	78.3-88.9
45-54	389	281,906	117	27.2	20.0-34.4	272	72.8	65.6-80.0
55-64	374	208,160	91	22.0	15.5-28.6	283	78.0	71.4-84.5
65+	465	230,290	59	9.9	6.31-13.4	406	90.1	86.6-93.7
Less Than H.S.	241	155,784	40	12.5	5.18-19.8	201	87.5	80.2-94.8
H.S. or G.E.D.	578	440,662	99	12.7	8.37-17.0	479	87.3	83.0-91.6
Some Post-H.S.	610	455,195	165	22.3	17.4-27.2	445	77.7	72.8-82.6
College Graduate	593	479,819	124	17.6	12.9-22.4	469	82.4	77.6-87.1
Less than \$15,000	216	152,144	59	18.2	8.47-27.9	157	81.8	72.1-91.5
\$15,000- 24,999	383	228,361	82	14.8	9.90-19.7	301	85.2	80.3-90.1
\$25,000- 34,999	258	171,291	63	26.1	16.9-35.2	195	73.9	64.8-83.1
\$35,000- 49,999	309	220,000	70	20.6	14.1-27.1	239	79.4	72.9-85.9
\$50,000- 74,999	262	209,864	57	17.2	10.2-24.3	205	82.8	75.7-89.8
\$75,000+	303	328,889	57	15.0	9.13-20.8	246	85.0	79.2-90.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

**TABLE 7: "OTHER THAN WHAT YOU HAVE ALREADY TOLD ME ABOUT" HAS AN INTIMATE PARTNER EVER ATTEMPTED PHYSICAL VIOLENCE AGAINST YOU? (IPVPHYVL)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3289	3,052,323	440	11.5	9.63-13.3	2849	88.5	86.7-90.4
Male	1268	1,524,495	133	10.7	7.81-13.6	1135	89.3	86.4-92.2
Female	2021	1,527,828	307	12.2	9.93-14.6	1714	87.8	85.4-90.1
White/Non-Hisp	2298	2,086,075	335	12.7	10.5-14.9	1963	87.3	85.1-89.5
Oth. Race/Non-Hisp.	145	125,819	17	9.9	3.62-16.2	128	90.1	83.8-96.4
Hispanic	736	737,269	73	7.8	3.90-11.6	663	92.2	88.4-96.1
18-24	182	446,440	22	8.1	3.18-13.1	160	91.9	86.9-96.8
25-34	463	631,584	81	14.9	9.72-20.2	382	85.0	79.8-90.3
35-44	565	562,015	85	12.5	8.12-16.9	480	87.5	83.1-91.9
45-54	645	549,045	119	14.1	9.86-18.4	526	85.8	81.6-90.1
55-64	615	389,485	89	13.6	9.36-17.9	526	86.4	82.1-90.6
65+	799	456,364	43	3.9	1.99-5.87	756	96.1	94.1-98.0
Less Than H.S.	349	350,230	37	8.4	3.12-13.7	312	91.6	86.3-96.9
H.S. or G.E.D.	889	776,537	95	10.8	6.91-14.8	794	89.1	85.2-93.1
Some Post-H.S.	1001	926,650	173	14.2	10.8-17.6	828	85.8	82.4-89.3
College Graduate	1045	997,954	134	10.5	7.60-13.4	911	89.5	86.6-92.4
Less than \$15,000	301	247,745	51	12.6	6.03-19.2	250	87.4	80.8-94.0
\$15,000- 24,999	567	456,505	83	14.0	8.51-19.4	484	86.0	80.6-91.5
\$25,000- 34,999	405	348,967	60	18.9	10.9-26.9	345	81.1	73.1-89.1
\$35,000- 49,999	546	476,919	75	9.7	6.24-13.2	471	90.3	86.8-93.8
\$50,000- 74,999	500	486,479	63	9.9	5.97-13.8	437	90.1	86.2-94.0
\$75,000+	554	647,156	63	10.6	6.50-14.7	491	89.4	85.3-93.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

TABLE 8: "OTHER THAN WHAT YOU HAVE ALREADY TOLD ME ABOUT" HAS AN INTIMATE PARTNER EVER ATTEMPTED PHYSICAL VIOLENCE AGAINST YOU? (IPVPHYVL)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1268	1,524,495	133	10.7	7.81-13.6	1135	89.3	86.4-92.2	
White/Non-Hisp	918	1,051,835	99	10.4	7.32-13.6	819	89.6	86.4-92.7	
Hispanic	253	374,510	23	9.8	2.80-16.7	230	90.2	83.3-97.2	
18-24	69	240,111	9	9.5	1.83-17.2	60	90.5	82.8-98.2	
25-34	163	332,124	26	15.5	6.99-24.0	137	84.5	76.0-93.0	
35-44	193	272,248	25	13.6	6.08-21.1	168	86.4	78.9-93.9	
45-54	258	269,648	32	9.0	4.13-13.9	226	91.0	86.1-95.9	
55-64	243	181,881	26	10.6	4.48-16.7	217	89.4	83.3-95.5	
65+	335	227,164	14	3.5	0.55-6.47	321	96.5	93.5-99.4	
Less Than H.S.	108	194,557	9	8.2	0.00-16.4	99	91.8	83.6-0100	
H.S. or G.E.D.	315	337,041	29	12.3	4.78-19.8	286	87.7	80.2-95.2	
Some Post-H.S.	392	472,634	51	13.2	7.84-18.6	341	86.8	81.4-92.2	
College Graduate	453	520,262	44	8.3	4.68-11.9	409	91.7	88.1-95.3	
Less than \$15,000	85	95,584	12	10.5	1.37-19.7	73	89.5	80.3-98.6	
\$35,000- 49,999	239	259,236	25	6.8	2.28-11.3	214	93.2	88.7-97.7	
\$50,000- 74,999	239	277,085	21	8.0	2.86-13.1	218	92.0	86.9-97.1	
\$75,000+	252	318,540	24	10.4	4.51-16.3	228	89.6	83.7-95.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

**TABLE 9: "OTHER THAN WHAT YOU HAVE ALREADY TOLD ME ABOUT" HAS AN INTIMATE PARTNER EVER ATTEMPTED PHYSICAL VIOLENCE AGAINST YOU? (IPVPHYVL)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2021	1,527,828	307	12.2	9.93-14.6	1714	87.8	85.4-90.1
White/Non-Hisp	1380	1,034,240	236	15.1	12.0-18.1	1144	84.9	81.9-88.0
Oth. Race/Non-Hisp.	97	76,716	10	7.0	1.37-12.6	87	93.0	87.4-98.6
Hispanic	483	362,758	50	5.7	2.55-8.87	433	94.3	91.1-97.4
18-24	113	206,329	13	6.6	0.63-12.5	100	93.4	87.5-99.4
25-34	300	299,461	55	14.3	8.57-20.1	245	85.6	79.9-91.4
35-44	372	289,767	60	11.5	6.78-16.2	312	88.5	83.8-93.2
45-54	387	279,396	87	19.1	12.3-25.9	300	80.9	74.1-87.7
55-64	372	207,605	63	16.3	10.3-22.2	309	83.7	77.8-89.7
65+	464	229,199	29	4.3	1.80-6.90	435	95.6	93.1-98.2
Less Than H.S.	241	155,672	28	8.8	2.68-14.8	213	91.2	85.2-97.3
H.S. or G.E.D.	574	439,496	66	9.8	5.85-13.7	508	90.3	86.3-94.2
Some Post-H.S.	609	454,016	122	15.2	10.9-19.4	487	84.8	80.6-89.1
College Graduate	592	477,693	90	12.9	8.33-17.5	502	87.1	82.5-91.7
Less than \$15,000	216	152,161	39	14.0	4.95-23.0	177	86.0	77.0-95.0
\$15,000- 24,999	381	227,805	60	10.0	6.12-14.0	321	90.0	86.0-93.9
\$25,000- 34,999	259	172,213	43	22.1	12.6-31.6	216	77.9	68.4-87.4
\$35,000- 49,999	307	217,684	50	13.2	7.98-18.5	257	86.8	81.5-92.0
\$50,000- 74,999	261	209,394	42	12.4	6.35-18.4	219	87.6	81.6-93.6
\$75,000+	302	328,616	39	10.8	5.09-16.5	263	89.2	83.5-94.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

**TABLE 10: HAVE YOU EVER EXPERIENCED ANY UNWANTED SEX BY A CURRENT OR FORMER INTIMATE PARTNER? (IPVUWSEX)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3258	3,029,584	237	5.0	3.91-6.03	3021	95.0	94.0-96.1
Male	1255	1,515,193	13	0.4	0.08-0.78	1242	99.6	99.2-99.9
Female	2003	1,514,391	224	9.5	7.46-11.5	1779	90.5	88.5-92.5
White/Non-Hisp	2272	2,064,599	176	5.7	4.42-7.04	2096	94.3	93.0-95.6
Oth. Race/Non-Hisp.	144	125,110	7	7.2	0.31-14.1	137	92.8	85.9-99.7
Hispanic	734	739,043	44	2.6	0.77-4.37	690	97.4	95.6-99.2
18-24	182	446,440	6	2.0	0.00-4.52	176	98.0	95.5-100.0
25-34	460	630,281	41	6.5	3.40-9.68	419	93.5	90.3-96.6
35-44	559	557,095	41	4.5	2.25-6.75	518	95.5	93.2-97.8
45-54	641	545,069	58	5.9	3.59-8.21	583	94.1	91.8-96.4
55-64	613	387,706	59	6.8	4.36-9.30	554	93.2	90.7-95.6
65+	785	446,732	32	3.7	1.82-5.62	753	96.3	94.4-98.2
Less Than H.S.	348	352,797	24	5.4	1.13-9.75	324	94.6	90.2-98.9
H.S. or G.E.D.	883	772,617	53	4.3	2.33-6.21	830	95.7	93.8-97.7
Some Post-H.S.	993	916,408	91	6.7	4.58-8.86	902	93.3	91.1-95.4
College Graduate	1029	986,811	67	3.7	2.38-5.00	962	96.3	95.0-97.6
Less than \$15,000	302	250,718	37	8.8	3.48-14.1	265	91.2	85.9-96.5
\$15,000- 24,999	566	453,337	59	5.9	3.09-8.81	507	94.0	91.2-96.9
\$25,000- 34,999	398	343,047	32	9.0	4.16-13.9	366	91.0	86.1-95.8
\$35,000- 49,999	545	477,641	32	5.0	2.58-7.36	513	95.0	92.6-97.4
\$50,000- 74,999	496	485,401	28	4.0	1.66-6.32	468	96.0	93.7-98.3
\$75,000+	545	637,939	26	2.4	1.09-3.67	519	97.6	96.3-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

TABLE 11: HAVE YOU EVER EXPERIENCED ANY UNWANTED SEX BY A CURRENT OR FORMER INTIMATE PARTNER? (IPVUWSEX)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1255	1,515,193	13	0.4	0.08-0.78	1242	99.6	99.2-99.9	
White/Non-Hisp	907	1,044,516	8	0.5	0.00-0.96	899	99.5	99.0-0100	
Hispanic	252	373,635	4	0.2	0.00-0.45	248	99.8	99.5-0100	
18-24	69	240,111				69	100.0	0100-0100	
25-34	163	332,124	4	0.3	0.00-0.86	159	99.6	99.1-0100	
35-44	192	271,373	3	0.5	0.00-1.07	189	99.5	98.9-0100	
45-54	257	268,642	1	0.8	0.00-2.52	256	99.1	97.5-0100	
55-64	242	180,979	3	0.7	0.00-1.61	239	99.3	98.4-0100	
65+	325	218,918	2	0.2	0.00-0.53	323	99.8	99.5-0100	
Less Than H.S.	107	194,419				107	100.0	0100-0100	
H.S. or G.E.D.	313	335,953	4	0.4	0.00-0.88	309	99.6	99.1-0100	
Some Post-H.S.	389	469,756	6	0.6	0.09-1.07	383	99.4	98.9-99.9	
College Graduate	446	515,066	3	0.5	0.00-1.37	443	99.5	98.6-0100	
Less than \$15,000	85	95,584	2	1.6	0.00-3.99	83	98.4	96.0-0100	
\$15,000- 24,999	185	227,049	4	0.3	0.00-0.75	181	99.7	99.2-0100	
\$25,000- 34,999	143	174,635	3	0.5	0.00-1.20	140	99.4	98.8-0100	
\$35,000- 49,999	236	257,623	2	0.3	0.00-0.85	234	99.7	99.2-0100	
\$50,000- 74,999	238	276,946	1	0.0	0.00-0.15	237	99.9	99.9-0100	
\$75,000+	250	316,632	1	0.7	0.00-2.13	249	99.3	97.9-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

**TABLE 12: HAVE YOU EVER EXPERIENCED ANY UNWANTED SEX BY A CURRENT OR FORMER INTIMATE PARTNER? (IPVUWSEX)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2003	1,514,391	224	9.5	7.46-11.5	1779	90.5	88.5-92.5
White/Non-Hisp	1365	1,020,084	168	11.1	8.59-13.6	1197	88.9	86.4-91.4
Hispanic	482	365,408	40	5.0	1.38-8.60	442	95.0	91.4-98.6
18-24	113	206,329	6	4.3	0.00-9.76	107	95.7	90.2-0100
25-34	297	298,157	37	13.4	7.12-19.7	260	86.6	80.3-92.9
35-44	367	285,722	38	8.3	4.06-12.6	329	91.7	87.4-95.9
45-54	384	276,427	57	10.8	6.61-15.0	327	89.2	85.0-93.4
55-64	371	206,726	56	12.2	7.68-16.7	315	87.8	83.3-92.3
65+	460	227,813	30	7.1	3.46-10.7	430	92.9	89.3-96.5
Less Than H.S.	241	158,378	24	12.1	2.89-21.4	217	87.9	78.6-97.1
H.S. or G.E.D.	570	436,664	49	7.3	3.90-10.6	521	92.7	89.4-96.1
Some Post-H.S.	604	446,652	85	13.2	8.97-17.4	519	86.8	82.6-91.0
College Graduate	583	471,746	64	7.2	4.60-9.78	519	92.8	90.2-95.4
Less than \$15,000	217	155,134	35	13.2	4.71-21.7	182	86.8	78.3-95.3
\$15,000- 24,999	381	226,288	55	11.6	6.13-17.0	326	88.4	83.0-93.9
\$25,000- 34,999	255	168,412	29	17.8	8.76-26.8	226	82.2	73.2-91.2
\$35,000- 49,999	309	220,018	30	10.4	5.48-15.4	279	89.6	84.6-94.5
\$50,000- 74,999	258	208,454	27	9.2	3.91-14.5	231	90.8	85.5-96.1
\$75,000+	295	321,307	25	4.0	1.84-6.20	270	96.0	93.8-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

**TABLE 13: IN THE PAST 12 MONTHS, HAVE YOU EXPERIENCED ANY PHYSICAL VIOLENCE OR HAD UNWANTED SEX WITH AN INTIMATE PARTNER? (IPVPVL12)
Denominator excludes: Respondents with refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	617	444,532	31	8.1	3.62-12.5	586	91.9	87.5-96.4	
Male	142	144,656	9	8.3	0.00-16.9	133	91.7	83.1-0100	
Female	475	299,876	22	7.9	2.80-13.1	453	92.1	86.9-97.2	
White/Non-Hisp	475	362,782	12	2.7	0.11-5.33	463	97.3	94.7-99.9	
45-54	152	106,574	7	1.8	0.00-3.69	145	98.2	96.3-0100	
55-64	129	64,975	4	2.8	0.00-6.98	125	97.2	93.0-0100	
65+	83	37,992	1	0.1	0.00-0.18	82	99.9	99.8-0100	
Some Post-H.S.	232	164,252	11	4.2	0.45-7.93	221	95.8	92.1-99.6	
College Graduate	193	142,954	7	2.3	0.00-4.85	186	97.7	95.2-0100	
\$25,000- 34,999	90	69,822	1	1.8	0.00-5.45	89	98.2	94.6-0100	
\$35,000- 49,999	106	79,329	3	4.8	0.00-11.5	103	95.2	88.5-0100	
\$50,000- 74,999	85	69,520	5	4.0	0.00-9.00	80	96.0	91.0-0100	
\$75,000+	88	82,649	2	0.7	0.00-1.72	86	99.3	98.3-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

TABLE 14: IN THE PAST 12 MONTHS, HAVE YOU EXPERIENCED ANY PHYSICAL VIOLENCE OR HAD UNWANTED SEX WITH AN INTIMATE PARTNER? (IPVPVL12)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	142	144,656	9	8.3	0.00-17.2	133	91.7	82.8-0100	
White/Non-Hisp	107	112,430	3	1.3	0.00-3.65	104	98.7	96.3-0100	
Some Post-H.S.	50	50,761	3	2.9	0.00-7.47	47	97.1	92.5-0100	
College Graduate	52	47,511	3	3.0	0.00-8.61	49	97.0	91.4-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE**

**TABLE 15: IN THE PAST 12 MONTHS, HAVE YOU EXPERIENCED ANY PHYSICAL VIOLENCE OR HAD UNWANTED SEX WITH AN INTIMATE PARTNER? (IPVPVL12)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	475	299,876	22	7.9	2.79-13.1	453	92.1	86.9-97.2	
White/Non-Hisp	368	250,352	9	3.4	0.00-7.01	359	96.6	93.0-0100	
45-54	120	77,703	5	2.3	0.00-4.84	115	97.8	95.2-0100	
55-64	99	48,353	2	0.7	0.00-1.73	97	99.3	98.3-0100	
65+	70	29,826				70	100.0	0100-0100	
Some Post-H.S.	182	113,491	8	4.8	0.00-9.74	174	95.2	90.3-0100	
College Graduate	141	95,443	4	1.9	0.00-4.61	137	98.1	95.4-0100	
\$25,000- 34,999	71	55,229	1	2.3	0.00-6.90	70	97.7	93.1-0100	
\$35,000- 49,999	77	52,111	1	4.7	0.00-13.6	76	95.3	86.4-0100	
\$50,000- 74,999	59	38,547	3	3.9	0.00-10.5	56	96.1	89.5-0100	
\$75,000+	61	50,367	1	0.8	0.00-2.39	60	99.2	97.6-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE

TABLE 16: IN THE PAST 12 MONTHS, HAVE YOU HAD ANY INJURIES, SUCH AS BRUISES, CUTS, SCRAPES, BLACK EYES, VAGINAL OR ANAL TEARS, OR BROKEN BONES, AS A RESULT OF THIS PHYSICAL VIOLENCE OR UNWANTED SEX? (IPVSXINJ)

Denominator excludes: Respondents with refused/missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE

TABLE 17: IN THE PAST 12 MONTHS, HAVE YOU HAD ANY INJURIES, SUCH AS BRUISES, CUTS, SCRAPES, BLACK EYES, VAGINAL OR ANAL TEARS, OR BROKEN BONES, AS A RESULT OF THIS PHYSICAL VIOLENCE OR UNWANTED SEX? (IPVSXINJ)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE

TABLE 18: IN THE PAST 12 MONTHS, HAVE YOU HAD ANY INJURIES, SUCH AS BRUISES, CUTS, SCRAPES, BLACK EYES, VAGINAL OR ANAL TEARS, OR BROKEN BONES, AS A RESULT OF THIS PHYSICAL VIOLENCE OR UNWANTED SEX? (IPVSXINJ)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE

TABLE 19: AT THE TIME OF THE MOST RECENT INCIDENT, WHAT WAS YOUR RELATIONSHIP TO THE INTIMATE PARTNER WHO WAS PHYSICALLY VIOLENT OR HAD UNWANTED SEX WITH YOU?
(IPVRELTN)

Denominator excludes: Respondents with refused/missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE

TABLE 20: AT THE TIME OF THE MOST RECENT INCIDENT, WHAT WAS YOUR RELATIONSHIP TO THE INTIMATE PARTNER WHO WAS PHYSICALLY VIOLENT OR HAD UNWANTED SEX WITH YOU?
(IPVRELTN)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005
MODULE 26: INTIMATE PARTNER VIOLENCE

TABLE 21: AT THE TIME OF THE MOST RECENT INCIDENT, WHAT WAS YOUR RELATIONSHIP TO THE INTIMATE PARTNER WHO WAS PHYSICALLY VIOLENT OR HAD UNWANTED SEX WITH YOU?
(IPVRELTN)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2005**

End of Module Data Report