


ARIZONA

2006 Module Variables Report

Behavioral Risk Factor Surveillance System

February 5, 2007



MODULE 1: RANDOM CHILD SELECTION CONTENTS

*** NOTE *** *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)	
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)	
10 MALES AND FEMALES	12
11 MALES ONLY	13
12 FEMALES ONLY	14
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)	
13 MALES AND FEMALES	15
14 MALES ONLY	16
15 FEMALES ONLY	17
HOW ARE YOU RELATED TO THE CHILD? (RCSRELN1)	
16 MALES AND FEMALES	18
17 MALES ONLY	19
18 FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)									
TOTAL	1331	1,664,082	244	16.1	12.4-19.8	372	21.7	18.0-25.4	354	25.2	20.9-29.5	326	31.2	26.3-36.1	35	5.7	02.2-09.2
Male	417	759,686	58	14.9	08.4-21.4	122	21.7	15.2-28.2	118	27.8	20.2-35.4	108	28.7	21.1-36.3	11	7.0	00.0-14.3
Female	914	904,396	186	17.2	12.9-21.5	250	21.8	17.3-26.3	236	23.0	18.1-27.9	218	33.4	27.3-39.5	24	4.6	02.1-07.1
White/Non-Hisp	683	982,740	132	18.2	12.9-23.5	188	24.9	19.6-30.2	165	19.8	15.1-24.5	174	31.4	25.3-37.5	24	5.7	02.4-09.0
Oth. Race/Non-Hisp.	96	64,569	14	10.9	03.5-18.3							1	1.3	00.0-03.8			
Hispanic	506	566,953	90	12.6	06.9-18.3	131	13.9	08.4-19.4	151	34.3	24.7-43.9	126	32.8	23.4-42.2	8	6.4	00.0-15.2
18-24	103	218,663				12	5.6	01.3-09.9	12	9.9	00.5-19.3						
25-34	357	555,902	7	0.5	00.0-01.1	52	12.9	06.8-19.0	124	34.4	25.4-43.4	159	46.4	37.0-55.8	15	5.8	01.3-10.3
35-44	500	568,211	90	17.5	11.4-23.6	174	29.0	21.9-36.1	143	25.0	18.3-31.7	83	24.5	17.1-31.9	10	4.0	00.5-07.5
45-54	282	261,603							57	21.5	12.5-30.5	17	5.5	02.0-09.0	1	0.4	00.0-01.2
55-64	66	40,783							13	8.5	01.8-15.2	8	7.7	00.3-15.1	1	0.8	00.0-02.4
Less Than H.S.	211	259,250													1	0.4	00.0-01.2
H.S. or G.E.D.	345	399,813	64	14.6	06.2-23.0	90	22.1	14.3-29.9	97	27.0	18.0-36.0				12	7.5	01.6-13.4
Some Post-H.S.	398	480,828	75	17.6	11.1-24.1	111	21.0	13.9-28.1	108	23.9	16.8-31.0	95	30.5	21.5-39.5	9	7.0	00.0-17.4
College Graduate	374	512,698	64	14.4	08.5-20.3	102	22.6	15.9-29.3	95	22.0	14.9-29.1	100	35.2	26.8-43.6	13	5.8	01.3-10.3
Less than \$15,000	134	98,450				39	14.1	04.3-23.9									
\$15,000- 24,999	263	270,331	43	13.8	05.2-22.4	86	20.0	12.0-28.0									
\$25,000- 34,999	148	163,256							40	18.0	08.0-28.0				3	3.2	00.0-08.1
\$35,000- 49,999	185	205,457													5	1.2	00.0-02.4
\$50,000- 74,999	204	287,245	33	11.3	05.0-17.6	56	22.4	13.4-31.4							4	5.0	00.0-12.1
\$75,000+	283	471,859	54	16.0	08.9-23.1	81	26.9	18.7-35.1	74	23.4	15.6-31.2	63	27.7	18.9-36.5	11	6.0	01.3-10.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)									
Male	417	759,686	58	14.9	08.4-21.4	122	21.7	15.2-28.2	118	27.8	20.2-35.4	108	28.7	21.1-36.3	11	7.0	00.0-14.3
White/Non-Hisp	233	480,813	32	17.4	08.4-26.4	71	25.8	17.2-34.4	58	20.1	12.5-27.7	65	32.1	22.3-41.9	7	4.7	00.0-09.8
Hispanic	146	236,140	22	9.3	01.7-16.9	37	12.7	03.5-21.9									
25-34	105	235,676													4	5.2	00.0-13.0
35-44	142	269,735	14	10.9	03.1-18.7										4	4.2	00.0-10.5
45-54	102	131,998										8	5.0	00.3-09.7			
H.S. or G.E.D.	109	169,377													5	8.6	00.0-19.6
Some Post-H.S.	116	210,061	16	9.4	02.1-16.7												
College Graduate	135	261,832	20	15.0	05.2-24.8	39	17.8	08.2-27.4							5	4.4	00.0-10.7
\$15,000- 24,999	71	109,243				24	12.4	03.4-21.4									
\$50,000- 74,999	86	160,304	9	4.3	00.4-08.2										1	6.0	00.0-17.4
\$75,000+	116	264,708													5	4.5	00.0-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)									
Female	914	904,396	186	17.2	12.9-21.5	250	21.8	17.3-26.3	236	23.0	18.1-27.9	218	33.4	27.3-39.5	24	4.6	0.21-07.1
White/Non-Hisp	450	501,927	100	19.1	13.2-25.0	117	24.0	17.7-30.3	107	19.5	14.2-24.8	109	30.7	23.4-38.0	17	6.7	0.26-10.8
Hispanic	360	330,813	68	15.0	07.2-22.8	94	14.7	08.2-21.2				5	2.1	00.0-04.6			
18-24	71	115,285				4	4.1	00.0-09.2				5	2.9	00.0-06.0			
25-34	252	320,226	7	0.9	00.0-02.1	37	12.8	06.1-19.5	80	27.6	18.0-37.2				11	6.2	01.1-11.3
35-44	358	298,476	76	23.5	14.9-32.1	130	31.8	23.6-40.0	104	24.1	17.2-31.0	42	16.8	09.7-23.9	6	3.9	00.2-07.6
45-54	180	129,605										9	6.0	00.5-11.5	1	0.9	00.0-02.7
Less Than H.S.	155	147,836													1	0.7	00.0-02.1
H.S. or G.E.D.	236	230,436	51	13.5	06.2-20.8	57	20.9	11.5-30.3							7	6.7	00.4-13.0
Some Post-H.S.	282	270,767	59	23.9	14.7-33.1	78	18.4	11.1-25.7	74	19.5	12.6-26.4				8	2.6	00.0-05.7
College Graduate	239	250,866	44	13.8	07.7-19.9	63	27.6	18.6-36.6	62	20.5	12.9-28.1	62	30.8	21.4-40.2	8	7.2	01.1-13.3
\$15,000- 24,999	192	161,088													1	0.7	00.0-02.1
\$25,000- 34,999	100	77,492							22	10.9	02.9-18.9				2	5.1	00.0-14.7
\$35,000- 49,999	138	143,430													5	1.7	00.0-03.5
\$50,000- 74,999	118	126,940				30	18.8	09.4-28.2							3	3.8	00.0-10.3
\$75,000+	167	207,152	40	15.8	08.4-23.2				43	22.7	13.1-32.3				6	7.9	00.8-15.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1438	1,838,592	749	53.7	48.8-58.6	689	46.3	41.4-51.2
Male	475	874,742	240	55.5	47.5-63.5	235	44.5	36.5-52.5
Female	963	963,850	509	52.1	46.2-58.0	454	47.9	42.0-53.8
White/Non-Hisp	731	1,076,916	381	55.2	49.1-61.3	350	44.8	38.7-50.9
Hispanic	546	611,779	286	51.4	41.8-61.0	260	48.6	39.0-58.2
25-34	374	585,974	191	55.9	46.9-64.9	183	44.1	35.1-53.1
35-44	534	625,417	266	47.6	39.8-55.4	268	52.4	44.6-60.2
H.S. or G.E.D.	374	459,268	177	47.2	37.2-57.2	197	52.8	42.8-62.8
Some Post-H.S.	427	522,235	232	56.0	47.2-64.8	195	44.0	35.2-52.8
College Graduate	396	545,976	212	53.7	45.3-62.1	184	46.3	37.9-54.7
\$75,000+	298	497,655	157	57.6	48.6-66.6	141	42.4	33.4-51.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	475	874,742	240	55.5	47.5-63.5	235	44.5	36.5-52.5
White/Non-Hisp	262	552,867	131	53.3	43.5-63.1	131	46.7	36.9-56.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	963	963,850	509	52.1	46.2-58.0	454	47.9	42.0-53.8
White/Non-Hisp	469	524,049	250	57.1	50.2-64.0	219	42.9	36.0-49.8
35-44	372	306,129	186	44.1	35.5-52.7	186	55.9	47.3-64.5
College Graduate	250	257,979	139	57.4	47.8-67.0	111	42.6	33.0-52.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 7. IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1428	1,821,710	621	40.7	35.6-45.8	807	59.3	54.2-64.4
Male	472	861,403	191	38.0	29.8-46.2	281	62.0	53.8-70.2
Female	956	960,307	430	43.0	36.9-49.1	526	57.0	50.9-63.1
White/Non-Hisp	733	1,079,869	87	12.3	08.2-16.4	646	87.7	83.6-91.8
Hispanic	540	600,696	518	97.1	95.3-98.9	22	2.9	01.1-04.7
25-34	374	581,121	175	49.1	39.9-58.3	199	50.9	41.7-60.1
35-44	530	624,368	235	32.9	25.6-40.2	295	67.1	59.8-74.4
45-54	300	276,838	98	24.7	15.9-33.5	202	75.3	66.5-84.1
H.S. or G.E.D.	375	461,846	201	54.3	44.5-64.1	174	45.7	35.9-55.5
Some Post-H.S.	423	518,749	146	37.6	27.6-47.6			
College Graduate	392	549,008	100	16.2	10.1-22.3	292	83.8	77.7-89.9
\$75,000+	298	505,379	64	22.3	14.5-30.1	234	77.7	69.9-85.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	472	861,403	191	38.0	29.8-46.2	281	62.0	53.8-70.2
White/Non-Hisp	261	550,243	30	12.5	06.2-18.8	231	87.5	81.2-93.8
Hispanic	165	259,197	157	97.2	94.3-0100	8	2.8	00.0-05.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	956	960,307	430	43.0	37.1-48.9	526	57.0	51.1-62.9
White/Non-Hisp	472	529,626	57	12.1	07.2-17.0	415	87.9	83.0-92.8
Hispanic	375	341,499	361	97.0	94.8-99.2	14	3.0	00.8-05.2
35-44	368	305,518	170	38.2	29.2-47.2	198	61.8	52.8-70.8
Some Post-H.S.	292	289,675				192	68.3	58.3-78.3
College Graduate	247	255,450	63	13.8	07.7-19.9	184	86.2	80.1-92.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1410	1,785,490	869	65.8	60.9-70.7	45	3.6	02.0-05.2	16	1.5	00.5-02.5	12	0.4	00.2-00.6	87	3.0	02.2-03.8	381	25.8	20.9-30.7
Male	463	848,033	292	67.3	59.1-75.5	14	3.0	00.6-05.4	7	1.8	00.0-03.6	5	0.5	00.0-01.1	26	2.6	01.2-04.0	119	24.8	16.6-33.0
Female	947	937,456	577	64.4	58.5-70.3	31	4.0	01.8-06.2	9	1.2	00.2-02.2	7	0.3	00.1-00.5	61	3.4	02.4-04.4	262	26.7	21.0-32.4
White/Non-Hisp	735	1,077,900	663	92.6	89.7-95.5	9	0.8	00.0-01.8	6	0.7	00.1-01.3	2	0.1	00.1-00.1	6	0.3	00.1-00.5	49	5.6	03.1-08.1
Oth. Race/Non-Hisp.	113	88,520	5	3.7	00.0-07.8	1	0.5	00.0-01.5				8	5.5	00.0-11.0						
Hispanic	520	566,758	196	30.4	22.2-38.6	7	2.6	00.0-05.3				2	0.2	00.0-00.4	5	0.8	00.0-01.8	310	65.9	57.3-74.5
18-24	113	243,470				3	2.6	00.0-06.9	1	0.3	00.0-00.9	2	1.1	00.0-02.9	9	5.2	01.1-09.3			
25-34	365	570,324	219	63.7	54.3-73.1	9	2.0	00.2-03.8	1	0.0	00.0-00.0	2	0.1	00.0-00.3	23	2.7	01.3-04.1	111	31.5	21.9-41.1
35-44	527	609,708	334	70.1	62.8-77.4	19	5.0	01.9-08.1	3	1.1	00.0-02.9	5	0.3	00.1-00.5	25	2.5	01.1-03.9	141	21.0	14.1-27.9
45-54	302	277,519	200	76.4	68.8-84.0	7	1.4	00.0-03.2	9	5.8	01.5-10.1	2	0.5	00.0-01.1	25	3.1	01.5-04.7	59	12.8	06.7-18.9
55-64	67	44,914							1	4.5	00.0-13.1	1	0.9	00.0-02.7	5	4.1	00.0-08.4			
Less Than H.S.	225	286,137				4	3.9	00.0-08.2				3	0.4	00.0-01.0	14	4.8	01.3-08.3			
H.S. or G.E.D.	370	445,063	205	60.6	50.6-70.6	6	2.3	00.1-04.5	2	0.4	00.0-01.0	2	0.6	00.0-01.6	32	4.3	02.3-06.3	123	31.8	22.0-41.6
Some Post-H.S.	421	500,261	264	66.5	56.5-76.5	22	5.2	01.7-08.7	4	1.4	00.0-03.2	5	0.4	00.0-00.8	27	3.1	01.5-04.7			
College Graduate	389	541,072	295	83.8	77.7-89.9	13	3.0	00.5-05.5	10	3.3	00.6-06.0	2	0.1	00.0-00.3	14	1.0	00.4-01.6	55	8.8	03.7-13.9
Less than \$15,000	150	119,136										1	1.8	00.0-05.3	21	9.8	04.1-15.5			
\$15,000- 24,999	268	267,252				8	3.5	00.4-06.6				4	0.6	00.0-01.2	23	7.3	03.2-11.4			
\$25,000- 34,999	154	184,119				5	2.8	00.0-05.9	1	0.1	00.0-00.3	1	0.1	00.0-00.3	16	4.6	01.7-07.5			
\$35,000- 49,999	194	213,248				4	0.6	00.0-01.4	2	0.9	00.0-02.3	1	0.3	00.0-00.9	11	2.3	00.5-04.1			
\$50,000- 74,999	216	318,199	154	77.8	69.0-86.6	10	2.8	00.4-05.2	6	3.9	00.0-08.0	2	0.3	00.0-00.7	7	1.5	00.1-02.9	37	13.8	06.2-21.4
\$75,000+	297	497,884	243	83.6	76.7-90.5	7	1.9	00.0-04.3	6	2.3	00.3-04.3				6	0.7	00.0-01.5	35	11.6	05.1-18.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	463	848,033	292	67.3	59.1-75.5	14	3.0	00.6-05.4	7	1.8	00.0-03.6	5	0.5	00.0-01.1	26	2.6	01.4-03.8	119	24.8	16.6-33.0
White/Non-Hisp	260	549,696	236	93.9	89.8-98.0	5	1.4	00.0-03.4	3	0.7	00.0-01.7	1	0.1	00.0-00.3				15	4.0	00.5-07.5
Hispanic	158	247,208				4	5.1	00.0-11.4				2	0.4	00.0-01.0	3	1.4	00.0-03.8			
25-34	110	252,404				1	0.2	00.0-00.6							6	1.9	00.3-03.5			
35-44	161	308,780				8	5.8	00.5-11.1	1	1.8	00.0-05.3	2	0.3	00.0-00.7	7	2.3	00.1-04.5			
45-54	114	141,901				2	0.2	00.0-00.6	6	6.9	00.2-13.6	1	0.5	00.0-01.5	7	1.6	00.2-03.0	24	14.2	06.2-22.2
Less Than H.S.	64	129,173										2	0.8	00.0-02.0	4	6.4	00.0-13.5			
H.S. or G.E.D.	122	199,227										1	1.1	00.0-03.3	12	4.2	01.5-06.9			
Some Post-H.S.	131	223,723				9	7.9	00.6-15.2	3	3.1	00.0-07.0	1	0.3	00.0-00.9	5	1.6	00.0-03.2			
College Graduate	144	288,018	109	83.8	74.0-93.6	5	2.7	00.0-06.6	4	3.0	00.0-06.9	1	0.1	00.0-00.3	5	0.6	00.0-01.2	20	9.8	01.4-18.2
\$15,000- 24,999	77	108,740				1	2.0	00.0-05.9				2	1.0	00.0-02.4						
\$25,000- 34,999	53	108,224				1	1.3	00.0-04.0							1	0.8	00.0-02.4			
\$35,000- 49,999	57	77,366				1	0.9	00.0-02.9				1	0.9	00.0-02.7	2	0.8	00.0-02.0			
\$50,000- 74,999	94	184,336				3	1.7	00.0-03.7	4	5.6	00.0-12.5				4	1.1	00.0-02.3			
\$75,000+	122	274,246	97	85.6	76.0-95.2	5	2.6	00.0-06.5	3	1.9	00.0-04.3				1	0.1	00.0-00.3	16	9.9	01.3-18.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	947	937,456	577	64.4	58.5-70.3	31	4.0	01.8-06.2	9	1.2	00.2-02.2	7	0.3	00.1-00.5	61	3.4	02.4-04.4	262	26.7	21.0-32.4
White/Non-Hisp	475	528,204	427	91.3	87.4-95.2	4	0.2	00.0-00.4	3	0.7	00.0-01.5	1	0.1	00.0-00.3	6	0.6	00.0-01.2	34	7.2	03.5-10.9
Oth. Race/Non-Hisp.	76	49,080	2	0.4	00.0-01.0	1	0.9	00.0-02.7				6	4.2	00.3-08.1						
Hispanic	362	319,550				3	0.7	00.0-01.7							2	0.4	00.0-01.0			
18-24	76	123,701				2	0.8	00.0-02.0	1	0.5	00.0-01.5	1	0.4	00.0-01.2	4	4.5	00.0-09.2			
25-34	255	317,920				8	3.5	00.2-06.8	1	0.1	00.0-00.3	2	0.2	00.0-00.4	17	3.3	01.3-05.3			
35-44	366	300,928	230	66.8	57.8-75.8	11	4.1	00.4-07.8	2	0.4	00.0-01.2	3	0.3	00.0-00.7	18	2.7	01.1-04.3	102	25.7	16.9-34.5
45-54	188	135,618				5	2.7	00.0-06.0	3	4.7	00.0-10.2	1	0.5	00.0-01.5	18	4.7	02.0-07.4	35	11.4	02.2-20.6
Less Than H.S.	161	156,964				4	7.1	00.0-14.7				1	0.1	00.0-00.3	10	3.4	00.7-06.1			
H.S. or G.E.D.	248	245,835				6	4.2	00.5-07.9	2	0.8	00.0-02.0	1	0.3	00.0-00.9	20	4.3	01.8-06.8			
Some Post-H.S.	290	276,538	182	71.8	62.8-80.8	13	3.0	00.3-05.7	1	0.1	00.0-00.3	4	0.5	00.0-01.1	22	4.4	02.0-06.8	68	20.3	11.7-28.9
College Graduate	245	253,054	186	83.9	77.2-90.6	8	3.3	00.0-06.8	6	3.7	00.2-07.2	1	0.1	00.0-00.3	9	1.4	00.4-02.4	35	7.6	02.7-12.5
Less than \$15,000	123	76,259													16	9.2	03.1-15.3			
\$15,000- 24,999	191	158,511				7	4.6	00.1-09.1				2	0.3	00.0-00.7	11	4.0	01.1-06.9			
\$25,000- 34,999	101	75,895				4	4.8	00.0-11.5	1	0.2	00.0-00.6	1	0.3	00.0-00.9	15	10.1	03.2-17.0			
\$35,000- 49,999	137	135,882				3	0.4	00.0-00.8	2	1.5	00.0-03.7				9	3.1	00.6-05.6			
\$50,000- 74,999	122	133,863				7	4.3	00.0-09.0	2	1.6	00.0-04.5	2	0.7	00.0-01.7	3	2.0	00.0-05.1			
\$75,000+	175	223,638	146	81.2	71.4-91.0	2	1.0	00.0-02.8	3	2.9	00.0-06.4				5	1.4	00.0-03.0	19	13.6	04.2-23.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRELN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1448	1,850,189	1250	85.0	80.9-89.1	89	4.4	02.6-06.2	19	0.6	00.2-01.0	43	5.6	02.7-08.5	36	3.5	00.6-06.4	11	0.9	00.0-01.9
Male	479	882,910	406	84.2	76.8-91.6	23	1.6	00.6-02.6	8	0.8	00.0-01.6	20	7.1	02.0-12.2	16	5.1	00.0-11.0	6	1.3	00.0-03.3
Female	969	967,279	844	85.6	81.3-89.9	66	7.0	03.9-10.1	11	0.5	00.1-00.9	23	4.3	01.6-07.0	20	2.0	00.6-03.4	5	0.6	00.0-01.2
White/Non-Hisp	741	1,085,541	653	87.6	82.9-92.3	37	3.9	01.9-05.9	15	0.6	00.2-01.0	16	5.9	01.8-10.0	13	0.8	00.2-01.4	7	1.3	00.0-02.9
Oth. Race/Non-Hisp.	114	88,804				10	5.4	00.1-10.7	1	1.4	00.0-04.1				10	12.1	03.3-20.9	3	1.7	00.0-03.9
Hispanic	544	613,847	470	84.2	75.4-93.0	35	4.2	00.9-07.5	3	0.6	00.0-01.6	23	3.5	01.0-06.0	12	7.3	00.0-15.7	1	0.3	00.0-00.9
18-24	119	261,296				1	0.1	00.0-00.3	2	0.5	00.0-01.1							1	0.4	00.0-01.2
25-34	375	591,010	348	94.2	90.7-97.7				4	0.9	00.0-02.1	6	1.6	00.0-03.8	12	2.7	00.3-05.1	5	0.6	00.0-01.4
35-44	540	630,015	516	95.8	92.5-99.1	8	0.3	00.1-00.5	7	0.5	00.0-01.1	1	0.4	00.0-01.2	5	1.4	00.0-03.4	3	1.5	00.0-04.0
45-54	306	282,283	273	89.0	82.1-95.9	25	9.5	02.6-16.4	2	0.3	00.0-00.7	1	0.1	00.0-00.3	3	0.4	00.0-01.0	2	0.8	00.0-02.4
55-64	71	45,796							3	1.4	00.0-03.2				1	0.4	00.0-01.2			
Less Than H.S.	237	298,941	188	81.0	71.2-90.8	27	6.0	01.9-10.1	5	0.8	00.0-01.8	9	9.7	00.7-18.7	6	2.1	00.0-04.3	2	0.5	00.0-01.3
H.S. or G.E.D.	377	462,186	309	77.1	67.7-86.5	27	7.1	02.0-12.2	5	1.1	00.0-02.5	18	10.5	02.1-18.9	16	4.0	00.9-07.1	2	0.3	00.0-00.7
Some Post-H.S.	431	523,945	377	83.6	73.8-93.4	23	3.8	00.9-06.7	5	0.5	00.0-01.1	12	4.0	00.7-07.3	10	7.4	00.0-17.0	4	0.7	00.0-01.5
College Graduate	398	552,159	373	94.8	91.1-98.5	10	1.8	00.0-03.6	4	0.3	00.0-00.7	4	1.0	00.0-02.4	4	0.2	00.0-00.4	3	1.9	00.0-04.8
Less than \$15,000	155	121,083							2	1.5	00.0-03.7	3	4.4	00.0-09.5	5	2.6	00.0-05.5	3	1.7	00.0-03.9
\$15,000- 24,999	279	290,263				21	6.9	01.6-12.2	4	0.4	00.0-00.8	11	4.8	00.0-09.9				1	0.2	00.0-00.6
\$25,000- 34,999	162	191,331	145	90.6	80.0-0100	8	1.2	00.0-02.4	1	0.3	00.0-00.9	4	6.5	00.0-17.1	4	1.5	00.0-03.3			
\$35,000- 49,999	200	230,071				10	5.1	00.0-11.8	3	1.7	00.0-04.4				6	2.1	00.1-04.1	2	0.8	00.0-02.2
\$50,000- 74,999	218	318,527	198	90.0	83.1-96.9	11	5.4	00.7-10.1	2	0.5	00.0-01.5	2	0.8	00.0-02.2	2	0.3	00.0-00.9	3	3.0	00.0-08.1
\$75,000+	301	506,763	282	92.7	87.0-98.4	6	1.1	00.0-02.7	3	0.2	00.0-00.4	7	5.4	00.0-10.9	1	0.0	00.0-00.0	2	0.5	00.0-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRELN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	479	882,910	406	84.2	76.8-91.6	23	1.6	00.6-02.6	8	0.8	00.0-01.6	20	7.1	02.0-12.2	16	5.1	00.0-11.0	6	1.3	00.0-03.3
White/Non-Hisp	264	554,320	229	87.7	79.9-95.5	11	1.5	00.1-02.9	7	0.7	00.1-01.3	7	7.7	00.3-15.1	6	0.7	00.1-01.3	4	1.8	00.0-04.7
Hispanic	167	269,565				7	0.6	00.0-01.2	1	1.2	00.0-03.6	11	4.0	00.0-08.1						
25-34	115	263,100	102	93.4	87.7-99.1				3	1.5	00.0-03.9	2	0.9	00.0-02.1	6	3.9	00.0-08.8	2	0.3	00.0-00.7
35-44	163	319,931	155	95.8	90.5-0100	1	0.2	00.0-00.6	3	0.7	00.0-01.7				1	0.2	00.0-00.6	3	3.0	00.0-08.1
45-54	116	145,710	109	96.1	91.2-0100	5	3.4	00.0-08.1							2	0.5	00.0-01.5			
Less Than H.S.	69	139,190				6	2.6	00.0-05.9							3	2.9	00.0-07.2			
H.S. or G.E.D.	125	207,136				7	1.3	00.1-02.5	3	1.9	00.0-04.8				7	5.5	00.0-11.8	2	0.6	00.0-01.4
Some Post-H.S.	134	232,810				4	2.0	00.0-04.9	2	0.8	00.0-02.2	5	2.9	00.0-07.0				2	0.7	00.0-01.7
College Graduate	149	295,881	135	95.5	90.0-0100	6	1.0	00.2-01.8	3	0.4	00.0-01.0	1	0.1	00.0-00.3	2	0.2	00.0-00.4	2	2.9	00.0-08.4
\$15,000- 24,999	83	125,506				7	2.9	00.0-06.6	2	0.6	00.0-01.6	3	6.6	00.0-17.6				1	0.4	00.0-01.2
\$25,000- 34,999	55	111,082				2	1.1	00.0-02.7							2	1.0	00.0-02.6			
\$35,000- 49,999	59	84,112				3	1.5	00.0-03.5	2	4.6	00.0-12.0				3	3.0	00.0-06.5	1	0.2	00.0-00.6
\$50,000- 74,999	95	184,366	84	89.3	79.5-99.1	5	3.0	00.0-06.9	1	0.8	00.0-02.4	2	1.3	00.0-03.7	1	0.5	00.0-01.5	2	5.1	00.0-13.7
\$75,000+	124	280,377	115	93.1	85.3-0100	2	0.4	00.0-01.0	2	0.3	00.0-00.7	3	6.0	00.0-13.8	1	0.0	00.0-00.0	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRELN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	969	967,279	844	85.6	81.3-89.9	66	7.0	03.9-10.1	11	0.5	00.1-00.9	23	4.3	01.6-07.0	20	2.0	00.6-03.4	5	0.6	00.0-01.2
White/Non-Hisp	477	531,221	424	87.5	82.6-92.4	26	6.4	02.5-10.3	8	0.6	00.2-01.0	9	4.0	00.7-07.3	7	0.9	00.1-01.7	3	0.7	00.0-01.7
Oth. Race/Non-Hisp.	77	49,364				6	3.6	00.0-07.3	1	2.5	00.0-07.4				5	9.0	00.0-18.0	1	0.6	00.0-01.8
Hispanic	377	344,282	327	86.5	79.1-93.9	28	7.0	01.3-12.7	2	0.1	00.0-00.3	12	3.0	00.0-06.5	7	2.9	00.0-06.4	1	0.5	00.0-01.5
18-24	79	132,924							2	0.9	00.0-02.3				6	3.7	00.0-07.4			
25-34	260	327,910	246	94.8	90.5-99.1				1	0.4	00.0-01.2	4	2.1	00.0-06.0	6	1.8	00.0-03.6	3	0.9	00.0-02.1
35-44	377	310,084	361	95.8	91.7-99.9	7	0.4	00.0-00.8	4	0.4	00.0-00.8	1	0.8	00.0-02.4	4	2.5	00.0-06.2			
45-54	190	136,573							2	0.5	00.0-01.3	1	0.1	00.0-00.3	1	0.3	00.0-00.9	2	1.7	00.0-04.6
Less Than H.S.	168	159,751				21	8.9	02.0-15.8	5	1.5	00.0-03.3	5	4.9	00.0-12.7	3	1.3	00.0-03.3	2	0.9	00.0-02.3
H.S. or G.E.D.	252	255,050				20	11.8	03.0-20.6	2	0.5	00.0-01.1	8	5.6	00.0-12.5	9	2.8	00.4-05.2			
Some Post-H.S.	297	291,135	260	85.5	77.9-93.1	19	5.2	00.7-09.7	3	0.2	00.0-00.4	7	4.9	00.0-10.0	6	3.4	00.0-07.5	2	0.7	00.0-01.9
College Graduate	249	256,278	238	93.9	89.2-98.6	4	2.8	00.0-06.3	1	0.2	00.0-00.6	3	2.0	00.0-04.7	2	0.2	00.0-00.6	1	0.8	00.0-02.4
Less than \$15,000	127	78,166							2	2.3	00.0-05.6	1	2.4	00.0-06.9	4	3.5	00.0-07.6	2	1.8	00.0-04.7
\$15,000- 24,999	196	164,757				14	10.0	01.4-18.6	2	0.3	00.0-00.7	8	3.3	00.0-06.6	7	6.3	00.0-13.6			
\$25,000- 34,999	107	80,248	97	95.5	91.4-99.6	6	1.5	00.0-03.1	1	0.6	00.0-02.0	1	0.3	00.0-00.9	2	2.1	00.0-05.4			
\$35,000- 49,999	141	145,958				7	7.1	00.0-17.3	1	0.1	00.0-00.3				3	1.7	00.0-04.1	1	1.1	00.0-03.3
\$50,000- 74,999	123	134,161	114	90.9	81.5-0100	6	8.6	00.0-18.0	1	0.1	00.0-00.3				1	0.2	00.0-00.6	1	0.2	00.0-00.6
\$75,000+	177	226,386	167	92.2	84.0-0100	4	2.0	00.0-05.3	1	0.2	00.0-00.6	4	4.7	00.0-12.1				1	0.9	00.0-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006

MODULE 3: CHILDHOOD ASTHMA PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR OR OTHER MEDICAL PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 3: CHILDHOOD ASTHMA PREVALENCE**

TABLE 1: HAS A DOCTOR OR OTHER MEDICAL PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1437	1,824,195	182	12.2	09.3-15.1	1255	87.8	84.9-90.7
Male	472	855,534	58	12.1	07.6-16.6	414	87.9	83.4-92.4
Female	965	968,661	124	12.3	08.6-16.0	841	87.7	84.0-91.4
White/Non-Hisp	738	1,087,062	98	11.5	08.2-14.8	640	88.5	85.2-91.8
Oth. Race/Non-Hisp.	112	77,052	18	14.5	05.7-23.3	94	85.5	76.7-94.3
Hispanic	538	598,084	53	10.9	05.2-16.6	485	89.1	83.4-94.8
18-24	118	258,392	13	7.1	01.4-12.8	105	92.9	87.2-98.6
25-34	369	565,710	42	11.6	06.1-17.1	327	88.4	82.9-93.9
35-44	541	633,916	68	11.3	06.8-15.8	473	88.7	84.2-93.2
45-54	306	281,850	41	19.0	10.4-27.6	265	81.0	72.4-89.6
Less Than H.S.	232	281,742	22	11.9	03.9-19.9	210	88.1	80.1-96.1
H.S. or G.E.D.	375	454,680	47	14.0	07.5-20.5	328	86.0	79.5-92.5
Some Post-H.S.	430	523,786	74	15.7	09.8-21.6	356	84.3	78.4-90.2
College Graduate	395	551,030	37	7.6	03.9-11.3	358	92.4	88.7-96.1
\$15,000- 24,999	275	285,552	34	9.8	04.9-14.7	241	90.2	85.3-95.1
\$35,000- 49,999	199	229,802	23	13.4	03.8-23.0	176	86.6	77.0-96.2
\$50,000- 74,999	217	318,497	22	8.4	02.5-14.3	195	91.6	85.7-97.5
\$75,000+	299	500,925	44	12.5	07.0-18.0	255	87.5	82.0-93.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 3: CHILDHOOD ASTHMA PREVALENCE**

TABLE 2: HAS A DOCTOR OR OTHER MEDICAL PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents without children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	472	855,534	58	12.1	07.4-16.8	414	87.9	83.2-92.6	
White/Non-Hisp	261	552,342	34	9.5	04.6-14.4	227	90.5	85.6-95.4	
25-34	112	239,472	15	13.3	03.3-23.3	97	86.7	76.7-96.7	
35-44	163	319,931	20	11.4	03.8-19.0	143	88.6	81.0-96.2	
H.S. or G.E.D.	124	199,903	12	8.6	01.5-15.7	112	91.4	84.3-98.5	
College Graduate	146	294,752	14	6.4	01.3-11.5	132	93.6	88.5-98.7	
\$15,000- 24,999	82	121,799	12	9.6	01.2-18.0	70	90.4	82.0-98.8	
\$50,000- 74,999	94	184,336	7	6.9	00.0-14.0	87	93.1	86.0-0100	
\$75,000+	122	279,517	16	9.2	02.3-16.1	106	90.8	83.9-97.7	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 3: CHILDHOOD ASTHMA PREVALENCE**

TABLE 3: HAS A DOCTOR OR OTHER MEDICAL PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents without children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	965	968,661	124	12.3	08.6-16.0	841	87.7	84.0-91.4
White/Non-Hisp	477	534,721	64	13.5	08.8-18.2	413	86.5	81.8-91.2
Oth. Race/Non-Hisp.	75	40,201	14	13.9	04.3-23.5	61	86.1	76.5-95.7
Hispanic	375	351,328	37	8.3	02.2-14.4	338	91.7	85.6-97.8
18-24	79	132,924	8	6.8	00.7-12.9	71	93.2	87.1-99.3
25-34	257	326,239	27	10.3	04.4-16.2	230	89.7	83.8-95.6
35-44	378	313,986	48	11.2	05.9-16.5	330	88.8	83.5-94.1
Less Than H.S.	165	161,536	16	10.3	02.5-18.1	149	89.7	81.9-97.5
H.S. or G.E.D.	251	254,777	35	18.3	08.3-28.3	216	81.7	71.7-91.7
Some Post-H.S.	297	291,006	49	11.2	06.1-16.3	248	88.8	83.7-93.9
College Graduate	249	256,278	23	9.0	03.7-14.3	226	91.0	85.7-96.3
\$15,000- 24,999	193	163,753	22	9.9	04.2-15.6	171	90.1	84.4-95.8
\$25,000- 34,999	106	79,963	13	10.8	01.8-19.8	93	89.2	80.2-98.2
\$50,000- 74,999	123	134,161	15	10.3	00.7-19.9	108	89.7	80.1-99.3
\$75,000+	177	221,408	28	16.8	08.0-25.6	149	83.2	74.4-92.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 3: CHILDHOOD ASTHMA PREVALENCE

TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 3: CHILDHOOD ASTHMA PREVALENCE

TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 3: CHILDHOOD ASTHMA PREVALENCE

TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 3: CHILDHOOD ASTHMA PREVALENCE

TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASHNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 3: CHILDHOOD ASTHMA PREVALENCE

TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASHNO2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006**

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006**

MODULE 4: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	30
2 MALES ONLY	31
3 FEMALES ONLY	32
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	33
5 MALES ONLY	34
6 FEMALES ONLY	35
ARE YOU TAKING DIABETES PILLS? (DIABPILL)	
7 MALES AND FEMALES	36
8 MALES ONLY	37
9 FEMALES ONLY	38
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
10 MALES AND FEMALES	39
11 MALES ONLY	40
12 FEMALES ONLY	41
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
13 MALES AND FEMALES	42
14 MALES ONLY	43
15 FEMALES ONLY	44
HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)	
16 MALES AND FEMALES	45
17 MALES ONLY	46
18 FEMALES ONLY	47

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006**

MODULE 4: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
19 MALES AND FEMALES	48
20 MALES ONLY	49
21 FEMALES ONLY	50
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)	
22 MALES AND FEMALES	51
23 MALES ONLY	52
24 FEMALES ONLY	53
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
25 MALES AND FEMALES	54
26 MALES ONLY	55
27 FEMALES ONLY	56
WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
28 MALES AND FEMALES	57
29 MALES ONLY	58
30 FEMALES ONLY	59
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
31 MALES AND FEMALES	60
32 MALES ONLY	61
33 FEMALES ONLY	62
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
34 MALES AND FEMALES	63
35 MALES ONLY	64
36 FEMALES ONLY	65

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	465	362,104	14	6.9	00.8-13.0	34	7.4	03.7-11.1	94	25.3	17.5-33.1	191	40.9	32.5-49.3	132	19.4	13.9-24.9
Male	211	199,559	5	8.8	00.0-18.8	12	4.4	00.3-08.5							57	18.2	10.6-25.8
Female	254	162,546	9	4.7	00.0-09.4	22	11.0	04.3-17.7	53	25.2	15.6-34.8				75	21.0	13.4-28.6
White/Non-Hisp	306	227,850	10	7.1	00.0-15.3	20	6.2	02.3-10.1	59	26.0	16.8-35.2	109	34.7	26.1-43.3	108	26.0	18.7-33.3
Hispanic	111	92,512	3	6.5	00.0-16.1										17	10.3	00.3-20.3
55-64	130	91,238	3	0.9	00.0-01.9	8	5.9	00.0-12.8	25	15.8	06.8-24.8				7	4.6	00.3-08.9
65+	211	112,553	3	1.8	00.0-04.2	5	1.1	00.0-02.5	12	7.9	02.0-13.8						
H.S. or G.E.D.	125	98,419				9	7.8	00.0-16.0							31	14.9	06.1-23.7
Some Post-H.S.	144	110,508	4	2.9	00.0-07.6	11	9.9	02.6-17.2							43	15.6	07.8-23.4
College Graduate	119	91,457	2	2.4	00.0-05.9	6	3.7	00.0-08.6	20	17.4	08.6-26.2						
Less than \$15,000	82	51,320	2	3.4	00.0-09.1	2	5.4	00.0-13.6									
\$15,000- 24,999	88	52,269	5	4.7	00.0-10.0												
\$25,000- 34,999	69	57,068				5	2.0	00.0-04.2									
\$35,000- 49,999	57	43,321	1	6.0	00.0-17.6	1	0.7	00.0-02.1									
\$50,000- 74,999	52	68,187				5	8.5	00.0-19.5									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	211	199,559	5	8.8	00.0-19.0	12	4.4	00.3-08.5				57	18.2	10.6-25.8
White/Non-Hisp	153	138,215				7	3.3	00.0-07.2				49	22.9	13.1-32.7
55-64	59	53,023				5	8.3	00.0-19.9				2	2.3	00.0-06.4
65+	103	61,562	2	3.1	00.0-07.4	2	0.3	00.0-00.7	8	10.6	01.6-19.6			
H.S. or G.E.D.	54	39,666				3	2.8	00.0-06.7						
Some Post-H.S.	60	58,971				1	4.5	00.0-13.1						
College Graduate	72	64,787	2	3.4	00.0-08.3	4	1.4	00.0-03.8						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	254	162,546	9	4.7	00.0-09.6	22	11.0	04.3-17.7	53	25.2	15.6-34.8				75	21.0	13.4-28.6
White/Non-Hisp	153	89,635	7	4.9	00.0-10.8	13	10.7	03.1-18.3				46	24.9	15.1-34.7			
Hispanic	71	49,437	1	0.6	00.0-01.8												
55-64	71	38,215	3	2.0	00.0-04.4	3	2.7	00.0-05.8							5	7.9	00.0-16.7
65+	108	50,991	1	0.3	00.0-00.9	3	2.1	00.0-05.0	4	4.6	00.0-11.9						
Less Than H.S.	52	25,586	2	1.4	00.0-03.8	4	1.7	00.0-04.2									
H.S. or G.E.D.	71	58,753	3	6.8	00.0-17.0												
Some Post-H.S.	84	51,537	4	6.3	00.0-15.9										24	14.8	06.6-23.0
Less than \$15,000	62	40,968	1	0.7	00.0-02.1	1	5.1	00.0-15.1									
\$15,000- 24,999	54	24,383	4	5.2	00.0-11.9										12	10.5	01.7-19.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	491	371,580	131	32.7	24.5-40.9	360	67.3	59.1-75.5
White/Non-Hisp	320	231,439				231	64.8	54.8-74.8
65+	226	117,882	50	22.4	14.0-30.8	176	77.6	69.2-86.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES

TABLE 7: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 7: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	490	371,264	325	56.7	48.3-65.1	165	43.3	34.9-51.7
White/Non-Hisp	319	231,124	201	52.2	42.4-62.0	118	47.8	38.0-57.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES

TABLE 8: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES

TABLE 9: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES

TABLE 9: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	491	371,580	55	14.1	07.6-20.6	124	26.1	18.8-33.4	300	52.6	44.2-61.0	12	7.3	01.4-13.2
Male	220	203,127	20	11.9	02.3-21.5									
Female	271	168,453	35	16.7	08.5-24.9	58	20.6	10.8-30.4				6	3.8	00.0-07.7
White/Non-Hisp	320	231,439	35	9.0	04.9-13.1	83	28.8	20.2-37.4	191	52.5	42.9-62.1	11	9.7	01.3-18.1
Hispanic	118	93,447										1	4.9	00.0-14.1
45-54	74	88,719	10	9.7	02.1-17.3							1	2.0	00.0-05.9
55-64	136	92,083	6	5.2	00.0-11.5							2	3.6	00.0-09.5
65+	226	117,882	30	16.0	07.2-24.8	54	27.4	17.4-37.4				2	2.2	00.0-05.5
H.S. or G.E.D.	133	102,544	12	11.1	02.3-19.9	29	13.1	05.1-21.1						
Some Post-H.S.	149	111,563	15	10.1	02.7-17.5							5	6.2	00.0-12.9
College Graduate	123	92,442	13	8.5	02.8-14.2							3	3.9	00.0-08.8
Less than \$15,000	86	54,955										1	2.6	00.0-07.7
\$15,000- 24,999	93	53,247				19	14.4	05.0-23.8				1	0.7	00.0-02.1
\$25,000- 34,999	69	57,068										2	4.2	00.0-10.9
\$35,000- 49,999	60	43,983	5	4.2	00.0-09.7							1	5.9	00.0-17.3
\$50,000- 74,999	53	68,679	4	2.3	00.0-05.0									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Never		> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	220	203,127	20	11.9	02.1-21.7			
White/Non-Hisp	157	139,179	14	7.1	01.8-12.4			
55-64	63	53,536	3	5.8	00.0-15.8	1	5.2	00.0-15.0
65+	106	63,915	12	10.8	02.4-19.2			
Some Post-H.S.	62	59,379	7	5.8	00.0-12.3	2	5.2	00.0-14.2
College Graduate	75	65,580	3	3.3	00.0-07.6	2	4.9	00.0-11.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	271	168,453	35	16.7	08.5-24.9	58	20.6	10.6-30.6	6	3.8	00.0-07.7
White/Non-Hisp	163	92,260	21	11.8	05.3-18.3				6	7.0	00.1-13.9
55-64	73	38,547	3	4.4	00.0-10.3				1	1.3	00.0-03.8
65+	120	53,968							2	4.8	00.0-12.1
H.S. or G.E.D.	79	62,878							2	3.6	00.0-09.7
Some Post-H.S.	87	52,184							3	7.3	00.0-17.1
\$15,000- 24,999	58	25,321				6	5.4	00.0-11.5	1	1.5	00.0-04.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 13: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	478	358,133	304	63.2	55.2-71.2	87	20.3	13.2-27.4	18	3.8	00.7-06.9	10	1.2	00.0-02.4	57	10.9	05.8-16.0	2	0.6	00.0-01.8
Male	214	191,040							8	3.7	00.0-08.2	3	1.2	00.0-03.2	19	13.2	04.8-21.6	1	1.1	00.0-03.3
Female	264	167,093	164	70.2	60.4-80.0	44	16.2	08.4-24.0	10	3.9	00.0-08.0	7	1.3	00.0-02.7	38	8.3	03.2-13.4	1	0.0	00.0-00.0
White/Non-Hisp	311	228,006	205	60.7	50.7-70.7	59	24.4	14.8-34.0	7	2.3	00.1-04.5	5	0.9	00.0-01.9	34	10.8	04.5-17.1	1	0.9	00.0-02.7
Hispanic	114	83,433										5	2.9	00.0-07.4				1	0.0	00.0-00.0
45-54	73	88,396							2	3.2	00.0-08.1	1	0.1	00.0-00.3						
55-64	132	91,379							6	6.0	00.0-14.8	3	0.6	00.0-01.6	12	4.9	00.2-09.6	1	2.3	00.0-06.8
65+	221	116,339				46	23.1	13.9-32.3	10	4.6	00.0-09.7	4	1.4	00.0-03.2	23	5.6	02.1-09.1	1	0.0	00.0-00.0
Less Than H.S.	84	48,384				13	9.0	00.0-18.4	8	7.7	00.0-19.1	4	4.8	00.0-12.4				1	0.0	00.0-00.0
H.S. or G.E.D.	131	102,479							3	1.4	00.0-03.2	2	0.2	00.0-00.6	12	4.8	00.3-09.3			
Some Post-H.S.	143	109,080				23	12.0	03.4-20.6	2	4.5	00.0-11.9	2	1.1	00.0-02.7				1	1.9	00.0-05.6
College Graduate	119	91,187							5	3.9	00.0-08.8	2	0.8	00.0-02.2	13	12.5	02.9-22.1			
Less than \$15,000	86	54,955				15	11.7	01.9-21.5				3	3.6	00.0-10.1	11	5.3	00.0-10.8			
\$15,000- 24,999	91	52,171							3	1.4	00.0-03.6				13	7.6	01.7-13.5			
\$25,000- 34,999	66	46,896							2	0.7	00.0-01.9									
\$35,000- 49,999	58	43,786				7	5.7	00.0-11.6	2	0.6	00.0-01.6	3	2.9	00.0-07.0						
\$50,000- 74,999	51	67,863							1	1.3	00.0-03.8	2	0.7	00.0-01.9	3	1.4	00.0-03.8	1	3.1	00.0-09.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 14: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	214	191,040	8	3.7	00.0-08.2	3	1.2	00.0-03.2	19	13.2	04.8-21.6	1	1.1	00.0-03.3
White/Non-Hisp	153	137,042	5	2.0	00.0-04.0	1	0.2	00.0-00.8	12	12.0	02.4-21.6	1	1.5	00.0-04.4
55-64	62	53,401				1	0.1	00.0-00.3	3	2.0	00.0-05.1	1	3.9	00.0-11.5
65+	104	62,839	4	1.8	00.0-04.5				7	5.1	00.0-10.8			
H.S. or G.E.D.	54	39,666	2	2.4	00.0-06.3				3	4.1	00.0-09.2			
Some Post-H.S.	60	57,869				1	0.6	00.0-01.8				1	3.6	00.0-10.7
College Graduate	72	64,648	2	1.5	00.0-04.2									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 15: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	264	167,093	164	70.2	60.4-80.0	44	16.2	08.4-24.0	10	3.9	00.0-08.2	7	1.3	00.0-02.7	38	8.3	03.2-13.4	1	0.0	00.0-00.0
White/Non-Hisp	158	90,964							2	2.6	00.0-07.1	4	1.8	00.0-04.0	22	9.1	03.2-15.0			
Hispanic	73	50,036							6	7.5	00.0-19.1	3	1.1	00.0-02.7				1	0.0	00.0-00.0
55-64	70	37,977							3	0.8	00.0-02.0	2	1.4	00.0-03.6	9	8.9	00.0-19.5			
65+	117	53,500							6	7.8	00.0-18.0	4	3.0	00.0-06.7	16	6.1	02.4-09.8	1	0.0	00.0-00.0
Less Than H.S.	57	26,529				9	7.0	00.0-14.3				2	1.6	00.0-04.7				1	0.1	00.0-00.3
H.S. or G.E.D.	77	62,813							1	0.8	00.0-02.4	2	0.4	00.0-01.0	9	5.3	00.0-11.8			
Some Post-H.S.	83	51,212				12	6.2	01.3-11.1				1	1.6	00.0-04.7						
Less than \$15,000	65	44,457										1	0.2	00.0-00.6	9	2.9	00.4-05.4			
\$15,000- 24,999	58	25,321							3	2.9	00.0-07.2				9	9.2	00.2-18.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 16: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	488	369,953	61	16.0	09.5-22.5	427	84.0	77.5-90.5
Male	217	201,500	33	13.2	06.1-20.3	184	86.8	79.7-93.9
White/Non-Hisp	318	229,898	43	15.5	08.8-22.2	275	84.5	77.8-91.2
65+	224	116,748	20	6.1	02.0-10.2	204	93.9	89.8-98.0
College Graduate	121	90,901	14	13.2	04.2-22.2	107	86.8	77.8-95.8
Less than \$15,000	85	54,870	12	10.0	00.8-19.2	73	90.0	80.8-99.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 17: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	217	201,500	33	13.2	05.9-20.5	184	86.8	79.5-94.1
White/Non-Hisp	155	137,638	25	12.6	05.2-20.0	130	87.4	80.0-94.8
65+	104	62,780	12	9.5	02.1-16.9	92	90.5	83.1-97.9
Some Post-H.S.	62	59,379	7	6.0	00.0-12.5	55	94.0	87.5-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES

TABLE 18: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	474	362,891	56	9.7	05.4-14.0	81	11.6	06.9-16.3	57	12.6	07.5-17.7	105	27.1	19.3-34.9	95	24.1	16.7-31.5	80	15.0	08.5-21.5
Male	214	196,677	30	10.7	03.8-17.6	42	10.6	05.7-15.5	28	12.8	05.4-20.2				40	22.1	12.1-32.1			
Female	260	166,214	26	8.5	03.4-13.6	39	12.7	04.7-20.7	29	12.3	05.6-19.0							48	13.6	06.5-20.7
White/Non-Hisp	311	225,633	43	9.8	04.5-15.1	61	11.8	07.3-16.3	34	11.3	06.2-16.4	69	30.1	20.1-40.1	58	26.5	17.5-35.5	46	10.5	06.2-14.8
Hispanic	111	92,661	9	7.6	00.0-15.8															
45-54	73	88,611				8	9.0	00.0-18.0	6	8.6	00.0-17.8							8	2.3	00.1-04.5
55-64	130	88,785	8	3.0	00.1-05.9													22	14.2	05.8-22.6
65+	218	114,054	29	8.7	04.4-13.0	44	15.0	09.1-20.9	24	14.4	06.0-22.8	47	23.3	13.9-32.7	37	22.1	12.1-32.1	37	16.5	07.5-25.5
Less Than H.S.	78	54,997	5	4.4	00.0-11.1	8	2.0	00.0-04.0	10	6.3	00.0-12.8									
H.S. or G.E.D.	127	97,826	15	4.5	01.6-07.4													16	6.1	01.0-11.2
Some Post-H.S.	148	111,308				26	13.5	05.7-21.3	18	13.4	03.6-23.2							17	7.9	02.4-13.4
College Graduate	120	91,759	17	12.7	03.9-21.5	23	9.8	04.7-14.9										19	12.7	05.1-20.3
Less than \$15,000	82	53,806	6	2.0	00.0-04.0	10	6.2	00.7-11.7	12	9.0	01.2-16.8									
\$15,000- 24,999	89	52,589	11	11.2	02.2-20.2				6	3.0	00.0-06.7	18	14.4	04.4-24.4				15	8.3	02.0-14.6
\$25,000- 34,999	68	54,301							11	10.6	01.2-20.0	12	7.3	01.0-13.6						
\$35,000- 49,999	58	43,146	6	7.7	00.3-15.1	11	11.2	02.4-20.0	4	6.0	00.0-16.4							9	6.6	00.3-12.9
\$50,000- 74,999	52	68,187	5	3.0	00.0-06.3	6	4.4	00.1-08.7										10	9.6	01.0-18.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	214	196,677	30	10.7	03.8-17.6	42	10.6	05.7-15.5	28	12.8	05.4-20.2			
White/Non-Hisp	153	134,866	25	11.2	02.8-19.6	37	13.8	06.9-20.7	14	9.7	02.6-16.8	20	9.0	03.5-14.5
55-64	60	50,638	6	3.0	00.0-06.3	10	6.1	01.4-10.8						
65+	105	61,818	14	8.7	02.2-15.2	27	18.5	10.1-26.9				15	14.0	04.8-23.2
H.S. or G.E.D.	52	35,936	9	6.7	00.2-13.2				4	6.1	00.0-13.5	7	6.9	00.0-14.5
Some Post-H.S.	62	59,379										7	8.2	00.0-17.0
College Graduate	73	64,997				16	11.1	04.4-17.8				9	8.6	01.2-16.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	260	166,214	26	8.5	03.4-13.6	39	12.7	04.5-20.9	29	12.3	05.6-19.0	48	13.6	06.7-20.5			
White/Non-Hisp	158	90,767	18	7.7	03.2-12.2	24	8.9	03.4-14.4	20	13.6	06.2-21.0	26	12.8	06.1-19.5			
Hispanic	69	49,354										19	7.8	01.3-14.3			
55-64	70	38,147	2	3.0	00.0-08.3				12	11.3	02.5-20.1						
65+	113	52,236	15	8.8	03.1-14.5	17	10.9	02.5-19.3	11	12.7	02.7-22.7						
Less Than H.S.	52	25,633	3	2.2	00.0-05.1	6	3.5	00.0-07.4				9	4.3	00.0-08.6			
H.S. or G.E.D.	75	61,890	6	3.2	00.3-06.1							9	5.6	00.0-12.5			
Some Post-H.S.	86	51,929				14	12.1	03.1-21.1	9	8.0	00.9-15.1	10	7.4	01.3-13.5			
Less than \$15,000	62	44,271	4	2.0	00.0-04.4	8	6.6	00.1-13.1	9	10.4	01.0-19.8						
\$15,000- 24,999	55	24,703	5	7.7	00.0-15.9				3	4.2	00.0-11.5	11	8.6	01.2-16.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 22: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	424	336,611	161	32.7	25.1-40.3	133	36.4	28.0-44.8	14	4.7	01.8-07.6	9	3.6	00.0-07.9	65	18.0	10.2-25.8	42	4.7	02.3-07.1
Male	193	188,317							5	3.2	00.0-06.5	4	3.9	00.0-11.0				18	5.3	01.2-09.4
Female	231	148,294							9	6.5	01.4-11.6	5	3.2	00.0-07.1				24	3.9	01.9-05.9
White/Non-Hisp	277	210,983	119	35.3	26.3-44.3				10	5.7	01.4-10.0	5	5.4	00.0-12.3	27	8.2	03.5-12.9	21	3.4	01.4-05.4
Hispanic	100	82,407							2	1.5	00.0-04.2	2	0.3	00.0-00.9				14	7.7	00.0-16.1
45-54	70	79,590							2	1.9	00.0-04.8							5	1.4	00.0-03.0
55-64	121	86,300							3	4.3	00.0-09.8	3	1.1	00.0-02.5	16	9.8	02.2-17.4	14	8.0	00.6-15.4
65+	184	101,131							3	3.0	00.0-07.1	5	4.2	00.0-09.9	24	12.9	03.1-22.7	20	7.3	02.8-11.8
Less Than H.S.	67	52,627				10	8.5	00.0-18.9	2	2.7	00.0-07.2	1	0.2	00.0-00.6						
H.S. or G.E.D.	114	84,082							1	0.8	00.0-02.4	5	5.4	00.0-12.5	13	8.7	00.7-16.7	8	4.1	00.6-07.6
Some Post-H.S.	133	107,478							5	6.0	00.0-12.5				20	12.7	04.9-20.5	13	3.8	01.1-06.5
College Graduate	109	85,422							6	8.3	01.0-15.6	2	0.6	00.0-01.4	9	11.2	01.2-21.2	5	1.5	00.0-03.5
Less than \$15,000	68	48,376										4	3.2	00.0-07.5				5	2.6	00.0-05.3
\$15,000- 24,999	82	48,869				18	12.9	03.7-22.1	6	9.1	00.5-17.7									
\$25,000- 34,999	57	49,274																7	7.6	00.0-15.4
\$35,000- 49,999	54	34,797										2	1.7	00.0-04.4	3	2.0	00.0-04.9	5	5.0	00.0-10.1
\$50,000- 74,999	50	68,018							4	7.8	00.0-16.4	2	4.5	00.0-12.7	6	6.6	00.0-14.0	2	1.2	00.0-03.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 23: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	193	188,317	5	3.2	00.0-06.5	4	3.9	00.0-11.0				18	5.3	01.2-09.4
White/Non-Hisp	138	127,902	3	3.8	00.0-08.3	2	5.6	00.0-16.0	8	8.2	01.7-14.7	10	3.3	00.6-06.0
55-64	56	49,298	2	5.4	00.0-14.0	1	0.4	00.0-01.2	6	8.7	00.0-18.5			
65+	90	56,872	2	2.2	00.0-06.1	2	0.3	00.0-00.7	7	10.1	00.9-19.3	11	9.2	01.9-16.5
H.S. or G.E.D.	50	35,187				1	0.1	00.0-00.3	4	5.4	00.0-12.8	4	6.6	00.0-14.6
Some Post-H.S.	53	56,681	2	3.8	00.0-11.1							5	2.6	00.0-05.9
College Graduate	67	60,532	2	4.6	00.0-11.5	1	0.3	00.0-00.9				4	1.9	00.0-04.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 24: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	231	148,294	9	6.5	01.4-11.6	5	3.2	00.0-07.3				24	3.9	02.1-05.7
White/Non-Hisp	139	83,082	7	8.7	00.9-16.5	3	4.9	00.0-11.8	19	8.3	02.4-14.2	11	3.7	01.2-06.2
Hispanic	61	39,280				1	0.6	00.0-02.0				9	3.7	00.4-07.0
55-64	65	37,002	1	2.7	00.0-08.0	2	1.9	00.0-04.8				7	6.0	00.9-11.1
65+	94	44,259	1	4.2	00.0-12.2							9	4.9	01.0-08.8
H.S. or G.E.D.	64	48,895	1	1.4	00.0-04.1							4	2.4	00.0-05.1
Some Post-H.S.	80	50,797	3	8.6	00.0-19.6				13	11.8	02.6-21.0	8	5.3	01.2-09.4
Less than \$15,000	51	40,932				3	3.7	00.0-08.8				5	3.1	00.0-06.2
\$15,000- 24,999	51	24,157										7	3.1	00.0-06.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 25: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	471	359,164	89	19.1	12.4-25.8	71	13.9	07.6-20.2	46	9.7	05.2-14.2	56	10.8	06.3-15.3	54	14.3	07.6-21.0	155	32.2	24.2-40.2
Male	209	193,544	47	14.5	07.6-21.4				16	8.7	02.0-15.4	24	11.9	04.6-19.2	22	12.0	03.6-20.4			
Female	262	165,620				35	8.9	04.2-13.6	30	10.9	04.6-17.2	32	9.5	04.8-14.2				91	29.3	19.7-38.9
White/Non-Hisp	307	221,459	59	16.4	09.7-23.1	48	16.9	08.1-25.7	29	8.9	03.8-14.0	38	12.0	06.3-17.7	34	13.5	06.1-20.9	99	32.3	23.5-41.1
Hispanic	113	91,535				12	6.3	00.0-15.3	9	8.2	00.0-17.8	8	2.2	00.0-04.6						
45-54	74	88,719				9	6.5	00.0-13.2	4	4.1	00.0-11.0									
55-64	134	87,241				20	8.7	03.0-14.4										34	17.7	08.5-26.9
65+	210	111,230				32	14.0	06.7-21.3	20	5.9	01.4-10.4	20	8.0	02.9-13.1	21	10.8	04.5-17.1			
Less Than H.S.	81	56,369				10	6.7	00.0-14.5	6	4.5	00.0-09.8	5	1.6	00.0-03.4						
H.S. or G.E.D.	127	96,823							13	7.5	00.4-14.6	12	3.1	00.4-05.8						
Some Post-H.S.	143	107,559				22	13.8	05.8-21.8				22	15.6	05.8-25.4	19	11.0	03.4-18.6			
College Graduate	119	91,411	34	20.5	10.5-30.5	19	11.8	04.4-19.2	7	9.1	00.5-17.7				11	10.6	03.2-18.0			
Less than \$15,000	83	53,335				11	5.9	00.4-11.4	11	7.0	00.9-13.1									
\$15,000- 24,999	87	50,347				14	7.3	01.6-13.0	9	6.9	00.4-13.4	12	10.8	02.6-19.0						
\$25,000- 34,999	66	52,867							7	4.0	00.3-07.7	9	5.0	00.0-10.5	5	2.8	00.0-05.7			
\$35,000- 49,999	60	43,983							2	2.4	00.0-06.9	8	6.8	00.1-13.5						
\$50,000- 74,999	50	66,093										7	6.2	00.0-14.6						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 26: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	209	193,544	47	14.5	07.6-21.4				16	8.7	02.0-15.4	24	11.9	04.6-19.2	22	12.0	03.6-20.4			
White/Non-Hisp	148	130,985	35	14.8	07.0-22.6				10	7.1	00.6-13.6	17	12.5	04.1-20.9						
55-64	61	48,694				9	6.9	00.0-13.8										13	9.8	00.0-19.8
65+	99	60,095							10	7.5	00.0-15.5	9	5.3	00.4-10.2	12	11.5	02.5-20.5			
H.S. or G.E.D.	51	34,696							3	2.7	00.0-06.0	5	2.8	00.0-06.9	4	3.4	00.0-07.5			
Some Post-H.S.	58	55,797													7	8.7	00.0-18.9			
College Graduate	71	64,549							4	8.8	00.0-19.6				5	8.7	00.3-17.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 27: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	262	165,620	35	8.9	04.4-13.4	30	10.9	04.6-17.2	32	9.5	04.8-14.2				91	29.3	19.9-38.7
White/Non-Hisp	159	90,473	19	11.0	03.7-18.3	19	11.4	03.0-19.8	21	11.2	04.7-17.7	20	13.3	05.3-21.3			
Hispanic	71	49,344	8	2.0	00.0-04.0	5	5.9	00.0-13.2	7	3.7	00.0-08.0						
55-64	73	38,547	11	10.8	01.4-20.2				8	5.4	00.0-11.3						
65+	111	51,134	14	8.4	00.6-16.2	10	4.1	01.2-07.0	11	11.2	02.0-20.4	9	9.9	00.9-18.9			
Less Than H.S.	53	24,868	7	6.0	00.0-12.5				5	3.6	00.0-07.9	4	2.1	00.0-05.0			
H.S. or G.E.D.	76	62,127	8	5.8	00.0-12.3				7	3.2	00.0-06.9						
Some Post-H.S.	85	51,762							12	12.1	03.9-20.3						
Less than \$15,000	63	42,928	9	6.6	00.0-13.3	8	7.0	00.1-13.9									
\$15,000- 24,999	54	24,464	9	6.3	00.0-12.6							6	8.5	00.0-19.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 28: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	487	369,980	129	31.0	23.2-38.8	217	40.4	32.4-48.4	67	11.3	07.0-15.6	56	11.6	06.1-17.1	18	5.7	00.2-11.2
Male	220	203,127							31	12.9	06.0-19.8	17	6.2	00.5-11.9	6	7.2	00.0-16.6
Female	267	166,853							36	9.5	04.4-14.6	39	18.1	08.5-27.7	12	3.8	00.3-07.3
White/Non-Hisp	317	229,871	83	33.8	24.0-43.6	143	41.2	32.0-50.4	47	13.2	07.5-18.9	35	9.4	03.9-14.9	9	2.3	00.0-04.8
Hispanic	117	93,415							16	7.0	01.7-12.3						
45-54	74	88,719							11	8.3	00.7-15.9				4	3.1	00.0-07.2
55-64	136	92,083													4	4.6	00.0-10.9
65+	224	116,983							32	11.9	05.2-18.6	24	11.8	03.4-20.2	3	0.1	00.0-00.3
Less Than H.S.	84	57,997							5	4.3	00.0-10.8						
H.S. or G.E.D.	132	101,876							25	11.1	03.7-18.5	8	8.3	00.0-19.7	4	2.8	00.0-07.5
Some Post-H.S.	148	110,746							22	14.9	05.3-24.5				2	2.6	00.0-07.5
College Graduate	122	92,359							15	12.6	04.0-21.2	14	6.9	01.4-12.4	2	0.5	00.0-01.5
Less than \$15,000	85	54,873													6	4.0	00.0-08.9
\$15,000- 24,999	92	52,579	23	15.3	06.1-24.5				13	10.6	03.0-18.2						
\$25,000- 34,999	69	57,068							9	5.7	00.0-12.4						
\$50,000- 74,999	53	68,679										6	4.9	00.0-11.2	2	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 29: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	220	203,127	31	12.9	06.0-19.8	17	6.2	00.5-11.9	6	7.2	00.0-16.6
White/Non-Hisp	157	139,179	24	13.7	05.9-21.5	13	6.5	00.0-13.9	3	2.3	00.0-06.2
55-64	63	53,536				4	0.8	00.0-01.8	1	5.2	00.0-15.0
65+	106	63,915	12	8.1	00.8-15.4	9	5.5	01.0-10.0	2	0.1	00.1-00.1
H.S. or G.E.D.	54	39,666	6	9.2	00.0-19.2	2	0.5	00.0-01.3	1	0.0	00.0-00.0
Some Post-H.S.	62	59,379							1	4.7	00.0-13.7
College Graduate	75	65,580				4	2.7	00.0-06.0	2	0.7	00.0-02.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 30: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	267	166,853				36	9.5	04.4-14.6	39	18.1	08.5-27.7	12	3.8	00.3-07.3
White/Non-Hisp	160	90,692				23	12.6	04.6-20.6	22	13.8	06.2-21.4	6	2.4	00.0-04.8
Hispanic	74	50,069				12	8.8	02.1-15.5				6	8.4	00.0-19.0
55-64	73	38,547										3	3.7	00.0-10.0
65+	118	53,068										1	0.1	00.0-00.3
Less Than H.S.	56	26,497				1	1.5	00.0-04.6						
H.S. or G.E.D.	78	62,210										3	4.6	00.0-12.4
Some Post-H.S.	86	51,367				11	6.8	01.7-11.9				1	0.1	00.0-00.3
Less than \$15,000	64	44,374										5	4.8	00.0-10.7
\$15,000- 24,999	57	24,653	12	8.5	01.6-15.4									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 31: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	484	366,690	92	17.3	11.8-22.8	392	82.7	77.2-88.2
Male	214	198,439	41	16.4	08.4-24.4	173	83.6	75.6-91.6
Female	270	168,250	51	18.3	10.7-25.9	219	81.7	74.1-89.3
White/Non-Hisp	317	229,125	53	17.7	11.0-24.4	264	82.3	75.6-89.0
65+	220	113,185	36	13.1	06.4-19.8	184	86.9	80.2-93.6
H.S. or G.E.D.	131	101,118	22	9.2	01.9-16.5	109	90.8	83.5-98.1
\$25,000- 34,999	66	54,939	11	5.0	00.9-09.1	55	95.0	90.9-99.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 32: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	214	198,439	41	16.4	08.4-24.4	173	83.6	75.6-91.6		
White/Non-Hisp	154	136,866	22	14.1	05.7-22.5	132	85.9	77.5-94.3		
H.S. or G.E.D.	52	38,241	8	6.4	00.1-12.7	44	93.6	87.3-99.9		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 33: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	270	168,250	51	18.3	10.7-25.9	219	81.7	74.1-89.3
65+	119	53,765	16	9.8	03.1-16.5	103	90.2	83.5-96.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 34: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	488	365,256	284	58.3	50.1-66.5	204	41.7	33.5-49.9
White/Non-Hisp	318	227,212	183	63.4	54.6-72.2	135	36.6	27.8-45.4
65+	224	115,767	137	69.4	60.0-78.8	87	30.6	21.2-40.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES

TABLE 35: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES

TABLE 36: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES

TABLE 36: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006**

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006**

MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW MUCH DIFFICULTY, IF ANY, DO YOU HAVE IN RECOGNIZING A FRIEND ACROSS THE STREET? WOULD YOU SAY: (VIDFCLT2)	
1	MALES AND FEMALES	68
2	MALES ONLY	69
3	FEMALES ONLY	70
	HOW MUCH DIFFICULTY, IF ANY, DO YOU HAVE READING PRINT IN NEWSPAPER, MAGAZINE, RECIPE, MENU, OR NUMBERS? WOULD YOU SAY: (VIREDIF2)	
4	MALES AND FEMALES	71
5	MALES ONLY	72
6	FEMALES ONLY	73
	WHEN WAS THE LAST TIME YOU HAD YOUR EYES EXAMINED BY ANY DOCTOR OR EYE CARE PROVIDER? (VIPRFVS2)	
7	MALES AND FEMALES	74
8	MALES ONLY	75
9	FEMALES ONLY	76
	WHAT IS THE MAIN REASON YOU HAVE NOT VISITED AN EYE CARE PROFESSIONAL IN THE PAST 12 MONTHS? (VINOCRE2)	
10	MALES AND FEMALES	77
11	MALES ONLY	78
12	FEMALES ONLY	79
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? (VIEYEXM2)	
13	MALES AND FEMALES	80
14	MALES ONLY	81
15	FEMALES ONLY	82
	DO YOU HAVE ANY KIND OF HEALTH INSURANCE COVERAGE FOR EYE CARE? (VIINSUR2)	
16	MALES AND FEMALES	83
17	MALES ONLY	84
18	FEMALES ONLY	85

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006**

MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU NOW HAVE CATARACTS? (VICTRCT2)	
19 MALES AND FEMALES	86
20 MALES ONLY	87
21 FEMALES ONLY	88
HAVE YOU EVER BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU HAD GLAUCOMA? (VIGLUMA2)	
22 MALES AND FEMALES	89
23 MALES ONLY	90
24 FEMALES ONLY	91
HAVE YOU EVER BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU HAD MACULAR DEGENERATION? (VIMACDG2)	
25 MALES AND FEMALES	92
26 MALES ONLY	93
27 FEMALES ONLY	94
HAVE YOU EVER HAD AN EYE INJURY THAT OCCURRED AT YOUR WORKPLACE WHILE YOU WERE DOING YOUR WORK? (VIATWRK2)	
28 MALES AND FEMALES	95
29 MALES ONLY	96
30 FEMALES ONLY	97

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 1: HOW MUCH DIFFICULTY, IF ANY, DO YOU HAVE IN RECOGNIZING A FRIEND ACROSS THE STREET? WOULD YOU SAY: (VIDFCLT2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No difficulty			Little difficulty			Moderate Difficulty			Extreme difficulty			Unable, due to eyesight other reasons			N.A., Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3463	2,354,072	2909	86.2	84.2-88.2	338	8.7	07.1-10.3	139	2.9	02.1-03.7	36	1.5	00.7-02.3	37	0.6	00.2-01.0	4	0.1	00.0-00.3
Male	1326	1,131,434	1157	89.2	86.7-91.7	107	6.8	04.8-08.8	37	2.1	01.1-03.1	11	1.3	00.1-02.5	13	0.5	00.1-00.9	1	0.2	00.0-00.6
Female	2137	1,222,638	1752	83.4	80.5-86.3	231	10.5	08.0-13.0	102	3.7	02.3-05.1	25	1.6	00.6-02.6	24	0.7	00.1-01.3	3	0.0	00.0-00.0
White/Non-Hisp	2611	1,868,697	2236	88.1	86.1-90.1	232	7.6	06.0-09.2	91	2.9	01.9-03.9	21	0.6	00.2-01.0	28	0.6	00.2-01.0	3	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	54	66,477							2	1.7	00.0-04.2									
Oth. Race/Non-Hisp.	135	96,781				22	9.7	02.8-16.6	5	1.0	00.0-02.0	3	7.6	00.0-18.4	1	0.1	00.0-00.3			
Hispanic	595	292,076	469	75.4	67.4-83.4	70	14.8	07.5-22.1	36	3.7	01.7-05.7	12	5.2	01.1-09.3	7	0.9	00.0-02.1	1	0.0	00.0-00.0
35-44	355	378,574	306	90.7	86.6-94.8	33	6.8	03.1-10.5	16	2.5	00.7-04.3									
45-54	836	708,616	695	84.8	80.5-89.1	88	10.2	06.3-14.1	33	2.2	01.0-03.4	9	1.8	00.2-03.4	10	0.7	00.1-01.3	1	0.2	00.0-00.6
55-64	898	536,741	760	85.9	82.2-89.6	96	10.4	07.1-13.7	29	2.2	00.8-03.6	5	1.2	00.0-02.4	7	0.2	00.0-00.4	1	0.0	00.0-00.0
65+	1374	730,141	1148	85.5	82.2-88.8	121	7.0	04.8-09.2	61	4.3	02.1-06.5	22	2.1	00.5-03.7	20	1.1	00.3-01.9	2	0.0	00.0-00.0
Less Than H.S.	376	188,700	291	75.8	67.2-84.4	42	13.6	06.2-21.0	24	4.4	01.9-06.9	8	4.2	00.0-08.5	11	1.9	00.3-03.5			
H.S. or G.E.D.	909	528,403	753	82.9	78.0-87.8	89	9.4	05.3-13.5	44	4.6	01.9-07.3	10	2.1	00.3-03.9	11	0.9	00.1-01.7	2	0.1	00.0-00.3
Some Post-H.S.	1039	696,066	882	86.8	83.5-90.1	95	8.7	05.8-11.6	43	2.5	01.5-03.5	7	1.4	00.0-03.0	11	0.6	00.0-01.2	1	0.0	00.0-00.0
College Graduate	1120	922,991	968	90.1	87.7-92.5	109	6.9	04.9-08.9	27	2.0	00.8-03.2	11	0.6	00.0-01.2	4	0.2	00.0-00.4	1	0.2	00.0-00.6
Less than \$15,000	391	200,004	269	66.1	57.1-75.1	68	18.1	11.4-24.8	29	9.8	03.1-16.5	10	3.7	00.0-07.4	13	2.3	00.0-04.7	2	0.1	00.1-00.1
\$15,000- 24,999	572	284,277	463	78.3	72.0-84.6	64	13.6	08.5-18.7	31	4.5	02.1-06.9	5	2.7	00.0-06.4	8	0.9	00.1-01.7	1	0.1	00.0-00.3
\$25,000- 34,999	398	227,239	325	86.9	82.6-91.2	45	7.8	04.7-10.9	20	3.1	01.1-05.1	2	1.1	00.0-02.9	6	1.2	00.0-02.4			
\$35,000- 49,999	495	289,163	435	86.9	80.4-93.4	38	9.1	02.8-15.4	17	2.8	00.8-04.8	4	1.1	00.0-02.7	1	0.1	00.0-00.3			
\$50,000- 74,999	491	394,193	438	86.2	80.7-91.7	29	7.5	03.0-12.0	15	3.2	00.7-05.7	5	2.3	00.0-04.7	3	0.3	00.0-00.9	1	0.4	00.0-01.2
\$75,000+	614	642,910	553	93.7	91.2-96.2	50	5.5	03.0-08.0	7	0.3	00.0-00.7	2	0.1	00.0-00.3	2	0.3	00.0-00.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 2: HOW MUCH DIFFICULTY, IF ANY, DO YOU HAVE IN RECOGNIZING A FRIEND ACROSS THE STREET? WOULD YOU SAY: (VIDFCLT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No difficulty			Little difficulty			Moderate Difficulty			Extreme difficulty			Unable, due to eyesight other reasons			N.A., Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1326	1,131,434	1157	89.2	86.7-91.7	107	6.8	04.8-08.8	37	2.1	01.1-03.1	11	1.3	00.1-02.5	13	0.5	00.1-00.9	1	0.2	00.0-00.6
White/Non-Hisp	1022	899,559	903	90.6	88.1-93.1	76	6.3	04.1-08.5	26	2.0	00.8-03.2	6	0.4	00.0-00.8	10	0.5	00.1-00.9	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	51	60,603				7	7.6	00.0-17.0	1	0.1	00.0-00.3				1	0.2	00.0-00.6			
Hispanic	205	129,061	172	81.2	71.2-91.2	20	10.0	01.8-18.2	9	3.8	00.5-07.1	3	4.5	00.0-10.2	1	0.6	00.0-01.8			
35-44	122	204,634	109	95.4	92.3-98.5	8	2.2	00.2-04.2	5	2.4	00.0-04.8									
45-54	314	348,866	279	89.8	84.9-94.7	23	6.9	02.6-11.2	6	1.0	00.0-02.0	3	1.4	00.0-03.4	2	0.3	00.0-00.7	1	0.5	00.0-01.5
55-64	341	252,316	298	87.2	81.5-92.9	33	9.9	04.8-15.0	7	2.6	00.0-05.3				3	0.3	00.0-00.7			
65+	549	325,618	471	86.3	81.4-91.2	43	7.1	03.8-10.4	19	2.7	00.9-04.5	8	3.0	00.0-06.3	8	1.0	00.0-02.0			
Less Than H.S.	128	73,989				14	9.3	00.5-18.1	6	4.2	00.1-08.3	2	6.3	00.0-15.7	7	3.9	00.2-07.6			
H.S. or G.E.D.	295	195,815	258	89.0	83.9-94.1	22	7.2	02.9-11.5	8	1.9	00.0-04.1	3	1.3	00.0-02.9	4	0.6	00.0-01.2			
Some Post-H.S.	362	305,310	321	90.1	84.8-95.4	30	5.7	02.0-09.4	10	2.5	00.5-04.5	1	1.7	00.0-05.0						
College Graduate	530	540,931	471	91.3	88.0-94.6	39	6.2	03.5-08.9	12	1.6	00.2-03.0	5	0.4	00.0-00.8	2	0.2	00.0-00.6	1	0.3	00.0-00.9
Less than \$15,000	113	58,818							5	3.9	00.0-08.0				4	1.5	00.0-03.3			
\$15,000- 24,999	203	125,439				21	14.3	05.9-22.7	6	3.3	00.2-06.4	2	5.1	00.0-13.1	4	1.5	00.0-03.3			
\$25,000- 34,999	152	110,084	125	89.9	84.2-95.6	14	4.2	01.1-07.3	10	4.0	00.3-07.7				3	1.8	00.0-04.2			
\$35,000- 49,999	198	126,764	176	90.1	84.2-96.0	12	5.2	00.7-09.7	7	3.5	00.0-07.0	2	0.9	00.0-02.5	1	0.2	00.0-00.6			
\$50,000- 74,999	223	198,107	206	90.6	83.9-97.3	9	5.2	00.0-10.7	4	2.9	00.0-06.4	2	0.4	00.0-01.2	1	0.0	00.0-00.0	1	0.9	00.0-02.7
\$75,000+	299	389,933	276	96.8	95.0-98.6	21	3.1	01.3-04.9	2	0.1	00.0-00.3									

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 3: HOW MUCH DIFFICULTY, IF ANY, DO YOU HAVE IN RECOGNIZING A FRIEND ACROSS THE STREET? WOULD YOU SAY: (VIDFCLT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No difficulty			Little difficulty			Moderate Difficulty			Extreme difficulty			Unable, due to eyesight other reasons			N.A., Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2137	1,222,638	1752	83.4	80.5-86.3	231	10.5	08.0-13.0	102	3.7	02.3-05.1	25	1.6	00.6-02.6	24	0.7	00.1-01.3	3	0.0	00.0-00.0
White/Non-Hisp	1589	969,139	1333	85.8	82.9-88.7	156	8.8	06.4-11.2	65	3.8	02.0-05.6	15	0.9	00.3-01.5	18	0.7	00.1-01.3	2	0.0	00.0-00.0
Oth. Race/Non-Hisp.	84	36,178				15	13.3	04.9-21.7	4	2.5	00.0-05.2	1	5.5	00.0-15.9						
Hispanic	390	163,015							27	3.6	01.2-06.0	9	5.7	00.0-11.4	6	1.1	00.0-02.9	1	0.1	00.0-00.3
35-44	233	173,940	197	85.3	77.9-92.7	25	12.1	04.8-19.4	11	2.6	00.2-05.0									
45-54	522	359,750	416	79.9	73.2-86.6	65	13.4	07.1-19.7	27	3.4	01.2-05.6	6	2.2	00.0-04.7	8	1.1	00.0-02.3			
55-64	557	284,425	462	84.7	79.8-89.6	63	10.9	06.8-15.0	22	1.9	00.7-03.1	5	2.2	00.0-04.6	4	0.2	00.0-00.4	1	0.0	00.0-00.0
65+	825	404,523	677	84.9	80.6-89.2	78	6.9	04.2-09.6	42	5.7	02.2-09.2	14	1.4	00.2-02.6	12	1.1	00.0-02.3	2	0.1	00.0-00.3
Less Than H.S.	248	114,711							18	4.6	01.3-07.9	6	2.9	00.0-06.6	4	0.7	00.0-01.5			
H.S. or G.E.D.	614	332,589	495	79.3	72.2-86.4	67	10.6	04.7-16.5	36	6.3	02.2-10.4	7	2.6	00.0-05.3	7	1.1	00.0-02.5	2	0.1	00.0-00.3
Some Post-H.S.	677	390,755	561	84.2	79.7-88.7	65	11.1	06.8-15.4	33	2.5	01.5-03.5	6	1.2	00.0-02.4	11	1.1	00.1-02.1	1	0.0	00.0-00.0
College Graduate	590	382,060	497	88.5	85.0-92.0	70	8.0	05.1-10.9	15	2.5	00.5-04.5	6	0.9	00.0-02.1	2	0.1	00.0-00.3			
Less than \$15,000	278	141,186				49	17.3	09.5-25.1	24	12.2	03.0-21.4	5	0.9	00.0-02.1	9	2.7	00.0-05.8	2	0.1	00.0-00.3
\$15,000- 24,999	369	158,838	293	80.2	73.3-87.1	43	13.0	06.9-19.1	25	5.4	02.1-08.7	3	0.8	00.0-02.0	4	0.4	00.0-00.8	1	0.2	00.0-00.6
\$25,000- 34,999	246	117,155	200	83.9	77.6-90.2	31	11.1	06.0-16.2	10	2.3	00.5-04.1	2	2.2	00.0-05.5	3	0.5	00.0-01.3			
\$35,000- 49,999	297	162,399							10	2.2	00.4-04.0	2	1.2	00.0-03.6						
\$50,000- 74,999	268	196,085	232	81.8	73.2-90.4	20	9.8	02.5-17.1	11	3.6	00.1-07.1	3	4.2	00.0-08.9	2	0.6	00.0-01.8			
\$75,000+	315	252,977	277	89.1	83.4-94.8	29	9.2	03.7-14.7	5	0.6	00.0-01.4	2	0.3	00.0-00.9	2	0.7	00.0-01.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 4: HOW MUCH DIFFICULTY, IF ANY, DO YOU HAVE READING PRINT IN NEWSPAPER, MAGAZINE, RECIPE, MENU, OR NUMBERS? WOULD YOU SAY: (VIREDF2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No difficulty			Little difficulty			Moderate Difficulty			Extreme difficulty			Unable, due to eyesight other reasons			N.A., Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3459	2,344,852	2332	68.5	65.8-71.2	663	19.2	16.8-21.6	316	7.4	06.0-08.8	109	4.0	02.6-05.4	38	0.8	00.4-01.2	1	0.0	00.0-00.0
Male	1324	1,125,152	902	70.1	65.8-74.4	254	17.8	14.5-21.1	121	7.1	04.9-09.3	32	4.2	01.7-06.7	15	0.8	00.2-01.4			
Female	2135	1,219,700	1430	67.0	63.5-70.5	409	20.6	17.5-23.7	195	7.7	05.7-09.7	77	3.8	02.4-05.2	23	0.8	00.2-01.4	1	0.0	00.0-00.0
White/Non-Hisp	2606	1,860,331	1810	71.0	68.1-73.9	484	18.4	15.9-20.9	215	6.9	05.3-08.5	70	3.0	01.8-04.2	26	0.7	00.3-01.1	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	55	66,573							4	7.1	00.0-15.9	1	1.9	00.0-05.6						
Oth. Race/Non-Hisp.	136	97,738							20	7.7	03.2-12.2				1	0.8	00.0-02.6			
Hispanic	594	291,832	360	60.2	52.0-68.4	125	21.1	14.6-27.6	71	11.0	05.7-16.3	28	6.1	02.2-10.0	10	1.6	00.2-03.0			
35-44	354	378,759	256	74.5	67.2-81.8	76	18.9	12.4-25.4	13	4.6	00.7-08.5	6	1.2	00.0-02.8	3	0.8	00.0-01.8			
45-54	836	707,221	487	59.3	53.4-65.2	190	22.6	17.5-27.7	106	10.4	07.3-13.5	44	7.1	03.2-11.0	9	0.7	00.1-01.3			
55-64	896	536,452	612	70.5	65.4-75.6	163	18.2	13.9-22.5	85	7.2	04.5-09.9	32	4.0	01.6-06.4	4	0.1	00.1-00.1			
65+	1373	722,420	977	72.8	69.1-76.5	234	16.9	13.8-20.0	112	6.3	04.5-08.1	27	2.5	00.9-04.1	22	1.5	00.5-02.5	1	0.0	00.0-00.0
Less Than H.S.	377	182,715	232	59.0	49.2-68.8	66	15.9	09.0-22.8	44	12.5	05.2-19.8	25	10.2	04.3-16.1	10	2.5	00.7-04.3			
H.S. or G.E.D.	909	529,125	588	67.2	61.9-72.5	180	19.2	14.9-23.5	95	8.3	05.4-11.2	35	4.0	01.6-06.4	11	1.2	00.2-02.2			
Some Post-H.S.	1035	693,669	689	64.4	59.3-69.5	214	23.2	18.5-27.9	93	7.3	05.1-09.5	28	4.5	01.8-07.2	10	0.5	00.0-01.1	1	0.0	00.0-00.0
College Graduate	1119	921,433	808	73.9	69.4-78.4	199	17.0	13.5-20.5	84	6.2	04.0-08.4	21	2.5	00.1-04.9	7	0.5	00.1-00.9			
Less than \$15,000	390	200,329	218	59.3	50.1-68.5	87	22.2	14.6-29.8	47	7.7	03.6-11.8	27	7.7	02.6-12.8	10	3.1	00.4-05.8	1	0.0	00.0-00.0
\$15,000- 24,999	570	279,561	354	55.5	47.7-63.3	107	23.3	16.2-30.4	74	15.0	09.7-20.3	25	4.6	00.7-08.5	10	1.6	00.2-03.0			
\$25,000- 34,999	398	227,362	256	63.5	54.1-72.9	83	16.6	11.3-21.9	41	10.2	05.7-14.7	15	8.8	00.0-18.2	3	0.8	00.0-02.0			
\$35,000- 49,999	494	289,113	346	72.9	66.4-79.4	96	17.0	11.9-22.1	38	6.8	02.9-10.7	11	2.8	00.4-05.2	3	0.5	00.0-01.3			
\$50,000- 74,999	491	392,742	354	64.5	57.2-71.8	89	24.1	17.2-31.0	34	6.5	03.4-09.6	14	4.9	01.6-08.2						
\$75,000+	614	642,910	454	77.5	72.4-82.6	109	14.7	10.4-19.0	41	5.9	03.0-08.8	7	1.7	00.0-03.5	3	0.3	00.0-00.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 5: HOW MUCH DIFFICULTY, IF ANY, DO YOU HAVE READING PRINT IN NEWSPAPER, MAGAZINE, RECIPE, MENU, OR NUMBERS? WOULD YOU SAY: (VIREDIF2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No difficulty			Little difficulty			Moderate Difficulty			Extreme difficulty			Unable, due to eyesight other reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1324	1,125,152	902	70.1	65.8-74.4	254	17.8	14.5-21.1	121	7.1	04.9-09.3	32	4.2	01.7-06.7	15	0.8	00.2-01.4
White/Non-Hisp	1020	895,434	710	72.8	68.5-77.1	195	17.3	13.6-21.0	85	6.8	04.6-09.0	19	2.4	00.6-04.2	11	0.7	00.1-01.3
Oth. Race/Non-Hisp.	52	61,041							5	2.8	00.0-05.9						
Hispanic	204	128,466				42	19.3	09.7-28.9	26	10.0	01.6-18.4	10	7.7	01.0-14.4	4	2.2	00.0-04.6
35-44	121	204,039				25	15.6	06.6-24.6	2	2.8	00.0-08.1				2	1.0	00.0-02.6
45-54	315	347,747	183	57.4	48.2-66.6	74	22.8	15.4-30.2	43	10.7	06.0-15.4	12	8.6	01.7-15.5	3	0.4	00.0-01.0
55-64	340	252,123	236	72.4	64.8-80.0	64	17.1	10.6-23.6	31	7.7	03.4-12.0	8	2.7	00.0-06.0	1	0.0	00.0-00.0
65+	548	321,243	391	75.2	69.7-80.7	91	14.2	10.3-18.1	45	5.5	03.1-07.9	12	3.3	00.0-06.6	9	1.8	00.4-03.2
Less Than H.S.	126	70,844							18	6.5	02.4-10.6				5	4.7	00.4-09.0
H.S. or G.E.D.	296	195,850	189	65.6	56.6-74.6	62	21.0	13.6-28.4	35	8.6	03.9-13.3	6	3.9	00.0-08.0	4	0.9	00.0-02.1
Some Post-H.S.	361	303,117	242	65.2	56.8-73.6	79	21.1	14.0-28.2	31	7.9	04.0-11.8	7	5.7	00.4-11.0	2	0.1	00.0-00.3
College Graduate	530	539,952	389	75.2	68.9-81.5	92	15.0	10.1-19.9	37	6.5	03.2-09.8	8	2.6	00.0-06.3	4	0.7	00.0-01.5
Less than \$15,000	112	58,223							17	10.2	01.0-19.4				3	3.6	00.0-08.9
\$15,000- 24,999	204	124,802				40	23.3	13.7-32.9	31	13.2	06.5-19.9	5	5.8	00.0-13.8	6	2.8	00.1-05.5
\$25,000- 34,999	152	110,207				32	12.1	05.4-18.8	10	8.0	01.1-14.9				2	1.6	00.0-04.0
\$35,000- 49,999	198	126,764	131	71.8	62.4-81.2	44	19.3	11.3-27.3	16	6.0	01.7-10.3	5	1.9	00.0-04.1	2	1.1	00.0-02.9
\$50,000- 74,999	222	196,357							16	7.5	02.4-12.6	4	2.3	00.0-05.8			
\$75,000+	299	389,933	223	77.8	70.7-84.9	52	14.6	08.7-20.5	20	6.2	02.1-10.3	3	1.3	00.0-03.5	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 6: HOW MUCH DIFFICULTY, IF ANY, DO YOU HAVE READING PRINT IN NEWSPAPER, MAGAZINE, RECIPE, MENU, OR NUMBERS? WOULD YOU SAY: (VIREDIF2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No difficulty			Little difficulty			Moderate Difficulty			Extreme difficulty			Unable, due to eyesight other reasons			N.A., Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2135	1,219,700	1430	67.0	63.5-70.5	409	20.6	17.5-23.7	195	7.7	05.7-09.7	77	3.8	02.4-05.2	23	0.8	00.2-01.4	1	0.0	00.0-00.0
White/Non-Hisp	1586	964,896	1100	69.3	65.4-73.2	289	19.5	16.0-23.0	130	7.1	05.1-09.1	51	3.5	01.9-05.1	15	0.7	00.1-01.3	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	84	36,698							15	15.8	06.2-25.4				1	2.3	00.0-06.6			
Hispanic	390	163,366				83	22.5	13.7-31.3	45	11.7	04.8-18.6	18	4.8	00.3-09.3	6	1.2	00.0-03.0			
35-44	233	174,720	164	67.5	57.7-77.3	51	22.9	14.3-31.5	11	6.6	00.9-12.3	6	2.6	00.0-05.9	1	0.5	00.0-01.5			
45-54	521	359,474	304	61.1	53.5-68.7	116	22.3	15.4-29.2	63	10.1	06.0-14.2	32	5.6	02.3-08.9	6	1.0	00.0-02.0			
55-64	556	284,329	376	68.8	61.9-75.7	99	19.2	13.5-24.9	54	6.7	03.2-10.2	24	5.2	01.7-08.7	3	0.1	00.0-00.3			
65+	825	401,177	586	70.9	65.8-76.0	143	19.1	14.4-23.8	67	6.9	04.5-09.3	15	1.8	00.6-03.0	13	1.3	00.1-02.5	1	0.0	00.0-00.0
Less Than H.S.	251	111,871				47	14.6	06.4-22.8				14	9.2	02.5-15.9	5	1.1	00.0-02.3			
H.S. or G.E.D.	613	333,274	399	68.1	61.4-74.8	118	18.2	12.7-23.7	60	8.2	04.5-11.9	29	4.1	01.2-07.0	7	1.4	00.0-02.8			
Some Post-H.S.	674	390,552	447	63.7	57.2-70.2	135	24.9	18.6-31.2	62	6.9	04.4-09.4	21	3.6	00.9-06.3	8	0.8	00.0-01.6	1	0.0	00.0-00.0
College Graduate	589	381,480	419	72.0	66.3-77.7	107	19.8	14.5-25.1	47	5.7	03.2-08.2	13	2.3	00.7-03.9	3	0.2	00.0-00.4			
Less than \$15,000	278	142,107				68	24.6	14.8-34.4	30	6.7	02.2-11.2	19	5.2	00.5-09.9	7	2.9	00.0-06.0	1	0.0	00.0-00.0
\$15,000- 24,999	366	154,759							43	16.3	08.7-23.9	20	3.7	01.3-06.1	4	0.7	00.0-01.5			
\$25,000- 34,999	246	117,155	153	64.5	55.3-73.7	51	20.9	13.3-28.5	31	12.3	06.2-18.4	10	2.2	00.0-04.4	1	0.1	00.0-00.3			
\$35,000- 49,999	296	162,349	215	73.7	64.9-82.5	52	15.2	08.7-21.7	22	7.5	01.6-13.4	6	3.5	00.0-07.2	1	0.0	00.0-00.0			
\$50,000- 74,999	269	196,385	195	64.3	54.3-74.3	46	22.9	13.7-32.1	18	5.4	01.5-09.3	10	7.5	01.8-13.2						
\$75,000+	315	252,977	231	77.1	70.0-84.2	57	14.7	09.0-20.4	21	5.3	01.4-09.2	4	2.2	00.0-05.1	2	0.7	00.0-01.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 7: WHEN WAS THE LAST TIME YOU HAD YOUR EYES EXAMINED BY ANY DOCTOR OR EYE CARE PROVIDER? (VIPRFVS2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3455	2,349,445	677	20.3	17.9-22.7	1537	44.2	41.3-47.1	577	16.8	14.4-19.2	623	17.5	15.1-19.9	41	1.1	00.3-01.9
Male	1323	1,123,562	262	20.1	16.2-24.0	591	44.4	39.7-49.1	205	15.7	12.4-19.0	247	18.2	14.5-21.9	18	1.6	00.2-03.0
Female	2132	1,225,884	415	20.5	17.4-23.6	946	44.1	40.4-47.8	372	17.9	15.0-20.8	376	16.9	14.0-19.8	23	0.6	00.0-01.2
White/Non-Hisp	2602	1,864,492	521	20.7	18.0-23.4	1176	44.6	41.3-47.9	447	17.7	15.2-20.2	444	16.4	13.9-18.9	14	0.6	00.0-01.2
Black or Afr. Am./Non-Hisp	55	66,573							6	4.7	00.0-09.8						
Hispanic	592	291,438	105	18.4	11.5-25.3	233	40.9	32.3-49.5	90	12.5	07.2-17.8	137	23.3	15.9-30.7	27	4.9	00.6-09.2
35-44	350	376,112	66	21.1	13.3-28.9	135	35.5	26.7-44.3	49	15.3	08.4-22.2	89	23.9	16.3-31.5	11	4.3	00.0-08.6
45-54	832	701,792	122	15.0	10.7-19.3	339	43.0	36.9-49.1	161	19.3	14.6-24.0	193	21.9	16.8-27.0	17	0.9	00.1-01.7
55-64	897	539,399	169	22.2	17.5-26.9	365	41.1	35.6-46.6	182	19.7	15.2-24.2	170	16.5	12.2-20.8	11	0.5	00.0-01.1
65+	1376	732,142	320	23.7	19.8-27.6	698	52.3	48.0-56.6	185	13.2	10.3-16.1	171	10.8	08.3-13.3	2	0.0	00.0-00.0
Less Than H.S.	380	189,823	77	18.1	10.7-25.5	144	36.1	27.1-45.1	48	11.9	04.3-19.5	95	27.1	18.5-35.7	16	6.8	00.5-13.1
H.S. or G.E.D.	907	531,500	180	21.9	16.6-27.2	390	43.9	38.0-49.8	143	14.5	10.8-18.2	183	19.4	14.9-23.9	11	0.3	00.0-00.7
Some Post-H.S.	1033	693,396	196	19.8	15.5-24.1	451	41.3	36.2-46.4	187	19.9	15.2-24.6	192	18.9	14.6-23.2	7	0.1	00.0-00.3
College Graduate	1116	917,402	219	19.7	15.8-23.6	546	48.3	43.2-53.4	196	17.2	13.5-20.9	148	13.7	09.8-17.6	7	1.0	00.0-02.4
Less than \$15,000	391	200,980	69	25.4	16.2-34.6	150	33.2	24.8-41.6	50	13.9	06.6-21.2	115	27.0	19.0-35.0	7	0.6	00.0-01.2
\$15,000- 24,999	570	283,420	114	22.3	15.4-29.2	226	37.3	30.2-44.4	94	16.4	09.7-23.1	125	22.7	16.0-29.4	11	1.2	00.0-02.4
\$25,000- 34,999	397	226,576	68	16.0	09.7-22.3	200	51.6	42.4-60.8	64	13.0	07.9-18.1	63	16.9	09.6-24.2	2	2.6	00.0-07.3
\$35,000- 49,999	492	288,523	100	20.6	13.3-27.9	229	44.6	36.8-52.4	90	20.2	13.9-26.5	70	14.5	09.8-19.2	3	0.2	00.0-00.4
\$50,000- 74,999	489	390,416	98	19.4	14.1-24.7	222	47.0	39.6-54.4	90	19.2	13.1-25.3	71	13.9	08.6-19.2	8	0.5	00.1-00.9
\$75,000+	612	638,511	119	18.7	13.6-23.8	285	46.8	40.3-53.3	108	18.0	13.1-22.9	97	15.0	10.1-19.9	3	1.4	00.0-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 8: WHEN WAS THE LAST TIME YOU HAD YOUR EYES EXAMINED BY ANY DOCTOR OR EYE CARE PROVIDER? (VIPRFVS2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1323	1,123,562	262	20.1	16.2-24.0	591	44.4	39.7-49.1	205	15.7	12.4-19.0	247	18.2	14.5-21.9	18	1.6	00.2-03.0
White/Non-Hisp	1018	893,388	196	20.2	15.9-24.5	459	44.1	38.8-49.4	168	16.6	12.7-20.5	188	18.0	13.7-22.3	7	1.1	00.0-02.5
Hispanic	204	128,407							23	8.9	03.6-14.2	40	17.4	08.8-26.0	11	6.1	00.0-14.3
35-44	121	202,470													6	6.0	00.0-13.4
45-54	311	342,039	36	10.5	04.8-16.2	120	42.9	33.5-52.3	64	16.5	10.6-22.4	84	28.9	20.3-37.5	7	1.3	00.0-02.9
55-64	341	252,316	83	28.5	20.5-36.5	136	39.8	31.4-48.2	61	17.9	10.8-25.0	57	13.5	07.8-19.2	4	0.3	00.0-00.7
65+	550	326,736	120	21.8	16.3-27.3	290	55.7	49.2-62.2	62	11.5	07.4-15.6	77	11.0	07.5-14.5	1	0.0	00.0-00.0
H.S. or G.E.D.	295	195,701	61	23.9	14.1-33.7	128	43.9	34.3-53.5	34	12.5	06.4-18.6	66	18.9	12.2-25.6	6	0.7	00.0-01.5
Some Post-H.S.	362	303,584	71	22.3	14.9-29.7	144	37.2	28.6-45.8	65	18.1	10.7-25.5	81	22.4	15.0-29.8	1	0.1	00.0-00.3
College Graduate	528	535,553	97	17.0	11.9-22.1	267	50.2	42.9-57.5	91	16.3	11.2-21.4	69	14.9	09.0-20.8	4	1.6	00.0-03.8
Less than \$15,000	112	58,727							7	3.3	00.4-06.2				4	1.6	00.0-04.0
\$15,000- 24,999	204	125,196							24	11.9	04.5-19.3	61	26.1	16.5-35.7	3	0.7	00.0-01.9
\$25,000- 34,999	152	109,746							22	10.7	04.0-17.4				2	5.3	00.0-14.9
\$35,000- 49,999	198	126,764							41	20.9	11.5-30.3	31	18.5	09.9-27.1	2	0.3	00.0-00.7
\$50,000- 74,999	221	194,193	36	13.7	07.8-19.6				44	23.7	14.1-33.3	33	15.9	07.5-24.3	4	0.7	00.0-01.5
\$75,000+	297	385,534	56	18.6	11.7-25.5	139	46.0	37.0-55.0	53	16.5	09.8-23.2	47	16.8	09.5-24.1	2	2.1	00.0-05.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 9: WHEN WAS THE LAST TIME YOU HAD YOUR EYES EXAMINED BY ANY DOCTOR OR EYE CARE PROVIDER? (VIPRFVS2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2132	1,225,884	415	20.5	17.4-23.6	946	44.1	40.4-47.8	372	17.9	15.0-20.8	376	16.9	14.0-19.8	23	0.6	00.0-01.2
White/Non-Hisp	1584	971,104	325	21.2	17.7-24.7	717	45.1	41.0-49.2	279	18.7	15.2-22.2	256	14.9	12.2-17.6	7	0.1	00.0-00.3
Oth. Race/Non-Hisp.	85	37,008	16	12.4	03.8-21.0							13	9.3	02.6-16.0			
Hispanic	388	163,031	58	14.3	06.5-22.1				67	15.4	07.0-23.8				16	4.0	00.3-07.7
35-44	229	173,642	43	18.3	10.5-26.1				31	11.9	05.2-18.6				5	2.2	00.0-05.3
45-54	521	359,753	86	19.3	13.0-25.6	219	43.0	35.4-50.6	97	21.9	15.0-28.8	109	15.3	10.4-20.2	10	0.5	00.1-00.9
55-64	556	287,083	86	16.6	11.3-21.9	229	42.3	35.2-49.4	121	21.3	15.4-27.2	113	19.1	12.8-25.4	7	0.7	00.0-01.7
65+	826	405,406	200	25.3	20.0-30.6	408	49.6	43.7-55.5	123	14.5	10.2-18.8	94	10.7	07.2-14.2	1	0.0	00.0-00.0
Less Than H.S.	252	115,833	47	18.2	08.4-28.0										9	4.6	00.0-09.7
H.S. or G.E.D.	612	335,800	119	20.7	14.8-26.6	262	43.9	36.6-51.2	109	15.6	11.1-20.1	117	19.7	13.6-25.8	5	0.1	00.0-00.3
Some Post-H.S.	671	389,812	125	17.9	12.8-23.0	307	44.5	38.2-50.8	122	21.3	15.2-27.4	111	16.1	11.2-21.0	6	0.2	00.0-00.4
College Graduate	588	381,850	122	23.6	17.7-29.5	279	45.7	39.2-52.2	105	18.4	13.3-23.5	79	12.0	07.9-16.1	3	0.3	00.0-00.7
Less than \$15,000	279	142,254				115	32.8	23.6-42.0	43	18.3	08.5-28.1	77	22.7	13.5-31.9	3	0.1	00.0-00.3
\$15,000- 24,999	366	158,223	70	16.5	10.6-22.4	154	41.9	32.3-51.5				64	20.0	10.8-29.2	8	1.6	00.0-03.6
\$25,000- 34,999	245	116,830	41	16.0	09.3-22.7	119	48.9	38.9-58.9	42	15.2	07.9-22.5	43	19.9	09.9-29.9			
\$35,000- 49,999	294	161,759	65	20.1	11.9-28.3				49	19.7	11.1-28.3	39	11.3	06.0-16.6	1	0.0	00.0-00.0
\$50,000- 74,999	268	196,223	62	25.1	16.5-33.7	118	48.0	38.0-58.0	46	14.7	07.6-21.8	38	11.9	05.4-18.4	4	0.3	00.0-00.7
\$75,000+	315	252,977	63	18.9	11.5-26.3	146	48.0	39.2-56.8	55	20.4	13.3-27.5	50	12.4	07.5-17.3	1	0.4	00.0-01.2

NOTE:

‰ = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 10: WHAT IS THE MAIN REASON YOU HAVE NOT VISITED AN EYE CARE PROFESSIONAL IN THE PAST 12 MONTHS? (VINOCRE2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Cost-insurance			Do not have, know an eye doctor			Too far away, no transport			Could not get an appointment			No reason to go, No problem, Have not thought of it			Other N.A., Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1242	836,525	255	18.1	14.2-22.0	28	2.4	01.0-03.8	35	1.4	00.6-02.2	25	1.4	00.0-03.0	724	61.1	56.2-66.0	175	15.6	11.9-19.3
Male	476	407,023	56	9.0	05.3-12.7	11	1.5	00.0-03.1	14	1.7	00.5-02.9	8	0.7	00.1-01.3	320	70.6	63.7-77.5	67	16.5	10.6-22.4
Female	766	429,502	199	26.7	20.6-32.8	17	3.2	00.8-05.6	21	1.1	00.3-01.9	17	2.2	00.0-05.1	404	52.0	45.5-58.5	108	14.8	10.5-19.1
White/Non-Hisp	910	649,992	165	16.3	12.0-20.6	22	2.4	00.8-04.0	18	1.2	00.4-02.0	16	0.6	00.2-01.0	561	63.7	58.2-69.2	128	15.9	11.6-20.2
Hispanic	249	117,730				5	2.0	00.0-04.7	12	2.1	00.3-03.9	6	6.5	00.0-16.5				32	12.7	04.9-20.5
35-44	152	163,186	33	14.7	06.7-22.7	6	4.6	00.0-09.3	2	0.1	00.0-00.3	2	0.3	00.0-00.7				16	11.0	02.4-19.6
45-54	372	298,239	82	16.8	09.9-23.7	1	0.1	00.0-00.3	12	1.2	00.2-02.2	5	2.4	00.0-06.5	215	59.4	50.4-68.4	57	20.1	12.8-27.4
55-64	361	198,058	93	27.7	18.5-36.9	6	3.4	00.0-07.1	11	1.9	00.1-03.7	8	1.0	00.2-01.8	196	53.0	43.4-62.6	47	13.0	06.9-19.1
65+	357	177,043	47	12.6	07.1-18.1	15	3.2	00.5-05.9	10	2.3	00.1-04.5	10	1.5	00.3-02.7	220	65.4	57.4-73.4	55	15.1	09.2-21.0
Less Than H.S.	153	83,142				3	4.1	00.0-09.8	3	0.3	00.0-00.7							15	6.1	01.4-10.8
H.S. or G.E.D.	342	184,396	79	24.1	15.3-32.9	9	2.6	00.0-05.3	14	2.4	00.4-04.4	5	0.7	00.0-01.5	188	53.1	43.9-62.3	47	17.1	09.8-24.4
Some Post-H.S.	388	272,475	90	21.0	13.6-28.4	9	1.0	00.2-01.8	11	1.3	00.3-02.3	5	0.7	00.0-01.5	221	62.0	53.2-70.8	52	14.0	08.1-19.9
College Graduate	352	295,029	40	9.2	04.3-14.1	7	3.0	00.0-06.1	7	1.1	00.0-02.5	10	0.7	00.3-01.1	230	67.1	58.7-75.5	58	18.8	11.5-26.1
Less than \$15,000	167	79,827				6	2.4	00.0-05.7	5	3.2	00.0-06.9							18	10.8	03.0-18.6
\$15,000- 24,999	233	115,773				7	3.2	00.0-06.9	5	0.4	00.0-00.8	5	1.8	00.0-03.8				23	11.3	03.3-19.3
\$25,000- 34,999	129	74,450	25	17.2	07.2-27.2	4	3.8	00.0-09.9	9	4.1	00.8-07.4	1	0.7	00.0-02.1				20	15.3	05.3-25.3
\$35,000- 49,999	165	101,038	28	15.4	05.8-25.0	2	0.8	00.0-02.0	1	1.7	00.0-05.0	3	0.4	00.0-00.8				26	11.6	05.5-17.7
\$50,000- 74,999	170	133,055	14	9.9	02.3-17.5	3	1.2	00.0-02.8	5	1.7	00.0-03.7	1	0.1	00.0-00.3				27	19.0	09.0-29.0
\$75,000+	208	222,072	12	2.6	00.2-05.0	3	3.7	00.0-07.8	4	0.5	00.0-01.1	6	0.6	00.0-01.2				35	20.2	11.0-29.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 11: WHAT IS THE MAIN REASON YOU HAVE NOT VISITED AN EYE CARE PROFESSIONAL IN THE PAST 12 MONTHS? (VINOCRE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Cost-insurance			Do not have, know an eye doctor			Too far away, no transport			Could not get an appointment			No reason to go, No problem, Have not thought of it			Other N.A., Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	476	407,023	56	9.0	05.3-12.7	11	1.5	00.0-03.1	14	1.7	00.5-02.9	8	0.7	00.1-01.3	320	70.6	63.7-77.5	67	16.5	10.6-22.4
White/Non-Hisp	368	325,387	43	7.4	03.9-10.9	9	1.2	00.0-02.8	8	1.7	00.1-03.3	5	0.6	00.0-01.2	256	72.7	65.1-80.3	47	16.4	09.5-23.3
Hispanic	74	41,903	1	0.1	00.0-00.3	1	0.1	00.0-00.3	5	2.6	00.0-05.7	2	1.8	00.0-04.7				12	9.3	01.1-17.5
35-44	54	87,486	6	4.3	00.0-08.6															
45-54	158	164,894	19	8.9	03.2-14.6	1	0.1	00.0-00.3	4	1.0	00.0-02.0	1	0.1	00.0-00.3						
55-64	122	80,119	3	3.3	00.0-08.4	3	3.3	00.0-08.4	4	2.2	00.0-05.7	6	2.1	00.0-04.3						
65+	142	74,523	14	10.6	02.0-19.2	7	4.4	00.0-10.5	6	4.6	00.0-09.7	1	1.2	00.0-03.6				23	14.0	05.6-22.4
H.S. or G.E.D.	109	64,385	18	13.2	04.6-21.8	4	4.1	00.0-11.0	7	5.3	00.2-10.4	3	1.5	00.0-03.5						
Some Post-H.S.	149	125,555	20	11.4	04.0-18.8	4	0.9	00.0-01.9	4	1.1	00.0-02.3	2	1.1	00.0-02.7				21	11.7	03.7-19.7
College Graduate	165	180,121	11	4.0	00.0-08.7	2	0.2	00.0-00.4	1	1.0	00.0-03.0	3	0.2	00.0-00.6						
\$15,000- 24,999	90	49,898				5	5.8	00.0-14.0	3	0.7	00.0-01.7	4	3.7	00.0-08.0						
\$35,000- 49,999	74	50,348	7	6.3	00.0-13.6				1	3.5	00.0-10.2	2	0.4	00.0-01.2				7	6.5	00.0-13.0
\$50,000- 74,999	81	80,034	4	7.6	00.0-17.8															
\$75,000+	104	140,948	3	0.8	00.0-02.2				2	0.7	00.0-01.7	1	0.1	00.0-00.5						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 12: WHAT IS THE MAIN REASON YOU HAVE NOT VISITED AN EYE CARE PROFESSIONAL IN THE PAST 12 MONTHS? (VINOCRE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Cost-insurance			Do not have, know an eye doctor			Too far away, no transport			Could not get an appointment			No reason to go, No problem, Have not thought of it			Other N.A., Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	766	429,502	199	26.7	20.6-32.8	17	3.2	00.8-05.6	21	1.1	00.3-01.9	17	2.2	00.0-05.1	404	52.0	45.5-58.5	108	14.8	10.3-19.3
White/Non-Hisp	542	324,605	122	25.2	18.1-32.3	13	3.6	00.7-06.5	10	0.7	00.0-01.5	11	0.6	00.2-01.0	305	54.6	47.2-62.0	81	15.3	10.2-20.4
Hispanic	175	75,828				4	3.1	00.0-07.2	7	1.8	00.0-04.0									
35-44	98	75,699				6	9.9	00.0-19.9	2	0.2	00.0-00.6	2	0.6	00.0-01.4				8	8.8	00.0-19.0
45-54	214	133,344							8	1.6	00.0-03.2	4	5.1	00.0-14.1				35	19.5	09.7-29.3
55-64	239	117,939				3	3.4	00.0-08.5	7	1.7	00.0-03.7	2	0.2	00.0-00.6				33	12.3	06.2-18.4
65+	215	102,519	33	14.1	06.8-21.4	8	2.4	00.6-04.2	4	0.5	00.0-01.1	9	1.7	00.5-02.9				32	15.8	07.8-23.8
Less Than H.S.	104	47,408				2	2.9	00.0-08.4	1	0.1	00.0-00.3							7	5.4	00.0-11.5
H.S. or G.E.D.	233	120,012				5	1.8	00.0-03.8	7	0.8	00.0-01.6	2	0.3	00.0-00.7				38	17.2	08.4-26.0
Some Post-H.S.	239	146,920				5	1.2	00.0-02.4	7	1.5	00.0-03.1	3	0.3	00.0-00.7				31	15.8	07.4-24.2
College Graduate	187	114,908	29	17.4	08.0-26.8	5	7.5	00.0-15.1	6	1.4	00.0-03.2	7	1.3	00.1-02.5				30	14.7	07.1-22.3
Less than \$15,000	118	55,469				3	2.6	00.0-07.3	2	1.1	00.0-02.7									
\$15,000- 24,999	143	65,875				2	1.2	00.0-03.0	2	0.2	00.0-00.6	1	0.3	00.0-00.9				13	7.3	01.6-13.0
\$25,000- 34,999	84	41,239				2	0.8	00.0-02.2	5	3.5	00.0-07.4									
\$35,000- 49,999	91	50,690				2	1.5	00.0-03.7				1	0.3	00.0-00.9						
\$50,000- 74,999	89	53,022				3	3.1	00.0-07.0	5	4.2	00.0-09.1	1	0.2	00.0-00.6						
\$75,000+	104	81,124	9	5.7	00.0-11.4				2	0.1	00.0-00.3	5	1.5	00.1-02.9						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 13: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? (VIEYEXM2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never			8		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2933	2,000,998	412	14.4	12.0-16.8	1094	37.5	34.4-40.6	432	16.0	13.6-18.4	708	23.0	20.3-25.7	283	8.8	06.8-10.8	4	0.4	00.0-01.0
Male	1087	942,809	164	15.6	11.7-19.5	394	36.6	31.5-41.7	156	15.5	11.6-19.4	263	21.6	17.5-25.7	108	9.9	06.6-13.2	2	0.7	00.0-01.9
Female	1846	1,058,189	248	13.3	10.6-16.0	700	38.2	34.5-41.9	276	16.5	13.4-19.6	445	24.2	20.7-27.7	175	7.8	05.8-09.8	2	0.0	00.0-00.0
White/Non-Hisp	2266	1,637,463	319	14.6	12.1-17.1	871	37.8	34.5-41.1	365	17.3	14.6-20.0	554	22.9	20.0-25.8	156	7.4	05.4-09.4	1	0.0	00.0-00.0
Hispanic	467	215,103	63	12.1	06.4-17.8	132	31.9	22.9-40.9	44	9.5	05.2-13.8	114	25.4	16.6-34.2	111	17.8	11.7-23.9	3	3.3	00.0-08.4
35-44	315	346,736	41	14.3	07.0-21.6	82	23.6	15.2-32.0	40	19.3	11.1-27.5	78	26.2	17.6-34.8	72	14.6	08.7-20.5	2	2.0	00.0-05.1
45-54	735	603,584	67	9.1	05.6-12.6	230	33.8	27.5-40.1	117	15.3	11.2-19.4	214	27.3	21.6-33.0	106	14.4	09.7-19.1	1	0.0	00.0-00.0
55-64	746	439,634	97	16.5	11.6-21.4	258	37.3	31.4-43.2	125	17.0	12.3-21.7	202	23.8	18.7-28.9	63	5.4	02.9-07.9	1	0.0	00.0-00.0
65+	1137	611,044	207	18.2	14.3-22.1	524	49.0	44.3-53.7	150	14.1	10.4-17.8	214	16.3	13.0-19.6	42	2.4	01.4-03.4			
Less Than H.S.	290	147,235	48	18.5	09.9-27.1	100	32.9	23.3-42.5	22	9.7	02.3-17.1	67	21.8	12.4-31.2	53	17.1	09.5-24.7			
H.S. or G.E.D.	769	438,420	115	15.5	10.4-20.6	275	37.1	31.2-43.0	94	13.0	08.7-17.3	196	24.6	19.5-29.7	86	8.1	05.2-11.0	3	1.6	00.0-04.1
Some Post-H.S.	881	586,239	118	14.9	10.6-19.2	310	32.4	27.1-37.7	140	18.8	13.9-23.7	231	26.4	21.1-31.7	81	7.5	04.6-10.4	1	0.0	00.0-00.0
College Graduate	974	818,128	129	12.7	09.2-16.2	403	41.7	36.2-47.2	175	17.0	13.1-20.9	206	19.9	15.4-24.4	61	8.7	05.2-12.2			
Less than \$15,000	300	147,571	41	21.2	11.2-31.2	93	31.5	21.7-41.3	31	11.3	03.1-19.5	88	25.0	16.4-33.6	47	10.9	05.6-16.2			
\$15,000- 24,999	479	235,893	77	16.8	10.9-22.7	159	30.0	23.1-36.9	52	10.1	05.6-14.6	129	30.2	22.0-38.4	59	9.9	05.6-14.2	3	3.0	00.0-07.7
\$25,000- 34,999	329	182,808	45	11.4	05.7-17.1				46	10.7	05.6-15.8	74	23.5	14.5-32.5	24	5.8	02.5-09.1			
\$35,000- 49,999	422	237,961	54	16.7	08.5-24.9	163	37.4	29.8-45.0	73	21.2	13.9-28.5	90	17.4	12.1-22.7	41	7.3	03.6-11.0	1	0.0	00.0-00.0
\$50,000- 74,999	434	333,199	59	12.2	07.9-16.5	171	40.7	32.9-48.5	72	18.4	11.9-24.9	92	18.7	12.6-24.8	40	10.1	05.0-15.2			
\$75,000+	551	579,992	79	12.9	08.4-17.4	203	36.3	29.6-43.0	100	20.7	15.0-26.4	135	20.9	15.4-26.4	34	9.2	04.5-13.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 14: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? (VIEYEXM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never			8		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1087	942,809	164	15.6	11.7-19.5	394	36.6	31.5-41.7	156	15.5	11.6-19.4	263	21.6	17.5-25.7	108	9.9	06.6-13.2	2	0.7	00.0-01.9
White/Non-Hisp	849	762,719	119	15.9	11.4-20.4	316	36.4	30.9-41.9	133	16.7	12.2-21.2	212	21.5	17.0-26.0	69	9.6	05.9-13.3			
Hispanic	158	96,684	31	13.6	06.0-21.2				14	9.3	02.8-15.8				29	8.7	04.0-13.4	2	7.3	00.0-18.3
35-44	108	190,622													24	11.7	03.3-20.1	2	3.7	00.0-09.6
45-54	270	295,203	24	7.9	03.0-12.8				45	15.1	08.8-21.4	83	25.1	17.3-32.9	40	18.1	09.7-26.5			
55-64	268	195,566	47	22.6	14.0-31.2	94	35.6	26.4-44.8	42	14.0	06.9-21.1	63	21.7	13.5-29.9	22	6.1	01.6-10.6			
65+	441	261,418	78	17.6	11.5-23.7	200	50.1	42.8-57.4	54	13.4	08.3-18.5	87	16.7	11.6-21.8	22	2.2	01.0-03.4			
Less Than H.S.	99	57,634													13	10.8	02.4-19.2			
H.S. or G.E.D.	239	165,774				78	31.8	22.6-41.0	22	9.9	03.8-16.0	61	21.5	13.9-29.1	37	11.9	05.4-18.4	2	4.2	00.0-10.9
Some Post-H.S.	300	242,785	39	17.7	09.7-25.7	93	29.3	19.9-38.7	46	17.2	08.6-25.8	95	29.5	20.9-38.1	27	6.2	01.5-10.9			
College Graduate	439	468,230	64	12.7	07.8-17.6	183	42.2	34.2-50.2	80	17.3	11.6-23.0	82	16.7	10.6-22.8	30	11.1	05.2-17.0			
Less than \$15,000	88	49,272							6	2.7	00.0-05.4				18	12.1	04.3-19.9			
\$15,000- 24,999	166	97,836				46	21.8	12.6-31.0	13	11.1	02.1-20.1				22	11.0	03.6-18.4	2	7.2	00.0-18.0
\$25,000- 34,999	113	80,394							17	8.0	01.5-14.5				10	5.1	01.0-09.2			
\$35,000- 49,999	165	102,181										32	17.6	08.8-26.4	15	4.5	00.8-08.2			
\$50,000- 74,999	186	165,151	24	11.9	05.8-18.0				34	20.9	10.9-30.9	41	19.6	10.6-28.6	15	12.2	03.4-21.0			
\$75,000+	259	343,526	37	13.9	07.2-20.6	101	37.2	27.8-46.6	42	17.8	10.0-25.6	64	19.3	12.0-26.6	15	11.7	04.3-19.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 15: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? (VIEYEXM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never			8		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1846	1,058,189	248	13.3	10.6-16.0	700	38.2	34.5-41.9	276	16.5	13.4-19.6	445	24.2	20.7-27.7	175	7.8	05.8-09.8	2	0.0	00.0-00.0
White/Non-Hisp	1417	874,744	200	13.4	10.5-16.3	555	39.0	34.9-43.1	232	17.8	14.3-21.3	342	24.2	20.3-28.1	87	5.5	03.7-07.3	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	60	27,508							6	7.2	00.0-14.8									
Hispanic	309	118,419	32	10.8	02.4-19.2	85	29.1	19.1-39.1	30	9.7	04.2-15.2				82	25.2	15.4-35.0	1	0.1	00.0-00.3
35-44	207	156,113	26	10.2	04.5-15.9	60	23.9	14.9-32.9	25	17.8	08.8-26.8				48	18.2	10.4-26.0			
45-54	465	308,381	43	10.2	05.3-15.1	152	33.9	26.6-41.2	72	15.5	10.0-21.0	131	29.5	21.7-37.3	66	10.8	06.5-15.1	1	0.0	00.0-00.0
55-64	478	244,068	50	11.5	06.4-16.6	164	38.6	31.0-46.2	83	19.4	13.1-25.7	139	25.5	19.0-32.0	41	4.9	02.4-07.4	1	0.0	00.0-00.0
65+	696	349,626	129	18.6	13.5-23.7	324	48.2	41.9-54.5	96	14.7	09.6-19.8	127	16.0	11.7-20.3	20	2.6	01.2-04.0			
Less Than H.S.	191	89,601							14	8.2	00.0-16.8	46	16.8	07.6-26.0						
H.S. or G.E.D.	530	272,647	76	12.4	07.9-16.9	197	40.3	32.9-47.7	72	14.9	09.0-20.8	135	26.6	19.7-33.5	49	5.8	03.1-08.5	1	0.1	00.0-00.3
Some Post-H.S.	581	343,454	79	12.9	08.2-17.6	217	34.6	28.3-40.9	94	19.9	13.8-26.0	136	24.2	17.5-30.9	54	8.3	04.8-11.8	1	0.0	00.0-00.0
College Graduate	535	349,898	65	12.7	08.0-17.4	220	41.0	34.1-47.9	95	16.6	11.5-21.7	124	24.3	18.0-30.6	31	5.4	02.7-08.1			
Less than \$15,000	212	98,299										62	20.3	11.5-29.1	29	10.4	03.3-17.5			
\$15,000- 24,999	313	138,057	50	14.0	08.5-19.5	113	35.8	26.2-45.4	39	9.5	05.0-14.0				37	9.2	04.3-14.1	1	0.1	00.0-00.3
\$25,000- 34,999	216	102,413	28	10.6	05.1-16.1				29	12.8	05.7-19.9				14	6.4	01.3-11.5			
\$35,000- 49,999	257	135,781	34	14.6	06.0-23.2	97	37.8	28.0-47.6	41	21.0	11.2-30.8	58	17.2	10.7-23.7	26	9.4	03.7-15.1	1	0.1	00.0-00.3
\$50,000- 74,999	248	168,048	35	12.5	06.2-18.8				38	16.0	07.6-24.4	51	17.8	10.0-25.6	25	8.0	02.9-13.1			
\$75,000+	292	236,466	42	11.4	06.1-16.7	102	34.8	26.2-43.4	58	25.0	17.2-32.8	71	23.3	15.3-31.3	19	5.5	02.2-08.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE
TABLE 16: DO YOU HAVE ANY KIND OF HEALTH INSURANCE COVERAGE FOR EYE CARE? (VIINSUR2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			N A, Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3377	2,304,011	1801	61.1	58.2-64.0	1573	38.5	35.6-41.4	3	0.4	00.0-01.0
Male	1296	1,110,769	722	64.1	59.6-68.6	572	35.0	30.7-39.3	2	0.9	00.0-02.1
Female	2081	1,193,242	1079	58.4	54.7-62.1	1001	41.6	37.9-45.3	1	0.0	00.0-00.0
White/Non-Hisp	2546	1,836,086	1418	63.0	59.9-66.1	1127	36.7	33.6-39.8	1	0.3	00.0-00.9
Hispanic	575	273,511	228	43.8	35.2-52.4	345	54.6	45.8-63.4	2	1.6	00.0-04.7
35-44	340	358,104	187	69.7	61.9-77.5	151	27.5	20.2-34.8	2	2.8	00.0-06.5
45-54	829	700,469	463	63.0	57.1-68.9	365	37.0	31.1-42.9	1	0.0	00.0-00.0
55-64	875	529,667	464	58.8	53.3-64.3	411	41.2	35.7-46.7			
65+	1333	715,770	687	56.7	52.4-61.0	646	43.3	39.0-47.6			
Less Than H.S.	369	178,635	150	44.7	34.7-54.7	219	55.3	45.3-65.3			
H.S. or G.E.D.	885	519,035	422	51.2	45.3-57.1	462	48.0	42.1-53.9	1	0.8	00.0-02.4
Some Post-H.S.	1022	689,943	565	64.7	59.8-69.6	456	35.3	30.4-40.2	1	0.0	00.0-00.0
College Graduate	1083	898,904	656	67.4	62.7-72.1	426	32.0	27.3-36.7	1	0.6	00.0-01.8
Less than \$15,000	379	193,971	133	42.9	33.1-52.7	246	57.1	47.3-66.9			
\$15,000- 24,999	559	273,751	223	40.6	33.0-48.2	336	59.4	51.8-67.0			
\$25,000- 34,999	392	224,577	200	51.1	41.9-60.3	191	47.0	37.6-56.4	1	1.9	00.0-05.6
\$35,000- 49,999	481	285,378	274	63.2	55.6-70.8	207	36.8	29.2-44.4			
\$50,000- 74,999	482	388,993	328	77.9	72.6-83.2	154	22.1	16.8-27.4			
\$75,000+	602	632,011	398	70.8	65.1-76.5	203	28.3	22.6-34.0	1	0.9	00.0-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 17: DO YOU HAVE ANY KIND OF HEALTH INSURANCE COVERAGE FOR EYE CARE? (VIINSUR2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			N A, Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1296	1,110,769	722	64.1	59.6-68.6	572	35.0	30.7-39.3	2	0.9	00.0-02.1
White/Non-Hisp	999	887,798	566	66.5	61.8-71.2	432	32.8	28.1-37.5	1	0.6	00.0-01.8
Hispanic	198	119,972							1	3.6	00.0-10.5
35-44	114	195,028				45	20.6	11.0-30.2	2	5.1	00.0-12.0
45-54	312	346,043	192	66.1	57.1-75.1	120	33.9	24.9-42.9			
55-64	334	250,433	194	61.7	53.3-70.1	140	38.3	29.9-46.7			
65+	536	319,265	269	57.4	50.9-63.9	267	42.6	36.1-49.1			
H.S. or G.E.D.	289	188,181	142	54.4	44.8-64.0	146	43.3	33.9-52.7	1	2.3	00.0-06.8
Some Post-H.S.	360	305,417	191	65.2	57.4-73.0	169	34.8	27.0-42.6			
College Graduate	512	530,058	328	69.5	62.6-76.4	183	29.4	22.7-36.1	1	1.1	00.0-03.1
\$25,000- 34,999	149	109,597							1	3.9	00.0-11.3
\$35,000- 49,999	195	126,376	114	69.7	60.3-79.1	81	30.3	20.9-39.7			
\$50,000- 74,999	218	195,623	143	74.3	65.9-82.7	75	25.7	17.3-34.1			
\$75,000+	290	383,906	195	72.0	64.0-80.0	94	26.5	18.9-34.1	1	1.5	00.0-04.2

NOTE:

‰ = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 18: DO YOU HAVE ANY KIND OF HEALTH INSURANCE COVERAGE FOR EYE CARE? (VIINSUR2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			N A, Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2081	1,193,242	1079	58.4	54.7-62.1	1001	41.6	37.9-45.3	1	0.0	00.0-00.0
White/Non-Hisp	1547	948,288	852	59.7	55.6-63.8	695	40.3	36.2-44.4			
Hispanic	377	153,538							1	0.0	00.0-00.0
45-54	517	354,426	271	59.9	52.3-67.5	245	40.1	32.5-47.7	1	0.0	00.0-00.0
55-64	541	279,234	270	56.2	48.9-63.5	271	43.8	36.5-51.1			
65+	797	396,506	418	56.1	50.2-62.0	379	43.9	38.0-49.8			
H.S. or G.E.D.	596	330,854	280	49.4	42.1-56.7	316	50.6	43.3-57.9			
Some Post-H.S.	662	384,527	374	64.3	58.0-70.6	287	35.7	29.4-42.0	1	0.0	00.0-00.0
College Graduate	571	368,846	328	64.3	58.2-70.4	243	35.7	29.6-41.8			
\$15,000- 24,999	359	156,165	145	38.9	29.5-48.3	214	61.1	51.7-70.5			
\$50,000- 74,999	264	193,370	185	81.5	75.0-88.0	79	18.5	12.0-25.0			
\$75,000+	312	248,105	203	68.9	60.9-76.9	109	31.1	23.1-39.1			

NOTE:

‰ = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 19: HAVE YOU BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU NOW HAVE CATARACTS? (VICTRCT2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			Yes, but had them removed			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3441	2,332,395	544	14.3	12.3-16.3	385	9.3	07.7-10.9	2512	76.5	74.1-78.9	
Male	1319	1,112,615	178	12.1	09.4-14.8	142	7.9	05.9-09.9	999	80.0	76.7-83.3	
Female	2122	1,219,779	366	16.3	13.6-19.0	243	10.5	08.3-12.7	1513	73.2	70.1-76.3	
White/Non-Hisp	2599	1,859,028	445	14.4	12.4-16.4	312	10.0	08.2-11.8	1842	75.6	73.1-78.1	
Black or Afr. Am./Non-Hisp	55	66,573	5	5.9	00.0-11.8							
Oth. Race/Non-Hisp.	136	97,517				9	2.0	00.4-03.6				
Hispanic	585	279,609	66	14.8	07.9-21.7	44	4.9	02.4-07.4	475	80.3	73.2-87.4	
35-44	348	362,029	8	0.6	00.0-01.4	12	3.3	00.8-05.8	328	96.0	93.5-98.5	
45-54	832	702,236	41	5.0	02.1-07.9	17	1.6	00.4-02.8	774	93.4	90.3-96.5	
55-64	892	538,932	115	14.5	10.6-18.4	46	3.8	02.0-05.6	731	81.7	77.6-85.8	
65+	1369	729,198	380	29.7	25.6-33.8	310	23.7	20.0-27.4	679	46.6	42.3-50.9	
Less Than H.S.	379	189,449	67	18.0	10.2-25.8	60	17.2	10.1-24.3	252	64.7	55.3-74.1	
H.S. or G.E.D.	901	520,333	165	18.5	14.0-23.0	103	9.4	06.7-12.1	633	72.1	67.0-77.2	
Some Post-H.S.	1031	694,966	146	12.4	09.3-15.5	107	9.0	06.1-11.9	778	78.6	74.5-82.7	
College Graduate	1111	909,963	162	12.2	09.3-15.1	114	8.0	05.8-10.2	835	79.8	76.3-83.3	
Less than \$15,000	389	200,807	65	20.1	12.1-28.1	53	14.9	07.5-22.3	271	65.0	55.6-74.4	
\$15,000- 24,999	564	276,344	91	16.8	10.9-22.7	75	12.3	08.4-16.2	398	70.9	64.2-77.6	
\$25,000- 34,999	397	222,795	81	23.5	16.6-30.4	48	9.7	05.8-13.6	268	66.8	59.0-74.6	
\$35,000- 49,999	492	288,904	77	15.9	10.8-21.0	50	7.4	04.3-10.5	365	76.7	71.0-82.4	
\$50,000- 74,999	488	391,266	60	12.9	07.8-18.0	44	6.6	03.1-10.1	384	80.5	74.6-86.4	
\$75,000+	611	636,582	60	5.9	03.7-08.1	31	4.3	02.1-06.5	520	89.8	86.9-92.7	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 20: HAVE YOU BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU NOW HAVE CATARACTS? (VICTRCT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			Yes, but had them removed			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1319	1,112,615	178	12.1	09.4-14.8	142	7.9	05.9-09.9	999	80.0	76.7-83.3	
White/Non-Hisp	1020	892,671	145	11.5	08.8-14.2	118	8.8	06.4-11.2	757	79.7	76.2-83.2	
Oth. Race/Non-Hisp.	53	61,233				5	1.4	00.0-03.0				
Hispanic	198	116,602				11	3.9	00.4-07.4				
35-44	115	186,883	1	0.0	00.0-00.0	4	2.3	00.0-04.8	110	97.7	95.2-0100	
45-54	315	347,747	12	1.1	00.3-01.9	7	1.5	00.0-03.1	296	97.4	95.6-99.2	
55-64	341	252,316	37	14.6	07.9-21.3	21	3.7	01.2-06.2	283	81.7	74.8-88.6	
65+	548	325,669	128	28.7	22.2-35.2	110	21.3	16.0-26.6	310	50.0	43.3-56.7	
Less Than H.S.	127	73,634	23	16.2	06.2-26.2	19	13.8	05.0-22.6				
H.S. or G.E.D.	292	185,210	43	18.0	10.6-25.4	26	6.6	03.3-09.9	223	75.5	67.5-83.5	
Some Post-H.S.	364	305,985	43	11.1	05.8-16.4	31	6.0	02.9-09.1	290	82.9	76.8-89.0	
College Graduate	526	532,693	67	9.5	06.0-13.0	66	8.9	05.8-12.0	393	81.6	76.9-86.3	
Less than \$15,000	112	58,691	12	10.1	02.1-18.1	10	5.5	00.0-11.0	90	84.4	74.6-94.2	
\$15,000- 24,999	203	119,300				21	10.3	04.6-16.0				
\$25,000- 34,999	150	105,521				27	13.2	05.8-20.6				
\$35,000- 49,999	198	126,764	22	12.0	04.6-19.4	24	9.2	03.7-14.7	152	78.8	70.0-87.6	
\$50,000- 74,999	220	194,978	31	11.8	05.7-17.9	21	5.1	02.2-08.0	168	83.0	76.3-89.7	
\$75,000+	298	384,358	28	6.4	03.1-09.7	21	4.8	01.9-07.7	249	88.7	84.4-93.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 21: HAVE YOU BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU NOW HAVE CATARACTS? (VICTRCT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			Yes, but had them removed			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2122	1,219,779	366	16.3	13.6-19.0	243	10.5	08.3-12.7	1513	73.2	69.9-76.5	
White/Non-Hisp	1579	966,358	300	17.0	14.1-19.9	194	11.1	08.6-13.6	1085	71.9	68.4-75.4	
Oth. Race/Non-Hisp.	83	36,284				4	3.1	00.0-06.4				
Hispanic	387	163,006	42	13.4	04.6-22.2	33	5.7	02.0-09.4	312	80.9	71.7-90.1	
35-44	233	175,145	7	1.3	00.0-02.9	8	4.5	00.2-08.8	218	94.3	89.6-99.0	
45-54	517	354,489	29	8.8	03.3-14.3	10	1.8	00.0-03.6	478	89.4	83.7-95.1	
55-64	551	286,616	78	14.5	10.2-18.8	25	3.9	01.2-06.6	448	81.6	76.5-86.7	
65+	821	403,529	252	30.5	25.2-35.8	200	25.5	20.2-30.8	369	43.9	38.2-49.6	
Less Than H.S.	252	115,816				41	19.4	09.4-29.4				
H.S. or G.E.D.	609	335,123	122	18.7	13.0-24.4	77	11.0	07.3-14.7	410	70.3	63.8-76.8	
Some Post-H.S.	667	388,981	103	13.5	10.0-17.0	76	11.3	06.8-15.8	488	75.2	69.7-80.7	
College Graduate	585	377,270	95	16.0	11.1-20.9	48	6.6	03.9-09.3	442	77.4	72.1-82.7	
Less than \$15,000	277	142,116				43	18.8	08.8-28.8				
\$15,000- 24,999	361	157,044	63	17.1	10.2-24.0	54	13.8	08.5-19.1	244	69.2	60.8-77.6	
\$25,000- 34,999	247	117,274	53	25.4	17.2-33.6	21	6.5	02.8-10.2	173	68.1	59.5-76.7	
\$35,000- 49,999	294	162,139	55	19.0	12.1-25.9	26	6.0	02.7-09.3	213	75.1	67.5-82.7	
\$50,000- 74,999	268	196,288	29	14.0	06.2-21.8	23	8.0	01.9-14.1	216	78.0	68.8-87.2	
\$75,000+	313	252,225	32	5.1	02.6-07.6	10	3.4	00.7-06.1	271	91.4	87.7-95.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 22: HAVE YOU EVER BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU HAD GLAUCOMA? (VIGLUMA2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			N A, Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3434	2,318,224	172	4.5	03.5-05.5	3261	95.5	94.5-96.5	1	0.0	00.0-00.0
Male	1314	1,105,117	70	4.1	02.5-05.7	1244	95.9	94.3-97.5			
Female	2120	1,213,107	102	4.8	03.2-06.4	2017	95.1	93.5-96.7	1	0.1	00.0-00.3
White/Non-Hisp	2595	1,847,877	139	4.6	03.4-05.8	2455	95.4	94.2-96.6	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	53	64,813	5	6.1	00.0-13.4	48	93.9	86.6-0100			
Oth. Race/Non-Hisp.	135	95,188	5	2.9	00.0-07.2	130	97.1	92.8-0100			
Hispanic	584	280,133	17	2.6	00.1-05.1	567	97.4	94.9-99.9			
35-44	350	362,596	1	0.4	00.0-01.2	349	99.6	98.8-0100			
45-54	828	699,310	18	1.3	00.5-02.1	809	98.6	97.8-99.4	1	0.1	00.0-00.3
55-64	890	532,549	31	5.3	02.6-08.0	859	94.7	92.0-97.4			
65+	1366	723,770	122	9.0	06.6-11.4	1244	91.0	88.6-93.4			
Less Than H.S.	378	187,716	25	6.8	02.3-11.3	353	93.2	88.7-97.7			
H.S. or G.E.D.	898	515,096	39	4.4	02.4-06.4	859	95.6	93.6-97.6			
Some Post-H.S.	1029	694,342	45	2.9	01.7-04.1	983	97.0	95.8-98.2	1	0.1	00.0-00.3
College Graduate	1110	904,260	62	5.3	03.1-07.5	1048	94.7	92.5-96.9			
Less than \$15,000	391	201,312	23	4.8	02.1-07.5	368	95.2	92.5-97.9			
\$15,000- 24,999	562	272,238	36	6.9	03.6-10.2	526	93.1	89.8-96.4			
\$25,000- 34,999	394	222,041	22	3.6	01.6-05.6	372	96.4	94.4-98.4			
\$35,000- 49,999	489	286,111	26	5.9	02.4-09.4	463	94.1	90.6-97.6			
\$50,000- 74,999	489	390,173	24	6.1	02.6-09.6	465	93.9	90.4-97.4			
\$75,000+	611	633,814	14	1.3	00.5-02.1	597	98.7	97.9-99.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 23: HAVE YOU EVER BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU HAD GLAUCOMA? (VIGLUMA2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1314	1,105,117	70	4.1	02.5-05.7	1244	95.9	94.3-97.5	
White/Non-Hisp	1015	888,231	55	3.9	02.3-05.5	960	96.1	94.5-97.7	
Oth. Race/Non-Hisp.	52	59,159	2	3.6	00.0-10.5	50	96.4	89.5-0100	
Hispanic	201	117,380	10	5.3	00.0-11.0	191	94.7	89.0-0100	
35-44	116	187,179				116	100.0	0100-0100	
45-54	313	345,971	6	0.8	00.0-01.6	307	99.2	98.4-0100	
55-64	339	249,749	13	6.3	01.8-10.8	326	93.7	89.2-98.2	
65+	546	322,219	51	8.3	04.8-11.8	495	91.7	88.2-95.2	
H.S. or G.E.D.	291	184,440	12	4.9	01.0-08.8	279	95.1	91.2-99.0	
Some Post-H.S.	361	305,230	17	3.2	01.0-05.4	344	96.8	94.6-99.0	
College Graduate	525	529,313	27	3.2	01.2-05.2	498	96.8	94.8-98.8	
Less than \$15,000	113	58,818	10	6.2	00.1-12.3	103	93.8	87.7-99.9	
\$15,000- 24,999	201	116,865	11	6.9	00.8-13.0	190	93.1	87.0-99.2	
\$25,000- 34,999	149	105,481	11	4.0	00.9-07.1	138	96.0	92.9-99.1	
\$35,000- 49,999	197	125,993	11	8.4	01.1-15.7	186	91.6	84.3-98.9	
\$50,000- 74,999	222	196,357	14	5.9	01.6-10.2	208	94.1	89.8-98.4	
\$75,000+	296	380,837	6	0.8	00.0-01.6	290	99.2	98.4-0100	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 24: HAVE YOU EVER BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU HAD GLAUCOMA? (VIGLUMA2)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			N A, Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2120	1,213,107	102	4.8	03.2-06.4	2017	95.1	93.5-96.7	1	0.1	00.0-00.3
White/Non-Hisp	1580	959,647	84	5.2	03.4-07.0	1495	94.7	92.9-96.5	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	83	36,030	3	1.8	00.0-04.0	80	98.2	96.0-0100			
Hispanic	383	162,754	7	0.6	00.0-01.2	376	99.4	98.8-0100			
35-44	234	175,417	1	0.7	00.0-02.1	233	99.3	97.9-0100			
45-54	515	353,339	12	1.8	00.6-03.0	502	98.0	96.6-99.4	1	0.2	00.0-00.6
55-64	551	282,800	18	4.4	00.9-07.9	533	95.6	92.1-99.1			
65+	820	401,550	71	9.6	06.1-13.1	749	90.4	86.9-93.9			
Less Than H.S.	251	115,802	12	3.0	00.5-05.5	239	97.0	94.5-99.5			
H.S. or G.E.D.	607	330,656	27	4.2	02.2-06.2	580	95.8	93.8-97.8			
Some Post-H.S.	668	389,113	28	2.6	01.4-03.8	639	97.2	95.8-98.6	1	0.2	00.0-00.6
College Graduate	585	374,947	35	8.3	04.2-12.4	550	91.7	87.6-95.8			
Less than \$15,000	278	142,494	13	4.2	01.1-07.3	265	95.8	92.7-98.9			
\$15,000- 24,999	361	155,373	25	6.9	03.2-10.6	336	93.1	89.4-96.8			
\$25,000- 34,999	245	116,560	11	3.2	00.7-05.7	234	96.8	94.3-99.3			
\$35,000- 49,999	292	160,118	15	4.0	01.6-06.4	277	96.0	93.6-98.4			
\$50,000- 74,999	267	193,816	10	6.4	00.9-11.9	257	93.6	88.1-99.1			
\$75,000+	315	252,977	8	2.0	00.2-03.8	307	98.0	96.2-99.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 25: HAVE YOU EVER BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU HAD MACULAR DEGENERATION? (VIMACDG2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3423	2,308,731	197	5.7	04.3-07.1	3226	94.3	92.9-95.7	
Male	1313	1,100,589	78	5.7	03.7-07.7	1235	94.3	92.3-96.3	
Female	2110	1,208,142	119	5.6	03.8-07.4	1991	94.4	92.6-96.2	
White/Non-Hisp	2592	1,843,166	161	5.2	04.0-06.4	2431	94.8	93.6-96.0	
Black or Afr. Am./Non-Hisp	54	66,246	2	5.9	00.0-14.5	52	94.1	85.5-0100	
Oth. Race/Non-Hisp.	134	97,396	8	4.3	00.0-09.2	126	95.7	90.8-0100	
Hispanic	577	272,028	22	8.9	02.8-15.0	555	91.1	85.0-97.2	
35-44	348	362,370	12	5.1	00.8-09.4	336	94.9	90.6-99.2	
45-54	820	690,058	26	4.2	01.8-06.6	794	95.8	93.4-98.2	
55-64	887	534,209	27	3.2	01.2-05.2	860	96.8	94.8-98.8	
65+	1368	722,095	132	9.1	06.7-11.5	1236	90.9	88.5-93.3	
Less Than H.S.	370	182,459	21	10.2	02.9-17.5	349	89.8	82.5-97.1	
H.S. or G.E.D.	901	520,564	61	6.2	03.8-08.6	840	93.8	91.4-96.2	
Some Post-H.S.	1024	681,786	62	6.0	03.6-08.4	962	94.0	91.6-96.4	
College Graduate	1108	905,945	52	4.2	02.2-06.2	1056	95.8	93.8-97.8	
Less than \$15,000	388	192,014	33	8.1	04.0-12.2	355	91.9	87.8-96.0	
\$15,000- 24,999	564	274,942	41	7.9	04.4-11.4	523	92.1	88.6-95.6	
\$25,000- 34,999	390	214,886	21	4.1	01.6-06.6	369	95.9	93.4-98.4	
\$35,000- 49,999	489	286,426	26	5.4	01.7-09.1	463	94.6	90.9-98.3	
\$50,000- 74,999	490	392,427	20	6.0	02.3-09.7	470	94.0	90.3-97.7	
\$75,000+	608	632,962	21	4.6	01.9-07.3	587	95.4	92.7-98.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 26: HAVE YOU EVER BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU HAD MACULAR DEGENERATION? (VIMACDG2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1313	1,100,589	78	5.7	03.7-07.7	1235	94.3	92.3-96.3
White/Non-Hisp	1015	884,129	55	4.4	02.6-06.2	960	95.6	93.8-97.4
Oth. Race/Non-Hisp.	53	61,233	8	6.8	00.0-14.6	45	93.2	85.4-0100
35-44	115	187,091	7	5.4	00.0-11.5	108	94.6	88.5-0100
45-54	310	340,670	9	3.0	00.3-05.7	301	97.0	94.3-99.7
55-64	338	248,264	13	5.0	01.3-08.7	325	95.0	91.3-98.7
65+	550	324,564	49	9.3	05.4-13.2	501	90.7	86.8-94.6
Less Than H.S.	126	70,180	10	10.1	00.5-19.7	116	89.9	80.3-99.5
H.S. or G.E.D.	291	183,973	21	5.8	01.9-09.7	270	94.2	90.3-98.1
Some Post-H.S.	358	300,230	19	6.1	02.2-10.0	339	93.9	90.0-97.8
College Graduate	527	530,818	27	5.0	02.1-07.9	500	95.0	92.1-97.9
Less than \$15,000	112	55,317	10	10.9	01.5-20.3	102	89.1	79.7-98.5
\$15,000- 24,999	202	118,986	15	10.0	03.3-16.7	187	90.0	83.3-96.7
\$25,000- 34,999	148	101,876	9	2.6	00.1-05.1	139	97.4	94.9-99.9
\$35,000- 49,999	196	124,359	12	4.7	00.6-08.8	184	95.3	91.2-99.4
\$50,000- 74,999	221	196,042	14	6.5	01.4-11.6	207	93.5	88.4-98.6
\$75,000+	296	380,799	10	5.1	01.0-09.2	286	94.9	90.8-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 27: HAVE YOU EVER BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU HAD MACULAR DEGENERATION? (VIMACDG2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes		No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2110	1,208,142	119	5.6	03.8-07.4	1991	94.4	92.6-96.2
White/Non-Hisp	1577	959,037	106	5.9	04.1-07.7	1471	94.1	92.3-95.9
Oth. Race/Non-Hisp.	81	36,163				81	100.0	0100-0100
Hispanic	379	158,583	10	5.5	00.0-12.4	369	94.5	87.6-0100
35-44	233	175,279	5	4.8	00.0-10.7	228	95.2	89.3-0100
45-54	510	349,388	17	5.3	01.6-09.0	493	94.7	91.0-98.4
55-64	549	285,945	14	1.7	00.3-03.1	535	98.3	96.9-99.7
65+	818	397,530	83	9.0	06.3-11.7	735	91.0	88.3-93.7
H.S. or G.E.D.	610	336,591	40	6.5	03.4-09.6	570	93.5	90.4-96.6
Some Post-H.S.	666	381,556	43	6.0	03.3-08.7	623	94.0	91.3-96.7
College Graduate	581	375,128	25	3.1	01.1-05.1	556	96.9	94.9-98.9
Less than \$15,000	276	136,697	23	6.9	02.8-11.0	253	93.1	89.0-97.2
\$15,000- 24,999	362	155,956	26	6.3	02.8-09.8	336	93.7	90.2-97.2
\$25,000- 34,999	242	113,010	12	5.4	01.1-09.7	230	94.6	90.3-98.9
\$35,000- 49,999	293	162,068	14	5.9	00.0-11.8	279	94.1	88.2-0100
\$50,000- 74,999	269	196,385	6	5.5	00.0-11.2	263	94.5	88.8-0100
\$75,000+	312	252,163	11	3.8	00.5-07.1	301	96.2	92.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

**TABLE 28: HAVE YOU EVER HAD AN EYE INJURY THAT OCCURRED AT YOUR WORKPLACE WHILE YOU WERE DOING YOUR WORK? (VIATWRK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3441	2,319,315	269	8.2	06.6-09.8	3172	91.8	90.2-93.4	
Male	1319	1,101,157	215	14.3	11.2-17.4	1104	85.7	82.6-88.8	
Female	2122	1,218,159	54	2.6	01.4-03.8	2068	97.4	96.2-98.6	
White/Non-Hisp	2602	1,853,784	219	8.8	06.8-10.8	2383	91.2	89.2-93.2	
Black or Afr. Am./Non-Hisp	55	66,573	1	0.2	00.0-00.6	54	99.8	99.4-0100	
Oth. Race/Non-Hisp.	135	94,887	12	5.9	00.8-11.0	123	94.1	89.0-99.2	
Hispanic	583	274,175	31	7.0	03.3-10.7	552	93.0	89.3-96.7	
35-44	350	362,596	23	10.5	04.0-17.0	327	89.5	83.0-96.0	
45-54	828	693,353	85	9.4	06.5-12.3	743	90.6	87.7-93.5	
55-64	889	533,398	67	8.5	05.2-11.8	822	91.5	88.2-94.8	
65+	1374	729,969	94	5.6	03.8-07.4	1280	94.4	92.6-96.2	
Less Than H.S.	373	182,560	26	8.6	04.1-13.1	347	91.4	86.9-95.9	
H.S. or G.E.D.	904	521,885	75	11.3	06.8-15.8	829	88.7	84.2-93.2	
Some Post-H.S.	1033	695,121	98	8.5	05.8-11.2	935	91.5	88.8-94.2	
College Graduate	1111	901,771	69	6.2	03.7-08.7	1042	93.8	91.3-96.3	
Less than \$15,000	391	197,670	26	8.2	02.9-13.5	365	91.8	86.5-97.1	
\$15,000- 24,999	564	276,486	57	10.0	05.9-14.1	507	90.0	85.9-94.1	
\$25,000- 34,999	395	218,076	37	10.8	05.7-15.9	358	89.2	84.1-94.3	
\$35,000- 49,999	489	288,168	42	9.6	03.5-15.7	447	90.4	84.3-96.5	
\$50,000- 74,999	491	392,742	44	10.4	05.9-14.9	447	89.6	85.1-94.1	
\$75,000+	611	632,193	33	5.2	02.5-07.9	578	94.8	92.1-97.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 29: HAVE YOU EVER HAD AN EYE INJURY THAT OCCURRED AT YOUR WORKPLACE WHILE YOU WERE DOING YOUR WORK? (VIATWRK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1319	1,101,157	215	14.3	11.2-17.4	1104	85.7	82.6-88.8	
White/Non-Hisp	1020	886,876	173	15.0	11.3-18.7	847	85.0	81.3-88.7	
Oth. Race/Non-Hisp.	51	58,293	9	7.6	00.0-15.8	42	92.4	84.2-0100	
Hispanic	200	113,879	28	16.2	07.6-24.8	172	83.8	75.2-92.4	
45-54	312	341,306	62	15.8	09.9-21.7	250	84.2	78.3-90.1	
55-64	339	247,174	54	14.0	08.1-19.9	285	86.0	80.1-91.9	
65+	552	325,498	80	10.4	07.5-13.3	472	89.6	86.7-92.5	
Some Post-H.S.	364	305,985	76	16.0	10.3-21.7	288	84.0	78.3-89.7	
College Graduate	525	524,273	55	8.6	04.7-12.5	470	91.4	87.5-95.3	
\$15,000- 24,999	203	119,289	43	19.6	10.8-28.4	160	80.4	71.6-89.2	
\$50,000- 74,999	222	196,357	38	16.8	09.4-24.2	184	83.2	75.8-90.6	
\$75,000+	296	379,216	30	7.6	03.1-12.1	266	92.4	87.9-96.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 5: VISUAL IMPAIRMENT AND ACCESS TO EYECARE**

TABLE 30: HAVE YOU EVER HAD AN EYE INJURY THAT OCCURRED AT YOUR WORKPLACE WHILE YOU WERE DOING YOUR WORK? (VIATWRK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2122	1,218,159	54	2.6	01.4-03.8	2068	97.4	96.2-98.6	
White/Non-Hisp	1582	966,908	46	3.0	01.4-04.6	1536	97.0	95.4-98.6	
Oth. Race/Non-Hisp.	84	36,594	3	3.2	00.0-06.9	81	96.8	93.1-0100	
Hispanic	383	160,296	3	0.5	00.0-01.3	380	99.5	98.7-0100	
35-44	234	175,417	4	1.4	00.0-03.0	230	98.6	97.0-0100	
45-54	516	352,047	23	3.2	01.4-05.0	493	96.8	95.0-98.6	
55-64	550	286,224	13	3.8	00.1-07.5	537	96.2	92.5-99.9	
65+	822	404,471	14	1.7	00.0-03.7	808	98.3	96.3-0100	
Less Than H.S.	246	112,071	2	0.2	00.0-00.6	244	99.8	99.4-0100	
H.S. or G.E.D.	612	336,864	16	3.1	00.4-05.8	596	96.9	94.2-99.6	
Some Post-H.S.	669	389,136	22	2.6	01.2-04.0	647	97.4	96.0-98.8	
College Graduate	586	377,498	14	2.9	00.2-05.6	572	97.1	94.4-99.8	
Less than \$15,000	279	142,353	6	4.2	00.0-09.5	273	95.8	90.5-0100	
\$15,000- 24,999	361	157,198	14	2.7	00.7-04.7	347	97.3	95.3-99.3	
\$25,000- 34,999	245	114,537	9	3.6	00.5-06.7	236	96.4	93.3-99.5	
\$35,000- 49,999	291	161,404	9	1.8	00.2-03.4	282	98.2	96.6-99.8	
\$50,000- 74,999	269	196,385	6	4.0	00.0-08.9	263	96.0	91.1-0100	
\$75,000+	315	252,977	3	1.5	00.0-03.5	312	98.5	96.5-0100	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006**

MODULE 8: FAMILY PLANNING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] FROM GETTING PREGNANT? (BRTHCNT3)	
1	MALES AND FEMALES	99
2	MALES ONLY	100
3	FEMALES ONLY	101
	WHAT ARE YOU OR YOUR [IF FEMALE, INSERT `HUSBAND/PARTNER`, IF MALE, INSERT `WIFE/PARTNER`] DOING NOW TO KEEP [IF FEMALE, INSERT `YOU`, IF MALE, INSERT `HER`] FROM GETTING PREGNANT? (TYPCNTR4)	
4	MALES AND FEMALES	102
5	MALES ONLY	103
6	FEMALES ONLY	104
	WHAT IS THE MAIN REASON FOR NOT DOING ANYTHING TO KEEP [IF FEMALE, INSERT YOU, IF MALE, INSERT YOUR WIFE/PARTNER] FROM GETTING PREGNANT? (NOBCUSE2)	
7	MALES AND FEMALES	105
8	MALES ONLY	106
9	FEMALES ONLY	107
	HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDFT)	
10	MALES AND FEMALES	108
11	MALES ONLY	109
12	FEMALES ONLY	110
	HOW SOON WOULD YOU WANT TO HAVE A CHILD? (FPCHLDHS)	
13	MALES AND FEMALES	111
14	MALES ONLY	112
15	FEMALES ONLY	113

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING**

TABLE 1: SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] FROM GETTING PREGNANT? (BRTHCNT3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Female respondents that report having had a hysterectomy
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1742	2,469,914	1055	62.4	58.1-66.7	458	26.2	22.1-30.3	208	10.4	08.2-12.6	21	1.0	00.4-01.6
Male	943	1,546,312	487	55.2	49.3-61.1	307	31.5	25.8-37.2	134	12.0	08.9-15.1	15	1.3	00.3-02.3
Female	799	923,602	568	74.5	69.2-79.8	151	17.2	12.5-21.9	74	7.7	04.8-10.6	6	0.6	00.0-01.2
White/Non-Hisp	1004	1,536,376	627	66.7	61.8-71.6	237	21.1	16.8-25.4	131	11.0	08.3-13.7	9	1.2	00.2-02.2
Oth. Race/Non-Hisp.	119	120,817										1	0.2	00.0-00.6
Hispanic	555	721,045	335	59.2	50.0-68.4	154	32.4	23.0-41.8	57	7.6	04.3-10.9	9	0.7	00.1-01.3
18-24	181	505,203							34	14.7	07.6-21.8	1	0.1	00.0-00.3
25-34	468	796,304	330	68.3	60.7-75.9	102	25.8	18.4-33.2	33	5.6	02.5-08.7	3	0.3	00.0-00.7
35-44	615	714,967	408	70.4	64.5-76.3	127	18.1	13.4-22.8	73	11.1	07.4-14.8	7	0.5	00.0-01.1
45-54	302	328,885	152	53.9	44.3-63.5	101	30.3	21.1-39.5	43	12.7	07.0-18.4	6	3.1	00.0-06.8
55-64	164	116,158							24	14.4	06.2-22.6	3	4.7	00.0-11.8
Less Than H.S.	219	334,444							24	10.0	03.7-16.3	3	0.8	00.0-01.8
H.S. or G.E.D.	439	582,981	245	53.7	44.5-62.9	137	34.3	25.1-43.5	54	11.7	06.4-17.0	3	0.3	00.0-00.7
Some Post-H.S.	520	719,235	324	60.9	52.7-69.1	117	26.5	18.3-34.7	70	10.7	06.8-14.6	9	1.9	00.1-03.7
College Graduate	556	826,422	357	69.1	62.8-75.4	135	20.7	15.2-26.2	59	9.4	05.9-12.9	5	0.8	00.0-02.0
Less than \$15,000	162	173,569										1	0.2	00.0-00.6
\$15,000- 24,999	303	309,795							47	14.4	07.3-21.5	2	0.3	00.0-00.7
\$25,000- 34,999	195	259,183							19	8.7	02.4-15.0	4	0.7	00.0-01.7
\$35,000- 49,999	246	312,602							34	16.9	08.9-24.9	1	0.5	00.0-01.5
\$50,000- 74,999	279	401,982	172	58.7	49.1-68.3	75	32.2	22.8-41.6	29	8.6	04.1-13.1	3	0.5	00.0-01.3
\$75,000+	413	737,391	278	70.4	63.5-77.3	108	23.2	16.9-29.5	22	4.9	01.6-08.2	5	1.6	00.0-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING**

TABLE 2: SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] FROM GETTING PREGNANT? (BRTHCNT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	943	1,546,312	487	55.2	49.3-61.1	307	31.5	25.8-37.2	134	12.0	08.9-15.1	15	1.3	00.3-02.3
White/Non-Hisp	595	1,003,400	318	60.0	53.3-66.7	173	24.8	18.7-30.9	97	13.5	09.6-17.4	7	1.6	00.0-03.2
Oth. Race/Non-Hisp.	60	78,685										1	0.2	00.0-00.8
Hispanic	250	405,614							27	7.6	03.1-12.1	5	0.5	00.1-00.9
18-24	77	277,277							17	15.4	05.4-25.4			
25-34	173	435,212							14	7.7	02.4-13.0	2	0.3	00.0-00.7
35-44	227	388,780	137	71.0	62.4-79.6	50	15.2	08.9-21.5	36	13.0	06.7-19.3	4	0.7	00.0-01.5
45-54	302	328,885	152	53.9	44.3-63.5	101	30.3	21.1-39.5	43	12.7	07.0-18.4	6	3.1	00.0-06.8
55-64	164	116,158							24	14.4	06.2-22.6	3	4.7	00.0-11.8
Less Than H.S.	101	185,775										2	1.0	00.0-02.6
H.S. or G.E.D.	235	363,713							31	12.1	05.2-19.0	3	0.5	00.0-01.3
Some Post-H.S.	279	431,429							48	12.9	07.4-18.4	5	2.0	00.0-04.5
College Graduate	322	563,105	183	64.7	56.3-73.1	97	24.1	16.7-31.5	38	10.1	05.4-14.8	4	1.2	00.0-03.0
Less than \$15,000	73	107,936										1	0.3	00.0-00.9
\$15,000- 24,999	153	177,821										2	0.5	00.0-01.1
\$25,000- 34,999	105	179,577							14	11.8	02.6-21.0	3	1.0	00.0-02.4
\$50,000- 74,999	176	283,477							21	9.1	03.2-15.0	2	0.7	00.0-01.7
\$75,000+	257	506,791	155	66.1	57.3-74.9	82	27.3	18.9-35.7	16	4.6	01.1-08.1	4	1.9	00.0-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING**

TABLE 3: SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] FROM GETTING PREGNANT? (BRTHCNT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	799	923,602	568	74.5	69.2-79.8	151	17.2	12.5-21.9	74	7.7	04.8-10.6	6	0.6	00.0-01.2
White/Non-Hisp	409	532,975	309	79.2	73.3-85.1	64	14.1	09.0-19.2	34	6.4	03.5-09.3	2	0.4	00.0-01.2
Hispanic	305	315,431	210	73.5	63.7-83.3	61	17.9	08.9-26.9	30	7.6	02.5-12.7	4	1.0	00.0-02.2
18-24	104	227,925							17	13.8	03.8-23.8	1	0.3	00.0-00.9
25-34	295	361,092	222	85.9	80.4-91.4	53	10.6	05.7-15.5	19	3.0	00.6-05.4	1	0.5	00.0-01.5
35-44	388	326,187	271	69.5	61.9-77.1	77	21.5	14.4-28.6	37	8.7	04.8-12.6	3	0.3	00.0-00.9
Less Than H.S.	118	148,669							8	3.3	00.2-06.4	1	0.6	00.0-01.8
H.S. or G.E.D.	204	219,268							23	11.0	02.4-19.6			
Some Post-H.S.	241	287,806	182	77.7	68.9-86.5	33	13.2	05.8-20.6	22	7.5	02.0-13.0	4	1.6	00.0-03.6
College Graduate	234	263,317	174	78.6	71.2-86.0	38	13.6	07.1-20.1	21	7.8	03.5-12.1	1	0.0	00.0-00.0
Less than \$15,000	89	65,633	64	84.5	74.9-94.1	14	5.5	01.6-09.4	11	10.0	01.4-18.6			
\$15,000- 24,999	150	131,974	101	77.0	67.2-86.8	28	15.4	06.6-24.2	21	7.6	03.3-11.9			
\$25,000- 34,999	90	79,606							5	1.7	00.0-03.5	1	0.0	00.0-00.0
\$35,000- 49,999	131	154,885										1	1.1	00.0-03.3
\$50,000- 74,999	103	118,505							8	7.4	01.3-13.5	1	0.0	00.0-00.0
\$75,000+	156	230,600	123	79.8	70.0-89.6	26	14.0	06.7-21.3	6	5.3	00.0-12.7	1	0.9	00.0-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING**

TABLE 4: WHAT ARE YOU OR YOUR [IF FEMALE, INSERT `HUSBAND/PARTNER`, IF MALE, INSERT `WIFE/PARTNER`] DOING NOW TO KEEP [IF FEMALE, INSERT `YOU`, IF MALE, INSERT `HER`] FROM GETTING PREGNANT? (TYPCNTR4)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Female respondents that report having had a hysterectomy
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (01,02,03)			Drugs (04,06,07,08,09)			Condoms (05)			External Contraceptives (10,11,15)			Emergencies (12)			Withdrawl, Rhythm, No Sex (13,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1010	1,481,379	440	37.2	31.9-42.5	275	32.0	26.9-37.1	170	19.1	14.4-23.8	86	8.4	05.3-11.5	6	0.9	00.0-01.9	33	2.4	01.0-03.8
Male	468	824,056	241	45.0	37.0-53.0	98	24.1	17.2-31.0	83	19.9	12.8-27.0	27	7.3	02.4-12.2	2	1.0	00.0-02.8	17	2.7	00.7-04.7
Female	542	657,322	199	27.5	21.4-33.6	177	41.8	34.4-49.2	87	18.1	12.4-23.8	59	9.9	06.0-13.8	4	0.7	00.0-01.7	16	2.0	00.4-03.6
White/Non-Hisp	601	980,308	284	39.7	33.2-46.2	153	32.0	25.7-38.3	93	18.2	12.3-24.1	48	7.4	04.3-10.5	2	0.2	00.0-00.6	21	2.5	00.9-04.1
Oth. Race/Non-Hisp.	51	40,606										7	9.5	00.1-18.9				1	0.8	00.0-02.6
Hispanic	322	412,986							52	18.5	09.7-27.3	30	11.6	03.4-19.8	4	2.7	00.0-06.2	8	0.9	00.1-01.7
18-24	102	271,265	9	9.8	01.0-18.6										1	2.6	00.0-07.7	4	3.6	00.0-08.1
25-34	319	529,867	72	24.9	16.3-33.5	135	43.7	34.7-52.7	66	21.4	14.0-28.8	36	8.9	04.8-13.0	2	0.2	00.0-00.6	8	0.8	00.0-01.6
35-44	389	480,501	222	53.1	43.9-62.3	73	25.2	16.4-34.0	47	10.4	05.7-15.1	29	6.9	02.4-11.4	3	1.0	00.0-02.2	15	3.4	00.7-06.1
45-54	147	169,961				18	13.9	05.7-22.1	20	14.8	06.2-23.4	5	1.2	00.0-02.4				4	1.5	00.0-03.5
Less Than H.S.	117	199,796										8	5.4	00.3-10.5				2	0.1	00.0-00.3
H.S. or G.E.D.	238	303,226							47	20.9	11.3-30.5	17	7.7	01.8-13.6	3	3.6	00.0-08.5	6	1.5	00.0-03.1
Some Post-H.S.	313	422,842	134	34.0	25.4-42.6	78	25.0	17.2-32.8	58	24.0	15.2-32.8	31	13.7	05.1-22.3	2	0.5	00.0-01.3	10	2.7	00.0-05.4
College Graduate	340	551,023	145	39.2	30.2-48.2	100	34.7	26.1-43.3	49	16.7	08.5-24.9	30	6.0	02.5-09.5	1	0.0	00.0-00.0	15	3.3	00.8-05.8
Less than \$15,000	88	105,229										10	6.1	00.0-13.5	1	2.5	00.0-07.4	4	2.4	00.0-05.3
\$15,000- 24,999	165	169,350										8	7.5	01.4-13.6				4	2.0	00.0-04.9
\$25,000- 34,999	117	165,036										14	8.6	00.0-17.4	2	5.1	00.0-13.5	4	2.4	00.0-05.1
\$35,000- 49,999	140	166,939										10	4.1	00.0-08.2				2	0.3	00.0-00.7
\$50,000- 74,999	168	234,439							33	16.7	07.3-26.1	14	7.8	02.3-13.3	1	0.5	00.0-01.5	6	2.4	00.0-04.9
\$75,000+	266	504,225	138	41.8	32.2-51.4	68	33.3	24.1-42.5	26	13.4	04.8-22.0	22	8.0	03.1-12.9				12	3.5	00.4-06.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING**

TABLE 5: WHAT ARE YOU OR YOUR [IF FEMALE, INSERT `HUSBAND/PARTNER`, IF MALE, INSERT `WIFE/PARTNER`] DOING NOW TO KEEP [IF FEMALE, INSERT `YOU`, IF MALE, INSERT `HER`] FROM GETTING PREGNANT? (TYPCNTR4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (01,02,03)			Drugs (04,06,07,08,09)			Condoms (05)			External Contraceptives (10,11,15)			Emergencies (12)			Withdrawal, Rhythm, No Sex (13,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	468	824,056	241	45.0	37.0-53.0	98	24.1	17.2-31.0	83	19.9	12.8-27.0	27	7.3	02.4-12.2	2	1.0	00.0-02.8	17	2.7	00.7-04.7
White/Non-Hisp	306	576,900	177	48.6	39.0-58.2	53	24.6	16.2-33.0	46	18.3	09.7-26.9	19	6.2	01.9-10.5				11	2.3	00.1-04.5
Hispanic	120	191,680													2	4.4	00.0-11.7	4	1.6	00.0-03.6
25-34	105	231,453										9	4.6	00.1-09.1	1	0.5	00.0-01.5	3	1.2	00.0-02.8
35-44	132	267,875							17	7.0	01.9-12.1	5	6.4	00.0-13.5				6	3.2	00.0-07.5
45-54	147	169,961				18	13.9	05.9-21.9	20	14.8	06.2-23.4	5	1.2	00.0-02.4				4	1.5	00.0-03.5
H.S. or G.E.D.	113	178,288										7	7.0	00.0-15.2	2	4.7	00.0-12.5	3	1.2	00.0-03.0
Some Post-H.S.	139	212,823				24	15.2	07.2-23.2										8	5.3	00.0-10.8
College Graduate	175	351,876										9	2.7	00.0-05.4				6	2.4	00.0-05.5
\$15,000- 24,999	67	69,162										2	4.0	00.0-09.5				2	1.2	00.0-03.0
\$25,000- 34,999	53	98,745																3	3.9	00.0-08.6
\$35,000- 49,999	55	73,561										1	2.0	00.0-05.9				2	0.7	00.0-01.7
\$50,000- 74,999	95	146,398										6	6.0	00.0-13.1	1	0.9	00.0-02.7	4	1.9	00.0-04.1
\$75,000+	148	321,182										8	5.9	00.0-12.0				6	4.3	00.0-09.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING**

TABLE 6: WHAT ARE YOU OR YOUR [IF FEMALE, INSERT `HUSBAND/PARTNER`, IF MALE, INSERT `WIFE/PARTNER`] DOING NOW TO KEEP [IF FEMALE, INSERT `YOU`, IF MALE, INSERT `HER`] FROM GETTING PREGNANT? (TYPCNTR4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (01,02,03)			Drugs (04,06,07,08,09)			Condoms (05)			External Contraceptives (10,11,15)			Emergencies (12)			Withdrawal, Rhythm, No Sex (13,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	542	657,322	199	27.5	21.4-33.6	177	41.8	34.4-49.2	87	18.1	12.4-23.8	59	9.9	06.0-13.8	4	0.7	00.0-01.7	16	2.0	00.4-03.6
White/Non-Hisp	295	403,408	107	27.0	19.6-34.4	100	42.5	33.5-51.5	47	18.0	10.6-25.4	29	9.1	04.4-13.8	2	0.5	00.0-01.3	10	2.8	00.4-05.2
Hispanic	202	221,306							29	16.6	06.8-26.4	24	11.0	03.6-18.4	2	1.2	00.0-03.6	4	0.3	00.0-00.7
18-24	66	142,097										8	8.7	00.0-17.5				1	1.8	00.0-05.3
25-34	214	298,414	46	20.2	12.0-28.4				40	18.0	09.8-26.2	27	12.2	05.7-18.7	1	0.0	00.0-00.0	5	0.5	00.0-01.1
35-44	257	212,627							30	14.8	06.6-23.0	24	7.5	02.4-12.6	3	2.3	00.0-05.0	9	3.6	00.1-07.1
Less Than H.S.	77	118,884							11	10.9	00.9-20.9	7	7.9	00.0-15.9				2	0.2	00.0-00.6
H.S. or G.E.D.	125	124,938										10	8.8	00.8-16.8	1	2.1	00.0-06.2	3	2.0	00.0-04.9
Some Post-H.S.	174	210,019	64	24.8	15.2-34.4							21	10.1	03.4-16.8	2	1.0	00.0-02.6	2	0.2	00.0-00.4
College Graduate	165	199,147	53	23.9	14.3-33.5				21	11.9	03.9-19.9	21	11.7	03.9-19.5	1	0.0	00.0-00.0	9	5.0	00.5-09.5
Less than \$15,000	64	55,450													1	4.7	00.0-13.7	4	4.5	00.0-10.2
\$15,000- 24,999	98	100,188										6	9.9	00.3-19.5				2	2.5	00.0-07.4
\$25,000- 34,999	64	66,292										8	6.0	00.0-12.3	1	2.0	00.0-05.9	1	0.1	00.0-00.3
\$35,000- 49,999	85	93,377										9	5.6	00.0-12.3						
\$50,000- 74,999	73	88,041										8	10.7	01.9-19.5				2	3.2	00.0-08.9
\$75,000+	118	183,043							8	9.4	00.0-18.8	14	11.8	03.2-20.4				6	2.0	00.0-04.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING**

TABLE 7: WHAT IS THE MAIN REASON FOR NOT DOING ANYTHING TO KEEP [IF FEMALE, INSERT YOU, IF MALE, INSERT YOUR WIFE/PARTNER] FROM GETTING PREGNANT? (NOBCUSE2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Female respondents that report having had a hysterectomy
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Can't get Pregnant(01,07,11)			Want don't care about pregnancy (02,15)			Don't want to, can't use BC, can't pay for BC (03,04,05)			Surgical (08,09,10)			Physical (12,13,16)			Lapse Method or Other (06,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	391	525,043	76	16.4	10.1-22.7	88	31.3	21.9-40.7	13	3.9	00.2-07.6	82	18.8	11.7-25.9	13	7.5	01.8-13.2	119	22.1	14.3-29.9
Male	259	387,961	61	19.2	11.2-27.2				3	1.2	00.0-03.0	62	18.8	10.8-26.8	11	9.2	01.8-16.6	75	19.9	10.7-29.1
Female	132	137,082	15	8.6	01.5-15.7										2	2.7	00.0-06.8			
White/Non-Hisp	210	280,025	42	19.0	09.8-28.2				7	3.3	00.0-06.6	51	19.1	10.7-27.5	5	3.9	00.0-08.8			
Hispanic	130	180,407	21	7.4	01.5-13.3				4	5.5	00.0-14.9							34	12.7	03.3-22.1
25-34	84	174,852	5	0.8	00.0-01.8				7	3.6	00.0-07.5	2	0.3	00.0-00.7						
35-44	113	117,488							3	0.8	00.0-01.8				2	2.7	00.0-07.2			
45-54	85	88,479				7	5.3	00.0-10.6	1	4.0	00.0-11.6				1	0.1	00.0-00.3	27	14.9	05.5-24.3
55-64	78	57,719				1	4.8	00.0-14.0							1	0.3	00.0-00.9			
Less Than H.S.	51	61,222							1	0.2	00.0-00.6									
H.S. or G.E.D.	120	159,435							7	8.3	00.0-19.3	23	11.1	03.5-18.7	4	3.4	00.0-07.3			
Some Post-H.S.	99	144,181							2	0.8	00.0-02.0									
College Graduate	118	159,146							3	3.7	00.0-08.8				3	4.8	00.0-12.6	36	18.2	10.0-26.4
\$15,000- 24,999	70	52,935	13	11.2	02.8-19.6				1	1.3	00.0-03.8	12	7.4	00.1-14.7						
\$35,000- 49,999	57	73,674				12	4.5	00.4-08.6	3	6.5	00.0-15.5									
\$50,000- 74,999	68	120,486							1	0.3	00.0-00.9				2	6.6	00.0-17.0	22	9.4	03.1-15.7
\$75,000+	91	135,387							4	3.3	00.0-08.4				4	5.0	00.0-11.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING**

TABLE 8: WHAT IS THE MAIN REASON FOR NOT DOING ANYTHING TO KEEP [IF FEMALE, INSERT YOU, IF MALE, INSERT YOUR WIFE/PARTNER] FROM GETTING PREGNANT? (NOBCUSE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Can't get Pregnant(01,07,11)			Want don't care about pregnancy (02,15)			Don't want to, can't use BC, can't pay for BC (03,04,05)			Surgical (08,09,10)			Physical (12,13,16)			Lapse Method or Other (06,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	259	387,961	61	19.2	11.2-27.2				3	1.2	00.0-03.0	62	18.8	10.6-27.0	11	9.2	01.8-16.6	75	19.9	10.5-29.3
White/Non-Hisp	156	214,198							2	1.8	00.0-04.9				3	3.3	00.0-09.2			
Hispanic	72	124,778	13	5.0	00.5-09.5							12	9.4	00.0-19.2						
45-54	85	88,479				7	5.3	00.0-10.6	1	4.0	00.0-11.6				1	0.1	00.0-00.3	27	14.9	05.7-24.1
55-64	78	57,719				1	4.8	00.0-14.0							1	0.3	00.0-00.9			
H.S. or G.E.D.	75	105,988							1	0.4	00.0-01.2	17	11.5	02.5-20.5	3	2.7	00.0-06.2			
Some Post-H.S.	69	107,434							1	0.8	00.0-02.4									
College Graduate	87	130,001							1	2.7	00.0-08.0				2	5.0	00.0-14.4	27	15.3	07.5-23.1
\$50,000- 74,999	51	100,581																18	10.3	02.9-17.7
\$75,000+	70	108,133							2	3.7	00.0-10.2				3	5.2	00.0-13.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING**

TABLE 9: WHAT IS THE MAIN REASON FOR NOT DOING ANYTHING TO KEEP [IF FEMALE, INSERT YOU, IF MALE, INSERT YOUR WIFE/PARTNER] FROM GETTING PREGNANT? (NOBCUSE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Can't get Pregnant(01,07,11)			Don't want to, can't use BC, can't pay for BC (03,04,05)			Physical (12,13,16)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	132	137,082	15	8.6	01.5-15.7				2	2.7	00.0-06.8
White/Non-Hisp	54	65,827	5	3.3	00.0-06.8	5	8.2	00.0-18.2	2	5.6	00.0-14.2
35-44	69	64,454				2	0.7	00.0-01.9	1	4.0	00.0-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING**

TABLE 10: HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDFT)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Female respondents that report having had a hysterectomy
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Do Not Want To Have One			Want To Have One			Not Sure If Do or Do Not		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	926	1,380,164	391	32.9	27.8-38.0	312	40.1	34.2-46.0	223	27.0	21.7-32.3
Male	449	780,693	197	30.4	23.3-37.5	151	42.1	33.9-50.3	101	27.5	19.9-35.1
Female	477	599,472	194	36.1	28.8-43.4	161	37.5	29.9-45.1	122	26.4	19.7-33.1
White/Non-Hisp	495	830,432	217	32.1	25.8-38.4	164	45.0	37.6-52.4	114	22.8	16.9-28.7
25-34	342	565,129	95	22.0	14.9-29.1	147	44.7	35.5-53.9	100	33.4	24.6-42.2
35-44	273	323,614	139	39.6	30.0-49.2				60	26.3	16.5-36.1
45-54	120	116,386							27	18.1	08.9-27.3
55-64	61	44,927							2	0.5	00.0-01.3
H.S. or G.E.D.	233	364,735	91	22.3	13.9-30.7						
Some Post-H.S.	270	390,253							70	25.3	16.3-34.3
College Graduate	300	438,188	137	36.3	27.9-44.7	99	40.0	30.6-49.4	64	23.7	15.9-31.5
\$75,000+	206	388,573	103	36.9	27.1-46.7				45	21.4	13.2-29.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING**

TABLE 11: HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDFT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Do Not Want To Have One			Want To Have One			Not Sure If Do or Do Not		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	449	780,693	197	30.4	23.3-37.5	151	42.1	33.9-50.3	101	27.5	19.9-35.1
White/Non-Hisp	252	481,399	124	32.2	23.6-40.8				53	21.5	13.3-29.7
25-34	120	294,737	30	14.0	05.2-22.8						
45-54	120	116,386							27	18.1	08.9-27.3
55-64	61	44,927							2	0.5	00.0-01.3
\$75,000+	121	250,796							24	19.5	09.7-29.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING**

TABLE 12: HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDFT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Do Not Want To Have One			Want To Have One			Not Sure If Do or Do Not		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	484	604,760	196	36.0	28.7-43.3	164	37.6	30.0-45.2	124	26.5	20.0-33.0
White/Non-Hisp	248	354,091	95	31.8	23.0-40.6	90	43.4	33.4-53.4	63	24.8	17.0-32.6
25-34	222	270,392							64	27.6	18.0-37.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING**

TABLE 13: HOW SOON WOULD YOU WANT TO HAVE A CHILD? (FPCHLDHS)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Female respondents that report having had a hysterectomy
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 12 months from now			12 months to less than 2 years from now			2 years to less than 5 years from now			5 or more years from now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	288	517,339	85	24.6	16.4-32.8	97	32.6	23.2-42.0	68	27.1	17.9-36.3	38	15.7	07.1-24.3
Female	158	223,220	41	20.3	10.3-30.3							17	7.9	00.1-15.7
White/Non-Hisp	155	353,424	43	20.2	11.6-28.8									
18-24	62	157,816	6	3.4	00.3-06.5									
25-34	144	249,811										9	6.4	00.0-14.2
35-44	62	89,392										3	0.8	00.0-02.0
Some Post-H.S.	89	131,560										12	11.1	01.9-20.3
College Graduate	91	162,576										7	3.9	00.6-07.2
\$15,000- 24,999	55	53,632										5	5.8	00.0-11.9
\$50,000- 74,999	51	105,592										1	0.9	00.0-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING

TABLE 14: HOW SOON WOULD YOU WANT TO HAVE A CHILD? (FPCHLDHS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING

TABLE 15: HOW SOON WOULD YOU WANT TO HAVE A CHILD? (FPCHLDHS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 8: FAMILY PLANNING**

TABLE 15: HOW SOON WOULD YOU WANT TO HAVE A CHILD? (FPCHLDHS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 12 months from now			12 months to less than 2 years from now			5 or more years from now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	158	223,220	41	20.3	10.3-30.3				17	7.9	00.1-15.7
Hispanic	60	65,951				15	12.2	02.2-22.2	7	3.8	00.0-07.9
25-34	92	111,447							5	0.8	00.0-01.6
College Graduate	55	67,829							5	6.7	00.2-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006

MODULE 10: SECOND HAND SMOKE POLICY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)	
1	MALES AND FEMALES	115
2	MALES ONLY	116
3	FEMALES ONLY	117
	WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)	
4	MALES AND FEMALES	118
5	MALES ONLY	119
6	FEMALES ONLY	120
	WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)	
7	MALES AND FEMALES	121
8	MALES ONLY	122
9	FEMALES ONLY	123
	WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)	
10	MALES AND FEMALES	124
11	MALES ONLY	125
12	FEMALES ONLY	126

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 1: WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Smoking in House			Some Smoking in House			Smoke Anywhere in House			No Smoking Rules		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4506	4,133,860	3709	84.9	82.7-87.1	256	6.2	04.8-07.6	65	1.0	00.6-01.4	476	7.9	06.3-09.5
Male	1686	2,048,814	1360	84.2	80.7-87.7	101	6.6	04.2-09.0	28	1.1	00.5-01.7	197	8.1	05.4-10.8
Female	2820	2,085,046	2349	85.6	83.2-88.0	155	5.8	04.2-07.4	37	0.8	00.4-01.2	279	7.7	05.9-09.5
White/Non-Hisp	3148	2,880,420	2560	84.6	82.2-87.0	173	5.6	04.2-07.0	50	1.0	00.6-01.4	365	8.8	06.6-11.0
Black or Afr. Am./Non-Hisp	73	91,718				3	4.7	00.0-11.2						
Oth. Race/Non-Hisp.	211	168,580	184	90.4	84.1-96.7	9	4.0	00.1-07.9	2	0.2	00.0-00.6	16	5.4	00.3-10.5
Hispanic	987	923,448	850	87.1	82.2-92.0	59	7.7	03.4-12.0	10	0.9	00.0-01.9	68	4.3	01.8-06.8
18-24	196	526,573				18	8.5	02.4-14.6	2	0.3	00.0-00.9	16	11.3	02.1-20.5
25-34	495	862,652	441	90.3	86.2-94.4	22	3.3	01.5-05.1	4	1.2	00.0-02.4	28	5.2	01.7-08.7
35-44	685	752,822	610	88.4	83.7-93.1	34	7.4	03.1-11.7	5	0.4	00.0-00.8	36	3.7	01.5-05.9
45-54	828	694,143	672	83.0	79.1-86.9	56	9.0	05.7-12.3	17	1.3	00.3-02.3	83	6.7	04.5-08.9
55-64	886	531,361	701	82.1	77.8-86.4	57	5.6	03.1-08.1	16	1.8	00.4-03.2	112	10.6	07.3-13.9
65+	1370	730,274	1087	82.2	79.1-85.3	68	4.8	03.0-06.6	20	1.0	00.4-01.6	195	12.0	09.3-14.7
Less Than H.S.	520	459,534	427	81.1	72.9-89.3	34	10.9	04.0-17.8	7	0.5	00.0-01.1	52	7.4	01.9-12.9
H.S. or G.E.D.	1208	1,035,826	941	80.2	75.9-84.5	83	6.7	04.0-09.4	23	1.5	00.5-02.5	161	11.6	08.1-15.1
Some Post-H.S.	1365	1,209,148	1130	86.6	83.5-89.7	80	6.9	04.4-09.4	24	1.1	00.3-01.9	131	5.4	03.6-07.2
College Graduate	1385	1,401,266	1191	88.2	84.7-91.7	59	3.8	02.2-05.4	11	0.6	00.0-01.2	124	7.4	04.1-10.7
Less than \$15,000	501	337,674	373	77.7	71.0-84.4	48	10.2	05.7-14.7	8	2.8	00.3-05.3	72	9.3	05.0-13.6
\$15,000- 24,999	776	547,029	604	80.0	74.7-85.3	61	9.3	05.0-13.6	12	2.1	00.3-03.9	99	8.6	05.9-11.3
\$25,000- 34,999	527	416,360	426	82.6	74.8-90.4	23	6.0	00.1-11.9	14	1.4	00.4-02.4	64	10.0	04.3-15.7
\$35,000- 49,999	637	529,354	527	80.8	74.3-87.3	29	6.7	02.0-11.4	11	1.0	00.2-01.8	70	11.5	06.4-16.6
\$50,000- 74,999	637	652,644	547	85.9	81.8-90.0	35	8.0	04.5-11.5	9	0.9	00.1-01.7	46	5.2	02.8-07.6
\$75,000+	805	1,066,164	719	92.7	88.6-96.8	33	2.5	01.1-03.9	4	0.2	00.0-00.4	49	4.6	00.7-08.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 2: WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Smoking in House			Some Smoking in House			Smoke Anywhere in House			No Smoking Rules		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1686	2,048,814	1360	84.2	80.7-87.7	101	6.6	04.2-09.0	28	1.1	00.5-01.7	197	8.1	05.4-10.8
White/Non-Hisp	1209	1,428,269	969	83.8	79.7-87.9	65	5.4	03.2-07.6	19	0.9	00.3-01.5	156	9.9	06.2-13.6
Oth. Race/Non-Hisp.	78	95,515				4	4.7	00.0-11.0	1	0.2	00.0-00.6	8	7.0	00.0-15.6
Hispanic	334	447,790	281	86.0	78.0-94.0	28	11.0	03.4-18.6	5	1.3	00.0-03.1	20	1.7	00.3-03.1
18-24	78	277,566				10	11.8	01.8-21.8						
25-34	174	450,442	155	91.0	85.1-96.9	7	1.8	00.0-03.6	3	1.9	00.0-04.1	9	5.2	00.0-10.5
35-44	230	391,148	196	85.0	76.6-93.4	18	10.9	03.1-18.7				16	4.1	00.6-07.6
45-54	310	341,296	247	83.8	77.9-89.7	25	9.8	04.7-14.9	8	1.8	00.0-03.6	30	4.7	02.2-07.2
55-64	333	245,305	258	84.0	77.7-90.3	16	1.7	00.3-03.1	9	2.3	00.0-04.8	50	11.9	06.2-17.6
65+	547	326,040	431	82.0	77.3-86.7	25	4.3	01.8-06.8	8	0.9	00.1-01.7	83	12.8	08.7-16.9
Less Than H.S.	178	225,101							2	0.1	00.0-00.3	18	6.3	00.0-14.5
H.S. or G.E.D.	403	456,939	302	79.8	72.4-87.2	34	8.6	03.3-13.9	8	1.8	00.0-03.6	59	9.7	04.4-15.0
Some Post-H.S.	477	553,361	383	85.2	79.7-90.7	30	8.5	03.6-13.4	13	1.5	00.1-02.9	51	4.9	02.5-07.3
College Graduate	614	794,645	516	86.8	80.9-92.7	27	2.7	01.1-04.3	5	0.8	00.0-01.8	66	9.6	03.9-15.3
Less than \$15,000	137	129,976				13	8.5	01.4-15.6	4	5.2	00.0-11.5	23	7.0	02.3-11.7
\$15,000- 24,999	276	253,493	198	75.9	66.1-85.7	29	12.8	04.8-20.8	5	2.9	00.0-06.2	44	8.4	04.5-12.3
\$25,000- 34,999	203	234,890				9	7.3	00.0-17.5	6	1.0	00.0-02.2	32	13.0	03.4-22.6
\$35,000- 49,999	242	226,996				9	9.7	00.0-19.5	4	0.5	00.0-01.1	32	8.4	01.7-15.1
\$50,000- 74,999	287	362,171	244	87.9	82.4-93.4	15	6.6	02.3-10.9	4	1.0	00.0-02.4	24	4.5	01.4-07.6
\$75,000+	370	612,686	333	91.7	84.8-98.6	16	2.2	00.4-04.0	2	0.2	00.0-00.6	19	5.9	00.0-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 3: WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Smoking in House			Some Smoking in House			Smoke Anywhere in House			No Smoking Rules		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2820	2,085,046	2349	85.6	83.2-88.0	155	5.8	04.2-07.4	37	0.8	00.4-01.2	279	7.7	05.9-09.5
White/Non-Hisp	1939	1,452,152	1591	85.3	82.9-87.7	108	5.8	04.0-07.6	31	1.0	00.6-01.4	209	7.8	06.0-09.6
Oth. Race/Non-Hisp.	133	73,065	119	93.2	88.3-98.1	5	3.1	00.0-06.4	1	0.4	00.0-01.2	8	3.3	00.0-06.6
Hispanic	653	475,659	569	88.2	82.1-94.3	31	4.6	00.7-08.5	5	0.6	00.0-01.2	48	6.7	01.8-11.6
18-24	118	249,007				8	4.9	00.0-11.8	2	0.7	00.0-01.9	11	9.7	01.1-18.3
25-34	321	412,210	286	89.6	84.1-95.1	15	4.8	01.7-07.9	1	0.4	00.0-01.2	19	5.2	00.5-09.9
35-44	455	361,674	414	92.2	88.5-95.9	16	3.7	01.2-06.2	5	0.8	00.0-01.8	20	3.4	00.9-05.9
45-54	518	352,847	425	82.2	76.7-87.7	31	8.2	03.9-12.5	9	0.9	00.1-01.7	53	8.8	05.1-12.5
55-64	553	286,056	443	80.5	74.6-86.4	41	8.9	04.4-13.4	7	1.3	00.1-02.5	62	9.4	05.5-13.3
65+	823	404,235	656	82.5	78.2-86.8	43	5.2	02.7-07.7	12	1.1	00.3-01.9	112	11.3	07.6-15.0
Less Than H.S.	342	234,433				24	9.6	01.8-17.4	5	0.9	00.0-01.9	34	8.4	01.0-15.8
H.S. or G.E.D.	805	578,887	639	80.5	75.2-85.8	49	5.1	02.7-07.5	15	1.2	00.2-02.2	102	13.1	08.4-17.8
Some Post-H.S.	888	655,787	747	87.7	84.4-91.0	50	5.5	03.3-07.7	11	0.9	00.3-01.5	80	5.9	03.5-08.3
College Graduate	771	606,621	675	89.9	86.6-93.2	32	5.3	02.6-08.0	6	0.4	00.0-00.8	58	4.4	02.6-06.2
Less than \$15,000	364	207,697	276	76.8	68.8-84.8	35	11.3	05.4-17.2	4	1.3	00.0-02.7	49	10.7	04.4-17.0
\$15,000- 24,999	500	293,536	406	83.6	78.1-89.1	32	6.3	02.4-10.2	7	1.3	00.0-02.7	55	8.9	05.0-12.8
\$25,000- 34,999	324	181,470	270	87.6	82.5-92.7	14	4.4	00.9-07.9	8	2.0	00.0-04.0	32	6.1	03.0-09.2
\$35,000- 49,999	395	302,359	330	80.2	72.4-88.0	20	4.5	01.6-07.4	7	1.3	00.0-02.7	38	13.9	06.5-21.3
\$50,000- 74,999	350	290,474	303	83.4	77.1-89.7	20	9.8	04.3-15.3	5	0.7	00.0-01.5	22	6.1	02.6-09.6
\$75,000+	435	453,478	386	94.1	91.6-96.6	17	3.0	00.8-05.2	2	0.1	00.0-00.3	30	2.8	01.2-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 4: WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported being unemployed

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2128	2,368,745	1634	74.2	70.1-78.3	494	25.8	21.7-29.9
Male	894	1,399,103	549	63.3	57.0-69.6	345	36.7	30.4-43.0
Female	1234	969,642	1085	90.0	87.3-92.7	149	10.0	07.3-12.7
White/Non-Hisp	1449	1,684,619	1151	76.1	71.6-80.6	298	23.9	19.4-28.4
25-34	335	674,128	244	75.4	67.6-83.2	91	24.6	16.8-32.4
35-44	494	559,951	392	79.8	73.7-85.9	102	20.2	14.1-26.3
45-54	605	507,516	473	77.3	71.4-83.2	132	22.7	16.8-28.6
55-64	421	245,258	329	80.2	73.7-86.7	92	19.8	13.3-26.3
H.S. or G.E.D.	485	505,652	329	66.4	57.6-75.2	156	33.6	24.8-42.4
Some Post-H.S.	672	690,573	513	69.5	61.1-77.9	159	30.5	22.1-38.9
College Graduate	801	962,248	703	86.0	80.5-91.5	98	14.0	08.5-19.5
\$50,000- 74,999	387	455,161	296	75.1	67.5-82.7	91	24.9	17.3-32.5
\$75,000+	588	826,291	503	84.2	77.9-90.5	85	15.8	09.5-22.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 5: WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being unemployed

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	894	1,399,103	549	63.3	57.0-69.6	345	36.7	30.4-43.0
White/Non-Hisp	602	971,329	392	65.0	58.1-71.9	210	35.0	28.1-41.9
35-44	199	337,603	131	73.5	64.3-82.7	68	26.5	17.3-35.7
45-54	248	269,274	157	66.4	56.8-76.0	91	33.6	24.0-43.2
College Graduate	350	578,696	288	81.9	73.5-90.3	62	18.1	09.7-26.5
\$75,000+	287	508,615	227	79.6	70.2-89.0	60	20.4	11.0-29.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 6: WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being unemployed

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1234	969,642	1085	90.0	87.3-92.7	149	10.0	07.3-12.7
White/Non-Hisp	847	713,290	759	91.1	88.0-94.2	88	8.9	05.8-12.0
Hispanic	280	187,529	233	90.5	85.2-95.8	47	9.5	04.2-14.8
25-34	185	259,231	165	93.5	88.8-98.2	20	6.5	01.8-11.2
35-44	295	222,348	261	89.3	83.6-95.0	34	10.7	05.0-16.4
45-54	357	238,242	316	89.6	84.7-94.5	41	10.4	05.5-15.3
55-64	252	128,387	224	92.7	87.6-97.8	28	7.3	02.2-12.4
H.S. or G.E.D.	285	200,195	244	90.8	85.9-95.7	41	9.2	04.3-14.1
Some Post-H.S.	415	320,615	365	88.9	83.8-94.0	50	11.1	06.0-16.2
College Graduate	451	383,552	415	92.3	87.8-96.8	36	7.7	03.2-12.2
\$15,000- 24,999	174	107,799	154	93.2	87.7-98.7	20	6.8	01.3-12.3
\$25,000- 34,999	151	82,407	129	90.1	83.6-96.6	22	9.9	03.4-16.4
\$35,000- 49,999	209	156,857	187	87.7	80.4-95.0	22	12.3	05.0-19.6
\$50,000- 74,999	212	180,995	186	91.9	86.4-97.4	26	8.1	02.6-13.6
\$75,000+	301	317,675	276	91.5	86.2-96.8	25	8.5	03.2-13.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 7: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported being unemployed
Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Public Areas			Allowed in Some Public Areas			Allowed in All Public Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1611	1,731,521	1308	78.2	74.5-81.9	192	13.7	10.8-16.6	17	0.9	0.3-01.5	94	7.3	04.8-09.8
Male	543	872,685	416	75.6	69.5-81.7	78	15.3	10.2-20.4	11	1.1	0.3-01.9	38	8.0	03.7-12.3
Female	1068	858,836	892	80.8	76.7-84.9	114	12.1	08.8-15.4	6	0.7	0.1-01.3	56	6.5	03.8-09.2
White/Non-Hisp	1139	1,263,378	950	82.7	79.0-86.4	119	10.8	07.7-13.9	11	0.7	0.1-01.3	59	5.7	03.5-07.9
Oth. Race/Non-Hisp.	85	57,959				1	2.2	00.0-06.5	1	2.2	00.0-06.5	11	9.9	02.6-17.2
Hispanic	337	356,988				57	20.4	12.0-28.8	4	0.9	0.0-01.9	22	13.2	04.2-22.2
18-24	64	127,643							3	3.6	0.0-08.1	3	2.2	0.0-04.7
25-34	240	497,557	170	69.5	60.5-78.5	47	19.0	11.7-26.3	4	1.0	0.0-02.0	19	10.5	03.8-17.2
35-44	390	442,739	327	79.7	72.3-87.1	42	12.4	06.3-18.5	2	0.3	0.0-00.9	19	7.6	02.3-12.9
45-54	469	389,931	393	83.0	77.7-88.3	47	11.3	06.8-15.8	3	0.6	0.0-01.4	26	5.1	02.2-08.0
55-64	326	196,299	268	82.5	75.4-89.6	31	9.3	03.8-14.8	3	0.7	0.0-01.7	24	7.6	02.5-12.7
65+	107	63,888	90	87.8	78.4-97.2	12	7.8	01.1-14.5	2	0.7	0.0-01.9	3	3.7	0.0-10.8
Less Than H.S.	79	108,320							2	1.5	0.0-04.2			
H.S. or G.E.D.	324	331,324	240	72.8	63.0-82.6	51	12.6	06.7-18.5	6	2.5	0.3-04.7	27	12.1	03.5-20.7
Some Post-H.S.	510	477,990	399	74.0	67.1-80.9	78	20.4	13.9-26.9	7	0.9	0.1-01.7	26	4.7	01.6-07.8
College Graduate	691	808,987	606	83.5	78.4-88.6	49	10.0	05.7-14.3	2	0.1	0.0-00.3	34	6.4	03.3-09.5
Less than \$15,000	69	42,818							2	2.9	0.0-08.2			
\$15,000- 24,999	202	159,927				26	12.6	05.2-20.0	3	1.5	0.0-03.5			
\$25,000- 34,999	171	137,833							2	0.6	0.0-01.4	13	3.6	00.9-06.3
\$35,000- 49,999	247	203,097	207	80.7	72.1-89.3	26	12.5	05.1-19.9	2	1.0	0.0-02.6	12	5.8	01.1-10.5
\$50,000- 74,999	292	338,114	236	74.0	64.8-83.2	40	20.4	11.6-29.2	2	0.5	0.0-01.3	14	5.2	01.5-08.9
\$75,000+	499	688,217	433	86.3	81.4-91.2	43	8.4	04.5-12.3	5	0.7	0.1-01.3	18	4.6	01.5-07.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 8: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Public Areas			Allowed in Some Public Areas			Allowed in All Public Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	543	872,685	416	75.6	69.5-81.7	78	15.3	10.2-20.4	11	1.1	00.3-01.9	38	8.0	03.7-12.3
White/Non-Hisp	390	622,888	314	82.5	76.4-88.6	45	10.9	05.6-16.2	8	1.0	00.0-02.0	23	5.7	02.2-09.2
Hispanic	108	189,678							2	0.9	00.0-02.3			
25-34	78	258,757							2	0.8	00.0-02.0			
35-44	131	248,210				16	13.3	03.7-22.9	2	0.5	00.0-01.3	5	4.7	00.0-11.4
45-54	156	177,068	129	88.2	81.3-95.1	16	7.6	01.3-13.9	2	0.5	00.0-01.3	9	3.8	00.9-06.7
55-64	105	77,717				10	9.1	00.0-19.5						
H.S. or G.E.D.	83	151,798							3	2.8	00.0-06.5			
Some Post-H.S.	148	194,813							5	1.4	00.0-03.0	8	5.4	00.5-10.3
College Graduate	284	463,387	237	80.7	72.9-88.5	27	13.0	06.1-19.9	2	0.1	00.0-00.3	18	6.1	01.6-10.6
\$15,000- 24,999	51	61,655							2	1.9	00.0-04.6			
\$35,000- 49,999	60	65,594							1	0.6	00.0-01.8			
\$50,000- 74,999	110	175,610							2	0.9	00.0-02.7	5	4.0	00.0-08.3
\$75,000+	225	401,740	190	85.8	78.7-92.9	23	8.9	03.4-14.4	2	0.5	00.0-01.3	10	4.9	00.2-09.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 9: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Public Areas			Allowed in Some Public Areas			Allowed in All Public Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1068	858,836	892	80.8	76.7-84.9	114	12.1	08.8-15.4	6	0.7	00.1-01.3	56	6.5	03.8-09.2
White/Non-Hisp	749	640,489	636	83.0	78.7-87.3	74	10.7	07.2-14.2	3	0.4	00.0-01.0	36	5.8	03.1-08.5
Oth. Race/Non-Hisp.	56	28,120				3	6.1	00.0-15.1	1	4.5	00.0-13.1			
Hispanic	229	167,311				32	15.7	06.5-24.9	2	1.0	00.0-02.8	12	9.0	00.0-18.2
25-34	162	238,800	130	78.2	69.0-87.4	22	14.5	06.9-22.1	2	1.2	00.0-03.0	8	6.0	00.5-11.5
35-44	259	194,529	219	77.5	67.9-87.1	26	11.2	04.7-17.7				14	11.3	03.1-19.5
45-54	313	212,864	264	78.7	71.1-86.3	31	14.4	07.9-20.9	1	0.7	00.0-02.1	17	6.2	01.5-10.9
55-64	221	118,582	183	85.7	78.6-92.8	21	9.4	03.3-15.5	3	1.1	00.0-02.9	14	3.8	00.7-06.9
65+	65	30,764	56	91.5	83.7-99.3	8	8.4	00.6-16.2				1	0.1	00.0-00.3
Less Than H.S.	56	49,465							1	0.3	00.0-00.9			
H.S. or G.E.D.	241	179,527	188	77.9	68.5-87.3	32	10.8	04.7-16.9	3	2.2	00.0-04.7	18	9.1	02.2-16.0
Some Post-H.S.	362	283,178	292	78.1	70.7-85.5	50	17.1	10.6-23.6	2	0.6	00.0-01.6	18	4.1	00.0-08.2
College Graduate	407	345,601	369	87.2	81.7-92.7	22	6.0	02.5-09.5				16	6.8	02.5-11.1
Less than \$15,000	57	17,782							1	0.8	00.0-02.4	4	2.7	00.0-05.8
\$15,000- 24,999	151	98,273				19	13.9	04.5-23.3	1	1.3	00.0-03.8			
\$25,000- 34,999	126	73,200				18	15.8	06.4-25.2				8	3.9	00.0-08.2
\$35,000- 49,999	187	137,503	163	87.1	79.7-94.5	15	8.2	01.7-14.7	1	1.2	00.0-03.6	8	3.5	00.4-06.6
\$50,000- 74,999	182	162,504	152	77.9	68.1-87.7	21	15.6	07.2-24.0				9	6.5	00.4-12.6
\$75,000+	274	286,477	243	87.1	80.8-93.4	20	7.8	02.7-12.9	3	0.9	00.0-02.1	8	4.2	00.5-07.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 10: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Work Areas			Allowed in Some Work Areas			Allowed in All Work Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1614	1,734,821	1391	83.2	79.5-86.9	121	10.3	07.2-13.4	16	0.7	00.1-01.3	86	5.8	03.4-08.2
Male	542	871,997	448	80.5	74.4-86.6	50	12.1	07.0-17.2	8	0.3	00.0-00.7	36	7.2	03.1-11.3
Female	1072	862,823	943	85.9	81.8-90.0	71	8.5	04.8-12.2	8	1.0	00.0-02.2	50	4.5	02.3-06.7
White/Non-Hisp	1139	1,265,922	1003	86.3	82.6-90.0	67	7.7	04.6-10.8	13	0.8	00.0-01.6	56	5.2	03.0-07.4
Oth. Race/Non-Hisp.	85	57,959										8	5.6	00.7-10.5
Hispanic	339	357,894				42	18.0	08.6-27.4	3	0.3	00.0-00.9	18	8.0	00.4-15.6
18-24	66	130,569										3	1.5	00.0-03.5
25-34	239	495,995	187	79.7	71.7-87.7	35	10.5	04.8-16.2	2	1.2	00.0-03.0	15	8.6	02.5-14.7
35-44	390	445,963	347	86.1	79.2-93.0	27	8.9	03.2-14.6	3	0.4	00.0-01.0	13	4.7	00.0-09.4
45-54	468	387,289	414	88.4	83.7-93.1	27	6.4	02.5-10.3	5	0.6	00.0-01.2	22	4.7	02.2-07.2
55-64	325	195,733	286	88.2	81.9-94.5	12	4.9	00.2-09.6	3	0.6	00.0-01.6	24	6.3	02.0-10.6
65+	110	65,768				6	5.8	00.0-11.9	3	0.8	00.0-02.0	9	8.3	00.0-16.7
Less Than H.S.	82	109,539										10	5.4	00.0-12.5
H.S. or G.E.D.	327	333,792				37	15.6	07.0-24.2	9	1.4	00.2-02.6	19	9.9	01.7-18.1
Some Post-H.S.	506	475,449	421	82.2	76.1-88.3	47	12.2	06.7-17.7	6	1.4	00.0-03.2	32	4.2	02.0-06.4
College Graduate	692	811,142	640	90.1	86.2-94.0	27	4.6	01.9-07.3	1	0.0	00.0-00.0	24	5.2	02.1-08.3
Less than \$15,000	69	42,818							1	2.5	00.0-07.6			
\$15,000- 24,999	204	161,756							1	0.3	00.0-00.9	16	8.0	00.9-15.1
\$25,000- 34,999	171	136,988							2	0.3	00.0-00.9	13	7.2	00.0-14.5
\$35,000- 49,999	246	203,077	219	88.2	80.8-95.6	12	6.7	00.2-13.2	6	1.7	00.0-03.7	9	3.4	00.1-06.7
\$50,000- 74,999	292	336,645	262	88.1	82.2-94.0	15	6.6	02.1-11.1	2	0.1	00.0-00.3	13	5.1	01.2-09.0
\$75,000+	500	691,726	444	86.2	80.5-91.9	31	8.0	03.1-12.9	3	0.8	00.0-02.0	22	5.0	01.7-08.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 11: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Work Areas			Allowed in Some Work Areas			Allowed in All Work Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	542	871,997	448	80.5	74.4-86.6	50	12.1	07.2-17.0	8	0.3	00.0-00.7	36	7.2	03.1-11.3
White/Non-Hisp	388	621,898	332	86.0	80.3-91.7	26	7.3	02.8-11.8	5	0.3	00.1-00.5	25	6.4	02.5-10.3
Hispanic	109	190,376							3	0.6	00.0-01.8			
25-34	77	257,195				15	12.1	02.5-21.7						
35-44	131	248,210				11	9.0	00.6-17.4	2	0.6	00.0-01.6	4	6.1	00.0-13.7
45-54	154	174,881	136	90.7	83.6-97.8	7	5.6	00.0-12.1	2	0.6	00.0-01.4	9	3.2	00.7-05.7
55-64	103	76,905				5	6.8	00.0-17.0	2	0.2	00.0-00.4	9	10.0	00.2-19.8
H.S. or G.E.D.	85	154,058							4	0.9	00.0-01.9			
Some Post-H.S.	146	194,001							3	0.8	00.0-02.0	11	4.8	00.7-08.9
College Graduate	283	461,251	255	88.5	82.2-94.8	14	5.6	01.3-09.9	1	0.0	00.0-00.0	13	6.0	01.3-10.7
\$15,000- 24,999	53	63,915							1	0.7	00.0-02.1	3	2.1	00.0-04.8
\$35,000- 49,999	59	65,574							3	1.5	00.0-03.7	2	4.4	00.0-12.6
\$50,000- 74,999	109	173,860	97	89.7	81.3-98.1	5	6.5	00.0-13.8	2	0.2	00.0-00.6	5	3.6	00.0-08.1
\$75,000+	224	400,958	195	85.6	78.0-93.2	16	7.8	01.9-13.7				13	6.6	01.1-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 12: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Work Areas			Allowed in Some Work Areas			Allowed in All Work Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1072	862,823	943	85.9	81.8-90.0	71	8.5	04.8-12.2	8	1.0	00.0-02.2	50	4.5	02.3-06.7
White/Non-Hisp	751	644,024	671	86.6	81.7-91.5	41	8.0	03.7-12.3	8	1.3	00.0-02.7	31	4.0	01.8-06.2
Oth. Race/Non-Hisp.	56	28,120										3	3.0	00.0-06.5
Hispanic	230	167,518	194	84.1	74.3-93.9	23	8.9	01.3-16.5				13	7.0	00.1-13.9
25-34	162	238,800	132	82.7	74.5-90.9	20	8.7	03.2-14.2	2	2.5	00.0-06.2	8	6.0	00.5-11.5
35-44	259	197,754	233	88.2	80.4-96.0	16	8.8	01.5-16.1	1	0.2	00.0-00.6	9	2.9	00.0-06.8
45-54	314	212,408	278	86.5	80.2-92.8	20	7.1	02.2-12.0	3	0.6	00.0-01.4	13	5.9	01.8-10.0
55-64	222	118,827	199	91.5	86.0-97.0	7	3.8	00.0-07.9	1	0.8	00.0-02.4	15	3.9	00.8-07.0
65+	66	31,045	59	92.5	85.1-99.9	3	4.4	00.0-10.7	1	0.2	00.0-00.6	3	3.0	00.0-07.3
Less Than H.S.	59	50,683				4	4.5	00.0-10.0						
H.S. or G.E.D.	242	179,734							5	1.9	00.0-04.1	10	4.6	00.0-09.7
Some Post-H.S.	360	281,449	306	84.4	77.7-91.1	30	10.0	04.3-15.7	3	1.8	00.0-04.7	21	3.8	01.4-06.2
College Graduate	409	349,891	385	92.3	88.0-96.6	13	3.4	00.5-06.3				11	4.3	01.0-07.6
Less than \$15,000	57	17,782				6	8.5	00.0-18.5				3	2.0	00.0-04.5
\$25,000- 34,999	126	72,355	108	86.1	77.3-94.9	9	8.6	01.0-16.2	1	0.5	00.0-01.5	8	4.8	00.1-09.5
\$35,000- 49,999	187	137,503	169	89.0	81.0-97.0	8	6.4	00.0-13.5	3	1.8	00.0-04.3	7	2.9	00.0-05.8
\$50,000- 74,999	183	162,785	165	86.5	78.5-94.5	10	6.8	01.3-12.3				8	6.7	00.2-13.2
\$75,000+	276	290,767	249	86.9	78.3-95.5	15	8.3	00.1-16.5	3	2.0	00.0-04.9	9	2.8	00.4-05.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006**

MODULE 11: INDOOR AIR QUALITY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	IS YOUR HOME HEATED WITH A FURNACE OR BOILER THAT BURNS OIL, GAS, COAL, OR OTHER FUEL? (IAQHTSRC)	
1	MALES AND FEMALES	128
2	MALES ONLY	129
3	FEMALES ONLY	130
	DOES YOUR HOME HAVE ANY OF THE FOLLOWING APPLIANCES POWERED BY NATURAL GAS: A STOVE, AN OVEN, A WATER HEATER, OR A CLOTHES DRYER? (IAQGASAP)	
4	MALES AND FEMALES	131
5	MALES ONLY	132
6	FEMALES ONLY	133
	DURING THE PAST 12 MONTHS, ON HOW MANY DAYS HAVE YOU USED A WOOD OR COAL STOVE, FIREPLACE, OR KEROSENE HEATER INSIDE YOUR HOME? (IAQHTDYS)	
7	MALES AND FEMALES	134
8	MALES ONLY	135
9	FEMALES ONLY	136
	A CARBON MONOXIDE OR CO DETECTOR CHECKS THE LEVEL OF CARBON MONOXIDE IN YOUR HOME. IT IS NOT A SMOKE DETECTOR. DO YOU HAVE A CO DETECTOR IN YOUR HOME? (IAQCODTR)	
10	MALES AND FEMALES	137
11	MALES ONLY	138
12	FEMALES ONLY	139
	DO YOU CURRENTLY HAVE MOLD IN YOUR HOME ON AN AREA GREATER THAN THE SIZE OF A DOLLAR BILL? (IAQMOLD)	
13	MALES AND FEMALES	140
14	MALES ONLY	141
15	FEMALES ONLY	142

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

TABLE 1: IS YOUR HOME HEATED WITH A FURNACE OR BOILER THAT BURNS OIL, GAS, COAL, OR OTHER FUEL? (IAQHTSRC)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4398	3,994,206	2377	43.9	41.0-46.8	2021	56.1	53.2-59.0	
Male	1666	1,999,329	903	42.3	37.8-46.8	763	57.7	53.2-62.2	
Female	2732	1,994,878	1474	45.4	41.9-48.9	1258	54.6	51.1-58.1	
White/Non-Hisp	3080	2,801,760	1674	44.4	41.3-47.5	1406	55.6	52.5-58.7	
Hispanic	959	869,565	507	43.4	35.8-51.0	452	56.6	49.0-64.2	
25-34	478	824,935	247	43.0	35.6-50.4	231	57.0	49.6-64.4	
35-44	659	722,343	349	43.5	36.8-50.2	310	56.5	49.8-63.2	
45-54	813	674,697	428	41.5	35.6-47.4	385	58.5	52.6-64.4	
55-64	877	526,026	475	42.8	37.3-48.3	402	57.2	51.7-62.7	
65+	1341	707,500	775	51.0	46.5-55.5	566	49.0	44.5-53.5	
Less Than H.S.	503	422,833	271	47.7	38.1-57.3	232	52.3	42.7-61.9	
H.S. or G.E.D.	1179	997,072	669	43.6	37.7-49.5	510	56.4	50.5-62.3	
Some Post-H.S.	1327	1,177,946	662	42.6	37.1-48.1	665	57.4	51.9-62.9	
College Graduate	1362	1,372,604	763	44.4	39.7-49.1	599	55.6	50.9-60.3	
Less than \$15,000	487	306,645	278	42.3	34.1-50.5	209	57.7	49.5-65.9	
\$15,000- 24,999	757	527,687	410	48.6	40.4-56.8	347	51.4	43.2-59.6	
\$25,000- 34,999	512	405,597	272	46.5	37.1-55.9	240	53.5	44.1-62.9	
\$35,000- 49,999	626	518,591	326	39.1	31.8-46.4	300	60.9	53.6-68.2	
\$50,000- 74,999	625	644,779	348	44.2	37.5-50.9	277	55.8	49.1-62.5	
\$75,000+	786	1,022,395	424	43.6	37.5-49.7	362	56.4	50.3-62.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

TABLE 2: IS YOUR HOME HEATED WITH A FURNACE OR BOILER THAT BURNS OIL, GAS, COAL, OR OTHER FUEL? (IAQHTSRC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	1666	1,999,329	903	42.3	37.8-46.8	763	57.7	53.2-62.2		
White/Non-Hisp	1200	1,400,554	645	42.3	37.4-47.2	555	57.7	52.8-62.6		
45-54	307	338,964	163	41.0	32.0-50.0	144	59.0	50.0-68.0		
55-64	333	245,515	189	43.6	35.0-52.2	144	56.4	47.8-65.0		
65+	544	321,926	307	52.8	46.1-59.5	237	47.2	40.5-53.9		
H.S. or G.E.D.	398	449,375	222	39.2	30.2-48.2	176	60.8	51.8-69.8		
Some Post-H.S.	470	542,175	242	43.3	34.1-52.5	228	56.7	47.5-65.9		
College Graduate	612	786,246	339	43.8	36.7-50.9	273	56.2	49.1-63.3		
\$50,000- 74,999	286	361,024	154	38.7	29.5-47.9	132	61.3	52.1-70.5		
\$75,000+	363	592,520	209	46.0	37.2-54.8	154	54.0	45.2-62.8		

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

TABLE 3: IS YOUR HOME HEATED WITH A FURNACE OR BOILER THAT BURNS OIL, GAS, COAL, OR OTHER FUEL? (IAQHTSRC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2732	1,994,878	1474	45.4	41.9-48.9	1258	54.6	51.1-58.1	
White/Non-Hisp	1880	1,401,207	1029	46.6	42.7-50.5	851	53.4	49.5-57.3	
Hispanic	634	443,127	328	43.4	34.4-52.4	306	56.6	47.6-65.6	
25-34	310	398,486	162	49.4	39.6-59.2	148	50.6	40.8-60.4	
35-44	434	346,077	234	44.9	37.3-52.5	200	55.1	47.5-62.7	
45-54	506	335,733	265	42.0	34.6-49.4	241	58.0	50.6-65.4	
55-64	544	280,512	286	42.0	34.7-49.3	258	58.0	50.7-65.3	
65+	797	385,574	468	49.6	43.7-55.5	329	50.4	44.5-56.3	
H.S. or G.E.D.	781	547,696	447	47.1	39.7-54.5	334	52.9	45.5-60.3	
Some Post-H.S.	857	635,771	420	42.1	36.0-48.2	437	57.9	51.8-64.0	
College Graduate	750	586,358	424	45.1	39.2-51.0	326	54.9	49.0-60.8	
Less than \$15,000	355	200,601	196	42.8	33.4-52.2	159	57.2	47.8-66.6	
\$15,000- 24,999	486	281,059	266	51.0	42.4-59.6	220	49.0	40.4-57.6	
\$35,000- 49,999	386	292,431	207	41.8	32.2-51.4	179	58.2	48.6-67.8	
\$50,000- 74,999	339	283,755	194	51.2	42.4-60.0	145	48.8	40.0-57.6	
\$75,000+	423	429,875	215	40.4	32.8-48.0	208	59.6	52.0-67.2	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

TABLE 4: DOES YOUR HOME HAVE ANY OF THE FOLLOWING APPLIANCES POWERED BY NATURAL GAS: A STOVE, AN OVEN, A WATER HEATER, OR A CLOTHES DRYER? (IAQGASAP)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4459	4,054,698	2604	51.5	48.6-54.4	1855	48.5	45.6-51.4	
Male	1676	2,010,874	985	49.8	45.1-54.5	691	50.2	45.5-54.9	
Female	2783	2,043,824	1619	53.1	49.6-56.6	1164	46.9	43.4-50.4	
White/Non-Hisp	3116	2,812,806	1750	51.7	48.6-54.8	1366	48.3	45.2-51.4	
Hispanic	975	918,929	631	50.3	42.7-57.9	344	49.7	42.1-57.3	
25-34	487	848,670	301	55.1	47.3-62.9	186	44.9	37.1-52.7	
35-44	677	743,872	419	53.5	46.6-60.4	258	46.5	39.6-53.4	
45-54	820	683,874	472	49.8	43.7-55.9	348	50.2	44.1-56.3	
55-64	884	531,407	501	50.5	44.8-56.2	383	49.5	43.8-55.2	
65+	1358	719,317	776	52.0	47.7-56.3	582	48.0	43.7-52.3	
Less Than H.S.	517	456,752	325	53.0	43.2-62.8	192	47.0	37.2-56.8	
H.S. or G.E.D.	1191	1,014,331	705	51.4	45.3-57.5	486	48.6	42.5-54.7	
Some Post-H.S.	1348	1,195,069	734	49.0	43.7-54.3	614	51.0	45.7-56.3	
College Graduate	1375	1,360,461	821	52.9	48.2-57.6	554	47.1	42.4-51.8	
Less than \$15,000	494	327,735	307	50.0	40.4-59.6	187	50.0	40.4-59.6	
\$15,000- 24,999	769	539,568	436	47.3	39.5-55.1	333	52.7	44.9-60.5	
\$25,000- 34,999	523	416,539	303	46.9	37.9-55.9	220	53.1	44.1-62.1	
\$35,000- 49,999	630	525,081	354	44.5	36.9-52.1	276	55.5	47.9-63.1	
\$50,000- 74,999	633	646,598	367	52.6	45.7-59.5	266	47.4	40.5-54.3	
\$75,000+	793	1,015,686	491	55.8	49.9-61.7	302	44.2	38.3-50.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

TABLE 5: DOES YOUR HOME HAVE ANY OF THE FOLLOWING APPLIANCES POWERED BY NATURAL GAS: A STOVE, AN OVEN, A WATER HEATER, OR A CLOTHES DRYER? (IAQGASAP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1676	2,010,874	985	49.8	45.3-54.3	691	50.2	45.7-54.7	
White/Non-Hisp	1203	1,388,475	681	51.0	45.9-56.1	522	49.0	43.9-54.1	
45-54	308	341,055	177	49.8	40.4-59.2	131	50.2	40.8-59.6	
55-64	333	245,190	201	54.7	45.9-63.5	132	45.3	36.5-54.1	
65+	545	322,119	307	53.0	46.3-59.7	238	47.0	40.3-53.7	
H.S. or G.E.D.	398	449,121	234	43.7	34.3-53.1	164	56.3	46.9-65.7	
Some Post-H.S.	475	547,279	256	48.6	39.4-57.8	219	51.4	42.2-60.6	
College Graduate	612	771,407	371	52.8	45.7-59.9	241	47.2	40.1-54.3	
\$50,000- 74,999	288	362,337	161	48.4	38.4-58.4	127	51.6	41.6-61.6	
\$75,000+	364	579,923	221	54.0	45.6-62.4	143	46.0	37.6-54.4	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

TABLE 6: DOES YOUR HOME HAVE ANY OF THE FOLLOWING APPLIANCES POWERED BY NATURAL GAS: A STOVE, AN OVEN, A WATER HEATER, OR A CLOTHES DRYER? (IAQGASAP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2783	2,043,824	1619	53.1	49.6-56.6	1164	46.9	43.4-50.4	
White/Non-Hisp	1913	1,424,331	1069	52.4	48.5-56.3	844	47.6	43.7-51.5	
Hispanic	645	472,357	411	52.7	43.5-61.9	234	47.3	38.1-56.5	
25-34	317	406,039	197	61.6	52.2-71.0	120	38.4	29.0-47.8	
35-44	448	359,274	280	57.9	50.1-65.7	168	42.1	34.3-49.9	
45-54	512	342,818	295	49.8	42.0-57.6	217	50.2	42.4-58.0	
55-64	551	286,217	300	47.0	39.7-54.3	251	53.0	45.7-60.3	
65+	813	397,198	469	51.2	45.3-57.1	344	48.8	42.9-54.7	
H.S. or G.E.D.	793	565,210	471	57.6	50.5-64.7	322	42.4	35.3-49.5	
Some Post-H.S.	873	647,790	478	49.4	43.3-55.5	395	50.6	44.5-56.7	
College Graduate	763	589,054	450	53.2	47.1-59.3	313	46.8	40.7-52.9	
Less than \$15,000	358	204,190	220	52.5	42.7-62.3	138	47.5	37.7-57.3	
\$15,000- 24,999	495	288,016	286	50.9	42.3-59.5	209	49.1	40.5-57.7	
\$25,000- 34,999	321	181,129	184	45.7	35.7-55.7	137	54.3	44.3-64.3	
\$35,000- 49,999	391	299,587	207	43.5	33.9-53.1	184	56.5	46.9-66.1	
\$50,000- 74,999	345	284,262	206	58.0	49.4-66.6	139	42.0	33.4-50.6	
\$75,000+	429	435,763	270	58.1	50.1-66.1	159	41.9	33.9-49.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

**TABLE 7: DURING THE PAST 12 MONTHS, ON HOW MANY DAYS HAVE YOU USED A WOOD OR COAL STOVE, FIREPLACE, OR KEROSENE HEATER INSIDE YOUR HOME? (IAQHTDYS)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days			6-10 days			11-20 days			21-365 days			Do Not Have			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4434	4,065,182	250	5.9	04.5-07.3	90	1.6	01.0-02.2	72	0.9	00.5-01.3	515	8.0	06.6-09.4	200	4.0	02.8-05.2	3307	79.5	77.3-81.7
Male	1660	2,023,590	101	5.9	03.9-07.9	38	1.4	00.6-02.2	31	1.2	00.4-02.0	209	8.2	06.0-10.4	74	3.9	02.1-05.7	1207	79.3	75.8-82.8
Female	2774	2,041,592	149	5.9	04.1-07.7	52	1.8	00.8-02.8	41	0.7	00.5-00.9	306	7.8	06.0-09.6	126	4.1	02.7-05.5	2100	79.7	77.0-82.4
White/Non-Hisp	3110	2,832,759	193	6.8	05.2-08.4	62	2.0	01.2-02.8	64	1.2	00.6-01.8	341	6.8	05.4-08.2	106	2.6	01.8-03.4	2344	80.6	78.2-83.0
Black or Afr. Am./Non-Hisp	71	90,755	1	0.5	00.0-01.5	2	2.8	00.0-07.7				8	7.6	00.0-16.2	4	3.9	00.0-09.2			
Oth. Race/Non-Hisp.	202	164,163	14	4.7	01.2-08.2	5	1.3	00.0-02.7	1	0.4	00.0-01.2				9	3.4	00.0-07.1			
Hispanic	965	904,713	37	3.9	01.2-06.6	19	0.5	00.1-00.9	4	0.1	00.0-00.3	114	9.6	05.5-13.7	75	8.7	04.6-12.8	716	77.2	71.1-83.3
18-24	188	518,584	10	3.9	00.0-07.8	4	2.0	00.0-04.5	2	1.0	00.0-02.8	31	10.5	04.8-16.2	12	4.0	01.1-06.9	129	78.7	70.7-86.7
25-34	485	848,780	27	5.2	02.5-07.9	5	0.8	00.0-02.4	2	0.1	00.0-00.3	56	6.6	03.7-09.5	23	3.4	00.3-06.5	372	83.8	78.7-88.9
35-44	673	741,113	44	8.3	04.2-12.4	11	0.6	00.0-01.4	18	1.3	00.5-02.1	80	9.2	04.9-13.5	31	3.5	01.5-05.5	489	77.0	71.1-82.9
45-54	811	674,257	53	7.1	03.8-10.4	24	1.8	00.6-03.0	20	2.0	00.6-03.4	95	5.8	03.8-07.8	32	5.5	02.2-08.8	587	77.8	72.7-82.9
55-64	881	528,362	50	5.7	03.2-08.2	25	3.9	01.7-06.1	17	1.1	00.0-02.3	115	8.4	05.7-11.1	34	4.5	02.0-07.0	640	76.4	71.7-81.1
65+	1351	714,914	64	4.9	02.7-07.1	20	1.6	00.4-02.8	13	0.4	00.0-00.8	136	8.7	06.2-11.2	66	3.1	02.1-04.1	1052	81.2	77.7-84.7
Less Than H.S.	506	444,408	15	2.8	00.4-05.2	10	0.6	00.0-01.2	3	0.1	00.0-00.3	60	11.3	04.8-17.8	38	6.0	02.1-09.9	380	79.1	71.5-86.7
H.S. or G.E.D.	1186	1,021,978	54	4.7	02.3-07.1	17	0.8	00.2-01.4	9	0.3	00.1-00.5	143	9.4	06.5-12.3	58	5.2	02.1-08.3	905	79.6	74.9-84.3
Some Post-H.S.	1346	1,194,846	78	6.6	04.1-09.1	25	1.2	00.4-02.0	23	1.4	00.4-02.4	143	6.6	04.4-08.8	66	4.4	02.6-06.2	1011	79.7	76.0-83.4
College Graduate	1368	1,375,865	101	7.3	04.8-09.8	38	3.0	01.4-04.6	37	1.3	00.7-01.9	166	6.8	04.8-08.8	37	2.1	01.1-03.1	989	79.5	75.8-83.2
Less than \$15,000	487	329,397	18	4.8	00.7-08.9	7	1.0	00.0-02.2	4	1.1	00.0-02.9	56	8.7	04.0-13.4	32	10.7	02.3-19.1	370	73.7	64.3-83.1
\$15,000- 24,999	765	541,108	32	3.7	01.5-05.9	13	1.1	00.1-02.1	2	0.1	00.0-00.3	97	10.3	06.6-14.0	45	3.9	01.9-05.9	576	81.0	76.1-85.9
\$25,000- 34,999	519	414,069	21	3.4	00.9-05.9	7	0.4	00.0-00.8	4	0.2	00.0-00.4	74	17.7	09.3-26.1	17	2.8	00.8-04.8	396	75.4	67.0-83.8
\$35,000- 49,999	627	515,822	39	5.4	02.7-08.1	14	1.9	00.3-03.5	8	0.7	00.1-01.3	69	7.2	04.1-10.3	29	5.0	01.5-08.5	468	79.7	74.2-85.2
\$50,000- 74,999	627	646,786	44	7.4	03.9-10.9	13	1.7	00.3-03.1	13	0.8	00.2-01.4	71	5.6	03.4-07.8	22	2.1	00.7-03.5	464	82.4	77.9-86.9
\$75,000+	794	1,037,174	63	8.6	05.1-12.1	23	2.3	00.5-04.1	29	2.0	00.8-03.2	87	5.9	03.5-08.3	19	2.2	00.8-03.6	573	79.0	74.3-83.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

TABLE 8: DURING THE PAST 12 MONTHS, ON HOW MANY DAYS HAVE YOU USED A WOOD OR COAL STOVE, FIREPLACE, OR KEROSENE HEATER INSIDE YOUR HOME? (IAQHTDYS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days			6-10 days			11-20 days			21-365 days			Do Not Have			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1660	2,023,590	101	5.9	03.9-07.9	38	1.4	00.6-02.2	31	1.2	00.4-02.0	209	8.2	06.0-10.4	74	3.9	02.1-05.7	1207	79.3	75.8-82.8
White/Non-Hisp	1194	1,404,500	79	7.0	04.3-09.7	24	1.6	00.4-02.8	27	1.6	00.6-02.6	140	6.4	04.6-08.2	37	2.0	01.0-03.0	887	81.3	77.8-84.8
Oth. Race/Non-Hisp.	74	93,573	3	1.4	00.0-03.8	4	1.9	00.0-04.1	1	0.7	00.0-02.1				3	4.2	00.0-10.5			
Hispanic	327	444,921	15	3.6	00.5-06.7	8	0.8	00.0-01.8	1	0.1	00.0-00.3	47	11.4	04.1-18.7	29	9.6	02.9-16.3	227	74.5	64.7-84.3
18-24	76	275,553	5	2.9	00.0-06.2				2	1.8	00.0-05.1	17	13.0	04.2-21.8	5	4.0	00.0-08.3			
25-34	170	448,851	8	3.8	00.3-07.3	2	1.5	00.0-04.2	1	0.1	00.0-00.3	21	5.4	01.7-09.1	7	4.5	00.0-10.2	131	84.7	76.9-92.5
35-44	227	383,325	13	8.4	01.5-15.3	6	1.0	00.0-02.6	6	0.9	00.1-01.7	33	11.0	03.4-18.6	9	1.5	00.1-02.9	160	77.2	67.6-86.8
45-54	303	334,538	28	10.7	04.4-17.0	10	1.2	00.2-02.2	11	2.9	00.4-05.4	28	4.0	01.5-06.5	16	4.3	01.2-07.4	210	76.8	69.4-84.2
55-64	331	242,842	17	5.9	01.4-10.4	9	3.4	00.5-06.3	5	1.6	00.0-04.0	50	9.5	04.8-14.2	12	5.6	00.5-10.7	238	74.1	66.3-81.9
65+	539	318,172	30	3.9	01.5-06.3	10	1.9	00.0-04.1	6	0.7	00.0-01.5	58	8.2	04.9-11.5	24	3.2	01.4-05.0	411	82.0	77.5-86.5
Less Than H.S.	174	222,690	6	2.5	00.0-05.8	4	0.2	00.0-00.4	2	0.3	00.0-00.7				12	5.4	00.3-10.5			
H.S. or G.E.D.	394	451,081	25	5.6	02.3-08.9	6	0.5	00.1-00.9	3	0.3	00.0-00.7	52	11.6	05.9-17.3	19	4.7	00.0-10.2	289	77.4	69.6-85.2
Some Post-H.S.	471	546,370	29	6.0	01.9-10.1	7	0.6	00.0-01.4	11	2.4	00.2-04.6	55	5.1	03.1-07.1	28	6.1	02.6-09.6	341	79.8	73.7-85.9
College Graduate	607	784,680	40	7.2	03.3-11.1	21	3.0	00.8-05.2	15	1.2	00.2-02.2	72	7.4	04.3-10.5	14	1.5	00.3-02.7	445	79.8	74.5-85.1
Less than \$15,000	134	125,671	9	9.8	00.0-20.0	3	0.7	00.0-01.9	3	2.9	00.0-07.4	17	8.4	01.3-15.5						
\$15,000- 24,999	272	252,104	14	4.2	00.7-07.7	7	0.6	00.0-01.2	2	0.1	00.0-00.3	42	10.4	04.3-16.5	16	4.6	01.3-07.9	191	80.0	71.8-88.2
\$25,000- 34,999	200	235,110	10	2.9	00.0-06.4	1	0.2	00.0-00.6							5	1.6	00.0-03.4			
\$35,000- 49,999	238	225,272	14	5.5	01.2-09.8	6	3.6	00.0-07.3	5	0.8	00.0-01.8	24	6.5	02.6-10.4	8	1.3	00.0-02.7	181	82.4	75.1-89.7
\$50,000- 74,999	284	360,727	24	6.5	02.2-10.8	5	1.0	00.0-02.2	5	0.8	00.0-01.6	34	6.6	03.1-10.1	10	1.0	00.0-02.0	206	84.1	78.2-90.0
\$75,000+	363	594,041	23	7.9	02.8-13.0	11	1.8	00.0-04.2	15	2.6	00.4-04.8	39	5.8	02.3-09.3	11	2.9	00.7-05.1	264	78.9	72.0-85.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

TABLE 9: DURING THE PAST 12 MONTHS, ON HOW MANY DAYS HAVE YOU USED A WOOD OR COAL STOVE, FIREPLACE, OR KEROSENE HEATER INSIDE YOUR HOME? (IAQHTDYS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days			6-10 days			11-20 days			21-365 days			Do Not Have			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2774	2,041,592	149	5.9	04.1-07.7	52	1.8	00.8-02.8	41	0.7	00.5-00.9	306	7.8	06.0-09.6	126	4.1	02.7-05.5	2100	79.7	77.0-82.4
White/Non-Hisp	1916	1,428,259	114	6.6	04.6-08.6	38	2.3	01.1-03.5	37	0.8	00.4-01.2	201	7.2	05.2-09.2	69	3.2	02.0-04.4	1457	79.8	76.7-82.9
Oth. Race/Non-Hisp.	128	70,589	11	9.1	01.7-16.5	1	0.4	00.0-01.2				27	16.5	07.5-25.5	6	2.3	00.0-04.8			
Hispanic	638	459,792	22	4.2	00.0-08.5	11	0.3	00.1-00.5	3	0.2	00.0-00.4	67	7.7	03.8-11.6	46	7.8	02.9-12.7	489	79.7	72.6-86.8
18-24	112	243,031	5	5.2	00.0-12.3	4	4.2	00.0-09.5				14	7.5	00.1-14.9	7	3.9	00.2-07.6			
25-34	315	399,930	19	6.7	02.6-10.8	3	0.1	00.0-00.3	1	0.1	00.0-00.3	35	8.0	03.5-12.5	16	2.3	00.3-04.3	241	82.8	76.5-89.1
35-44	446	357,788	31	8.2	03.9-12.5	5	0.2	00.0-00.6	12	1.9	00.5-03.3	47	7.2	03.3-11.1	22	5.6	01.9-09.3	329	76.8	70.3-83.3
45-54	508	339,719	25	3.6	01.2-06.0	14	2.3	00.1-04.5	9	1.0	00.0-02.0	67	7.5	04.6-10.4	16	6.7	00.8-12.6	377	78.8	72.1-85.5
55-64	550	285,520	33	5.6	02.7-08.5	16	4.3	01.0-07.6	12	0.7	00.1-01.3	65	7.4	04.5-10.3	22	3.6	01.4-05.8	402	78.3	72.8-83.8
65+	812	396,741	34	5.7	02.2-09.2	10	1.4	00.2-02.6	7	0.2	00.0-00.4	78	9.0	05.3-12.7	42	3.0	01.6-04.4	641	80.6	75.7-85.5
Less Than H.S.	332	221,717	9	3.0	00.0-06.3	6	1.1	00.0-02.3	1	0.0	00.0-00.0	31	10.4	03.3-17.5	26	6.6	00.5-12.7	259	78.9	69.7-88.1
H.S. or G.E.D.	792	570,896	29	4.0	00.7-07.3	11	1.1	00.1-02.1	6	0.3	00.0-00.7	91	7.7	05.0-10.4	39	5.6	02.1-09.1	616	81.3	76.0-86.6
Some Post-H.S.	875	648,476	49	7.1	04.0-10.2	18	1.7	00.5-02.9	12	0.6	00.2-01.0	88	7.9	04.2-11.6	38	3.1	01.7-04.5	670	79.6	74.7-84.5
College Graduate	761	591,184	61	7.6	04.5-10.7	17	3.0	00.5-05.5	22	1.4	00.6-02.2	94	6.0	04.2-07.8	23	2.9	00.9-04.9	544	79.1	74.6-83.6
Less than \$15,000	353	203,725	9	1.6	00.2-03.0	4	1.1	00.0-02.9	1	0.1	00.0-00.3	39	9.0	02.9-15.1	19	7.7	00.6-14.8	281	80.5	71.7-89.3
\$15,000- 24,999	493	289,003	18	3.2	00.7-05.7	6	1.5	00.0-03.3				55	10.2	05.9-14.5	29	3.2	01.2-05.2	385	81.9	76.2-87.6
\$25,000- 34,999	319	178,960	11	4.2	00.7-07.7	6	0.8	00.0-01.6	4	0.5	00.0-01.1				12	4.5	00.6-08.4			
\$35,000- 49,999	389	290,550	25	5.4	01.7-09.1	8	0.6	00.0-01.2	3	0.7	00.0-01.7	45	7.7	03.0-12.4	21	8.0	01.9-14.1	287	77.6	69.6-85.6
\$50,000- 74,999	343	286,058	20	8.5	03.0-14.0	8	2.6	00.1-05.1	8	0.9	00.1-01.7	37	4.4	02.2-06.6	12	3.4	00.5-06.3	258	80.2	73.5-86.9
\$75,000+	431	443,133	40	9.5	05.2-13.8	12	2.9	00.0-05.8	14	1.1	00.3-01.9	48	6.0	03.3-08.7	8	1.4	00.0-02.8	309	79.1	73.2-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

TABLE 10: A CARBON MONOXIDE OR CO DETECTOR CHECKS THE LEVEL OF CARBON MONOXIDE IN YOUR HOME. IT IS NOT A SMOKE DETECTOR. DO YOU HAVE A CO DETECTOR IN YOUR HOME? (IAQCOTR)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4377	3,961,683	1339	29.9	27.2-32.6	3038	70.1	67.4-72.8
Male	1649	1,972,567	557	30.9	26.6-35.2	1092	69.1	64.8-73.4
Female	2728	1,989,115	782	29.0	25.7-32.3	1946	71.0	67.7-74.3
White/Non-Hisp	3067	2,758,289	962	30.4	27.5-33.3	2105	69.6	66.7-72.5
Oth. Race/Non-Hisp.	203	155,604	61	27.2	17.4-37.0	142	72.8	63.0-82.6
Hispanic	952	891,325	261	28.4	21.1-35.7	691	71.6	64.3-78.9
18-24	177	466,985	47	19.2	10.4-28.0	130	80.8	72.0-89.6
25-34	470	828,887	153	33.9	26.1-41.7	317	66.1	58.3-73.9
35-44	668	724,234	210	26.4	20.7-32.1	458	73.6	67.9-79.3
45-54	809	675,998	246	34.7	28.8-40.6	563	65.3	59.4-71.2
55-64	870	526,545	257	29.5	24.4-34.6	613	70.5	65.4-75.6
65+	1336	699,496	405	30.0	26.1-33.9	931	70.0	66.1-73.9
Less Than H.S.	495	431,775	115	23.4	14.4-32.4	380	76.6	67.6-85.6
H.S. or G.E.D.	1162	988,664	353	31.6	25.9-37.3	809	68.4	62.7-74.1
Some Post-H.S.	1331	1,155,001	392	29.8	24.9-34.7	939	70.2	65.3-75.1
College Graduate	1362	1,358,340	469	30.7	26.4-35.0	893	69.3	65.0-73.6
\$15,000- 24,999	748	529,630	196	23.6	17.7-29.5	552	76.4	70.5-82.3
\$25,000- 34,999	516	408,396	145	24.6	17.7-31.5	371	75.4	68.5-82.3
\$35,000- 49,999	622	506,988	198	30.2	23.5-36.9	424	69.8	63.1-76.5
\$50,000- 74,999	626	641,562	207	30.7	24.4-37.0	419	69.3	63.0-75.6
\$75,000+	780	993,430	276	31.7	26.2-37.2	504	68.3	62.8-73.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

TABLE 11: A CARBON MONOXIDE OR CO DETECTOR CHECKS THE LEVEL OF CARBON MONOXIDE IN YOUR HOME. IT IS NOT A SMOKE DETECTOR. DO YOU HAVE A CO DETECTOR IN YOUR HOME? (IAQCOTR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1649	1,972,567	557	30.9	26.6-35.2	1092	69.1	64.8-73.4
White/Non-Hisp	1183	1,360,993	408	31.6	26.9-36.3	775	68.4	63.7-73.1
35-44	225	373,395	69	21.0	12.8-29.2	156	79.0	70.8-87.2
45-54	307	338,621	110	36.5	27.5-45.5	197	63.5	54.5-72.5
55-64	327	243,377	112	34.6	26.2-43.0	215	65.4	57.0-73.8
65+	541	317,609	174	32.0	25.9-38.1	367	68.0	61.9-74.1
H.S. or G.E.D.	389	431,066	136	33.4	24.4-42.4	253	66.6	57.6-75.6
Some Post-H.S.	467	535,739	159	32.0	23.6-40.4	308	68.0	59.6-76.4
College Graduate	606	774,597	210	29.1	22.8-35.4	396	70.9	64.6-77.2
\$25,000- 34,999	198	227,870	61	24.2	14.4-34.0	137	75.8	66.0-85.6
\$50,000- 74,999	286	358,552	95	27.6	18.8-36.4	191	72.4	63.6-81.2
\$75,000+	358	572,948	138	33.6	25.6-41.6	220	66.4	58.4-74.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

TABLE 12: A CARBON MONOXIDE OR CO DETECTOR CHECKS THE LEVEL OF CARBON MONOXIDE IN YOUR HOME. IT IS NOT A SMOKE DETECTOR. DO YOU HAVE A CO DETECTOR IN YOUR HOME? (IAQCOTR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2728	1,989,115	782	29.0	25.7-32.3	1946	71.0	67.7-74.3
White/Non-Hisp	1884	1,397,296	554	29.2	25.7-32.7	1330	70.8	67.3-74.3
Hispanic	627	452,033	156	24.6	16.2-33.0	471	75.4	67.0-83.8
25-34	306	392,246	88	28.3	18.7-37.9	218	71.7	62.1-81.3
35-44	443	350,839	141	32.0	24.6-39.4	302	68.0	60.6-75.4
45-54	502	337,377	136	32.8	25.2-40.4	366	67.2	59.6-74.8
55-64	543	283,169	145	25.1	18.8-31.4	398	74.9	68.6-81.2
65+	795	381,887	231	28.3	23.2-33.4	564	71.7	66.6-76.8
Less Than H.S.	321	219,196	68	18.6	09.4-27.8	253	81.4	72.2-90.6
H.S. or G.E.D.	773	557,598	217	30.2	23.1-37.3	556	69.8	62.7-76.9
Some Post-H.S.	864	619,261	233	27.8	22.5-33.1	631	72.2	66.9-77.5
College Graduate	756	583,743	259	32.9	27.2-38.6	497	67.1	61.4-72.8
Less than \$15,000	342	189,569	67	25.2	15.6-34.8	275	74.8	65.2-84.4
\$15,000- 24,999	478	281,075	119	21.7	15.6-27.8	359	78.3	72.2-84.4
\$25,000- 34,999	318	180,525	84	25.1	16.3-33.9	234	74.9	66.1-83.7
\$35,000- 49,999	387	298,252	113	30.1	21.1-39.1	274	69.9	60.9-78.9
\$50,000- 74,999	340	283,009	112	34.6	26.0-43.2	228	65.4	56.8-74.0
\$75,000+	422	420,482	138	29.1	22.0-36.2	284	70.9	63.8-78.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

TABLE 13: DO YOU CURRENTLY HAVE MOLD IN YOUR HOME ON AN AREA GREATER THAN THE SIZE OF A DOLLAR BILL? (IAQMOLD)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4342	3,947,456	122	2.3	01.5-03.1	4220	97.7	96.9-98.5	
Male	1631	1,947,759	42	1.4	00.8-02.0	1589	98.6	98.0-99.2	
Female	2711	1,999,697	80	3.0	01.8-04.2	2631	97.0	95.8-98.2	
White/Non-Hisp	3052	2,773,343	62	1.9	01.1-02.7	2990	98.1	97.3-98.9	
Black or Afr. Am./Non-Hisp	70	89,255				70	100.0	0100-0100	
Oth. Race/Non-Hisp.	196	149,279	15	4.9	02.0-07.8	181	95.1	92.2-98.0	
Hispanic	944	873,952	45	3.2	01.2-05.2	899	96.8	94.8-98.8	
18-24	185	503,878	6	2.2	00.0-04.7	179	97.8	95.3-0100	
25-34	467	807,605	24	2.9	00.9-04.9	443	97.1	95.1-99.1	
35-44	662	727,004	30	2.8	01.2-04.4	632	97.2	95.6-98.8	
45-54	792	653,171	32	2.4	01.0-03.8	760	97.6	96.2-99.0	
55-64	858	516,151	13	1.1	00.1-02.1	845	98.9	97.9-99.9	
65+	1331	700,110	15	1.2	00.0-02.4	1316	98.8	97.6-0100	
Less Than H.S.	499	418,401	20	5.6	01.7-09.5	479	94.4	90.5-98.3	
H.S. or G.E.D.	1166	1,010,733	36	1.8	00.8-02.8	1130	98.2	97.2-99.2	
Some Post-H.S.	1308	1,149,186	37	2.4	01.0-03.8	1271	97.6	96.2-99.0	
College Graduate	1344	1,341,925	28	1.5	00.5-02.5	1316	98.5	97.5-99.5	
Less than \$15,000	477	306,411	24	3.0	01.2-04.8	453	97.0	95.2-98.8	
\$15,000- 24,999	739	522,059	27	3.5	01.1-05.9	712	96.5	94.1-98.9	
\$25,000- 34,999	511	399,271	15	2.8	00.8-04.8	496	97.2	95.2-99.2	
\$35,000- 49,999	613	509,394	23	3.4	00.7-06.1	590	96.6	93.9-99.3	
\$50,000- 74,999	627	645,527	12	1.5	00.1-02.9	615	98.5	97.1-99.9	
\$75,000+	779	1,022,498	12	1.2	00.0-02.4	767	98.8	97.6-0100	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

TABLE 14: DOES YOUR HOME HAVE ANY OF THE FOLLOWING APPLIANCES POWERED BY NATURAL GAS: A STOVE, AN OVEN, A WATER HEATER, OR A CLOTHES DRYER? (IAQGASAP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1631	1,947,759	42	1.4	00.8-02.0	1589	98.6	98.0-99.2	
White/Non-Hisp	1177	1,370,680	20	0.9	00.3-01.5	1157	99.1	98.5-99.7	
Oth. Race/Non-Hisp.	73	79,851	5	4.1	00.2-08.0	68	95.9	92.0-99.8	
Hispanic	321	427,459	17	2.9	00.4-05.4	304	97.1	94.6-99.6	
18-24	75	268,946	3	1.2	00.0-02.8	72	98.8	97.2-0100	
25-34	165	414,927	4	0.7	00.0-01.5	161	99.3	98.5-0100	
35-44	223	373,902	11	2.2	00.4-04.0	212	97.8	96.0-99.6	
45-54	293	316,938	11	1.6	00.4-02.8	282	98.4	97.2-99.6	
55-64	328	240,120	3	0.3	00.0-00.7	325	99.7	99.3-0100	
65+	532	312,408	9	1.0	00.0-02.0	523	99.0	98.0-0100	
Less Than H.S.	169	195,809	6	3.8	00.0-08.7	163	96.2	91.3-0100	
H.S. or G.E.D.	389	451,686	16	1.8	00.8-02.8	373	98.2	97.2-99.2	
Some Post-H.S.	462	525,293	13	1.5	00.3-02.7	449	98.5	97.3-99.7	
College Graduate	598	756,402	6	0.6	00.0-01.4	592	99.4	98.6-0100	
Less than \$15,000	130	108,145	8	3.5	00.6-06.4	122	96.5	93.6-99.4	
\$15,000- 24,999	264	245,546	9	2.0	00.2-03.8	255	98.0	96.2-99.8	
\$25,000- 34,999	195	219,922	8	2.8	00.3-05.3	187	97.2	94.7-99.7	
\$35,000- 49,999	232	214,673	5	2.1	00.0-04.8	227	97.9	95.2-0100	
\$50,000- 74,999	285	360,438	5	0.8	00.0-01.6	280	99.2	98.4-0100	
\$75,000+	359	586,527	4	0.2	00.0-00.4	355	99.8	99.6-0100	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006
MODULE 11: INDOOR AIR QUALITY**

TABLE 15: DO YOU CURRENTLY HAVE MOLD IN YOUR HOME ON AN AREA GREATER THAN THE SIZE OF A DOLLAR BILL? (IAQMOLD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2711	1,999,697	80	3.0	01.8-04.2	2631	97.0	95.8-98.2	
White/Non-Hisp	1875	1,402,663	42	3.0	01.6-04.4	1833	97.0	95.6-98.4	
Oth. Race/Non-Hisp.	123	69,428	10	5.8	01.3-10.3	113	94.2	89.7-98.7	
Hispanic	623	446,493	28	3.5	00.4-06.6	595	96.5	93.4-99.6	
18-24	110	234,932	3	3.4	00.0-08.5	107	96.6	91.5-0100	
25-34	302	392,678	20	5.3	01.6-09.0	282	94.7	91.0-98.4	
35-44	439	353,103	19	3.4	00.9-05.9	420	96.6	94.1-99.1	
45-54	499	336,233	21	3.1	00.7-05.5	478	96.9	94.5-99.3	
55-64	530	276,032	10	1.7	00.1-03.3	520	98.3	96.7-99.9	
65+	799	387,702	6	1.3	00.0-03.3	793	98.7	96.7-0100	
Less Than H.S.	330	222,592	14	7.1	01.2-13.0	316	92.9	87.0-98.8	
H.S. or G.E.D.	777	559,047	20	1.8	00.2-03.4	757	98.2	96.6-99.8	
Some Post-H.S.	846	623,893	24	3.1	00.7-05.5	822	96.9	94.5-99.3	
College Graduate	746	585,523	22	2.7	00.9-04.5	724	97.3	95.5-99.1	
Less than \$15,000	347	198,266	16	2.7	00.5-04.9	331	97.3	95.1-99.5	
\$15,000- 24,999	475	276,513	18	4.7	00.8-08.6	457	95.3	91.4-99.2	
\$25,000- 34,999	316	179,349	7	2.9	00.0-05.8	309	97.1	94.2-0100	
\$35,000- 49,999	381	294,721	18	4.4	00.3-08.5	363	95.6	91.5-99.7	
\$50,000- 74,999	342	285,089	7	2.4	00.0-05.5	335	97.6	94.5-0100	
\$75,000+	420	435,971	8	2.7	00.2-05.2	412	97.3	94.8-99.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2006**

End of Module Data Report