



## Opioid Overdoses & Deaths

**2,749** possible opioid overdoses reported



## Neonatal Abstinence Syndrome

**211** Arizona babies born with possible drug-related withdrawal symptoms

## Naloxone

**1,866**


naloxone doses administered outside of the hospital by emergency medical services, law enforcement, and others

**1,995**


naloxone kits distributed to the public by pharmacies

# Opioid Overdoses & Deaths


**15%** of individuals with a possible opioid overdose from June 15<sup>th</sup> to present were hospitalized in 2016 with an opioid-related cause.




& of those hospitalized with an opioid-related cause, **10%** resulted in a fatal overdose during the most recent overdose.




**34%** of individuals with a possible opioid overdose from June 15<sup>th</sup> to present had an opioid prescription two months prior to their overdose.



& of those **10%** of the overdoses were fatal,




& **61%** had an Rx written for 6 or more days.




# Opioid Overdoses & Deaths


**54%** of individuals with a possible opioid overdose used at least one prescription opioid




**10%** of fatal overdoses involved prescription opioids & no other drugs.



**22%** of individuals with a possible opioid overdose only used prescription opiates




**14%** of individuals with a possible opioid overdose used more than one drug




# Opioid Overdoses & Deaths


The number of possible opioid overdoses reported weekly has ranged from **145** to **268**.



A majority of the possible opioid overdoses occurred in a personal residence.




**46%** of individuals were referred to behavioral health after their possible opioid overdose.




# Neonatal Abstinence Syndrome

**44%** of mothers of NAS cases were being medically supervised while taking opioids while pregnant.




# Naloxone Administered

Naloxone was administered by a variety of different partners.



Excluding deaths, **85%** of the possible opioid overdoses received naloxone pre-hospital.



Naloxone was reported to be administered in 14 of the 15 counties since June 15<sup>th</sup>.

