

STATE OF ARIZONA:

[STATEWIDE INCIDENCE](#)

APACHE COUNTY:

Not included. Less than 3 cases

COCHISE COUNTY:

[COCHISE COUNTY CURRENT INCIDENCE](#)

COCONINO COUNTY:

[COCONINO COUNTY CURRENT INCIDENCE](#)

GILA COUNTY:

Not included. Less than 3 cases

GRAHAM COUNTY:

[GRAHAM COUNTY CURRENT INCIDENCE](#)

GREENLEE COUNTY:

Not included. Less than 3 cases

LA PAZ COUNTY:

Not included. Less than 3 cases

MARICOPA COUNTY:

[MARICOPA COUNTY CURRENT INCIDENCE](#)

MOHAVE COUNTY:

[MOHAVE COUNTY CURRENT INCIDENCE](#)

NAVAJO COUNTY:

[NAVAJO COUNTY CURRENT INCIDENCE](#)

PIMA COUNTY:

[PIMA COUNTY CURRENT INCIDENCE](#)

PINAL COUNTY:

[PINAL COUNTY CURRENT INCIDENCE](#)

SANTA CRUZ COUNTY:

Not included. Less than 3 cases

YAVAPAI COUNTY:

[YAVAPAI COUNTY CURRENT INCIDENCE](#)

YUMA COUNTY:

[YUMA COUNTY CURRENT INCIDENCE](#)

STATE OF ARIZONA

[BACK TO INDEX](#)

| 2007 Population | % of State Population | % State HIV/AIDS INCIDENCE |
|-----------------|-----------------------|----------------------------|
| 6,338,755 | 100.0 | 100.0 |

CURRENT ESTIMATED INCIDENCE:

| | EMERGENT HIV | | | EMERGENT AIDS | | | TOTAL HIV&AIDS | | |
|--------------------------------|--------------|---------------|------------------|---------------|---------------|------------------|----------------|---------------|------------------|
| | Cases | % State Total | Rate Per 100,000 | Cases | % State Total | Rate Per 100,000 | Cases | % State Total | Rate Per 100,000 |
| By Gender | | | | | | | | | |
| Male | 501 | 60.8 | 15.79 | 204 | 24.8 | 6.43 | 705 | 85.6 | 22.22 |
| Female | 76 | 9.2 | 2.40 | 43 | 5.2 | 1.36 | 119 | 14.4 | 3.76 |
| TOTAL | 577 | 70.0 | 9.10 | 247 | 30.0 | 3.90 | 824 | 100.0 | 13.00 |
| By Age | | | | | | | | | |
| Under 2 | 1 | 0.1 | 0.49 | 0 | 0.0 | 0.00 | 1 | 0.1 | 0.49 |
| 2-12 | 2 | 0.2 | 0.20 | 0 | 0.0 | 0.00 | 2 | 0.2 | 0.20 |
| 13-19 | 18 | 2.2 | 2.93 | 3 | 0.4 | 0.49 | 21 | 2.5 | 3.42 |
| 20-24 | 90 | 10.9 | 21.08 | 21 | 2.5 | 4.92 | 111 | 13.5 | 26.00 |
| 25-29 | 92 | 11.2 | 19.10 | 32 | 3.9 | 6.64 | 124 | 15.0 | 25.75 |
| 30-34 | 95 | 11.5 | 21.82 | 31 | 3.8 | 7.12 | 126 | 15.3 | 28.94 |
| 35-39 | 95 | 11.5 | 21.76 | 39 | 4.7 | 8.93 | 134 | 16.3 | 30.69 |
| 40-44 | 70 | 8.5 | 16.40 | 43 | 5.2 | 10.07 | 113 | 13.7 | 26.47 |
| 45-49 | 59 | 7.2 | 13.64 | 35 | 4.2 | 8.09 | 94 | 11.4 | 21.72 |
| 50-54 | 24 | 2.9 | 6.14 | 23 | 2.8 | 5.88 | 47 | 5.7 | 12.02 |
| 55-59 | 17 | 2.1 | 4.77 | 8 | 1.0 | 2.24 | 25 | 3.0 | 7.01 |
| 60-64 | 10 | 1.2 | 3.37 | 8 | 1.0 | 2.69 | 18 | 2.2 | 6.06 |
| 65 and Above | 4 | 0.5 | 0.49 | 4 | 0.5 | 0.49 | 8 | 1.0 | 0.98 |
| Age Unknown | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| TOTAL | 577 | 70.0 | 9.10 | 247 | 30.0 | 3.90 | 824 | 100.0 | 13.00 |
| By Race / Ethnicity | | | | | | | | | |
| White Non-Hispanic | 276 | 33.5 | 7.29 | 111 | 13.5 | 2.93 | 387 | 47.0 | 10.22 |
| Black Non-Hispanic | 63 | 7.6 | 26.57 | 27 | 3.3 | 11.39 | 90 | 10.9 | 37.96 |
| Hispanic | 200 | 24.3 | 10.65 | 88 | 10.7 | 4.69 | 288 | 35.0 | 15.33 |
| *A/PI/H Non-Hispanic | 12 | 1.5 | 7.19 | 3 | 0.4 | 1.80 | 15 | 1.8 | 8.99 |
| **AI/AN Non-Hispanic | 15 | 1.8 | 5.55 | 14 | 1.7 | 5.18 | 29 | 3.5 | 10.73 |
| ***MR/O Non-Hispanic | 11 | 1.3 | N/A | 4 | 0.5 | N/A | 15 | 1.8 | N/A |
| TOTAL | 577 | 70.0 | 9.10 | 247 | 30.0 | 3.90 | 824 | 100.0 | 13.00 |
| By Mode of Transmission | | | | | | | | | |
| +MSM | 325 | 39.4 | N/A | 122 | 14.8 | N/A | 447 | 54.2 | N/A |
| ++IDU | 40 | 4.9 | N/A | 19 | 2.3 | N/A | 59 | 7.2 | N/A |
| MSM / IDU | 26 | 3.2 | N/A | 11 | 1.3 | N/A | 37 | 4.5 | N/A |
| Heterosexual | 49 | 5.9 | N/A | 22 | 2.7 | N/A | 71 | 8.6 | N/A |
| +++O/H/TF/TPR | 3 | 0.4 | N/A | 0 | 0.0 | N/A | 3 | 0.4 | N/A |
| ++++NRR/UR | 134 | 16.3 | N/A | 73 | 8.9 | N/A | 207 | 25.1 | N/A |
| TOTAL | 577 | 70.0 | 9.10 | 247 | 30.0 | 3.90 | 824 | 100.0 | 13.00 |

* Asian Pacific/Islander/Hawaiian
 ** American Indian/Alaskan Native
 *** Multiple Race/Other Race

+ Men having Sex with Men
 ++ Injection Drug Use
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient
 ++++ No Reported Risk/Unknown Risk

COCHISE COUNTY

[BACK TO INDEX](#)

| 2007 Population | % of State Population | % State HIV/AIDS INCIDENCE |
|-----------------|-----------------------|----------------------------|
| 127,866 | 2.02 | 2.31 |

CURRENT ESTIMATED INCIDENCE:

| | EMERGENT HIV | | | EMERGENT AIDS | | | TOTAL HIV&AIDS | | |
|--------------------------------|--------------|----------------|------------------|---------------|----------------|------------------|----------------|----------------|------------------|
| | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 |
| By Gender | | | | | | | | | |
| Male | 16 | 84.2 | 25.34 | 3 | 15.8 | 4.75 | 19 | 100.0 | 30.09 |
| Female | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| TOTAL | 16 | 84.2 | 12.51 | 3 | 15.8 | 2.35 | 19 | 100.0 | 14.86 |
| By Age | | | | | | | | | |
| Under 2 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 2-12 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 13-19 | 1 | 5.3 | 7.47 | 0 | 0.0 | 0.00 | 1 | 5.3 | 7.47 |
| 20-24 | 4 | 21.1 | 44.88 | 1 | 5.3 | 11.22 | 5 | 26.3 | 56.10 |
| 25-29 | 4 | 21.1 | 57.18 | 0 | 0.0 | 0.00 | 4 | 21.1 | 57.18 |
| 30-34 | 4 | 21.1 | 64.54 | 0 | 0.0 | 0.00 | 4 | 21.1 | 64.54 |
| 35-39 | 2 | 10.5 | 29.37 | 1 | 5.3 | 14.68 | 3 | 15.8 | 44.05 |
| 40-44 | 0 | 0.0 | 0.00 | 1 | 5.3 | 12.81 | 1 | 5.3 | 12.81 |
| 45-49 | 1 | 5.3 | 11.32 | 0 | 0.0 | 0.00 | 1 | 5.3 | 11.32 |
| 50-54 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 55-59 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 60-64 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 65 and Above | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| Age Unknown | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| TOTAL | 16 | 84.2 | 12.51 | 3 | 15.8 | 2.35 | 19 | 100.0 | 14.86 |
| By Race / Ethnicity | | | | | | | | | |
| White Non-Hispanic | 4 | 21.1 | 5.19 | 1 | 5.3 | 1.30 | 5 | 26.3 | 6.48 |
| Black Non-Hispanic | 4 | 21.1 | 62.42 | 1 | 5.3 | 15.61 | 5 | 26.3 | 78.03 |
| Hispanic | 8 | 42.1 | 19.92 | 1 | 5.3 | 2.49 | 9 | 47.4 | 22.41 |
| *A/PI/H Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| **AI/AN Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| ***MR/O Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| TOTAL | 16 | 84.2 | 12.51 | 3 | 15.8 | 2.35 | 19 | 100.0 | 14.86 |
| By Mode of Transmission | | | | | | | | | |
| +MSM | 8 | 42.1 | N/A | 2 | 10.5 | N/A | 10 | 52.6 | N/A |
| ++IDU | 3 | 15.8 | N/A | 0 | 0.0 | N/A | 3 | 15.8 | N/A |
| MSM / IDU | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| Heterosexual | 2 | 10.5 | N/A | 0 | 0.0 | N/A | 2 | 10.5 | N/A |
| +++O/H/TF/TPR | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| ++++NRR/UR | 3 | 15.8 | N/A | 1 | 5.3 | N/A | 4 | 21.1 | N/A |
| TOTAL | 16 | 84.2 | 12.51 | 3 | 15.8 | 2.35 | 19 | 100.0 | 14.86 |

* Asian Pacific/Islander/Hawaiian
 ** American Indian/Alaskan Native
 *** Multiple Race/Other Race

+ Men having Sex with Men
 ++ Injection Drug Use
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient
 ++++ No Reported Risk/Unknown Risk

COCONINO COUNTY

[BACK TO INDEX](#)

| 2006 Population | % of State Population | % State HIV/AIDS INCIDENCE |
|-----------------|-----------------------|----------------------------|
| 127,450 | 2.01 | 0.97 |

CURRENT ESTIMATED INCIDENCE:

| | EMERGENT HIV | | | EMERGENT AIDS | | | TOTAL HIV&AIDS | | |
|--------------------------------|--------------|----------------|------------------|---------------|----------------|------------------|----------------|----------------|------------------|
| | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 |
| By Gender | | | | | | | | | |
| Male | 3 | 37.5 | 4.71 | 5 | 62.5 | 7.85 | 8 | 100 | 12.55 |
| Female | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0 | 0.00 |
| TOTAL | 3 | 37.5 | 2.35 | 5 | 62.5 | 3.92 | 8 | 100 | 6.28 |
| By Age | | | | | | | | | |
| Under 2 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 2-12 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 13-19 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 20-24 | 0 | 0.0 | 0.00 | 1 | 12.5 | 7.04 | 1 | 12.5 | 7.04 |
| 25-29 | 2 | 25.0 | 20.87 | 1 | 12.5 | 10.44 | 3 | 37.5 | 31.31 |
| 30-34 | 1 | 12.5 | 12.76 | 1 | 12.5 | 12.76 | 2 | 25.0 | 25.51 |
| 35-39 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 40-44 | 0 | 0.0 | 0.00 | 1 | 12.5 | 12.54 | 1 | 12.5 | 12.54 |
| 45-49 | 0 | 0.0 | 0.00 | 1 | 12.5 | 10.42 | 1 | 12.5 | 10.42 |
| 50-54 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 55-59 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 60-64 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 65 and Above | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| Age Unknown | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| TOTAL | 3 | 37.5 | 2.35 | 5 | 62.5 | 3.92 | 8 | 100 | 6.28 |
| By Race / Ethnicity | | | | | | | | | |
| White Non-Hispanic | 1 | 12.5 | 1.37 | 0 | 0 | 0.00 | 1 | 12.5 | 1.37 |
| Black Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0 | 0.00 | 0 | 0.0 | 0.00 |
| Hispanic | 1 | 12.5 | 6.58 | 2 | 25 | 13.16 | 3 | 37.5 | 19.74 |
| *A/PI/H Non-Hispanic | 1 | 12.5 | 57.44 | 0 | 0 | 0.00 | 1 | 12.5 | 57.44 |
| **AI/AN Non-Hispanic | 0 | 0.0 | 0.00 | 3 | 37.5 | 8.40 | 3 | 37.5 | 8.40 |
| ***MR/O Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0 | 0.00 | 0 | 0.0 | 0.00 |
| TOTAL | 3 | 37.5 | 2.35 | 5 | 62.5 | 3.92 | 8 | 100 | 6.28 |
| By Mode of Transmission | | | | | | | | | |
| +MSM | 1 | 12.5 | N/A | 4 | 50.0 | N/A | 5 | 62.5 | N/A |
| ++IDU | 1 | 12.5 | N/A | 0 | 0.0 | N/A | 1 | 12.5 | N/A |
| MSM / IDU | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| Heterosexual | 1 | 12.5 | N/A | 1 | 12.5 | N/A | 2 | 25.0 | N/A |
| +++O/H/TF/TPR | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| ++++NRR/UR | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| TOTAL | 3 | 37.5 | 2.35 | 5 | 62.5 | 3.92 | 8 | 100 | 6.28 |

* Asian Pacific/Islander/Hawaiian
 ** American Indian/Alaskan Native
 *** Multiple Race/Other Race

+ Men having Sex with Men
 ++ Injection Drug Use
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient
 ++++ No Reported Risk/Unknown Risk

GRAHAM COUNTY

[BACK TO INDEX](#)

| 2007 Population | % of State Population | % State HIV/AIDS INCIDENCE |
|-----------------|-----------------------|----------------------------|
| 34,769 | 0.55 | 0.61 |

CURRENT ESTIMATED INCIDENCE:

| | EMERGENT HIV | | | EMERGENT AIDS | | | TOTAL HIV&AIDS | | |
|--------------------------------|--------------|----------------|------------------|---------------|----------------|------------------|----------------|----------------|------------------|
| | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 |
| By Gender | | | | | | | | | |
| Male | 2 | 40.0 | 10.88 | 2 | 40.0 | 10.88 | 4 | 80.0 | 21.76 |
| Female | 1 | 20.0 | 6.10 | 0 | 0.0 | 0.00 | 1 | 20.0 | 6.10 |
| TOTAL | 3 | 60.0 | 8.63 | 2 | 40.0 | 5.75 | 5 | 100.0 | 14.38 |
| By Age | | | | | | | | | |
| Under 2 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 2-12 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 13-19 | 1 | 20.0 | 23.75 | 0 | 0.0 | 0.00 | 1 | 20.0 | 23.75 |
| 20-24 | 2 | 40.0 | 62.54 | 0 | 0.0 | 0.00 | 2 | 40.0 | 62.54 |
| 25-29 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 30-34 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 35-39 | 0 | 0.0 | 0.00 | 1 | 20.0 | 45.07 | 1 | 20.0 | 45.07 |
| 40-44 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 45-49 | 0 | 0.0 | 0.00 | 1 | 20.0 | 19.42 | 1 | 20.0 | 5.82 |
| 50-54 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 55-59 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 60-64 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 65 and Above | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| Age Unknown | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| TOTAL | 3 | 60.0 | 8.63 | 2 | 40.0 | 5.75 | 5 | 100.0 | 14.38 |
| By Race / Ethnicity | | | | | | | | | |
| White Non-Hispanic | 0 | 0.0 | 0.00 | 2 | 40.0 | 10.44 | 2 | 40.0 | 10.44 |
| Black Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| Hispanic | 3 | 60.0 | 31.38 | 0 | 0.0 | 0.00 | 3 | 60.0 | 31.38 |
| *A/PI/H Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| **AI/AN Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| ***MR/O Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| TOTAL | 3 | 60.0 | 8.63 | 2 | 40.0 | 5.75 | 5 | 100.0 | 14.38 |
| By Mode of Transmission | | | | | | | | | |
| +MSM | 2 | 40.0 | N/A | 2 | 40.0 | N/A | 4 | 80.0 | N/A |
| ++IDU | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| MSM / IDU | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| Heterosexual | 1 | 20.0 | N/A | 0 | 0.0 | N/A | 1 | 20.0 | N/A |
| +++O/H/TF/TPR | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| ++++NRR/UR | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| TOTAL | 3 | 60.0 | 8.63 | 2 | 40.0 | 5.75 | 5 | 100.0 | 14.38 |

* Asian Pacific/Islander/Hawaiian
 ** American Indian/Alaskan Native
 *** Multiple Race/Other Race

+ Men having Sex with Men
 ++ Injection Drug Use
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient
 ++++ No Reported Risk/Unknown Risk

MARICOPA COUNTY

[BACK TO INDEX](#)

| 2007 Population | % of State Population | % State HIV/AIDS INCIDENCE |
|-----------------|-----------------------|----------------------------|
| 3,880,181 | 61.2 | 69.5 |

CURRENT ESTIMATED INCIDENCE:

| | EMERGENT HIV | | | EMERGENT AIDS | | | TOTAL HIV&AIDS | | |
|--------------------------------|--------------|----------------|------------------|---------------|----------------|------------------|----------------|----------------|------------------|
| | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 |
| By Gender | | | | | | | | | |
| Male | 365 | 63.7 | 18.68 | 131 | 22.9 | 6.70 | 496 | 86.6 | 25.38 |
| Female | 48 | 8.4 | 2.49 | 29 | 5.1 | 1.51 | 77 | 13.4 | 4.00 |
| TOTAL | 413 | 72.1 | 10.64 | 160 | 27.9 | 4.12 | 573 | 100.0 | 14.77 |
| By Age | | | | | | | | | |
| Under 2 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 2-12 | 1 | 0.2 | 0.15 | 0 | 0.0 | 0.00 | 1 | 0.2 | 0.15 |
| 13-19 | 13 | 2.3 | 3.50 | 2 | 0.3 | 0.54 | 15 | 2.6 | 4.04 |
| 20-24 | 70 | 12.2 | 28.18 | 13 | 2.3 | 5.23 | 83 | 14.5 | 33.41 |
| 25-29 | 72 | 12.6 | 23.52 | 21 | 3.7 | 6.86 | 93 | 16.2 | 30.38 |
| 30-34 | 64 | 11.2 | 22.11 | 21 | 3.7 | 7.26 | 85 | 14.8 | 29.37 |
| 35-39 | 66 | 11.5 | 22.73 | 25 | 4.4 | 8.61 | 91 | 15.9 | 31.34 |
| 40-44 | 52 | 9.1 | 18.95 | 28 | 4.9 | 10.20 | 80 | 14.0 | 29.16 |
| 45-49 | 40 | 7.0 | 14.90 | 24 | 4.2 | 8.94 | 64 | 11.2 | 23.83 |
| 50-54 | 14 | 2.4 | 6.02 | 13 | 2.3 | 5.59 | 27 | 4.7 | 11.60 |
| 55-59 | 10 | 1.7 | 4.79 | 6 | 1.0 | 2.87 | 16 | 2.8 | 7.66 |
| 60-64 | 8 | 1.4 | 4.69 | 6 | 1.0 | 3.52 | 14 | 2.4 | 8.21 |
| 65 and Above | 3 | 0.5 | 0.69 | 1 | 0.2 | 0.23 | 4 | 0.7 | 0.93 |
| Age Unknown | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| TOTAL | 413 | 72.1 | 10.64 | 160 | 27.9 | 4.12 | 573 | 100.0 | 14.77 |
| By Race / Ethnicity | | | | | | | | | |
| White Non-Hispanic | 211 | 36.8 | 9.03 | 73 | 12.7 | 3.12 | 284 | 49.6 | 12.15 |
| Black Non-Hispanic | 46 | 8.0 | 26.60 | 20 | 3.5 | 11.56 | 66 | 11.5 | 38.16 |
| Hispanic | 130 | 22.7 | 10.99 | 57 | 9.9 | 4.82 | 187 | 32.6 | 15.81 |
| *A/PI/H Non-Hispanic | 7 | 1.2 | 5.73 | 2 | 0.3 | 1.64 | 9 | 1.6 | 7.37 |
| **AI/AN Non-Hispanic | 12 | 2.1 | 18.30 | 7 | 1.2 | 10.67 | 19 | 3.3 | 28.97 |
| ***MR/O Non-Hispanic | 7 | 1.2 | N/A | 1 | 0.2 | N/A | 8 | 1.4 | N/A |
| TOTAL | 413 | 72.1 | 10.64 | 160 | 27.9 | 4.12 | 573 | 100.0 | 14.77 |
| By Mode of Transmission | | | | | | | | | |
| +MSM | 256 | 44.7 | N/A | 84 | 14.7 | N/A | 340 | 59.3 | N/A |
| ++IDU | 16 | 2.8 | N/A | 10 | 1.7 | N/A | 26 | 4.5 | N/A |
| MSM / IDU | 21 | 3.7 | N/A | 8 | 1.4 | N/A | 29 | 5.1 | N/A |
| Heterosexual | 21 | 3.7 | N/A | 9 | 1.6 | N/A | 30 | 5.2 | N/A |
| +++O/H/TF/TPR | 1 | 0.2 | N/A | 0 | 0.0 | N/A | 1 | 0.2 | N/A |
| ++++NRR/UR | 98 | 17.1 | N/A | 49 | 8.6 | N/A | 147 | 25.7 | N/A |
| TOTAL | 413 | 72.1 | 10.64 | 160 | 27.9 | 4.12 | 573 | 100.0 | 14.77 |

* Asian Pacific/Islander/Hawaiian
 ** American Indian/Alaskan Native
 *** Multiple Race/Other Race

+ Men having Sex with Men
 ++ Injection Drug Use
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient
 ++++ No Reported Risk/Unknown Risk

MOHAVE COUNTY

[BACK TO INDEX](#)

| 2007 Population | % of State Population | % State HIV/AIDS INCIDENCE |
|-----------------|-----------------------|----------------------------|
| 194,944 | 3.08 | 1.82 |

CURRENT ESTIMATED INCIDENCE:

| | EMERGENT HIV | | | EMERGENT AIDS | | | TOTAL HIV&AIDS | | |
|--------------------------------|--------------|----------------|------------------|---------------|----------------|------------------|----------------|----------------|------------------|
| | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 |
| By Gender | | | | | | | | | |
| Male | 9 | 60.0 | 9.38 | 3 | 20.0 | 3.13 | 12 | 80.0 | 12.51 |
| Female | 3 | 20.0 | 3.03 | 0 | 0.0 | 0.00 | 3 | 20.0 | 1.54 |
| TOTAL | 12 | 80.0 | 12.51 | 3 | 20.0 | 3.03 | 15 | 100.0 | 7.69 |
| By Age | | | | | | | | | |
| Under 2 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 2-12 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 13-19 | 1 | 6.7 | 6.25 | 0 | 0.0 | 0.00 | 1 | 6.7 | 6.25 |
| 20-24 | 1 | 6.7 | 10.47 | 0 | 0.0 | 0.00 | 1 | 6.7 | 10.47 |
| 25-29 | 1 | 6.7 | 7.17 | 0 | 0.0 | 0.00 | 1 | 6.7 | 7.17 |
| 30-34 | 1 | 6.7 | 9.50 | 1 | 6.7 | 9.50 | 2 | 13.3 | 19.00 |
| 35-39 | 1 | 6.7 | 9.51 | 1 | 6.7 | 9.51 | 2 | 13.3 | 19.03 |
| 40-44 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 45-49 | 1 | 6.7 | 7.88 | 0 | 0.0 | 0.00 | 1 | 6.7 | 7.88 |
| 50-54 | 3 | 20.0 | 23.80 | 1 | 6.7 | 7.93 | 4 | 26.7 | 31.74 |
| 55-59 | 2 | 13.3 | 15.63 | 0 | 0.0 | 0.00 | 2 | 13.3 | 15.63 |
| 60-64 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 65 and Above | 1 | 6.7 | 2.43 | 0 | 0.0 | 0.00 | 1 | 6.7 | 2.43 |
| Age Unknown | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| TOTAL | 12 | 80.0 | 12.51 | 3 | 20.0 | 3.03 | 15 | 100.0 | 7.69 |
| By Race / Ethnicity | | | | | | | | | |
| White Non-Hispanic | 5 | 33.3 | 3.15 | 2 | 13.3 | 1.26 | 7 | 46.7 | 4.41 |
| Black Non-Hispanic | 2 | 13.3 | 89.49 | 0 | 0.0 | 0.00 | 2 | 13.3 | 89.49 |
| Hispanic | 3 | 20.0 | 10.95 | 1 | 6.7 | 3.65 | 4 | 26.7 | 14.61 |
| *A/PI/H Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| **AI/AN Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| ***MR/O Non-Hispanic | 2 | 13.3 | N/A | 0 | 0.0 | N/A | 2 | 13.3 | N/A |
| TOTAL | 12 | 80.0 | 12.51 | 3 | 20.0 | 3.03 | 15 | 100.0 | 7.69 |
| By Mode of Transmission | | | | | | | | | |
| +MSM | 5 | 33.3 | N/A | 2 | 13.3 | N/A | 7 | 46.7 | N/A |
| ++IDU | 1 | 6.7 | N/A | 0 | 0.0 | N/A | 1 | 6.7 | N/A |
| MSM / IDU | 1 | 6.7 | N/A | 0 | 0.0 | N/A | 1 | 6.7 | N/A |
| Heterosexual | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| +++O/H/TF/TPR | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| ++++NRR/UR | 5 | 33.3 | N/A | 1 | 6.7 | N/A | 6 | 40.0 | N/A |
| TOTAL | 12 | 80.0 | 12.51 | 3 | 20.0 | 3.03 | 15 | 100.0 | 7.69 |

* Asian Pacific/Islander/Hawaiian
 ** American Indian/Alaskan Native
 *** Multiple Race/Other Race

+ Men having Sex with Men
 ++ Injection Drug Use
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient
 ++++ No Reported Risk/Unknown Risk

NAVAJO COUNTY

[BACK TO INDEX](#)

| 2007 Population | % of State Population | % State HIV/AIDS INCIDENCE |
|-----------------|-----------------------|----------------------------|
| 111,273 | 1.76 | 0.85 |

CURRENT ESTIMATED INCIDENCE:

| | EMERGENT HIV | | | EMERGENT AIDS | | | TOTAL HIV&AIDS | | |
|--------------------------------|--------------|----------------|------------------|---------------|----------------|------------------|----------------|----------------|------------------|
| | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 |
| By Gender | | | | | | | | | |
| Male | 3 | 42.9 | 5.46 | 3 | 42.9 | 5.46 | 6 | 85.7 | 10.92 |
| Female | 0 | 0.0 | 0.00 | 1 | 14.3 | 1.78 | 1 | 14.3 | 1.78 |
| TOTAL | 3 | 42.9 | 2.70 | 4 | 57.1 | 3.59 | 7 | 100.0 | 6.29 |
| By Age | | | | | | | | | |
| Under 2 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 2-12 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 13-19 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 20-24 | 0 | 0.0 | 0.00 | 1 | 14.3 | 11.52 | 1 | 14.3 | 11.52 |
| 25-29 | 1 | 14.3 | 12.23 | 0 | 0.0 | 0.00 | 1 | 14.3 | 12.23 |
| 30-34 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 35-39 | 1 | 14.3 | 16.92 | 1 | 14.3 | 16.92 | 2 | 28.6 | 33.85 |
| 40-44 | 1 | 14.3 | 14.49 | 0 | 0.0 | 0.00 | 1 | 14.3 | 14.49 |
| 45-49 | 0 | 0.0 | 0.00 | 1 | 14.3 | 13.72 | 1 | 14.3 | 13.72 |
| 50-54 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 55-59 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 60-64 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 65 and Above | 0 | 0.0 | 0.00 | 1 | 14.3 | 7.59 | 1 | 14.3 | 7.59 |
| Age Unknown | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| TOTAL | 3 | 42.9 | 2.70 | 4 | 57.1 | 3.59 | 7 | 100.0 | 6.29 |
| By Race / Ethnicity | | | | | | | | | |
| White Non-Hispanic | 1 | 14.3 | 14.49 | 0 | 0.0 | 0.00 | 1 | 14.3 | 14.49 |
| Black Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| *A/PI/H Non-Hispanic | 0 | 0.0 | 0.00 | 1 | 14.3 | 162.87 | 1 | 14.3 | 162.87 |
| **AI/AN Non-Hispanic | 2 | 28.6 | 3.96 | 3 | 42.9 | 5.94 | 5 | 71.4 | 9.90 |
| ***MR/O Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| TOTAL | 3 | 42.9 | 2.70 | 4 | 57.1 | 3.59 | 7 | 100.0 | 6.29 |
| By Mode of Transmission | | | | | | | | | |
| +MSM | 2 | 28.6 | N/A | 1 | 14.3 | N/A | 3 | 42.9 | N/A |
| ++IDU | 1 | 14.3 | N/A | 0 | 0.0 | N/A | 1 | 14.3 | N/A |
| MSM / IDU | 0 | 0.0 | N/A | 1 | 14.3 | N/A | 1 | 14.3 | N/A |
| Heterosexual | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| +++O/H/TF/TPR | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| ++++NRR/UR | 0 | 0.0 | N/A | 2 | 28.6 | N/A | 2 | 28.6 | N/A |
| TOTAL | 3 | 42.9 | 2.70 | 4 | 57.1 | 3.59 | 7 | 100.0 | 6.29 |

* Asian Pacific/Islander/Hawaiian
 ** American Indian/Alaskan Native
 *** Multiple Race/Other Race

+ Men having Sex with Men
 ++ Injection Drug Use
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient
 ++++ No Reported Risk/Unknown Risk

PIMA COUNTY

[BACK TO INDEX](#)

| 2007 Population | % of State Population | % State HIV/AIDS INCIDENCE |
|-----------------|-----------------------|----------------------------|
| 967,089 | 15.3 | 11.9 |

CURRENT ESTIMATED INCIDENCE:

| | EMERGENT HIV | | | EMERGENT AIDS | | | TOTAL HIV&AIDS | | |
|--------------------------------|--------------|----------------|------------------|---------------|----------------|------------------|----------------|----------------|------------------|
| | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 |
| By Gender | | | | | | | | | |
| Male | 49 | 50.0 | 10.35 | 30 | 30.6 | 6.33 | 79 | 80.6 | 16.68 |
| Female | 11 | 11.2 | 2.23 | 8 | 8.2 | 1.62 | 19 | 19.4 | 3.85 |
| TOTAL | 60 | 61.2 | 6.20 | 38 | 38.8 | 3.93 | 98 | 100.0 | 10.13 |
| By Age | | | | | | | | | |
| Under 2 | 1 | 1.0 | 3.65 | 0 | 0.0 | 0.00 | 1 | 1.0 | 3.65 |
| 2-12 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 13-19 | 2 | 2.0 | 2.13 | 1 | 1.0 | 1.07 | 3 | 3.1 | 3.20 |
| 20-24 | 6 | 6.1 | 8.41 | 2 | 2.0 | 2.80 | 8 | 8.2 | 11.22 |
| 25-29 | 6 | 6.1 | 8.75 | 5 | 5.1 | 7.29 | 11 | 11.2 | 16.05 |
| 30-34 | 11 | 11.2 | 18.05 | 2 | 2.0 | 3.28 | 13 | 13.3 | 21.33 |
| 35-39 | 10 | 10.2 | 16.20 | 5 | 5.1 | 8.10 | 15 | 15.3 | 24.31 |
| 40-44 | 7 | 7.1 | 11.22 | 8 | 8.2 | 12.82 | 15 | 15.3 | 24.03 |
| 45-49 | 8 | 8.2 | 2.06 | 4 | 4.1 | 2.40 | 12 | 12.2 | 2.16 |
| 50-54 | 5 | 5.1 | 7.72 | 6 | 6.1 | 9.26 | 11 | 11.2 | 16.98 |
| 55-59 | 3 | 3.1 | 5.09 | 2 | 2.0 | 3.39 | 5 | 5.1 | 8.48 |
| 60-64 | 1 | 1.0 | 2.07 | 2 | 2.0 | 4.13 | 3 | 3.1 | 6.20 |
| 65 and Above | 0 | 0.0 | 0.00 | 1 | 1.0 | 0.70 | 1 | 1.0 | 0.70 |
| Age Unknown | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| TOTAL | 60 | 61.2 | 6.20 | 38 | 38.8 | 3.93 | 98 | 100.0 | 10.13 |
| By Race / Ethnicity | | | | | | | | | |
| White Non-Hispanic | 32 | 32.7 | 5.66 | 20 | 20.4 | 3.54 | 52 | 53.1 | 9.19 |
| Black Non-Hispanic | 6 | 6.1 | 17.94 | 5 | 5.1 | 14.95 | 11 | 11.2 | 32.89 |
| Hispanic | 19 | 19.4 | 6.01 | 10 | 10.2 | 3.16 | 29 | 29.6 | 9.17 |
| *A/PI/H Non-Hispanic | 1 | 1.0 | 3.85 | 0 | 0.0 | 0.00 | 1 | 1.0 | 3.85 |
| **AI/AN Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| ***MR/O Non-Hispanic | 2 | 2.0 | N/A | 3 | 3.1 | N/A | 5 | 5.1 | N/A |
| TOTAL | 60 | 61.2 | 6.20 | 38 | 38.8 | 3.93 | 98 | 100.0 | 10.13 |
| By Mode of Transmission | | | | | | | | | |
| +MSM | 28 | 28.6 | N/A | 16 | 16.3 | N/A | 44 | 44.9 | N/A |
| ++IDU | 3 | 3.1 | N/A | 3 | 3.1 | N/A | 6 | 6.1 | N/A |
| MSM / IDU | 2 | 2.0 | N/A | 1 | 1.0 | N/A | 3 | 3.1 | N/A |
| Heterosexual | 15 | 15.3 | N/A | 8 | 8.2 | N/A | 23 | 23.5 | N/A |
| +++O/H/TF/TPR | 1 | 1.0 | N/A | 0 | 0.0 | N/A | 1 | 1.0 | N/A |
| ++++NRR/UR | 11 | 11.2 | N/A | 10 | 10.2 | N/A | 21 | 21.4 | N/A |
| TOTAL | 60 | 61.2 | 6.20 | 38 | 38.8 | 3.93 | 98 | 100.0 | 10.13 |

* Asian Pacific/Islander/Hawaiian
 ** American Indian/Alaskan Native
 *** Multiple Race/Other Race

+ Men having Sex with Men
 ++ Injection Drug Use
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient
 ++++ No Reported Risk/Unknown Risk

PINAL COUNTY

[BACK TO INDEX](#)

| 2007 Population | % of State Population | % State HIV/AIDS INCIDENCE |
|-----------------|-----------------------|----------------------------|
| 299,246 | 4.72 | 8.37 |

CURRENT ESTIMATED INCIDENCE:

| | EMERGENT HIV | | | EMERGENT AIDS | | | TOTAL HIV&AIDS | | |
|--------------------------------|--------------|----------------|------------------|---------------|----------------|------------------|----------------|----------------|------------------|
| | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 |
| By Gender | | | | | | | | | |
| Male | 38 | 55.1 | 24.36 | 19 | 27.5 | 12.18 | 57 | 82.6 | 36.54 |
| Female | 10 | 14.5 | 6.98 | 2 | 2.9 | 1.40 | 12 | 17.4 | 8.38 |
| TOTAL | 48 | 69.6 | 16.04 | 21 | 30.4 | 7.02 | 69 | 100.0 | 23.06 |
| By Age | | | | | | | | | |
| Under 2 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 2-12 | 1 | 1.4 | 2.11 | 0 | 0.0 | 0.00 | 1 | 1.4 | 2.11 |
| 13-19 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 20-24 | 5 | 7.2 | 21.79 | 2 | 2.9 | 8.72 | 7 | 10.1 | 30.51 |
| 25-29 | 4 | 5.8 | 13.87 | 4 | 5.8 | 13.87 | 8 | 11.6 | 27.74 |
| 30-34 | 11 | 15.9 | 50.13 | 3 | 4.3 | 13.67 | 14 | 20.3 | 63.80 |
| 35-39 | 12 | 17.4 | 60.70 | 2 | 2.9 | 10.12 | 14 | 20.3 | 70.82 |
| 40-44 | 6 | 8.7 | 32.90 | 5 | 7.2 | 27.42 | 11 | 15.9 | 60.31 |
| 45-49 | 5 | 7.2 | 28.14 | 2 | 2.9 | 11.26 | 7 | 10.1 | 39.40 |
| 50-54 | 2 | 2.9 | 12.28 | 3 | 4.3 | 18.42 | 5 | 7.2 | 30.69 |
| 55-59 | 1 | 1.4 | 6.51 | 0 | 0.0 | 0.00 | 1 | 1.4 | 6.51 |
| 60-64 | 1 | 1.4 | 7.03 | 0 | 0.0 | 0.00 | 1 | 1.4 | 7.03 |
| 65 and Above | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| Age Unknown | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| TOTAL | 48 | 69.6 | 16.04 | 21 | 30.4 | 7.02 | 69 | 100.0 | 23.06 |
| By Race / Ethnicity | | | | | | | | | |
| White Non-Hispanic | 11 | 15.9 | 6.17 | 7 | 10.1 | 3.93 | 18 | 26.1 | 10.10 |
| Black Non-Hispanic | 4 | 5.8 | 36.75 | 0 | 0.0 | 0.00 | 4 | 5.8 | 36.75 |
| Hispanic | 30 | 43.5 | 33.83 | 14 | 20.3 | 15.79 | 44 | 63.8 | 49.62 |
| *A/PI/H Non-Hispanic | 3 | 4.3 | 57.67 | 0 | 0.0 | 0.00 | 3 | 4.3 | 57.67 |
| **AI/AN Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| ***MR/O Non-Hispanic | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| TOTAL | 48 | 69.6 | 16.04 | 21 | 30.4 | 7.02 | 69 | 100.0 | 23.06 |
| By Mode of Transmission | | | | | | | | | |
| +MSM | 13 | 18.8 | N/A | 5 | 7.2 | N/A | 18 | 26.1 | N/A |
| ++IDU | 12 | 17.4 | N/A | 5 | 7.2 | N/A | 17 | 24.6 | N/A |
| MSM / IDU | 2 | 2.9 | N/A | 1 | 1.4 | N/A | 3 | 4.3 | N/A |
| Heterosexual | 7 | 10.1 | N/A | 1 | 1.4 | N/A | 8 | 11.6 | N/A |
| +++O/H/TF/TPR | 1 | 1.4 | N/A | 0 | 0.0 | N/A | 1 | 1.4 | N/A |
| ++++NRR/UR | 13 | 18.8 | N/A | 9 | 13.0 | N/A | 22 | 31.9 | N/A |
| TOTAL | 48 | 69.6 | 16.04 | 21 | 30.4 | 7.02 | 69 | 100.0 | 23.06 |

* Asian Pacific/Islander/Hawaiian
 ** American Indian/Alaskan Native
 *** Multiple Race/Other Race

+ Men having Sex with Men
 ++ Injection Drug Use
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient
 ++++ No Reported Risk/Unknown Risk

Note: Approximately 5% of Pinal County's population consists of incarcerated persons.

YAVAPAI COUNTY

[BACK TO INDEX](#)

| 2007 Population | % of State Population | % State HIV/AIDS INCIDENCE |
|-----------------|-----------------------|-------------------------------|
| 212,635 | 3.35 | 1.09 |

CURRENT ESTIMATED INCIDENCE:

| | EMERGENT HIV | | | EMERGENT AIDS | | | TOTAL HIV&AIDS | | |
|--------------------------------|--------------|----------------------|------------------------|---------------|----------------------|------------------------|----------------|----------------------|------------------------|
| | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 |
| By Gender | | | | | | | | | |
| Male | 5 | 55.6 | 4.79 | 2 | 22.2 | 1.91 | 7 | 77.8 | 6.70 |
| Female | 1 | 11.1 | 0.92 | 1 | 11.1 | 0.92 | 2 | 22.2 | 1.85 |
| TOTAL | 6 | 66.7 | 2.82 | 3 | 33.3 | 1.41 | 9 | 100.0 | 4.23 |
| By Age | | | | | | | | | |
| Under 2 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 2-12 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 13-19 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 20-24 | 1 | 11.1 | 7.87 | 0 | 0.0 | 0.00 | 1 | 11.1 | 7.87 |
| 25-29 | 1 | 11.1 | 6.61 | 0 | 0.0 | 0.00 | 1 | 11.1 | 6.61 |
| 30-34 | 0 | 0.0 | 0.00 | 1 | 11.1 | 8.99 | 1 | 11.1 | 8.99 |
| 35-39 | 1 | 11.1 | 9.32 | 0 | 0.0 | 0.00 | 1 | 11.1 | 9.32 |
| 40-44 | 1 | 11.1 | 8.39 | 0 | 0.0 | 0.00 | 1 | 11.1 | 8.39 |
| 45-49 | 1 | 11.1 | 7.14 | 2 | 22.2 | 14.28 | 3 | 33.3 | 21.42 |
| 50-54 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 55-59 | 1 | 11.1 | 6.81 | 0 | 0.0 | 0.00 | 1 | 11.1 | 6.81 |
| 60-64 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 65 and Above | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| Age Unknown | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| TOTAL | 6 | 66.7 | 2.82 | 3 | 33.3 | 1.41 | 9 | 100.0 | 4.23 |
| By Race / Ethnicity | | | | | | | | | |
| White Non-Hispanic | 5 | 55.6 | 2.81 | 3 | 33.3 | 1.69 | 8 | 88.9 | 4.50 |
| Black Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| Hispanic | 1 | 11.1 | 3.64 | 0 | 0.0 | 0.00 | 1 | 11.1 | 3.64 |
| *A/PI/H Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| **AI/AN Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| ***MR/O Non-Hispanic | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| TOTAL | 6 | 66.7 | 2.82 | 3 | 33.3 | 1.41 | 9 | 100.0 | 4.23 |
| By Mode of Transmission | | | | | | | | | |
| +MSM | 4 | 44.4 | N/A | 2 | 22.2 | N/A | 6 | 66.7 | N/A |
| ++IDU | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| MSM / IDU | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| Heterosexual | 1 | 11.1 | N/A | 1 | 11.1 | N/A | 2 | 22.2 | N/A |
| +++O/H/TF/TPR | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| ++++NRR/UR | 1 | 11.1 | N/A | 0 | 0.0 | N/A | 1 | 11.1 | N/A |
| TOTAL | 6 | 66.7 | 2.82 | 3 | 33.3 | 1.41 | 9 | 100.0 | 4.23 |

* Asian Pacific/Islander/Hawaiian
 ** American Indian/Alaskan Native
 *** Multiple Race/Other Race

+ Men having Sex with Men
 ++ Injection Drug Use
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient
 ++++ No Reported Risk/Unknown Risk

YUMA COUNTY

[BACK TO INDEX](#)

| 2007 Population | % of State Population | % State HIV/AIDS INCIDENCE |
|-----------------|-----------------------|----------------------------|
| 190,557 | 3.01 | 1.46 |

CURRENT ESTIMATED INCIDENCE:

| | EMERGENT HIV | | | EMERGENT AIDS | | | TOTAL HIV&AIDS | | |
|---------------------------------------|--------------|----------------|------------------|---------------|----------------|------------------|----------------|----------------|------------------|
| | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 | Cases | % County Total | Rate Per 100,000 |
| <u>By Gender</u> | | | | | | | | | |
| Male | 7 | 58.3 | 7.41 | 4 | 33.3 | 4.23 | 11 | 91.7 | 11.64 |
| Female | 0 | 0.0 | 0.00 | 1 | 8.3 | 1.04 | 1 | 8.3 | 1.04 |
| TOTAL | 7 | 58.3 | 3.67 | 5 | 41.7 | 2.62 | 12 | 100.0 | 6.30 |
| <u>By Age</u> | | | | | | | | | |
| Under 2 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 2-12 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 13-19 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 20-24 | 1 | 8.3 | 7.52 | 1 | 8.3 | 7.52 | 2 | 16.7 | 15.05 |
| 25-29 | 1 | 8.3 | 8.99 | 1 | 8.3 | 8.99 | 2 | 16.7 | 17.98 |
| 30-34 | 1 | 8.3 | 9.20 | 1 | 8.3 | 9.20 | 2 | 16.7 | 18.41 |
| 35-39 | 1 | 8.3 | 9.12 | 2 | 16.7 | 18.23 | 3 | 25.0 | 27.35 |
| 40-44 | 2 | 16.7 | 17.40 | 0 | 0.0 | 0.00 | 2 | 16.7 | 17.40 |
| 45-49 | 1 | 8.3 | 8.78 | 0 | 0.0 | 0.00 | 1 | 8.3 | 8.78 |
| 50-54 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 55-59 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 60-64 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| 65 and Above | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| Age Unknown | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| TOTAL | 7 | 58.3 | 3.67 | 5 | 41.7 | 2.62 | 12 | 100.0 | 6.30 |
| <u>By Race / Ethnicity</u> | | | | | | | | | |
| White Non-Hispanic | 4 | 33.3 | 5.23 | 1 | 8.3 | 1.31 | 5 | 41.7 | 6.54 |
| Black Non-Hispanic | 0 | 0.0 | 0.00 | 1 | 8.3 | 25.39 | 1 | 8.3 | 25.39 |
| Hispanic | 3 | 25.0 | 2.83 | 3 | 25.0 | 2.83 | 6 | 50.0 | 5.67 |
| *A/PI/H Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| **AI/AN Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| ***MR/O Non-Hispanic | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 | 0 | 0.0 | 0.00 |
| TOTAL | 7 | 58.3 | 3.67 | 5 | 41.7 | 2.62 | 12 | 100.0 | 6.30 |
| <u>By Mode of Transmission</u> | | | | | | | | | |
| +MSM | 4 | 33.3 | N/A | 4 | 33.3 | N/A | 8 | 66.7 | N/A |
| ++IDU | 2 | 16.7 | N/A | 0 | 0.0 | N/A | 2 | 16.7 | N/A |
| MSM / IDU | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| Heterosexual | 0 | 0.0 | N/A | 1 | 8.3 | N/A | 1 | 8.3 | N/A |
| +++O/H/TF/TPR | 0 | 0.0 | N/A | 0 | 0.0 | N/A | 0 | 0.0 | N/A |
| ++++NRR/UR | 1 | 8.3 | N/A | 2 | 16.7 | N/A | 1 | 8.3 | N/A |
| TOTAL | 7 | 58.3 | 3.67 | 5 | 41.7 | 2.62 | 12 | 100.0 | 6.30 |

* Asian Pacific/Islander/Hawaiian
 ** American Indian/Alaskan Native
 *** Multiple Race/Other Race

+ Men having Sex with Men
 ++ Injection Drug Use
 +++ Other/Hemophilia/Transfusion and Blood Products/Transplant Recipient
 ++++ No Reported Risk/Unknown Risk