

**Children 7 – 10 Years of Age Need These Immunizations to Attend School in Arizona
2009-2010 School Year**

Immunizations	1 st Dose	2 nd Dose	3 rd Dose	4 th Dose	5 th Dose
<u>(DTaP/DTP) Diphtheria, Tetanus & Pertussis, (DT) Diphtheria & Tetanus, Td (Tetanus & Diphtheria)</u>	Required	Required	Required	Required if dose #1 was given before 12 months of age.	
An interval of at least 4 weeks is required between the first doses of DTaP/DTP/DT/Td . An interval of 6 months is required between the last two doses.					
<u>(IPV/OPV) Polio</u>	Required	Required	Required	Not needed if dose #3 was given at 4+years. 4 doses meet the requirement even if all were given in the first year of life.	
An interval of at least 4 weeks is required between all Polio doses.					
<u>(MMR) Measles, Mumps, & Rubella</u>	Required	Required			
MMR #1 is due at 12-15 months of age. MMR #2 may be given 1 month after MMR #1. MMR #2 is required for grades K-12.					
<u>(Hep B) Hepatitis B</u>	Required	Required	Required. Must be at least 24 weeks of age.	Required only if dose #3 was given before 24 weeks of age.	
Hep B #1 may be given at birth. Dose #2 is due 4-8 weeks after dose #1. Dose #3 is due 2-5 months after dose #2, at least 4 months after dose #1 and no sooner than 24 weeks of age. A 2-dose adolescent series may be given to children 11-15 years of age over a 4-6 month period.					
<u>Varicella (Chicken Pox)</u>	Required	Recommended			
In the 2009-2010 school year, children enrolled in preschool, kindergarten and grades 1, 2, 3, 4, 5, 7, 8, 9, 10, and 11 are required to be immunized against varicella (chicken pox) or have a history of chicken pox disease. Parental recall of chicken pox is acceptable. <u>One dose of varicella vaccine meets the requirement for all children except those vaccinated at 13+ years of age.</u>					
Note: If MMR and Varicella vaccine doses were not given on the same day, they must be given at least 28 days apart.					