


# IMMUNIZATION REPORTING & LOT DECREMENTING BY HL7

It's just a matching game!

ASIIS INTEROPERABILITY TEAM

### How Does HL7 Interface Work



## Sample ACK (Successful Transmission)

```
MSH|^~\&|^^|^A|EHRSYSTEM^^|69001^^|20230303071852-0700||ACK^V04^ACK|3396725260.100685267|P|2.5.1||NE|NE||||Z23^CDCPHINVS|||MSA|AE|eK3-DI-8.0.1|

ERR||0^Message accepted^HL70357|I|||Patient Y44E15293 "MorganaAIRA BinghamAIRA" with 1 vaccination accepted into vaccination staging table|

ERR||PID^1^11^1^9|101^Required field missing^HL70357|W|||patient address county is missing|

ERR||PID^1^24^1|101^Required field missing^HL70357|W|||patient multiple birth indicator is missing|
```

# Sample NACK (Unsuccessful Transmission)

```
MSH|^~\&|^^\|EHRSYSTEM^^|69001^^|20230303071820-
0700||ACK^V04^ACK|6846508379.100684923|P|2.5.1||NE|NE||||Z23^CDCPHINVS|||
MSA|AE|eK3-DI-21.3.1|
ERR||RXA^1^5^^1|103^Table value not found^HL70357|E|||vaccination ndc code is unrecognized|
ERR||RXA^1^5^^1|100^Segment sequence error^HL70357|E|||vaccination ndc code is unrecognized
- Message Rejected|

MSH|^~\&|^^\|A^|EHRSYSTEM^^|69001^^|20230303071820-
0700||ACK^V04^ACK|6846508379.100684923|P|2.5.1||NE|NE||||Z23^CDCPHINVS|||
MSA|AE|8171615151|
ERR||RXA^1^5^^1|103^Table value not found^HL70357|E|||vaccination ndc code is unrecognized|
ERR||RXA^1^5^^1|100^Segment sequence error^HL70357|E|||vaccination ndc code is unrecognized
- Order Group Rejected|
ERR||PID^1^11^1^9|101^Required field missing^HL70357|W|||patient address county is missing|
ERR||PID^1^25^1|101^Required field missing^HL70357|W|||patient birth order is missing|
```

# Scheduled HL7 Data Error Report

#### Sample Weekly HL7 Error Report

#### Report Criteria

- · Start Date: March 03, 2023
- End Date: March 10, 2023
- Message Types: VXU
   Providers: AIRA AART TESTING #1 (69001)
- Display: Errors

69001 SIISCLIENT69279 NATHAN_69001_HL7 7632 4 4 1	Provider	Representative Facility ID	User		Profile	# Messages	# unique MRN	# Errors
	69001	SIISCLIENT69279 NATHA	N_69001_	_HL7	7632	4	4	1


#### Message level issues

Provider	Representative Facility ID	User	Profile	Import Log ID	Error / Warn	Date Sent	MRN	Issue	Issue Location	Message Control ID
69001	SIISCLIENT69279	NATHAN_69001_HL7	7632	18517726	Е	Mar 07, 2023 7:48:27 PM	XYZ000001	vaccination ndc code is unrecognized - Message Rejected		329588

#### Vaccination issues

Provider	Facility ID	User	Profile		Error / Warn	Sont	MRN	Issue	Issue Location	Historical	Message Control ID	Vaccination Date	Vaccination
69001	SIISCLIENT69279	NATHAN_69001_HL7	7632	18517726	E	Mar 07, 2023 7:48:27 PM	XYZ000001	vaccination ndc code unrecognized	NA		329588	03/03/2023	MMR

#### How Does HL7 Message Work




\*\* Important Take Away \*\*

Lot Facility does not get populated from HL7 message and is only valued when a dose was successfully linked to a lot in site's inventory, in other word, when the doses was decremented properly.

## How to Spot Decrementing Issues in ASIIS

Patient Records – Lot Facility field was empty



Patient Detail Reports (By Service) – Decremented column was valued as N



	atient ID 195577	First Name TEST01	Middle Name	Last N NOTRE	lame CEIVING	ORDERI	NTIME		<b>thday</b> 01/1993	Guard	dian	F.N. PI	hone Numl	oer VFC E NO	<b>ligible Faci</b> MY F	<b>lity</b> AN OFFICE
		Vaccine	Vac Date		Mfg. Code	Lot	Funding	VFC Eligible	Historica	alDecre	ment	edVaccinator	Facility	Date VIS Form Given	VIS Publication Date	Reporting Method
C		RNA, LNP-S, bivaler 0 mcg/0.3 mL dose	t booster, PF, 09/12/2	022 Full	PFR	333333	B PAN	NO	N		N		MY PAN OFFICE			Real Time HL7
V		lpox monkeypox va	ccine live, PF, 07/11/2	022 Full	BN	444444	1 PUB	NO	N		N		MY PAN OFFICE			Real Time HL7

• Correct Decrementing Tool in VOMS 2.0 – Search for all funding sources

Vaccine =	Manufacturer —	Organization/ Facility —	Lot# -	Funding Source -	Patient ID	Count# -	Date Imported -	Available Lot Numbers	Reason -
Vaccinia, Smallpox Monkeypox Vaccine Live, Pf, Sq or Id Injection	Bavarian Nordic A/s	0000 Voms Training (60137)/ My Pan Office (77485)	444444	PUB	VIEW	5	09/16/2022	VIEW LOTS	Lot Number is blank or not found in the Inventory
Covid-19, Mrna, Lnp-s, Bivalent Booster, Pf, 30 Mcg/0.3 MI Dose	Pfizer, Inc	0000 Voms Training (60137)/ My Pan Office (77485)	333333	PAN	VIEW	3	09/16/2022	VIEW LOTS	Lot Number is blank or not found in the Inventory
Covid-19, Mrna, Lnp-s, Bivalent Booster, Pf, 30 Mcg/0.3 MI Dose	Pfizer, Inc	0000 Voms Training (60137)/ My Pan Office (77485)	333333	PAN	VIEW	1	09/16/2022	VIEW LOTS	Lot Number is blank or not found in the Inventory
Covid-19, Mrna, Lnp-s, Bivalent Booster, Pf, 30 Mcg/0.3 MI Dose	Pfizer, Inc	0000 Voms Training (60137)/ My Pan Office (77485)	333333	PAN	VIEW	1	09/16/2022	VIEW LOTS	Lot Number is blank or not found in the Inventory

Viewing 1 - 4 out of 4 Entries


#### Core Vaccine Data Fields in Lot Decrementing

#### Patient Record in ASIIS

- 1. Vaccine Name \*
- 2. Lot Number/Lot Noted on Record
- 3. Manufacturer
- 4. Organization/Facility (Facility SIIS ID) \*\*
- 5. Funding Source

#### HL7 Message

- 1. RXA-5 (CVX/NDC/CPT)
- 2. RXA-15 (Lot Number)
- 3. RXA-17 (MVX)
- 4. MSH-4.1/RXA-11.4
- 5. OBX-5 (OBX-3.1 = 30963-3)



<sup>\*</sup> The vaccine name displayed in patient record can be different than the description from what is displayed in VOMS 2.0, this does not always mean the provider send in the wrong vaccine code but rather a sign of mis-matching in other fields


<sup>\*\*</sup> For provider who use reporting site to report, the organization/facility information can be different if the record was still in the middle of processing

# More Checkpoints in Troubleshooting Decrementing Issues (1)

Did provider office receive VFC/Pandemic order that contained impacted lot number prior to vaccine administration or reporting date

Recommendation: Always complete order receiving process the same day when the shipment arrived

#### Example of undecremented dose reported before order received in ASIIS



# LOT HISTORY Vaccinia, Smallpox Monkeypox Vaccine Live, Pf, Sq or Id Injection | Jynneos Lot #: 444444 | Exp Date: 08/31/2023 | Funding: PUB From: Start date x To: 09/27/2022 REFRESH PRINT Doses Received: 100 Date Order/Transfer # Doses Received 09/17/2022 Unkown Order/Transfer # 100

# More Checkpoints in Troubleshooting Decrementing Issues (2)

Had the record been completely processed and posted to the provider's account

Recommendation: Wait at least 24 hours (or vaccination date is displayed in blue when viewed under provider's facility account) before checking the decrementing status for reported doses (for RPT Site clients, it would take up to 48 hours)


Example of a record added by RPT Site client before fully processed and posted to their own account

Vaccination/Medicine Detail	
Vaccine:	COVID-19, mRNA, LNP-S, PF, 100 mcg/0.5mL dose or 50 mcg/0.25mL dose
Date Administered:	09/01/2021
Historical:	No
Manufacturer:	MODERNA US,INC.
Lot Number:	045C21A
Lot Facility:	
Funding Source:	PAN
Provider Noted on Record:	
Lot Noted on Record:	045C21A
Manufacturer Noted on Record:	MODERNA
Vaccinator:	
Originating IIS:	ASIIS
Organization:	64007 - RPT SITE - MY REPORTING ORGANIZATION
Facility (Facility SIIS ID):	MY REPORTING FACILITY (SIISCLIENT36073)
Facility Display Name:	
Anatomical Site:	Left Arm
Anatomical Route:	Intramuscular
Dose Size:	Full
Volume (CC):	0.5
VFC Status:	Ineligible

# More Checkpoints in Troubleshooting Decrementing Issues (3)

Is the impacted lot number still active and has greater than zero available dose(s) in ASIIS inventory

Recommendation: Wait until the available dose amount for a lot becomes zero (0) before de-activating the lot number from inventory. Do not manually adjust the dose on hand amount to zero if reported doses not being deducted from your inventory.





Email Your Questions and Comments to Arizona Immunization Interoperability Team

ASIIS\_Electronic\_Reporting@azdhs.gov

