


2021-2022 PEDIATRIC INFLUENZA VACCINES

* Indicates presentations available to order for the Vaccines for Children (VFC) program.

6 Months & Older



Flucelvax® Quadrivalent*

Seqirus USA, Inc

0.5 mL single-dose syringe, 10 pack

NDC 70461-0321-03




Flucelvax® Quadrivalent

Seqirus USA, Inc

5 mL multi-dose vial, 10 doses

NDC 70461-0421-10




Fluarix® Quadrivalent*

GlaxoSmithKline Biologicals

0.5 mL single-dose syringe, 10 pack

NDC 58160-0887-52



Afluria® Quadrivalent

Seqirus USA, Inc

5 mL multi-dose vial

NDC 33332-0421-10



Fluzone® Quadrivalent

Sanofi

5 mL multi-dose vial, 10 doses

NDC 49281-0635-15



Fluzone® Quadrivalent *

Sanofi

0.5 mL single-dose vial, 10 pack

NDC 49281-0421-10




Fluzone® Quadrivalent*

Sanofi

0.5 mL single-dose syringe, 10 pack

NDC 49281-0421-50



FluLaval® Quadrivalent *

GlaxoSmithKline

0.5 mL single-dose syringe, 10 pack

NDC 19515-0818-52

For 8-year-olds who need two doses of influenza vaccine this season, and they receive the first dose but turn 9-years-old before the second dose, still give them the second dose.


Arizona Immunization Program Office

150 N. 18th Ave., Suite 260

Phoenix, AZ 85007

Phone: 602-364-3630

Fax: 623-364-3285




ARIZONA DEPARTMENT
OF HEALTH SERVICES

PREPAREDNESS

2021-2022 PEDIATRIC INFLUENZA VACCINES

* Indicates presentations available to order for the Vaccines for Children (VFC) program.

6 to 35 Months



Afluria® Quadrivalent

Seqirus USA, Inc

0.25 mL single-dose syringe, 10 pack

NDC 33332-0221-20

3 Years & Older




Afluria® Quadrivalent

Seqirus USA, Inc

0.5mL single-dose syringe, 10 pack

NDC 33332-0321-01

2 to 49 Years



Flumist® Quadrivalent *

AstraZeneca

0.2 mL single-dose sprayer, 10 pack

NDC 66019-0308-10

For 8-year-olds who need two doses of influenza vaccine this season, and they receive the first dose but turn 9-years-old before the second dose, still give them the second dose.

Arizona Immunization Program Office

150 N. 18th Ave., Suite 260

Phoenix, AZ 85007

Phone: 602-364-3630

Fax: 623-364-3285




ARIZONA DEPARTMENT
OF HEALTH SERVICES

PREPAREDNESS

2021-2022 PEDIATRIC INFLUENZA VACCINES

Guide for Determining the Number of Doses of Influenza Vaccine to Give to Children Age 6 Months Through 8 Years



*The two doses need not have been received during the same season or consecutive seasons.

Coadministration of COVID-19 and Influenza Vaccines

Providers can administer COVID-19 and influenza vaccines on the same day or coadminister at any time interval. There may be logistical advantages to administering COVID-19 and influenza vaccines on the same day, which providers may encourage to patients. There are no safety concerns for coadministration.

When deciding whether to coadminister another vaccine(s) with COVID-19 vaccine, consider:

- If the patient is behind OR if the patient is at risk of becoming behind on recommended vaccines
- The patient's risk of vaccine-preventable disease
- The reactogenicity profile of the vaccines
- The likelihood of avoiding a missed opportunity to vaccinate

Best practices for multiple injections include:

- Label each syringe with the name and the dosage (amount) of the vaccine, lot number, the initials of the preparer, and the exact beyond-use time, if applicable
- Separate injection sites by 1 inch or more, if possible
- Administer the COVID-19 vaccines and vaccines that may be more likely to cause a local reaction (i.e., tetanus containing vaccines) in different limbs, if possible