



ARIZONA DEPARTMENT OF HEALTH SERVICES

STANDING ORDERS FOR NALOXONE

This standing order is issued by Dr. Cara Christ, MD MS (NPI #1639369036), Director of Arizona Department of Health Services. The standing order authorizes any Arizona-licensed pharmacist to dispense naloxone to any individual in accordance with the conditions of this order.

Dispense one of the three following naloxone products based on product availability and preference.

<input type="checkbox"/>	<p>For intranasal administration</p> <p><u>Dispense:</u> NARCAN™ 4mg/0.1mL nasal spray</p> <p><u>Sig:</u> For suspected opioid overdose, administer a single spray of Narcan in one nostril. Repeat after 3 minutes if no or minimal response.</p> <p><u>Refills:</u> PRN x 1 year</p> <p>OR</p> <p><u>Dispense:</u> 2mg/2mL single dose Luer-Jet prefilled syringe. Include 1 Luer-lock mucosal atomization device per dose dispensed.</p> <p><u>Sig:</u> For suspected opioid overdose, spray 1 mL in each nostril. Repeat after 3 minutes if no or minimal response.</p> <p><u>Refills:</u> PRN x 1 year</p>
<input type="checkbox"/>	<p>For intramuscular injection</p> <p><u>Disp:</u> 0.4mg/mL in 1mL single dose vials. Include one 3cc, 23g, 1" syringe per dose dispensed.</p> <p><u>Sig:</u> For suspected opioid overdose , inject 1mL IM in shoulder or thigh, PRN opioid overdose. Repeat after 3 minutes if no or minimal response.</p> <p><u>Refills:</u> PRN x 1 year</p>
<input type="checkbox"/>	<p>For intramuscular or subcutaneous injection</p> <p><u>Disp:</u> EVZIO™ 2mg/0.4mL auto-injector, #1 Two-pack</p> <p><u>Sig:</u> For suspected opioid overdose, follow audio instructions from device. Place on thigh and inject 0.4mL. Repeat after 3 minutes if no or minimal response.</p> <p><u>Refills:</u> PRN x one year</p>

Cara Christ, MD MS, Director of Arizona Department of Health Services

Effective date 11/20/17, Expiration date 11/20/19

Douglas A. Ducey | Governor Cara M. Christ, MD, MS | Director